

PROJECT PROPOSAL ChefAl

Team Members:

- Michael Colbert
- Omais Khan
- Sahil Jartare
- Shrey Patel
- Kevin Quiroz

GitHub Repository:

https://github.com/cis3296s25/01-ChefAI

Project Board:

https://github.com/orgs/cis3296s25/projects/58

1 | Page 4 / 9 / 2 0 2 5



Table of Contents

Project Proposal	3
Project Abstract	3
High Level Requirement	3
Conceptual Design	3
Proof of Concept	
Background	2
Required Resources	
Project Design	4
Vision	
Persona Rohan, age 20, sophomore at Dillan University	
Persona Michele, age 32, a housewife	5
Persona Bob, age 58, an accountant	5
Persona Mark, age 23, a recent college grad	6
Persona Jason, age 28, junior investment banker	6
Class Diagram	
UML Sequence Diagram #1	8
UML Sequence Diagram #2	9
Automated Test Results	10
How To Run:	12
Project Progress	14
Week 2 Progress	14
Week 3 Progress	16
Week A Progress	10



Project Proposal

Project Abstract

This document proposes a novel application of a recipe generator that creates recipes based on the ingredients that are present at your disposal. Whether you are inexperienced with cooking or want to try a new cuisine with the ingredients at your disposal, ChefAl will create the ultimate recipe for you. Additionally, you might not know what your ingredients are, or you have too many ingredients. In that case, you can take a picture of the ingredients and allow the application to generate a tasty recipe. The application will allow you to explore all cuisines and create delicious recipes in just a few clicks.

High Level Requirement

Describe the requirements -i.e., what the product does and how it does it from a user point of view - at a high level. (You can include screenshot mockup of the interface)

Conceptual Design

Recipe Cooker will be created using:

- 1. Backend: Python, Django
- 2. Frontend: HTML, CSS, JavaScript
- 3. Libraries:
 - a. JavaScript: React
 - b. Frameworks: Python: Django
- 4. APIs:
 - a. Python: MealDB, Salesforce BLIP, ChatGPT.
- 5. Database:
 - a. SQLite

We will be coding the logic of the program in Python. We will use Django framework for the backend and Javascript for the frontend. Image detection models will be used to detect ingredients in the images that would be accessed through APIs using Python.

The User input would be converted into a dictionary of ingredient names and quantity, which would be fed to an LLM leveraged by Retrieval-Augmented Generation to produce more informed and relevant recipes.

The front end would comprise of HTML and CSS for structure and presentation, and JavaScript would be responsible for the user interaction and actions.

Proof of Concept

Here is the github URL with all the project files:

https://github.com/Sahil-Jartare/Recipe-Cooker.git

Step 1 - Create a python virtual environment with version 3.8 and install openai, and other packages.



Step 2 – Run index.html in live server.

Background

The purpose of ChefAI is to generate accurate and tasty recipes based on the ingredients and their quantity. It will have an interactive UI allowing you to select the ingredients you have at your disposal or upload image/s of your ingredients along with the quantity of each ingredient.

This app is aimed to assist inexperienced cooks in making tasty food based on the ingredients they have at their disposal. There are times when you know only one recipe or have insufficient ingredients to make the recipe you know. There are also times where you want to try something new with the ingredients you have. Another vision of this app is to reduce the time of searching recipes and provide only relevant recipes with ingredients that are readily available to use at your disposal.

For times like these, all you have to do is type in the ingredients on the search bar or take a picture of all the ingredients you have and wait for the application to generate you the most optimal recipe.

This application is inspired by existing applications such as SuperCook(https://www.supercook.com/#/desktop) and DishGen(https://www.dishgen.com/), that present the user with the best recipe based on ingredients or a short description of the ingredients you would like to use.

This application will differ and improve in the following ways:

- 1. We will use AI to generate recipes perfect for the amount of ingredients you have.
- 2. We will allow the user to upload a picture of their ingredients and generate a recipe based on the ingredients.

Required Resources

- The resources required for this project are available for free. Only a laptop and IDE is required to implement the application.
- The required packages and development kit would be downloaded in their respective environments, and the group members would have access to all the files through GitHub.
- We will need to acquire knowledge on the frameworks used and learn how to integrate the various parts of the project together.
- We will have free access to the APIs for open-source models for free except for the ChatGPT API.

Project Design

Vision

FOR the inexperienced, impatient, and indecisive cooks WHO are keen on cooking food without wasting time on searching for recipes that match the availability of their ingredients, ChefAI is a Web Application powered by AI to efficiently generate the most

4 | Page 4 / 9 / 2 0 2 5

TEMPLE UNIVERSITY

CIS 3296 SOFTWARE DESIGN

ideal recipe for the ingredients at your disposal THAT would take in your favored ingredients, the quantity of ingredients and the preferred cuisine UNLIKE other online free recipe providers, OUR product is powered by Artificial Intelligence to curate the perfect recipe for you at the cost of a dozen bananas.

Persona Rohan, age 20, sophomore at Dillan University

Rohan, age 20, sophomore in Dillan University studying Computer Science and Psychology. He has come for a study abroad from Mumbai, India to Philadelphia, U.S.A because he wanted to experience American culture and education. He is frugal in spending and loves to try out new food, but with his budget he cannot afford eating outside every day. Since he is a Computer Science major, he is great at using new technologies and loves to experiment with them. He has never cooked before as he never had to worry about it back home but looking at the costs of buying food in America, he is particularly keen on trying it. He does not know much about cooking and would like to search for recipes easily that provide step by step details down to the utensils that are used. Along with that he would like to try out new cuisines as he gets better. Thus, he would be interested in using ChefAl for recipes that are easy to understand and are filled with recipes of different cuisines.

Persona Michele, age 32, a housewife

Michele, age 32, is a housewife living in the suburbs of New Jersey. She does not know how to drive and relies on her husband to take her to the super-market to shop for food. Whenever she goes grocery shopping, she makes sure to buy for the whole week but sometimes over buys. She loves cooking and tries new recipes from her cookbook every day but sometimes she does not have a certain ingredient listed in the cookbook and is unable to make the recipe anymore. Then all the other ingredients that are used in the recipe are potentially wasted. Michele would like to use ChefAl that would show her a recipe that would use all the ingredients at her disposal and would provide detailed description of each step on the way.

Persona Bob, age 58, an accountant

Bob, age 56, is a salary man working as an accountant in Japan. He works 50 hours week and eats outside most of the time during the week. To relax, he makes sure to make time to cook at least once during the weekend, but since he does not cook much, he has minimal ingredients at home. He is a hard worker, but is bad with technology and very impatient. He does not like to waste time on searching recipes as most of the time he does not have all the ingredients required. He would prefer using ChefAI, as it would provide him quick, simple and tasty recipes with only ingredients that are on hand and would save the time of searching online for recipes that match the ingredients he has.



Persona Mark, age 23, a recent college grad

Mark, age 23, is a new college graduate from Temple University. He has just started his job in a new state that prevents him from living close to those who he grew up with. Being a new graduate with student loans needing to be paid back, Mark is trying to save money which means he is trying to cook at home more often. However, Mark has never had a reason to cook before since he was always able to depend on his parents for meals. To save money, Mark went to the grocery store and bought items that were familiar to him. The items that he ended up with were items that his parents would normally purchase.


Mark's experience in the kitchen is minimal. He can do regular prep work in the kitchen due to helping his parents cook large meals for holidays, but needs to be told what to do. Staring in his fridge of new groceries, Mark is unsure how to turn all those ingredients into a nice meal. Being young and familiar with all the technology around him, he discovers Chef-Al and is relieved because he knows that he will easily be able to discover a nice meal from the ingredients he just bought.

Persona Jason, age 28, junior investment banker

Jason, age 28, works as a junior investment banker in Manhattan. He's constantly drowning in 80-90 hour weeks, often stuck at the office past midnight finishing pitch decks and financial models. Even though he makes good money, he barely gets to enjoy it - his schedule is brutal. His expensive apartment might as well be a storage unit, and his fridge is a sad collection of energy drinks, an unopened bottle of champagne from his last promotion, and takeout containers in various states of decay. Growing up, his family had people who cooked for them, and in college, he just hit the dining hall. These days, he lives off expensive delivery and whatever catering shows up at the office. His doctor recently gave him grief about his cholesterol and told him to start eating better. Jason can definitely afford groceries, but he has no clue what to do in a kitchen and finds the whole thing intimidating. He's hoping ChefAl can give him some dead-simple recipes that won't take forever, don't need fancy equipment (his kitchen is basically empty), and are impossible to screw up - even for a sleep-deprived banker who's never cooked anything more complicated than toast




Class Diagram



- UML shows the main controller logic resides in views.py. The index() hands the form submission from index.html, processes selected ingredients, and call feedLLM() to get an AI-generated recipe by invoking ChatGroq LLM API
- forms.py contains the ingredientList form, which defines types of ingredients. Used by views.py > index() to process form data
- models.py defines Ingredient which will be used to store ingredients and is registered in the admin panel planned for database integration
- index.html is the main user interface which renders checkboxes for each group from forms. Loads design.css as its primary stylesheet
- recipetemp.html displays the AI-generated recipe using data from session in views.py. Loads stylesheet response.css
- design.css is used in index.html to style layout and elements for selection
- response.css used in recipetemp.html, styles the layout of the displayed recipe
- urls.py routes to the functions in view.py



UML Sequence Diagram #1




User opens the landing page (newindex.html) then the browser loads static assets like style.css, index.js, background videos, and images. User then clicks "Let's Chef it up!" which hides the landing screen and then the ingredient UI is shown. User types an ingredient (e.g., "Black Pepper") and presses Enter. The JavaScript frontend checks if the ingredient exists in the predefined categories or fetched database. If it matches, the corresponding checkbox is automatically selected. The ingredient is then added to the visual "Selected Ingredients" list. User enters a quantity (e.g., "2 tsp") then the browser collects this user input and allows for more ingredients to be added. User clicks "Generate Recipe" JavaScript collects all selected ingredients and their quantities. It compiles them and assigns them to a hidden form input (final_ingredients). Form submission via POST / the Django view receives the list of ingredients and passes them to the feedLLM() function.



feedLLM() prompts the Groq LLM API where a well-structured prompt is sent to the model, including the ingredients. The LLM generates a formatted response then the parsed LLM response is returned. The response is parsed into a Python dictionary. Django then saves both the selected ingredients and the LLM response in the session. User is redirected to /recipe this is a GET request handled by the response_recipe() Django view. It loads the recipetemp.html template and puts the LLM response data. User views the final recipe.

UML Sequence Diagram #2




The diagram outlines the entire process from when the user uploads an image to receiving a personalized recipe. Initially, the user uploads an image through the index.html page. This triggers the index.js script, which handles sending the image file to the backend via a POST request to the /upload-image/ endpoint. The backend (in views.py) then forwards this image to the Hugging Face model for ingredient detection. Once Hugging Face processes the image, it returns a list of detected ingredients to the backend, which sends this data back to the frontend in JSON format. The index.js script then dynamically displays these ingredients on the webpage and enables the "Generate Recipe" button.

When the user confirms and submits their ingredient selections, the index.js script sends the selected ingredients back to the backend for recipe generation. The backend sends these ingredients to the Language Model (LLM) via another API call to generate a recipe. The LLM returns the recipe, including details such as the title, cuisine, cooking time, ingredients used,



utensils required, and step-by-step instructions. This recipe data is then sent back to the frontend, where the user is redirected to response.html to display the recipe. The webpage shows the full recipe details, and the user can download it in formats like PDF or JPG. Throughout this process, the frontend and backend work together to process and display data, while the Hugging Face model and LLM handle the complex tasks of ingredient detection and recipe generation.

Automated Test Results





Coverage report: 91%					
Files Functions Classes					
coverage.py v7.8.0, created at 2025-04-09 04:48 +0000					
File ▲	function	statements	missing	excluded	coverag
chef_ai/admin.py	(no function)				100
chef_ai/apps.py	(no function)				100
chef_ai/forms.py	ingredientListinit				100
chef_ai/forms.py	(no function)				100
chef_ai/migrations/_initpy	(no function)				10
chef_ai/migrations/0001_initial.py	(no function)				10
chef_ai/migrations/0002_alter_ingredients_ingredient_name_and_more.py	(no function)				10
chef_ai/migrations/0003_rename_ingredients_ingredient.py	(no function)				10
chef_ai/migrations/0004_alter_ingredient_ingredient_type.py	(no function)				10
chef_ai/migrations/0005_alter_ingredient_ingredient_name.py	(no function)				16
chef_ai/migrations/0006_userhistory.py	(no function)				16
chef_ai/migrations/0007_userhistory_title.py	(no function)				16
chef_ai/models.py	(no function)	10			16
chef_ai/tests/initpy	(no function)				16
chef_ai/tests/forms/initpy	(no function)				10
chef_ai/tests/forms/test_ingredient_form.py	testIngredientListForm.setUp				10
chef_ai/tests/forms/test_ingredient_form.py	testIngredientListForm.test_get_list_of_choices_from_Table				10
chef_ai/tests/forms/test_ingredient_form.py	$testIng redient ListForm. test_choices_and_fields_are_dynamic_in_ing redient_list_form$				16
chef_ai/tests/forms/test_ingredient_form.py	(no function)	10			10
chef_ai/tests/forms/test_user_registration_form.py	UserRegistrationFormTest.test_user_registration_form_valid				10
chef_ai/tests/forms/test_user_registration_form.py	UserRegistrationFormTest.test_user_registration_form_invalid_email				10
chef_ai/tests/forms/test_user_registration_form.py	$User Registration Form Test. test_user_registration_form_password_mismatch$				16
chef_ai/tests/forms/test_user_registration_form.py	$User Registration Form Test. test_user_registration_form_missing_fields$				16
chef_ai/tests/forms/test_user_registration_form.py	(no function)	10			16
chef_ai/tests/models/initpy	(no function)				10
chef_ai/tests/models/test_models.py	IngredientModelTest.setUp				10
chef_ai/tests/models/test_models.py	IngredientModelTest.test_ingredient_creation				16
chef_ai/tests/models/test_models.py	(no function)				10
chef_ai/tests/views/_initpy	(no function)				10
chef_ai/tests/views/test_download_jpg.py	DownloadJPGTest.setUp				16



Dest All-Part Al						
Commonstructions Commonstruc	chef_ai/tests/views/test_download_jpg.py	DownloadJPGTest.test_download_jpg_no_ai_response				100%
Common	chef_ai/tests/views/test_download_jpg.py	DownloadJPGTest.test_download_jpg_with_ai_response				100%
Content Cont	chef_ai/tests/views/test_download_jpg.py	(no function)				100%
Commontment	chef_ai/tests/views/test_download_pdf.py	DownloadPDFTest.setUp				100%
Commonwer Comm	chef_ai/tests/views/test_download_pdf.py	Download PDFT est. test_download_pdf_no_ai_response				100%
Color Albests Albest	chef_ai/tests/views/test_download_pdf.py	DownloadPDFTest.test_download_pdf_with_ai_response				100%
Control Alberts Albe	chef_ai/tests/views/test_download_pdf.py	DownloadPDFTest.test_download_pdf_two_pages_long	11			100%
Index/www.firest_index_view.py Index/wein_test_index_view.from pool_isappy 2 0 0 0 0 0 0 0 0 0	chef_ai/tests/views/test_download_pdf.py	(no function)	11			100%
Color Alberts New Peer Index, view py Index/ever	chef_ai/tests/views/test_index_view.py	IndexViewTest.test_index_view_status_code				100%
Check altertasty-inventity minocytieve frest test indice, view pry minocytieve frest test indice, view from post has, many, ingredients 2	chef_ai/tests/views/test_index_view.py	IndexViewTest.test_index_view_form_post_isEmpty				100%
Chel. Alrest Avience/Inst. Index, view py Index/View/Test. Index, view porm post, his, many ingricients, and amounts 2 0 0 100	chef_ai/tests/views/test_index_view.py	IndexViewTest.test_index_view_form_post_has_one_ingredient				100%
chef al/tests/viewn/test, Index, view py Index/view/test_Index, view form_post_has_many_ingredients 2 0 0 1000 Chef_al/tests/viewn/test_Index, view py Index/view/test_Index_view_form_post_has_many_ingredients, and_annunts 2 0 0 1000 chef_al/tests/viewn/test_Index_view py Index/view/test_Index_dats_assed_in passed 15 0 0 1000 chef_al/tests/viewn/test_Index_view py Index/view/test_Index_passed 16 0 0 1000 Chef_al/tests/viewn/test_Iopouttber py Loopouttber featace.settly 1 0 0 1000 <td>chef ai/tests/views/test index view.py</td> <td>IndexViewTest.test index view form post has one ingredient with gty</td> <td></td> <td></td> <td></td> <td>100%</td>	chef ai/tests/views/test index view.py	IndexViewTest.test index view form post has one ingredient with gty				100%
chef al/tests/views/test_index_view.py Index/view/est_lede_uioex_view.pm_post_lars_many_ingredients_and_anounts 2 0 0 10 act chef al/tests/views/test_index_view.py Index/view/est_lest_uioex_sess_aned 3 0 0 10 act chef al/tests/views/test_index_view.py does/view/test_est_uion_est_saved 16 0 0 10 act chef al/tests/views/test_index_view.py (no function) 16 0 0 10 act chef al/tests/views/test_index_view.py (no function) 6 0 0 10 act chef al/tests/views/test_index_view.pst_cripe.py (no function) 6 0 0 10 act chef al/tests/views/test_response_recipe.py response_reciple/stest_est_esponse_from_ession 16 0 0 10 act chef al/tests/views/test_response_recipe.py response_reciple/stest_est_esponse_from_ession 16 0 0 10 act chef al/tests/views/test_response_reciple py response_reciple/stest_est_esponse_from_ession 16 0 0 10 act chef al/tests/views/test_response_reciple py response_reciple 15	chef ai/tests/views/test index view.pv					100%
chef al/tests/views/test_index_views/py index/view/esttest_index_data_saved_in_session 5 0 0 1000 Chef al/tests/views/test_index_views/py index/view/est_test_user_history_gets_saved 10 0 1000 chef al/tests/views/test_logouttser py Logouttser fest Case setUp 1 0 0 1000 chef al/tests/views/test_logouttser py Logouttser fest Case setUp 1 0 0 1000 chef al/tests/views/test_logouttser py Logouttser fest Case setUp 6 0 0 1000 chef al/tests/views/test_logouttser py response precipie rest test get_response, from session 10 0 0 1000 chef al/tests/views/test_response, recipe py response, precipie rest test_response, recipe, without session_data 10 0 0 1000 chef al/tests/views/test_response, recipe py recipie response_recipie_without session_data 10 0 0 1000 chef al/tests/views/test_response_recipe py recipie response_recipie_without session_data 10 0 0 1000 chef al/tests/views/test_response_recipe py recipie response_recipie_withou	The Art of the State of the Sta					100%
chel "Aircestyview/nest_lindex_view.py Index/lestyviews/test_index_view.py 00 non. chel "Aircestyviews/test_logicultser.py (a) cognut/beer festcase set/ly 1 0 0 100x chel "Aircestyviews/test_logicultser.py (a) cognut/beer festcase set/ly 1 0 0 100x chel "Aircestyviews/test_logicultser.py (a) cognut/beer festcase test logicul_user 0 0 100x chel "Aircestyviews/test_lespone_recipe.py (no function) 10 0 0 100x chel "Aircestyviews/test_respone_recipe.py (no function) 10 0 0 100x chel "Aircestyviews/test_search_ingredients.py (est. search_ingredients.po_marked 10 0 100x chel "Aircestyviews/test_search_ingredients.py (est. search_ingredients.po_marked 10 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td>100%</td>						100%
chel al/tests/views/test_lindex_views/y (no function) 16 0 0 108 chel al/tests/views/test_logoutt/ser.py Logoutt/ser fiscase.set1/p 1 0 0 108 chel al/tests/views/test_logoutt/ser.py Logoutt/ser fiscase.set1/pour user 6 0 0 108 chel al/tests/views/test_lespont/see.py (no function) 6 0 0 108 chel al/tests/views/test_response_recipe.py response_recipe lestest response_from_session 10 0 0 108 chel al/tests/views/test_response_recipe.py (no function) 3 0 0 108 chel al/tests/views/test_response_recipe.py (no function) 3 0 0 108 chel al/tests/views/test_response_recipe.py (no function) 10 0 0 108 chel al/tests/views/test_response_recipe.py (no function) 10 0 0 108 chel al/tests/views/test_search_ingredients.py 10 10 10 10 10 chel al/tests/views/test_search_ingredients.py 10 1			10			100%
chef_ai/tests/view/test_logout/ber.py Logout/ber/festCase.telt/popul_user 1 0 0 100x chef_ai/tests/view/text_logout/ber.py Logout/ber festCase.tell_popul_user 6 0 0 100x chef_ai/tests/view/text_logout/ber.py response_recipe festLest_get_response_from_session 10 0 0 100x chef_ai/tests/view/test_response_recipe.py response_recipe festLest_get_response_recipe_without_respond_data 6 0 0 100x chef_ai/tests/view/test_response_recipe.py response_recipe festLest_get_response_recipe_without_respond_data 6 0 0 100x chef_ai/tests/view/test_spanch_ingredients.py test_search_ingredients 10 0 0 100x chef_ai/tests/view/test_search_ingredients.py test_search_ingredients.pn_match 10 0 0 100x chef_ai/tests/view/rest_search_ingredients.py (no function) 10 0 0 100x chef_ai/tests/view/rest_sear_registration.py (no function) 10 0 0 100x chef_ai/tests/view/rest_sear_registration.py (no function) 10	Contract Con		16			100%
chef_ai/tests/views/test_logoutUser.py togoutUser lest Case test_logout_user 6 0 10 mode chef_ai/tests/views/test_logoutUser.py (mo function) 6 0 10 mode chef_ai/tests/views/test_response_recipe.py response_recipelest test_get_response_recipe, without_session_data 10 0 0 100% chef_ai/tests/views/test_response_recipe.py response_recipe fest test_response_recipe, without_session_data 10 0 0 100% chef_ai/tests/views/test_search_ingredients.py test_search_ingredients.p 10 0 0 100% chef_ai/tests/views/test_search_ingredients.py test_search_ingredients empty_query 10 0 0 100% chef_ai/tests/views/test_search_ingredients.py (mo function) 10 0 0 100% chef_ai/tests/views/test_search_ingredients.py (mo function) 10 0 0 100% chef_ai/tests/views/test_search_ingredients.py (mo function) 10 0 0 100% chef_ai/tests/views/test_user_registration.py UserRegistrationTests.test_user_registration.py 10 100%			1	0	0	100%
Chel alirests/views/test logotulser py (no function) 6 0 0 100 Chel alirests/views/test lesponse, recipe.py response recipe lest lest get response, from session 10 0 0 100 Chel alirests/views/test gesponse, recipe.py response recipe fest test get response, recipe without session, data 6 0 0 100 Chel alirests/views/test gearch ingredients.py test search ingredients 10 0 0 100 Chel alirests/views/test search ingredients.py test search ingredients no, malch 9 0 0 100 Chel alirests/views/test search ingredients.py (no function) 10 0 0 100 Chel alirests/views/test search ingredients.py (no function) 10 0 0 100 Chel alirests/views/test search ingredients.py (no function) 10 0 0 100 Chel alirests/views/test user_registration.py UserRegistration fests.test user_registration invalid_data 4 0 0 100 Chel alirests/views/test_user_registration.py (no function) 10 0 0						
chef_ai/kests/views/test_response_recipe_py response_recipe fest_test_get_response_from_session 10 0 100 total chef_ai/kests/views/test_response_recipe_py response_recipe_fest_test_response_recipe_without_session_data 6 0 0 100 total chef_ai/kests/views/test_response_recipe_py (no function) 5 0 0 100 total chef_ai/kests/views/test_search_ingredients.py test_search_ingredients. 10 0 0 100 total chef_ai/kests/views/test_search_ingredients.py test_search_ingredients. empty_cauery 10 0 0 100 total chef_ai/kests/views/test_search_ingredients.py test_search_ingredients. empty_cauery 10 0 0 100 total chef_ai/kests/views/test_user_registration.py UserRegistration 7 0 100 total chef_ai/kests/views/test_user_registration.py UserRegistration fest_stest_user_registration_pat 4 0 0 100 total chef_ai/viests/views/test_user_registration.py (no function) 11 0 100 total chef_ai/viests/views/test_user_registration.py (no function) 1 0 <td></td> <td></td> <td>6</td> <td>ø</td> <td>0</td> <td>100%</td>			6	ø	0	100%
Chef al/Nets/views/test_response_recipe.py response_recipe fest lest_response_recipe without session_data 6 0 100x Chef al/Nets/views/test_response_recipe.py response_recipe fest lest_response_recipe without_session_data 6 0 100x chef_al/Nets/views/test_search_ingredients.py test_search_ingredients.p 10 0 0 100x chef_al/Nets/views/test_search_ingredients.py test_search_ingredients.pn_match 9 0 100x chef_al/Nets/views/test_search_ingredients.py (no function) 10 0 0 100x chef_al/Nets/views/test_user_registration.py UserRegistration fests.test_user_registration 7 0 0 100x chef_al/Nets/views/test_user_registration.py UserRegistration fests.test_user_registration.get 4 0 0 100x chef_al/Nets/views/test_user_registration.py (no function) 11 0 0 100x chef_al/views.py (no function) 10 0 100x chef_al/views.py feedILM 8 0 0 100x chef_al/views.py feedILM/dean sect						
Chef_al/Nets/Versor/Sets/tecponse_recipe_by Insplants (response_recipe_by)						
Kert al/Rests/views/test_search_ingredients.py test_search_ingredients.no_match 10 0 10 10						
Chef alivests/views/test search ingredients.py test search ingredients no match 9 0 0 100 chef alivests/views/test search ingredients.py test search ingredients empty query 10 0 0 100 chef alivests/views/test search ingredients.py (no function) 10 0 0 100 chef alivests/views/test user_registration.py UserRegistrationTests.test user_registration_invalid_data 4 0 0 100 chef alivests/views/test user_registration.py UserRegistrationTests.test user_registration_get 4 0 0 100 chef alivests/views/test user_registration.py UserRegistrationTests.test user_registration_get 4 0 0 100 chef alivests/views/test_user_registration.py (no function) 13 0 0 100 chef aliviews.py (no function) 13 0 0 100 chef aliviews.py feedLLM 8 0 0 100 chef aliviews.py download_pdf 15 0 0 100 chef aliviews.py does alivi						
chef ai/rests/views/test search ingredients.py test search ingredients empty query 10 0 0 100% chef ai/tests/views/test search ingredients.py (no function) 10 0 0 100% chef ai/tests/views/test user_registration.py UserRegistrationTests test user_registration invalid_data 4 0 0 100% chef_ai/tests/views/test user_registration.py UserRegistrationTests test user_registration_get 4 0 0 100% chef_ai/tests/views/test user_registration.py UserRegistrationTests test user_registration_get 4 0 0 100% chef_ai/tests/views/test user_registration.py (no function) 11 0 0 100% chef_ai/tests/views/test_user_registration.py (no function) 11 0 0 100% chef_ai/tests/views/test_user_registration.py (no function) 11 0 0 100% chef_ai/tests/views/test_user_registration.py (no function) 11 0 0 100% chef_ai/tests/views.py feedLLM 0 0 0 100% 100% <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
chel alivestyriewystest search ingredients py (no function) 10 0 0 1000 chel alivestyriewystest, search ingredients py (no function) 10 0 0 1000 chel alivestyriewystest, search ingredients py UserRegistrationTests test, user_registration 7 0 0 1000 chel alivestyriewystest, user_registration.py UserRegistrationTests test, user_registration_get 4 0 0 1000 chel alivestyriewystest, user_registration.py (no function) 11 0 0 1000 chel aliviews.py (no function) 10 0 0 1000 chel aliviews.py (no function) 10 0 1000 chel aliviews.py (no function) 10 0 1000 chel aliviews.py (no function) 10 0 1000 chel aliviews.py (no function) 35 7 0 1000 chel aliviews.py (no function) 35 7 0 800 chel aliviews.py (no function) <th< td=""><td>No. of More of Year Bill is 190 to 100 to</td><td></td><td></td><td></td><td></td><td></td></th<>	No. of More of Year Bill is 190 to 100 to					
chef_ai/views.py fine function 7 0 0 1000 chef_ai/tests/views/test_user_registration.py UserRegistrationTests.test_user_registration_invalid_data 4 0 0 1000 chef_ai/tests/views/test_user_registration.py UserRegistrationTests.test_user_registration_get 4 0 0 1000 chef_ai/tests/views/test_user_registration.py (no function) 11 0 0 1000 chef_ai/tests/views/test_user_registration.py (no function) 3 0 0 1000 chef_ai/tests/views/test_user_registration.py (no function) 3 0 0 1000 chef_ai/test_views/test_user_registration.py (no function) 3 0 0 1000 chef_ai/views.py (no function) 3 0 0 1000 chef_ai/views.py feedLLM 4 0 0 1000 chef_ai/views.py download_pdf 35 7 0 800 chef_ai/views.py download_pdf 1 0 0 1000 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td></t<>						
chef_ai/tests/views/test_user_registration.py UserRegistrationTests.test_user_registration.py 4 0 100% chef_ai/tests/views/test_user_registration.py UserRegistrationTests.test_user_registration.get 4 0 100% chef_ai/tests/views/test_user_registration.py (no function) 11 0 0 100% chef_ai/views.py (no function) 3 0 0 100% chef_ai/views.py index 10 0 0 100% chef_ai/views.py feedLLM 8 0 0 100% chef_ai/views.py feedLLM.clean.section.list 1 0 0 100% chef_ai/views.py download.pdf 35 7 0 80% chef_ai/views.py download.pdf 35 7 0 80% chef_ai/views.py search_ingredients 5 0 100% chef_ai/views.py getProfile 1 1 0 0 chef_ai/views.py getProfile 1 1 0 0 <td>William State of the Control of the</td> <td></td> <td></td> <td></td> <td></td> <td></td>	William State of the Control of the					
chef_ai/tests/views/test_user_registration.py UserRegistration.fest test_user_registration.get 4 0 0 100% chef_ai/tests/views/test_user_registration.py (no function) 3 0 0 100% chef_ai/uses.py (no function) 3 0 0 100% chef_ai/views.py index 10 0 100% chef_ai/views.py feedLLM 8 0 100% chef_ai/views.py feedLLM 8 0 100% chef_ai/views.py feedLLM.clean section list 1 0 0 100% chef_ai/views.py download_pdf 35 7 0 80% chef_ai/views.py download_pdf 35 7 0 80% chef_ai/views.py search_ingredients 3 0 0 100% chef_ai/views.py logoutUser 2 0 0 0 chef_ai/views.py save_registration 1 1 0 0 0 chef_ai/views.py	chef_ai/tests/views/test_user_registration.py					
chel-al/tets/views/rest_user_registration.py (no function) 11 0 0 100% chef_ai/views.py (no function) 3 0 0 100% chef_ai/views.py index 10 0 100% chef_ai/views.py feedLILM 8 0 0 100% chef_ai/views.py feedLILM 1 0 0 100% chef_ai/views.py download_pdf 35 7 0 80% chef_ai/views.py download_pdf 35 7 0 80% chef_ai/views.py search_ingredients 15 0 100% chef_ai/views.py logoutUser 2 0 0 chef_ai/views.py getProfile 1 0 0 chef_ai/views.py save_recipe_to_history 1 1 0 0 chef_ai/views.py scan_images 18 18 0 0 chef_ai/views.py view_saved_recipe 15 15 0 0	chef_ai/tests/views/test_user_registration.py	UserRegistrationTests.test_user_registration_invalid_data				
chef_ai/views.py (no function) 3 0 108 x chef_ai/views.py index 10 0 108 x chef_ai/views.py response_recipe 4 0 0 108 x chef_ai/views.py feedLLM 8 0 0 108 x chef_ai/views.py feedLLM.clean section list 1 0 0 108 x chef_ai/views.py download_pdf 35 7 0 88 x chef_ai/views.py download_pdf 35 7 0 96 x chef_ai/views.py search_ingredients 3 0 0 108 x chef_ai/views.py userRegistration 8 0 0 108 x chef_ai/views.py getProfile 1 1 0 0 chef_ai/views.py save_recipe_to_history 2 0 0 0 chef_ai/views.py scan_images 18 18 0 0 0 chef_ai/views.py view_saved_recipe 15<	chef_ai/tests/views/test_user_registration.py	UserRegistrationTests.test_user_registration_get				
chef_ai/views.py index 10 0 0 100% chef_ai/views.py response_recipe 4 0 0 100% chef_ai/views.py feedILM 6 0 100% chef_ai/views.py feedILM.clean section list 1 0 0 100% chef_ai/views.py download_pdf 35 7 0 80% chef_ai/views.py download_jpg 26 1 0 96% chef_ai/views.py search_ingredients 5 0 0 100% chef_ai/views.py userRegistration 8 0 0 100% chef_ai/views.py getProfile 1 1 0 0% chef_ai/views.py save_recipe_to_history 2 0 0 0% chef_ai/views.py scan_images 18 18 0 0% chef_ai/views.py sear_images 18 18 0 0% chef_ai/views.py sear_images 18 <	chef_ai/tests/views/test_user_registration.py	(no function)				
chef_ai/views.py response_recipe 4 0 0 100% chef_ai/views.py feedILM 8 0 100% chef_ai/views.py feedILM.clean section list 1 0 0 100% chef_ai/views.py download_pdf 35 7 0 80% chef_ai/views.py download_jpg 26 1 0 96% chef_ai/views.py search_ingredients 5 0 0 100% chef_ai/views.py userRegistration 8 0 0 100% chef_ai/views.py getProfile 1 1 0 0% chef_ai/views.py save_recipe_to_history 2 0 0 0 chef_ai/views.py scan_images 18 18 0 0 chef_ai/views.py yiew_saved_recipe 15 15 0 0 chef_ai/views.py getProfile 4 4 0 0 0 chef_ai/views.py getProfile	chef_ai/urls.py	(no function)				
chef_ai/views.py feedILM 8 0 100% chef_ai/views.py feedILM.clean section.list 1 0 100% chef_ai/views.py download_pdf 35 7 0 80% chef_ai/views.py download_jpg 26 1 0 96% chef_ai/views.py search_ingredients 5 0 100% 100% chef_ai/views.py userRegistration 8 0 0 100% chef_ai/views.py getProfile 1 1 0 0% chef_ai/views.py save_recipe_to_history 2 0 0 100% chef_ai/views.py scan_images 18 18 0 0% chef_ai/views.py view_saved_recipe 15 15 0 0% chef_ai/views.py getProfile 4 4 0 0% chef_ai/views.py getProfile 4 4 0 0% chef_ai/views.py getProfile 4 4	chef_ai/views.py	index				
chef ai/views.py feedLLM.clean section list 1 0 0 1000 chef ai/views.py download_pdf 35 7 0 80% chef ai/views.py download_jpg 26 1 0 96% chef ai/views.py search_ingredients 5 0 100% chef ai/views.py userRegistration 8 0 0 100% chef ai/views.py getProfile 1 1 0 0% chef ai/views.py save_recipe_to_history 2 0 0 100% chef ai/views.py scan_images 18 18 0 0% chef ai/views.py view_saved_recipe 15 15 0 0% chef ai/views.py getProfile 4 4 0 0% chef ai/views.py for function 35 0 0 0%	chef_ai/views.py	response_recipe	4	0	0	100%
chef ai/views.py feedILM.clean section list 1 0 1 90% chef ai/views.py download_pdf 35 7 0 80% chef ai/views.py download_jpg 26 1 0 96% chef ai/views.py search_ingredients 5 0 0 100% chef ai/views.py logoutUser 2 2 0 0% chef ai/views.py getProfile 1 1 0 0% chef ai/views.py save_recipe_to_history 2 0 0 100% chef ai/views.py scan_images 18 18 0 0% chef ai/views.py view_saved_recipe 15 15 0 0% chef ai/views.py getProfile 4 4 0 0 chef ai/views.py for function 35 0 0 0	chef_ai/views.py	feedLLM	8	0	0	100%
chef ai/views.py download.pdf 35 7 0 80% chef ai/views.py download.jpg 26 1 0 96% chef ai/views.py search_ingredients 5 0 0 100% chef ai/views.py logoutUser 2 2 0 0% chef ai/views.py getProfile 1 1 0 0% chef ai/views.py save_recipe_to_history 2 0 0 100% chef ai/views.py scan_images 18 18 0 0% chef ai/views.py view_saved_recipe 15 15 0 0% chef ai/views.py getProfile 4 4 0 0 chef ai/views.py (no function) 35 0 0 0		feedLLM.clean section list				100%
chef ai/views.py download jpg 26 1 0 96% chef ai/views.py search_ingredients 5 0 100% chef_ai/views.py userRegistration 8 0 0 100% chef_ai/views.py logoutUser 2 2 0 0% chef_ai/views.py save_recipe_to_history 2 0 0 100% chef_ai/views.py scan_images 18 18 0 0% chef_ai/views.py view_saved_recipe 15 15 0 0% chef_ai/views.py getProfile 4 4 4 0 0% chef_ai/views.py (no function) 35 0 0 0%			35		0	80%
chef ai/views.py search_ingredients 5 0 100% chef ai/views.py userRegistration 8 0 100% chef ai/views.py logoutUser 2 2 0 0% chef ai/views.py getProfile 1 1 0 0% chef ai/views.py scan_images 18 18 0 0% chef ai/views.py view_saved_recipe 15 15 0 0% chef ai/views.py getProfile 4 4 4 0 0% chef ai/views.py (no function) 35 0 0 0%			26			96%
chef ai/views.py userRegistration 8 0 108 <td>N. C. C.</td> <td></td> <td></td> <td></td> <td></td> <td>100%</td>	N. C.					100%
chef_ai/views.py logoutUser 2 2 0 6% chef_ai/views.py getProfile 1 1 0 6% chef_ai/views.py save_recipe_to_history 2 0 0 16% chef_ai/views.py scan_images 18 18 0 0% chef_ai/views.py view_saved_recipe 15 15 0 0% chef_ai/views.py getProfile 4 4 0 0% chef_ai/views.py (no function) 35 0 0 100%	= 10-7112					100%
Chef_ai/views.py Togothose						0%
chef ai/views.py save_recipe_to_history 2 0 0 100% chef_ai/views.py scan_images 18 18 0 0% chef_ai/views.py view_saved_recipe 15 15 0 0% chef_ai/views.py getProfile 4 4 0 0% chef_ai/views.py (no function) 35 0 0 100%					0	
Chef_ai/views.py scan_images 18 18 0 0% chef_ai/views.py view_saved_recipe 15 15 0 0% chef_ai/views.py getProfile 4 4 4 0 0% chef_ai/views.py (no function) 35 0 0 100%						
Chef_ai/views.py view_saved_recipe 15 15 0 0% chef_ai/views.py getProfile 4 4 0 0% chef_ai/views.py (no function) 35 0 0 100%	The state of the s					
chef_ai/views.py getProfile 4 4 0 0% chef_ai/views.py (no function) 35 0 0 100%						
chef_ai/views.py (no function) 35 0 0 100%						
CHE_GIVIEWS.by (IND partition)	Last State PAN (and St. Cartes) of April 10					
Total 512 48 0 91%		(no function)				
	Total		512	48	0	91%

How To Run:

- 1) Ensure Python3 is installed on the development computer
- 2) Obtain API key from GroqCloud: https://console.groq.com/keys
- 3) Obtain your Image Detection Model API Key: https://clarifai.com/clarifai/main/models/food-item-recognition
- 4) Fork repository
- 5) Git clone repository

TEMPLE UNIVERSITY

CIS 3296 SOFTWARE DESIGN

- 6) Create ".env" file in the project root.
 - a) Inside the file, create a variable:

```
GROQ_API_KEY = "YOUR_API_KEY"PAT = "YOUR IMAGE MODEL KEY"
```

- 7) Create a virtual environment using the command:
 - a) python -m venv myenv
- 8) Activate the virtual environment with the command:
 - a) source myenv/bin/activate (Linux system)
 - b) myenv/Scripts/activate (windows system)
- 9) Navigate to the folder that has the file requirements.txt and type the command:
 - a) pip install -r requirements.txt
- 10) Now cd into the directory that has the manage.py file & run the following command:
 - a) python manage.py runserver

Visit http://127.0.0.1:8000



Project Progress

Week 2 Progress

Sprint Goal: The goal was to implement "Select ingredient from predefined list for getting a recipe from the list of ingredients chosen," feature.

Backlog:

- 1. Feature to allow users to search and select from a dropdown list that helps them automatically fill the rest of the ingredient name
- 2. Feature to download recipes.
- 3. Input cuisine, utensils, and devices that you have such as sauté-pan, oven, and microwave.
- 4. Image upload features, for all your ingredients.
- 5. Feature to scan bar codes of images
- 6. Feature to have more accurate recipe
- 7. Link to ingredients, pans, and steps during the cooking process that when hovered over would show an image describing them.

Features Implemented:

- Implemented ingredient selection from a predefined list to retrieve recipes.
- Allow users to click "Generate Recipe" after selecting ingredients, redirecting them to the response.html page.
- Display AI-generated recipe on the response.html page, including step-by-step instructions and a list of necessary ingredients.
- Modularize the ingredient selection form.
- Set up basic environment configuration
- Deploy the website to EC2 for testing and accessibility.

Task in Sprint	Velocity	Task Status at the end of Sprint	Assigned to
Create a form in Django for users to select from a list of items	8	Completed	Michael
Populate a list of items to populate the form	5	Completed	Kevin
Obtain API key for LLM	3	Completed	Shrey
Create a template for the recipe	5	Completed	Kevin
Create a template for the checkbox	3	Completed	Kevin
Create an env file	3	Completed	Michael, Shrey, Kevin, Omais, & Sahil
Take a look at the response from LLM and suggest how we should present the response to the client (response.html)	5	Completed	Omais
Create git tag and version release	3	Completed	Kevin
Deploy to EC2	5	Completed	Michael
Add prompt to code to generate response	3	Completed	Sahil
Create optimal prompt for LLM to take in value of checked boxes and generate a recipe	3	Completed	Sahil
Set up the database	3	Completed	Michael
Create a admin account to view tables	3	Completed	Michael
UML Diagram	8	Completed	Omais
Update project report with new project progress section	3	Completed	Shrey
TOTAL	63	Pred. Before Sprint	36



Week 3 Progress

Sprint Goal: The goal was to implement the "Allow users to type ingredients, including quantities for items. Then, allow users to easily return to the home page to ask for a new recipe." feature.

Backlog:

- 1. Input cuisine, utensils, and devices that you have such as sauté-pan, oven, and microwave.
- 2. Image upload features, for all your ingredients.
- 3. Feature to scan bar codes of images
- 4. Feature to have a more accurate recipe
- 5. Link to ingredients, pans, and steps during the cooking process that when hovered over would show an image describing them.

Features Implemented:

- Implemented ingredient selection from a predefined list to retrieve recipes.
- Allow users to click "Generate Recipe" after selecting ingredients, redirecting them to the response.html page.
- Display AI-generated recipe on the response.html page, including step-by-step instructions and a list of necessary ingredients.
- Modularize the ingredient selection form.
- Set up basic environment configuration
- Deploy the website to EC2 for testing and accessibility.
- Implemented a back-to-the-home screen button as the logo.
- Implemented a feature that allows users to search and select from a drop-down menu in the search bar.
- Implemented a feature to let the users download a jpeg or pdf file of the generated recipe.

Task in Sprint	Velocity	Task Status at the end of Sprint	Assigned to
Populate the database	5	Completed	Michael
Setup Javascript to send the user input to the backend	5	Completed	Kevin
Work on CSS for search bar	5	Completed	Shrey
Have search bar perform a db query on keyup event	8	Completed	Omais
Modify the landing page and user input UI	5	Completed	Shrey
Setup the loading page	3	Completed	Shrey
Modify the UI for response.html	5	Completed	Shrey
Upload the modification done to project in Sprint 3 to EC2	5	Completed	Michael
Option to download JPG or PDF of recipe	5	Completed	Sahil
Reengineer the LLM prompt to take in the ingredient item and quantity	1	Completed	Sahil
Fix Feature names to be client friendly	3	Completed	Sahil
Modify Omais's code to have database items become a selected ingredient	5	Completed	Michael
UML Sequence Diagram #1	3	Completed	Kevin
UML Sequence Diagram #2	3	Completed	Shrey
Add Velocity column	1	Completed	Shrey
Fix backlog section in document	1	Completed	Shrey



Fix feature lables within the document	3	Completed	Shrey
Submit to canvas	1	Completed	Shrey
TOTAL (END OF SPRINT 3)	68	Pred. Before Sprint	44



Week 4 Progress

Sprint Goal: The goal was to implement the "Allow users to login, logoff, and look back on recipes" feature. Additionally, allow users to upload images from which ingredients would be detected feature

Backlog:

- 1. Feature to have more accurate recipe
- 2. Feature to scan bar codes
- 3. Feature to generate multiple recipes

Features Implemented:

- Improved search selection accuracy
- Integrated keyboard navigation support for dropdown
- Added an image detection model
- Implemented a feature to upload an image for ingredient detection
- Added auto-detection and selection of ingredients from uploaded image
- Set up registration and profile pages for users
- Created login/logout functionality
- Implemented feature to save successfully generated recipes by user
- Allow users to view any previous recipe they have searched in their profiles page
- Improved UI readability and design



Task in Sprint	Velocity	Task Status at the end of Sprint	Assigned to
Using "enter" to select recipe + other UI bugs	8	Completed	Shrey
Any successful recipes that a user searches gets saved to the database	5	Completed	Kevin
Create a login page form	5	Completed	Micheal
Create a table that saves the userId and recipe	3	Completed	Shrey
Fix bug reported by users	5	Completed	Omais
Create a log out button	5	Completed	Micheal
Create a profile page for viewers to see their account details	5	Completed	Michael
Using arrow keys for navigating dropdown	3	Completed	Omais
Create registration page	3	Completed	Micheal
Improve recipe template readability	5	Completed	Kevin
Search detections in database and add selected ingredients in container	5	Completed	Sahil
Pass the image user inputs into detection model, and parse the detections	3	Completed	Sahil
Write unit tests for all code written	8	Completed	Michael
Add button to add image	3	Completed	Sahil
Import Open Source to Project	1	Completed	Sahil
Within the profile page, add history section to display the generated recipes for that user	5	Completed	Sahil



Find Image Detection Model	3	Completed	Sahil
Update document with new features and backlog items along with velocity	3	Completed	Omais
Create a git tag and release	1	Completed	Micheal
TOTAL (END OF SPRINT 4)	79	Pred. Before Sprint	68