

Answers to questions

Lesson 1: Container Orchestration with Docker Swarm

Questions: Docker Swarm

In the Swarm terminology, what are services, tasks, and containers?

A service is a declarative description of a task, executed by a container. Several (replicated) tasks may serve as a service, while the task uses a container to run software to fulfil its purpose.

Where in our Cloud Stack do you place Docker Swarm?

The virtual machines have to be created externally. Docker engines have to be assigned to a Swarm cluster. Swarm automates from Containers on upwards.

Cloud Stack	Example	Deployment Tool
Application Component	Mediawiki	Dockerfile/Bash
Containers	Docker	Docker Swarm
Virtual Resource	Instance m1.small	Terraform
Cloud Platform	OpenStack	-

Lesson 2: Container Orchestration with Rancher

Questions: Rancher

Where in our Cloud Stack do you place Rancher?

Rancher offers the full cloud stack: from allocating resources to container placement and application deployment.

Cloud Stack	Example	Deployment Tool
Application Component	Mediawiki	Rancher
Containers	Docker	Rancher
Virtual Resource	Instance m1.small	Rancher
Cloud Platform	OpenStack	-

Surprisingly, rancher does not automate the resource allocation depending on demands (e.g. http requests per second, or cpu load).

Solution for practical part

Docker Swarm

Docker Swarm works without additional software, since it is integrated in Docker. Yet it does not automate the creation of nodes when all available nodes are fully packed with containers. Scaling and updating containers works within seconds. Loadbalancing is partially replaced by Swarm's networking: services are accessible from any of the joined nodes.

Rancher

Rancher starts virtual machines in bwcloud, and adds them as hosts to Rancher.




Figure 1: rancher-bwcloud

Rancher defines so called Stacks, which contain services. A service refers to a docker image, which is used to deploy a container to serve the service.

Rancher provides monitoring, control, and overview of hosts and containers.




Figure 2: rancher-hosts




Figure 3: rancher-stackg




Figure 4: rancher-containerview