

USM's Shriram Mantri Vidyanidhi Info Tech Academy

Web Programming Technologies

Contents

Architecture of web.....	1
HTML	4
CSS.....	17
PHP	26
XML.....	33
JSON	37
AJAX.....	37
Web Security.....	38
UI	39

Architecture of web

1. A piece of icon or image on a web page associated with another webpage is called
a) url **b) hyperlink** c) plugin d) none of the mentioned
2. Dynamic web page
a) is same every time whenever it displays
b) generates on demand by a program or a request from browser c)
c) both (a) and (b)
d) none of the mentioned
3. What is a web browser?
a) a program that can display a web page
b) a program used to view html documents
c) it enables user to access the resources of internet
d) all of the mentioned
4. Common gateway interface is used to
a) generate executable files from web content by web server
b) generate web pages
c) stream videos
d) none of the mentioned
5. URL stands for
a) unique reference label b) uniform reference label
c) uniform resource locator d) unique resource locator
6. A web cookie is a small piece of data
a) sent from a website and stored in user's web browser while a user is browsing a website
b) sent from user and stored in the server while a user is browsing a website

USM's Shriram Mantri Vidyanidhi Info Tech Academy

Web Programming Technologies

- c) sent from root server to all servers
- d) advanced javascript and xml

11. The number of objects in a Web page which consists of 4 jpeg images and HTML text is _____

a) 4 b) 1 c) **5** d) None of the mentioned

Explanation: 4 jpeg images + 1 base HTML file.

12. The default connection type used by HTTP is _____

a) **Persistent** b) Non-persistent

c) Either of the mentioned d) None of the mentioned

13. The time taken by a packet to travel from client to server and then back to the client is called

a) STT b) **RTT** c) PTT d) None of the mentioned

Explanation: RTT stands for round-trip time.

14. The HTTP request message is sent in _____ part of three-way handshake.

a) First b) Second c) **Third** d) None of the mentioned

15. In the process of fetching a web page from a server the HTTP request/response takes _____ RTTs.

a) 2 b) **1** c) 4 d) 3

16. The first line of HTTP request message is called _____

a) **Request line** b) Header line c) Status line d) Entity line

Explanation: The line followed by request line are called header lines and status line is the initial part of response message.

17. The values GET, POST, HEAD etc are specified in _____ of HTTP message

a) **Request line** b) Header line c) Status line d) Entity body

Explanation: It is specified in the method field of request line in the HTTP request message.

18. The _____ method when used in the method field, leaves entity body empty.

a) POST b) **GET** c) Both of the mentioned d) None of the mentioned

19. The HTTP response message leaves out the requested object when _____ method is used

a) GET b) POST c) **HEAD** d) PUT

20. Find the oddly matched HTTP status codes

a) 200 OK b) 400 Bad Request

c) 301 Moved permanently d) **304 Not Found**

Explanation: 404 Not Found.

21. Which of the following is not correct ?

a) **Web cache doesnt has its own disk space**

b) Web cache can act both like server and client

c) Web cache might reduce the response time

d) Web cache contains copies of recently requested objects

USM's Shriram Mantri Vidyanidhi Info Tech Academy

Web Programming Technologies

22. The conditional GET mechanism

- a) Imposes conditions on the objects to be requested
- b) Limits the number of response from a server
- c) **Helps to keep a cache upto date**
- d) None of the mentioned

23. Which of the following is present in both an HTTP request line and a status line?

- a) **HTTP version number**
- b) URL
- c) Method
- d) None of the mentioned

24. Multiple object can be sent over a TCP connection between client and server in

- a) **persistent HTTP**
- b) nonpersistent HTTP
- c) both (a) and (b)
- d) none of the mentioned

25. HTTP is _____ protocol.

- a) **application layer**
- b) transport layer
- c) network layer
- d) none of the mentioned

26. In the network HTTP resources are located by

- a) **uniform resource identifier**
- b) unique resource locator
- c) unique resource identifier
- d) none of the mentioned

27. HTTP client requests by establishing a _____ connection to a particular port on the server.

- a) user datagram protocol
- b) **transmission control protocol**
- c) broader gateway protocol
- d) none of the mentioned

28. In HTTP pipelining

- a) **multiple HTTP requests are sent on a single TCP connection without waiting for the corresponding responses**
- b) multiple HTTP requests can not be sent on a single TCP connection
- c) multiple HTTP requests are sent in a queue on a single TCP connection
- d) none of the mentioned

29. FTP server listens for connection on port number

- a) 20
- b) **21**
- c) 22
- d) 23

30. In FTP protocol, client contacts server using _____ as the transport protocol.

- a) **transmission control protocol**
- b) user datagram protocol
- c) datagram congestion control protocol
- d) stream control transmission protocol

31. In which mode FTP, the client initiates both the control and data connections.

- a) active mode
- b) **passive mode**
- c) both (a) and (b)
- d) none of the mentioned

32. The file transfer protocol is built on

- a) data centric architecture
- b) service oriented architecture
- c) **client server architecture**
- d) none of the mentioned

USM's Shriram Mantri Vidyanidhi Info Tech Academy

Web Programming Technologies

33. In file transfer protocol, data transfer can be done in
a) stream mode b) block mode c) compressed mode **d) all of the mentioned**

HTML

- Q1. Body tag do not have a attribute
a. text b. bgcolor **c. font**
- Q2. To increase font size
**a. ** b. <text size=5>
- Q3. It will bring the text on next line
**a.
** b. <break> c.
- Q4. It will always display data on next line
a. <p> b. <h> c. <pre>
- Q5. It will display data after leaving one line
a. <h3> b. <p> c.
- Q6. In img tag align attribute can not have value
a. left b. right **c. center**
- Q7. small tag increase font size
a. to 3 b. +1 from current size c. <size=5>
- Q8. big tag increase font size
a. to 4 **b. +1 from current size** c. -1 from current size
- Q9. it is used to link two file
a. anchor tag b. link c. href
- Q10. B and strong tag is used to make text
a. italic **b. bold** c. underline
- Q11. It is used to give red color to the text
**a. ** b. <fon color="blue"> c. <text color="red">
- Q12. minimum heading is
a. <h1> b. <h5> **c. <h6>**
- Q13. Max heading is
a. <h6> b. <h5> **c. <h1>**
- Q14. It is used to display data as it appear in editor

USM's Shriram Mantri Vidyanidhi Info Tech Academy

Web Programming Technologies

a. <BLOCKQUOTE> b. <PRE> c.

Q15. Hyperlink is also cold as

a. **HOT SPOT** b. LINK c. A

Q16. It is used to display data in center and bold in table tag

a. td b. **th** c. tr

Q17. It is used to display image

a. <image link="pot.gif"> b. **** c.

Q18. which attribute is used to keep background fixed

a. **bgproperties** b. attachment c. scroll

Q19. It is used to animate text

a. blink b. **marquee** c. <a>

Q20. It is used to display horizontal line

a. <line> b. **<hr>** c. <vr>

Q21. This attribute will increase the speed of marquee text

a. **scrollamount** b. speed c. Behavior

Q22. This attribute of form take you to the another page

a. **action** b. anchor c.name

Q23. This display data of form in url

a. <form method="post"> b. **<form method="get">** c. <form method="dopost">

Q24. How to give link to your email a. b. c.

Q25. It allows you to select only one option at a time

a. choice b. checkbox c. **radio**

Q26. It allows you to select multiple option at a time

a. Choice b. **checkbox** c. radio

Q27. What is the correct tag for drop down box

a. **<select>** b. <combobox> c. <option>

Q28. Which attribute enables you to select multiple option in dropdown box

a. **multiple** b. selected c. more

USM's Shriram Mantri Vidyanidhi Info Tech Academy

Web Programming Technologies

Q29. Which attribute display data on button

- a.name **b. value** c. button

Q30. Which attributes value is used as variable

- a. value **b. name** c. submit

Q31. What is default value of submit button in IE

- a. SUBMITQUERY** b. SUBMIT c. RESET

Q32. Correct tag to clear form

- a. <input type="reset" value="reset">**
b. <input type="clear" value="reset">
c. <input type="button" value="reset">

Q33. To mark checkbox checked as default you use

- a. <input type="checkbox" checked=ch**
b. <input type="checkbox" checked="true">
c. <input type="checkbox" checked=unchecked">

Q34. What is the correct HTML for adding a background color?

- a. <body bgcolor="yellow">**
b. <background>yellow</background>
c. <body color="yellow">

Q35. How can you open a link in a new browser window?

- a. **
**b. **

Q36. Choose the correct HTML to left-align the content inside a tablecell?

- a. <tdleft> b. +<td leftalign> c. <td valign="left"> **d. <td align="left">**

Q37. How can you make a list that lists the items with bullets?

- a. b. <list> **c. ** d. <dl>

Q38. What is the correct HTML for making a drop-down list?

- a. <list> b. <input type="dropdown"> c. <input type="list"> **d. <select>**

Q39. What is the correct HTML for making a text area?

- a. <input type="textarea">** b. <textarea> c. <input type="textbox">

Q40. Links are also known as

- a. Hotspots** b. Anchors c. Both 1 and 2 d. None of the above

Q41. While ____ is a generic inline element that applies no inherent formatting, the ____ is a generic block level element that applies no inherent formatting.

- a. DIV, SPAN b. GROUP, DIV c. **SPAN, DIV** d. SPAN, GROUP

USM's Shriram Mantri Vidyanidhi Info Tech Academy

Web Programming Technologies

Q42. How do you display hyperlinks without an underline?

- a. **{text-decoration:none}**
- b. {text-decoration:no underline}
- c. {underline:none}
- d. {decoration:no underline}

Q43. In the SELECT element, the attribute SIZE specifies

- a. Height
- b. Width
- c. Max size
- d. **Visible size**

Q44. The SRC attribute of _____ specifies the URL of a HTML file to be displayed in a Frame

- a. **IFrame**
- b. Frameset
- c. src
- d. href

Q45. The linked regions of an image map are called _____

- a. anchors
- b. source
- c. transfer
- d. **hot regions**

Q46. The _____ attribute takes text to be displayed in case the Browser is unable to display the image specified in the SRC attribute.

- a. **ALT**
- b. href
- c. link
- d. vspace

Q47. Main protocol used in Internet is:

- a. IPX/SPX
- b. Zolan Bus
- c. **TCP/IP**
- d. X.25

Q48. Who is making the Web standards?

- a. **The World Wide Web Consortium**
- b. Microsoft
- c. Netscape

Q49. Which of these tags are all <table> tags?

- a. <table><tr><tt>
- b. <thead><body><tr>
- c. <table><head><tfoot>
- d. **<table><tr><td>**

Q50. What is the correct HTML for inserting a background image?

- a.
- b. **<body background="background.gif">**
- c. <background img="background.gif">

Q51. How to open link in new unique window

- a. Target=_new
- b. Target=_self
- c. **Target=_blank**

Q52. align attribute can not be used with

- a. Hr
- b. H1
- c. **Font**

Q53. What is ALT text

- a. Text display when image is not found
- b. Text display when you hold mouse over image
- c. **Both**

Q54. How can you make a row stretch over 2 column

- a. **<td colspan=2>**
- b. <td rowspan=2>
- c. <rd colspan=2>

Q55. How to define table background color

USM's Shriram Mantri Vidyanidhi Info Tech Academy

Web Programming Technologies

a. Background-color= **b. bgcolor=** c. ackgroundColor=

Q56. How to table give border color

a. Border= **b. Bordercolor=** c. Bgcolor=

Q57. Default font size is

a. 7 b. 2 **c. 3**

Q58. Server is one who

a. Provide service b. Host website c. Both

Q59. It will put horizontal line on the text

a. Hr b. Strike c. Table

Q60. Tag used to give heading to option in select tag

a. <optgroup lable="heading"> b. <option value="heading"> c. <select name="heading">

Q61. Which two tag has same effect

a. <i>, **b.** c. <cite>

Q62. Attribute used to increase the height of line in <hr> tag

a. Height **b. Size** c. Length

Q63. It will increase the speed of marquee tag

a. Scroll **b. Scrollamount** c. Behavior

Q64. What are the attribute of anchor tag

a. Name,href,target,src **b. Name,href,target,title** c. Href, tooltip,src

Q65. It interprete the html code

a. Server **b. Browser** c. notepad

Q66. Which of the following is true about HTML 5?

- a. HTML5 is the next major revision of the HTML standard superseding HTML 4.01, XHTML 1.0, and XHTML 1.1.
- b. HTML5 is a standard for structuring and presenting content on the World Wide Web.
- c. HTML5 is a cooperation between the World Wide Web Consortium W3C and the Web Hypertext Application Technology Working Group WHATWG.
- d. All of the above.**

Q67. Which of the following feature is a part of HTML 5?

a. Persistent Local Storage b. WebSocket c. Server-Sent Events **d. All of the above.**

Q68. Which of the following feature is a part of HTML 5?

a. Canvas b. Audio & Video c. Geolocation **d. All of the above.**

Q69. Which of the following browser supports HTML5 in its latest version?

a. Apple Safari b. Google Chrome **c. Both of the above.** d. None of the above.

USM's Shriram Mantri Vidyanidhi Info Tech Academy

Web Programming Technologies

Q70. Which of the following browser supports HTML5 in its latest version?

- a. Mozilla Firefox b. Opera **c. Both of the above.** d. None of the above.

Q71. Which of the following browser supports HTML5 in its latest version?

- a. Mozilla Firefox b. Opera **c. Both of the above.** d. None of the above.

Q72. Is HTML5 backward compatible with old browsers?

- a. true** b. false

Q73. Are HTML tags case sensitive?

- a. true **b. false**

Q74. Which of the following tag represents a generic document or application section in HTML5?

- a. section** b. article c. aside d. header

Q75. Which of the following tag represents an independent piece of content of a document in HTML5?

- a. section **b. article** c. aside d. header

Q76. Which of the following tag represents a piece of content that is only slightly related to the rest of the page in HTML5?

- a. section b. article **c. aside** d. header

Q77. Which of the following tag represents the header of a section in HTML5?

- a. section b. article c. aside **d. header**

Q78. Which of the following tag represents the footer of a section in HTML5?

- a. footer** b. nav c. section d. dialog

Q79. Which of the following tag represents a section of the document intended for navigation in HTML5?

- a. footer **b. nav** c. section d. dialog

Q80. Which of the following tag can be used to mark up a conversation in HTML5?

- a. footer b. nav **c. dialog** d. figure

Q81. Which of the following tag can be used to associate a caption together with some embedded content in HTML5?

- a. footer b. nav c. dialog **d. figure**

Q82. Which of the following is correct about custom attributes in HTML5?

- a. A custom data attribute starts with data- and would be named based on your requirement.
b. You would be able to get the values of these attributes using JavaScript APIs or CSS in similar way as you get for standard attributes.
c. **Both of the above.**
d. d. None of the above.

USM's Shriram Mantri Vidyanidhi Info Tech Academy

Web Programming Technologies

Q83. Which of the following is correct about custom attributes in HTML5?

- a. A custom data attribute starts with data- and would be named based on your requirement.
- b. You would be able to get the values of these attributes using JavaScript APIs or CSS in similar way as you get for standard attributes.
- c. **Both of the above.**
- d. None of the above.

Q84. Which of the following is correct about Web form 2.0 in HTML5?

- a. Web Forms 2.0 is an extension to the forms features found in HTML4.
- b. Form elements and attributes in HTML5 provide a greater degree of semantic mark-up than HTML4.
- c. Form elements and attributes in HTML5 remove a great deal of the need for tedious scripting and styling that was required in HTML4.
- d. **All of the above.**

Q85. Which of the following is correct about Web form 2.0 in HTML5?

- a. Web Forms 2.0 is an extension to the forms features found in HTML4.
- b. Form elements and attributes in HTML5 provide a greater degree of semantic mark-up than HTML4.
- c. Form elements and attributes in HTML5 remove a great deal of the need for tedious scripting and styling that was required in HTML4.
- d. **All of the above.**

Q86. Which of the following input control represents a date and time year, month, day, hour, minute, second, fractions of a second encoded according to ISO 8601 with the time zone set to UTC in Web Form 2.0?

- a. **datetime**
- b. datetime-local
- c. date
- d. month

Q87. Which of the following input control represents a date and time year, month, day, hour, minute, second, fractions of a second encoded according to ISO 8601 with no time zone information in Web Form 2.0?

- a. datetime
- b. **datetime-local**
- c. date
- d. month

Q88. Which of the following input control represents a date year, month, day encoded according to ISO 8601 in Web Form 2.0?

- a. datetime
- b. datetime-local
- c. **date**
- d. month

Q89. Which of the following input control represents a date consisting of a year and a month encoded according to ISO 8601 in Web Form 2.0?

- a. datetime
- b. datetime-local
- c. date
- d. **month**

Q90. Which of the following input control represents a date consisting of a year and a week number encoded according to ISO 8601 in Web Form 2.0?

- a. **week**
- b. time
- c. number
- d. range

Q91. Which of the following input control represents a time hour, minute, seconds, fraction al seconds encoded according to ISO 8601 in Web Form 2.0?

- a. week
- b. **time**
- c. number
- d. range

Q92. Which of the following input control accepts only numerical value in Web Form 2.0?

USM's Shriram Mantri Vidyanidhi Info Tech Academy

Web Programming Technologies

- a. week b. time **c. number** d. range

Q93. Which of the following input control is used for input fields that should contain a value from a range of numbers in Web Form 2.0?

- a. week b. time c. number **d. range**

Q94. Which of the following input control is used for input fields that should contain an e-mail address in Web Form 2.0?

- a. email** b. url c. number d. range

Q95. Which of the following input control is used for input fields that should contain an URL address in Web Form 2.0?

- a. email **b. url** c. number d. range

Q96. Which of the following tag is used to represent the result of different types of output in HTML5?

- a. output** b. placeholder c. autofocus d. required

Q97. Which of the following tag provides a hint to the user of what can be entered in the field in HTML5?

- a. output **b. placeholder** c. autofocus d. required

Q98. Which of the following tag automatically focus one particular form field in HTML5?

- a. output b. placeholder **c. autofocus** d. required

Q99. Which of the following tag insists to have a value in an input control in HTML5?

- a. output b. placeholder c. autofocus **d. required**

Q100. Can you use SVG tags directly in HTML5 without any plugin?

- a. true** b. false

Q101. Can you use MathML tags directly in HTML5 without any plugin?

- a. true** b. false

Q102. Which of the following is true about Cookies?

- a. Cookies are included with every HTTP request, thereby slowing down your web application by transmitting the same data.
b. Cookies are included with every HTTP request, thereby sending data unencrypted over the internet.
c. Cookies are limited to about 4 KB of data .Not enough to store required data. **d. All of the above.**

Q103. Which of the following is true about Session Storage in HTML5?

- a. HTML5 introduces the session Storage attribute which would be used by the sites to add data to the session storage.
b. It will be accessible to any page from the same site opened in that window i.e. session.
c. As soon as you close the window, session would be lost. **d. All of the above.**

Q104. Which of the following is true about Local Storage in HTML5?

USM's Shriram Mantri Vidyanidhi Info Tech Academy

Web Programming Technologies

- a. HTML5 introduces the local Storage attribute which would be used to access a page's local storage area without no time limit.
- b. This local storage will be available whenever you would use that page.
- c. **Both of the above.**
- d. None of the above.

Q105. When a session storage data gets deleted in HTML5?

- a. **The Session Storage Data would be deleted by the browsers immediately after the session gets terminated.**
- b. If you want to clear all settings, you need to call localStorage. clear method.
- c. Both of the above.
- d. None of the above.

Q106. How to delete a local storage data in HTML5?

- a. To clear a local storage setting you would need to call localStorage.remove'key'; where 'key' is the key of the value you want to remove.
- b. If you want to clear all settings, you need to call localStorage. clear method.
- c. **Both of the above.**
- d. None of the above.

Q107. Which of the following is correct about Server Side EventsSSE in HTML5?

- a. Using SSE you can push DOM events continuously from your web server to the visitor's browser.
- b. The event streaming approach opens a persistent connection to the server, sending data to the client when new information is available, eliminating the need for continuous polling.
- c. Server-sent events standardizes how we stream data from the server to the client.
- d. **All of the above.**

Q108. Which of the following is correct about Server Side EventsSSE in HTML5?

- a. To use Server-Sent Events in a web application, you would need to add an <eventsourc> element to the document.
- b. The src attribute of <eventsourc> element should point to an URL which should provide a persistent HTTP connection that sends a data stream containing the events.
- c. The URL would point to a PHP, PERL or any Python script which would take care of sending event data consistently.
- d. **All of the above.**

Q109. Which of the following is correct Content-type header that a server side script should send for SSE in HTML5?

- a. **Content-Type: text/event-stream**
- b. Content-Type: text/application-stream
- c. Content-Type: text/data-stream
- d. None of the above.

Q110. Which of the following is correct about WebSockets in HTML5?

- a. **Web Sockets is a next-generation bidirectional communication technology for web applications which operates over a single socket and is exposed via a JavaScript interface in HTML 5 compliant browsers.**

USM's Shriram Mantri Vidyanidhi Info Tech Academy

Web Programming Technologies

b. Once you get a Web Socket connection with the web server, you can send data from browser to server by calling a send method, and receive data from server to browser by an onmessage event handler.

c. **Both of the above.**

d. None of the above.

Q111. Which value of Socket.readyState attribute of WebSocket indicates that the connection has not yet been established?

a. **0**

b. 1

c. 2

d. 3

Q112. Which value of Socket.readyState attribute of WebSocket indicates that the connection is established and communication is possible?

a. 0

b. **1**

c. 2

d. 3

Q113. Which value of Socket.readyState attribute of WebSocket indicates that the connection is going through the closing handshake?

a. 0

b. 1

c. **2**

d. 3

Q114. Which value of Socket.readyState attribute of WebSocket indicates that the connection has been closed or could not be opened?

a. 0

b. 1

c. 2

d. **3**

Q115. Which of the following is true about 'canvas' tag in HTML5?

a. HTML5 element <canvas> gives you an easy and powerful way to draw graphics using JavaScript.

b. It can be used to draw graphs, make photo compositions or do simple and not so simple animations.

c.

Both of the above.

d. None of the above.

Q116. Which of the following is true about 'audio' tag in HTML5?

a. HTML5 supports <audio> tag which is used to embed sound content in an HTML or XHTML document.

b. The current HTML5 draft specification does not specify which audio formats browsers should support in the audio tag.

c. **Both of the above.**

d. None of the above.

Q117. Which of the following is true about 'audio' tag in HTML5?

a. Commonly used audio formats ogg, mp3 and wav are supported.

b. You can use <source> tag to specify media along with media type and many other attributes.

c. An audio element allows multiple source elements and browser will use the first recognized format.

d. **All of the above.**

Q118. Which of the following is true about 'video' tag in HTML5?

a. HTML5 supports <video> tag which is used to embed a video file in an HTML or XHTML document.

b. The current HTML5 draft specification does not specify which video formats browsers should support in the video tag.

c. Ogg files with Theora video codec and Vorbis audio codec are supported.

d. **All of the above.**

USM's Shriram Mantri Vidyanidhi Info Tech Academy

Web Programming Technologies

Q119. Which of the following is true about 'video' tag in HTML5?

- a. MPEG4 files with H.264 video codec and AAC audio codec are supported.
- b. You can use <source> tag to specify media along with media type and many other attributes.
- c. **An video element allows multiple source elements and browser will use the first recognized format.**
- d. All of the above.

Q120. Which of the following is correct about geolocation api in HTML5?

- a. HTML5 Geolocation API lets you share your location with your favorite web sites.
- b. A Javascript can capture your latitude and longitude and can be sent to backend web server and do fancy location-aware things like finding local businesses or showing your location on a map.
- c. Today most of the browsers and mobile devices support Geolocation API.
- d. **All of the above.**

Q121. Which of the following is correct about geolocation api in HTML5?

- a. The geolocation APIs work with a new property of the global navigator object.
- b. The geolocation object is a service object that allows widgets to retrieve information about the geographic location of the device.
- c. **Both of the above.**
- d. None of the above.

Q122. Which of the following method returns a geolocation object in HTML5?

- a. **navigator.geolocation**
- b. browser.geolocation
- c. API.geolocation
- d. None of the above.

Q123. Which of the following method retrieves the current geographic location of the user?

- a. **geolocation.getCurrentPosition**
- b. geolocation.watchPosition
- c) geolocation.clearPosition
- d. None of the above.

Q124. Which of the following method cancels an ongoing watchPosition call?

- a. geolocation.getCurrentPosition
- b. geolocation.watchPosition
- c. **geolocation.clearPosition**
- d. None of the above.

Q125. Which of the following is correct about web workers in HTML5?

- a. Web Workers do all the computationally expensive tasks without interrupting the user interface and typically run on separate threads.
- b. Web Workers allow for long-running scripts that are not interrupted by scripts that respond to clicks or other user interactions.
- c. Web Workers allow long tasks to be executed without yielding to keep the page responsive.
- d. **All of the above.**

Q126. Which of the following attribute specifies a keyboard shortcut to access an element in HTML5?

- a. **accesskey**
- b. key
- c. contextmenu
- d. contextkey

Q127. Which of the following attribute specifies if the user can edit the element's content or not?

- a. editable
- b. **contenteditable**
- c. contextmenu
- d. content

USM's Shriram Mantri Vidyanidhi Info Tech Academy

Web Programming Technologies

- Q128. Which of the following attribute specifies the context menu for an element?
a. key b. contextcontent **c. contextmenu** d. context
- Q129. Which of the following attribute specifies whether or not a user is allowed to drag an element?
a. drag b. content c. context **d. draggable**
- Q130. Which of the following attribute is used to group elements?
a. item b. itemprop c. itemcheck d. itemgroup
- Q131. Which of the following attribute is used to group items?
a. item **b. itemprop** c. itemcheck d. itemgroup
- Q132. Which of the following attribute specifies if the element must have it's spelling or grammar checked?
a. item b. itemcheck **c. spellcheck** d. itemgroup
- Q133. Which of the following attribute triggers event when the document goes offline?
a. offline b. off c. out d. onbeforeunload
- Q134. Which of the following attribute triggers an abort event?
a. offline **b. onabort** c. abort d. onbeforeunload
- Q135. Which of the following attribute triggers event after the document is printed?
a. offlineprint b. onprint **c. onafterprint** d. onbeforeprint
- Q136. Which of the following attribute triggers event before the document loads?
a. offline **b. onabort** c. onload d. onbeforeunload
- Q137. Which of the following attribute triggers event before the document is printed?
a. onbeforeprint b. onafterprint c. onprint d. beforeprint
- Q138. Which of the following attribute triggers event when the window loses focus?
a. onbeforeload **b. onblur** c. onlostfocus d. lostfocus
- Q139. Which of the following attribute triggers event when media can start play, but might has to stop for buffering?
a. onbeforeplay b. onplay **c. oncanplay** d. oncanplaythrough
- Q140. Is .htm and .html the same?
a. No **b. Yes**
- Q141. What is the difference between XML and HTML?
a. HTML is used for exchanging data, XML is not.
b. XML is used for exchanging data, HTML is not.
c. HTML can have user defined tags, XML cannot
d. Both b and c above
- Q142. Which tags are most commonly used by search engines?
a. Heading b. Title c. Paragraph d. All of above

USM's Shriram Mantri Vidyanidhi Info Tech Academy

Web Programming Technologies

Q143. What is the
 tag for?

- a. Space b. Paragraph break c. **Line break** d. Word break

Q144. What is the attribute for <image> tag?

- a. pt b. url c. path d. **src**

Q145. Can a data cell contain images?

- a. **Yes** b. No

Q146. Each list item in an ordered or unordered list has which tag?

- a. list tag b. ls tag c. **li tag** d. ol tag

Q147. Which of the following tags below are used for a multi-line text input control?

- a. textml tag b. text tag c. **textarea tag** d. Both b and c above

Q148. <meta> tag cannot be defined in the <head> tag.

- a. False b. **True**

Q149. Which of the following attributes below are used for a font name?

- a. fontname b. fn c. font d. **face**

Q150. Is width="100" and width="100%" the same?

- a. **No** b. Yes

Q151. What are <div> tags used for?

- a. To replace paragraphs. i.e. p tags b. To logically divide the paragraphs
c. **To logically divide the document** d. To provide space between tables

Q152. What is cell padding?

- a. **Used to separate cell walls from their contents.**
b. Used to set space between cells
c. Both a and b above
d. Used to provide width to a cell

Q153. Can I play audios in HTML?

- a. No b. **Yes**

Q154. What attribute is used to specify number of rows?

- a. Rownum b. Rownumb c. rn d. **Rowspan**

Q155. What are meta tags used for?

- a. **To store information usually relevant to browsers and search engines.**
b. To only store information usually relevant to browsers
c. To only store information about search engines.
d. To store information about external links

Q156. How can we resize the image?

- a. Using resize attribute b. **Using height and width**

USM's Shriram Mantri Vidyanidhi Info Tech Academy

Web Programming Technologies

Q11. Which values for font-family property is valid?

- a. Times New Roman, serif
- b. **"Times New Roman", serif**
- c. Times New Roman; serif;zz
- d. "Times New Roman"; "serif";

Q12. What does the ID selector do?

- a. **Apply the style to a specific element**
- b. Apply the style to all the elements
- d. Apply the style to a group of elements
- d. Apply the style to elements of the same type

Q13. Which of the following is a way to associate styles with your HTML document?

- a. Embedded CSS - The <style> Element
- b. Inline CSS - The style Attribute
- c. **Both of the above.**
- d. None of the above.

Q14. Which of the following is a way to associate styles with your HTML document?

- a. External CSS - The Element
- b. Imported CSS - @import Rule
- c. **Both of the above.**
- d. None of the above.

Q15. Which of the following is a true about CSS style overriding?

- a. Any inline style sheet takes highest priority. So, it will override any rule defined in tags or rules defined in any external style sheet file.
- b. Any rule defined in tags will override rules defined in any external style sheet file.
- c. Any rule defined in external style sheet file takes lowest priority, and rules defined in this file will be applied only when above two rules are not applicable.
- d. **All of the above.**

Q16. Which of the following defines a measurement as a percentage relative to another value, typically an enclosing element?

- a. **%**
- b. cm
- c. em
- d. ex

Q17. Which of the following defines a measurement in centimeters?

- a. %
- b. **cm**
- c. em
- d. ex

Q18. Which of the following defines a relative measurement for the height of a font in em spaces?

- a. %
- b. cm
- c. **em**
- d. ex

Q19. Which of the following defines a measurement relative to a font's x-height?

- a. %
- b. cm
- c. em
- d. **ex**

Q20. Which of the following defines a measurement in inches?

- a. **in**
- b. mm
- c. pc
- d. pt

Q21. Which of the following defines a measurement in millimetre ?

- a. in
- b. **mm**
- c. pc
- d. pt

Q22. Which of the following defines a measurement in picas?

- a. in
- b. mm
- c. **pc**
- d. pt

Q23. Which of the following defines a measurement in points?

USM's Shriram Mantri Vidyanidhi Info Tech Academy

Web Programming Technologies

- a. in b. mm c. pc d. **pt**

Q24. Which of the following defines a measurement in screen pixels?

- a. **px** d. vh c. vw d. vmin

Q25. Which of the following defines 1% of viewport height?

- a. px **b. vh** c. vw d. vmin

Q26. Which of the following is correct about Hex Code format of CSS colors?

- a. The first two digitsRR represent a red value. b. The next two are a green valueGG.
c. The last are the blue valueBB. d. **All of the above.**

Q27. Which of the following is correct about Short Hex Code format of CSS colors?

- a. This is a shorter form of the six-digit notation.
b. In this format, each digit is replicated to arrive at an equivalent six-digit value.
c. Each hexadecimal code will be preceded by a pound or hash sign '#'.
d. **All of the above.**

Q28. Which of the following is correct about RGB Values format of CSS colors?

- a. This color value is specified using the rgb property.
b. This property takes three values, one each for red, green, and blue.
c. The value can be an integer between 0 and 255 or a percentage.
d. **All of the above.**

Q29. Which of the following is correct about Browser Safe Colors?

- a. These are 216 colors which are supposed to be most safe and computer independent colors.
b. These colors vary from hexa code 000000 to FFFFFF.
c. These colors are safe to use because they ensure that all computers would display the colors correctly when running a 256 color palette.
d. **All of the above.**

Q30. Which of the following property is used to set the background color of an element?

- a. **background-color** b. background-image c. background-repeat d. background-position

Q31. Which of the following property is used to set the background image of an element?

- a. background-color **b. background-image** c. background-repeat d. background-position

Q32. Which of the following property is used to control the repetition of an image in the background?

- a. background-color b. background-image c. **background-repeat** d. background-position

Q33. Which of the following property is used to control the position of an image in the background?

- a. background-color b. background-image c. background-repeat **d. background-position**

Q34. Which of the following property is used to control the scrolling of an image in the background?

- a. **background-attachment** b. background c. background-repeat d. background-position

USM's Shriram Mantri Vidyanidhi Info Tech Academy

Web Programming Technologies

- Q35. Which of the following property is used as a shorthand to specify a number of other background properties?
- a. background-attachment b. **background** c. background-repeat d. background-position
- Q36. Which of the following property is used to change the face of a font?
- a. **font-family** b. font-style c. font-variant d. font-weight
- Q37. Which of the following property is used to make a font italic or oblique?
- a. font-family b. **font-style** c. font-variant d. font-weight
- Q38. Which of the following property is used to create a small-caps effect?
- a. font-family b. font-style c. **font-variant** d. font-weight
- Q39. Which of the following property is used to increase or decrease how bold or light a font appears?
- a. font-family b. font-style c. font-variant d. **font-weight**
- Q40. Which of the following property is used to increase or decrease the size of a font?
- a. **font-size** b. font c. font-variant d. font-weight
- Q41. Which of the following property is used as shorthand to specify a number of other font properties?
- a. font-size b. **font** c. font-variant d. font-weight
- Q42. Which of the following property is used to set the color of a text?
- a. **color** b. direction c. letter-spacing d. word-spacing
- Q43. Which of the following property is used to set the text direction?
- a. color b. **direction** c. letter-spacing d. word-spacing
- Q44. Which of the following property is used to add or subtract space between the letters that make up a word?
- a. color b. direction c. **letter-spacing** d. word-spacing
- Q45. Which of the following property is used to add or subtract space between the words of a sentence?
- a. color b. direction c. letter-spacing d. **word-spacing**
- Q46. Which of the following property is used to add or subtract space between the words of a sentence?
- a. **text-indent** b. text-align c. text-decoration d. text-transform
- Q47. Which of the following property is used to align the text of a document?
- a. text-indent b. **text-align** c. text-decoration d. text-transform
- Q48. Which of the following property is used to underline, overline, and strikethrough text?
- a. text-indent b. text-align c. **text-decoration** d. text-transform

USM's Shriram Mantri Vidyanidhi Info Tech Academy

Web Programming Technologies

Q49. Which of the following property is used to capitalize text or convert text to uppercase or lowercase letters?

- a. text-indent b. text-align c. text-decoration **d. text-transform**

Q50. Which of the following property is used to control the flow and formatting of text?

- a. white-space** b. text-shadow c. text-decoration d. text-transform

Q51. Which of the following property is used to set the text shadow around a text?

- a. white-space **b. text-shadow** c. text-decoration d. text-transform

Q52. Which of the following property is used to set the width of an image border?

- a. border** b. height c. width d. moz-opacity

Q53. Which of the following property is used to set the height of an image?

- a. border **b. height** c. width d. moz-opacity

Q54. Which of the following property is used to set the width of an image?

- a. border b. height **c. width** d. moz-opacity

Q55. Which of the following property is used to set the opacity of an image?

- a. border b. height c. width **d. moz-opacity**

Q56. Which of the following property of a anchor element signifies unvisited hyperlinks?

- a. :link** b. :visited c. :hover d. :active

Q57. Which of the following property of a anchor element signifies visited hyperlinks?

- a. :link **b. :visited** c. :hover d. :active

Q58. Which of the following property of a anchor element signifies an element that currently has the user's mouse pointer hovering over it?

- a. :link b. :visited **c. :hover** d. :active

Q59. Which of the following property of a anchor element signifies an element on which the user is currently clicking?

- a. :link b. :visited c. :hover **d. :active**

Q60. Which of the following property of a table element specifies whether the browser should control the appearance of the adjacent borders that touch each other or whether each cell should maintain its style?

- a. :border-collapse** b. :border-spacing c. :caption-side d. :empty-cells

Q61. Which of the following property of a table element specifies the width that should appear between table cells?

- a. :border-collapse **b. :border-spacing** c. :caption-side d. :empty-cells

Q62. Which of the following property of a table element controls the placement of the table caption?

- a. :border-collapse b. :border-spacing **c. :caption-side** d. :empty-cells

USM's Shriram Mantri Vidyanidhi Info Tech Academy

Web Programming Technologies

Q63. Which of the following property of a table element specifies whether the border should be shown if a cell is empty?

- a. `:border-collapse` b. `:border-spacing` c. `:caption-side` **d. `:empty-cells`**

Q64. Which of the following property of a table element allows browsers to speed up layout of a table by using the first width properties it comes across for the rest of a column rather than having to load the whole table before rendering it?

- a. `:table-layout`** b. `:border-spacing` c. `:caption-side` d. `:empty-cells`

Q65. Which of the following property specifies the color of a border?

- a. `:border-color`** b. `:border-style` c. `:border-width` d. `:border-bottom-color`

Q66. Which of the following property specifies whether a border should be solid, dashed line, double line, or one of the other possible values?

- a. `:border-color` **b. `:border-style`** c. `:border-width` d. `:border-bottom-color`

Q67. Which of the following property specifies the width of a border?

- a. `:border-color` b. `:border-style` **c. `:border-width`** d. `:border-bottom-color`

Q68. Which of the following property changes the color of bottom border?

- a. `:border-color` b. `:border-style` c. `:border-width` **d. `:border-bottom-color`**

Q69. Which of the following property changes the color of top border?

- a. `:border-top-color`** b. `:border-left-color` c. `:border-right-color` d. `:border-bottom-color`

Q70. Which of the following property changes the color of left border?

- a. `:border-top-color` **b. `:border-left-color`** c. `:border-right-color` d. `:border-bottom-color`

Q71. Which of the following property changes the color of right border?

- a. `:border-top-color` b. `:border-left-color` **c. `:border-right-color`** d. `:border-bottom-color`

Q72. Which of the following property changes the style of bottom border?

- a. `:border-bottom-style`** b. `:border-top-style` c. `:border-left-style` d. `:border-right-style`

Q73. Which of the following property changes the style of top border?

- a. `:border-bottom-style` **b. `:border-top-style`** c. `:border-left-style` d. `:border-right-style`

Q74. Which of the following property changes the style of left border?

- a. `:border-bottom-style` b. `:border-top-style` **c. `:border-left-style`** d. `:border-right-style`

Q75. Which of the following property changes the style of right border?

- a. `:border-bottom-style` b. `:border-top-style` c. `:border-left-style` **d. `:border-right-style`**

Q76. Which of the following property changes the width of bottom border?

- a. `:border-bottom-width`** b. `:border-top-width` c. `:border-left-width` d. `:border-right-width`

USM's Shriram Mantri Vidyanidhi Info Tech Academy

Web Programming Technologies

Q77. Which of the following property changes the width of top border?

- a. :border-bottom-width b. **:border-top-width** c. :border-left-width d. :border-right-width

Q78. Which of the following property changes the width of left border?

- a. :border-bottom-width b. :border-top-width c. **:border-left-width** d. :border-right-width

Q79. Which of the following property changes the width of right border?

- a. :border-bottom-width b. :border-top-width c. :border-left-width d. **:border-right-width**

Q80. Which of the following property specifies a shorthand property for setting the margin properties in one declaration?

- a. **:margin** b. :margin-bottom c. :margin-top d. :margin-left

Q81. Which of the following property specifies the bottom margin of an element?

- a. :margin b. **:margin-bottom** c. :margin-top d. :margin-left

Q82. Which of the following property specifies the top margin of an element?

- a. :margin b. :margin-bottom c. **:margin-top** d. :margin-left

Q83. Which of the following property specifies the left margin of an element?

- a. :margin b. :margin-bottom c. :margin-top d. **:margin-left**

Q84. Which of the following property specifies the right margin of an element?

- a. **:margin-right** b. :margin-bottom c. :margin-top d. :margin-left

Q85. Which of the following property allows you to control the shape or appearance of the marker of a list?

- a. **list-style-type** b. list-style-position c. list-style-image d. list-style

Q86. Which of the following property specifies whether a long point that wraps to a second line should align with the first line or start underneath the start of the marker of a list?

- a. list-style-type b. **list-style-position** c. list-style-image d. list-style

Q87. Which of the following property specifies an image for the marker rather than a bullet point or number?

- a. list-style-type b. list-style-position c. **list-style-image** d. list-style

Q88. Which of the following property serves as shorthand for the marker properties?

- a. list-style-type b. list-style-position c. list-style-image d. **list-style**

Q89. Which of the following property specifies the distance between a marker and the text in the list?

- a. **marker-offset** b. list-style-position c. list-style-image d. list-style

Q90. Which of the following property specifies the bottom padding of an element?

- a. **padding-bottom** b. padding-top c. padding-left d. padding-right

Q91. Which of the following property specifies the top padding of an element?

- a. padding-bottom b. **padding-top** c. padding-left d. padding-right

USM's Shriram Mantri Vidyanidhi Info Tech Academy

Web Programming Technologies

Q92. Which of the following property specifies the left padding of an element?

- a. padding-bottom b. padding-top **c. padding-left** d. padding-right

Q93. Which of the following property specifies the right padding of an element?

- a. padding-bottom b. padding-top c. padding-left **d. padding-right**

Q94. Which of the following property serves as shorthand for the padding properties?

- a. padding** b. padding-top c. padding-left d. padding-right

Q95. Which of the following value of cursor shows it as crosshair or plus sign?

- a. crosshair** b. default c. pointer d. move

Q96. Which of the following value of cursor shows it as an arrow?

- a. crosshair **b. default** c. pointer d. move

Q97. Which of the following value of cursor shows it as a pointing hand?

- a. crosshair b. default **c. pointer** d. move

Q98. Which of the following value of cursor shows it as the 'I' bar?

- a. crosshair b. default c. pointer **d. move**

Q99. What does CSS stand for?

- a. Creative Style Sheets b. Computer Style Sheets **c. Cascading Style Sheets**
d. Cascade Style Sheets e. Colorful Style Sheets

Q100. Where in an HTML document is the correct place to refer to an external style sheet?

In the <body> section

- a. At the end of the document b. At the top of the document
c. In the <head> section d. Between head and body

Q101. Which HTML tag is used to define an internal style sheet?

- a. css b. text/style **c. style** d. script

Q102. Which HTML attribute is used to define inline styles?

- a. font b. styles c. css d. text **e. style**

Q103. Which is the correct CSS syntax?

- a. body {color: black}** b. body:color=black c. {body:color=black(body)} d. {body;color:black}

Q104. How do you insert a comment in a CSS file?

- a. /*this is a comment */** b. 'this is a comment' c. // this is a comment// d. //this is a comment

Q105. Which property is used to change the background color?

- a. bgcolor: **b. background-color:** c. color:

USM's Shriram Mantri Vidyanidhi Info Tech Academy

Web Programming Technologies

Q106. How do you add a background color for all "<h1>" elements?

- a. all.h1 {background-color:#FFFFFF}
- b. h1.all {background-color:#FFFFFF}
- c. **h1 {background-color:#FFFFFF}**

Q107. How do you change the text color of an element?

- a. text-color:
- b. **color:**
- c. text-color=
- d. font-color:

Q108. Which CSS property controls the text size?

- a. font-style
- b. text-style
- c. **font-size**
- d. text-size

Q109. What is the correct CSS syntax for making all the <p> elements bold?

- a. p {text-size:bold}
- b. **p {font-weight:bold}**
- c. style:bold
- d. p{font:bold}

Q110. How do you display hyperlinks without an underline?

- a. a {decoration:no underline}
- b. a {text-decoration:no underline}
- c. a {underline:none}
- d. **a {text-decoration:none}**

Q111. How do you make each word in a text start with a capital letter

- a. text-transform:uppercase
- b. **text-transform:capitalize**
- c. You can't do that with CSS

Q112. How do you change the font of an element?

- a. fon-face:
- b. **font-family:**
- c. f:
- d. font-style:

Q113. How do you make the text bold?

- a. font:b
- b. style:bold
- c. **font-weight:bold**

Q114. How do you display a border like this: The top border = 10 pixels, The bottom border = 5 pixels, The left border = 20 pixels, The right border = 1pixel?

- a. **border-width:10px 20px 5px 1px**
- b. border-width:10px 1px 5px 20px
- c. border-width:10px 5px 20px 1px
- d. border-width:5px 20px 10px 1px

Q115. How do you change the left margin of an element?

- a. padding:
- b. indent:
- c. margin:
- d. text-indent:
- e. **margin-left:**

Q116. To define the space between the element's border and content, you use the padding property, but are you allowed to use negative values?

- a. Yes
- b. **No**

Q117. How do you make a list that lists its items with squares?

- a. type: square
- b. **list-style-type: square**
- c. list-type: square
- d. style-list: square

Q118. What is the correct HTML for referring to an external style sheet?

- a. **<link rel="stylesheet" type="text/css" href="mainstyle.css">**

USM's Shriram Mantri Vidyanidhi Info Tech Academy

Web Programming Technologies

- b. <style src="mainstyle.css">
- c. <stylesheet>mainstyle.css</stylesheet>
- d. <link url="stylesheet" type="text/css" href="mainstyle.css">

Q119. What is the correct CSS syntax for making all the <p> elements bold?

- a. **p {font-weight:bold}**
- b. p {text-size:bold}
- c. <p style="text-size:bold">
- d. <p style="font-size:bold">

Q120. How do you make each word in a text start with a capital letter?

- a. **text-transform:capitalize**
- b. text-transform:uppercase
- c. You can't do that with CSS

Q121. What are the three methods for using style sheets with a web page

- a. Dreamweaver, GoLive or FrontPage
- b. **Inline, embedded or document level and external**
- c. Handcoded, Generated or WYSIWYG

Q122. Which of the following styles is recommended?

- a. In-Line styles
- b. **External styles**
- c. Embedded styles
- d. Multiple styles

Q113. In what form are style rules presented?

- a. **selector { property: value }**
- b. selector { property= value }
- c. selector (property: value)
- d. selector (property= value)

Q114. What selector should you use when applying a style to multiple elements?

- a. ID
- b. **Class**
- c. Type
- d. Any of the above

PHP

Q1. What PHP stands for?

- a. **Hypertext Preprocessor**
- b. Pre Hypertext Processor
- c. Pre Hyper Processor
- d. Pre Hypertext Process

Q2. Which of the following tags is not a valid way to begin and end a PHP code block?

- a. <% %>
- b. <? ?>
- c. <?php ?>
- d. <! !>

Q3. How does the identity operator === compare two values?

- a. It converts them to a common compatible data type and then compares the resulting values
- b. **It returns True only if they are both of the same type and value**
- c. If the two values are strings, it performs a lexical comparison
- d. It bases its comparison on the C strcmp function exclusively
- e. It converts both values to strings and compares them

Q4. Variables always start with a in PHP

- a. Pond-sign
- b. Yen-sign
- c. **Dollar-sign**
- d. Euro-sign

Q5. What is the value displayed when the following is executed? Assume that the code was executed using the following URL: testscript.php?c=25

```
<?php
function process($c, $d = 25)
```

USM's Shriram Mantri Vidyanidhi Info Tech Academy

Web Programming Technologies

```
{
global $e;
$retval = $c + $d - $_GET['c'] - $e;
return $retval;
}
$e = 10;
echo process(5);
?>
```

- a. 25 b. -5 c. 10 d. 5 e. 0

Q6. PHP is an open source software

- a. **True** b. False

Q7. Which of the following is not valid PHP code?

- a. \$_10 b. \${"MyVar"} c. &\$something d. **\$10_somethings** e. \$aVaR

Q8. PHP runs on different platforms (Windows, Linux, Unix, etc.)

- a. **True** b. False

Q9. Array values are keyed by _____ values (called indexed arrays) or using _____ values (called associative arrays). Of course, these key methods can be combined as well.

- a. Float, string b. Positive number, negative number
c. Even number, string d. String, Boolean e. **Integer, string**

Q10. What will the following script output?

```
<?php
$array = array (1, 2, 3, 5, 8, 13, 21, 34, 55);
$sum = 0;
for ($i = 0; $i < 5; $i++) {
    $sum += $array[$array[$i]];
}
echo $sum;
?>
```

- a. **78** b. 19 c. NULL d. 5 e. 0

Q11. What elements will the following script output?

```
<?php
$array = array (true => 'a', 1 => 'b');
Var_dump ($array);
?>
```

- a. 1 => 'b' b. **True => 'a', 1 => 'b'** c. 0 => 'a', 1 => 'b' d. None e. It will output NULL

Q12. There are three different kind of arrays:

- a. Numeric array, String array, Multidimensional array
b. Numeric array, Associative array, Dimensional array
c. **Numeric array, Associative array, Multidimensional array**
d. Const array, Associative array, Multidimensional array

USM's Shriram Mantri Vidyanidhi Info Tech Academy

Web Programming Technologies

Q13. Assume you would like to sort an array in ascending order by value while preserving key associations. Which of the following PHP sorting functions would you use?

- a. ksort() **b. asort()** c. krsort() d. sort() e. usort()

Q14. What function computes the difference of arrays?

- a. array_diff** b. diff_array c. arrays_diff d. diff_arrays

Q15. What functions count elements in an array?

- a. count** b. Sizeof c. Array_Count d. Count_array

Q16. What array will you get if you convert an object to an array?

- a. An array with properties of that object as the array's elements.**
b. An array with properties of that array as the object's elements.
c. An array with properties of that object as the Key elements.
d. An array with keys of that object as the array's elements.

Q17. How do you write "Hello World" in PHP

- a. "Hello World"; **b. echo "Hello World";** c. Document.Write d. ("Hello World");

Q18. What is the correct way to end a PHP statement?

- a. New Line **b. ;** c. . d. </php>

Q19. The PHP syntax is most similar to:

- a. VBScript b. JavaScript **c. Perl and C**

Q20. How do you get information from a form that is submitted using the "get" method?

- a. Request.Form; **b. \$_GET[];** c. Request.QueryString

Q21. When using the POST method, the variables are displayed in the URL:

- a. **False** b. True

Q22. In PHP you can use both single quotes (' ') and double quotes (" ") for strings:

- a. **True** b. False

Q23. Include files must have the file extension ".inc"

- a. True **b. False**

Q24. What is the correct way to include the file "time.inc"?

- a. <% include file= "time.inc" %> b. <?php jnclude_file("time.inc"); ?>
c. <?php require("time.inc"); ?> d. <!-- include file= "time.inc" -->

Q25. What is the correct way to create a function in PHP?

- a. create myFunction() b. new_function myFunction() **c. function myFunction()**

Q26. What is the correct way to open the file "time.txt" as readable?

- a. open("time,txt", "read"); b. open("time.txt");

USM's Shriram Mantri Vidyanidhi Info Tech Academy

Web Programming Technologies

c. `fopen("time.txt", "r");`

d. `fopen("time.txt", "r+");`

Q27. PHP allows you to send emails directly from a script

- a. False b. **True**

Q28. What is the correct way to add 1 to the \$count variable?

- a. `$count+ +;` b. `+ + count` c. `$count = +1` d. `count+ +;`

Q29. What is a correct way to add a comment in PHP?

- a. `<comment>...</comment>` b. `/* ... */` c. `*\..*` d. `<!-- ... -->`

Q30. PHP can be run on Microsoft Windows IIS (Internet Information Server):

- a. **True** b. False

Q31. Which of the following is correct about PHP?

- a. PHP is a recursive acronym for "PHP: Hypertext Preprocessor".
b. PHP is a server side scripting language that is embedded in HTML.
c. It is used to manage dynamic content, databases, session tracking, even build entire e-commerce sites.
d. **All of the above.**

Q32. Which of the following is correct about PHP?

- a. PHP performs system functions, i.e. from files on a system it can create, open, read, write, and close them.
b. PHP can handle forms, i.e. gather data from files, save data to a file, thru email you can send data, return data to the user.
c. You add, delete, modify elements within your database thru PHP.
d. **All of the above.**

Q33. Which of the following is correct about PHP?

- a. PHP can access cookies variables and set cookies.
b. Using PHP, you can restrict users to access some pages of your website.
c. It can encrypt data.
d. **All of the above.**

Q34. Using which of the following way can you embed PHP code in an HTML page?

- a. `<?php PHP code goes here ?>` b. `<? PHP code goes here ?>`
c. `<script language="php"> PHP code goes here </script>` d. All of the above.

Q35. Which of the following is true about php.ini file?

- a. The PHP configuration file, php.ini, is the final and most immediate way to affect PHP's functionality.
b. The php.ini file is read each time PHP is initialized.
c. **Both of the above.**
d. None of the above.

Q36. Which of the following is true about php.ini file?

- a. The PHP configuration file, php.ini, is the final and most immediate way to affect PHP's functionality.
b. The php.ini file is read each time PHP is initialized.
c. Both of the above.
d. None of the above.

USM's Shriram Mantri Vidyanidhi Info Tech Academy

Web Programming Technologies

- a. Variable names must begin with a letter or underscore character.
- b. A variable name can consist of numbers, letters, underscores.
- c. you cannot use characters like + , - , % , (,) . & , etc in a variable name.
- d. **All of the above.**

Q50. Which of the following is correct about determine the "truth" of any value not already of the Boolean type?

- a. If the value is a number, it is false if exactly equal to zero and true otherwise.
- b. If the value is a string, it is false if the string is empty (has zero characters) or is the string "0", and is true otherwise.
- c. Values of type NULL are always false.
- d. **All of the above.**

Q51. Which of the following is correct about determine the "truth" of any value not already of the Boolean type?

- a. If the value is an array, it is false if it contains no other values, and it is true otherwise. For an object, containing a value means having a member variable that has been assigned a value.
- b. Valid resources are true (although some functions that return resources when they are successful will return FALSE when unsuccessful).
- c. Don't use double as Booleans.
- d. **All of the above.**

Q52. Which of the following is correct about NULL?

- a. NULL is a special type that only has one value: NULL.
- b. The special constant NULL is capitalized by convention, but actually it is case insensitive.
- c. **Both of the above.**
- d. None of the above.

Q53. Which of the following is correct about NULL?

- a. A variable that has been assigned NULL evaluates to FALSE in a Boolean context.
- b. A variable that has been assigned NULL returns FALSE when tested with IsSet() function.
- c. **Both of the above.**
- d. None of the above.

Q54. Which of the following is correct about constants?

- a. Unlike with variables, you do not need to have a constant with a \$.
- b. Only scalar data (boolean, integer, float and string) can be contained in constants.
- c. **Both of the above.**
- d. None of the above.

Q55. Which of the following function returns selected parts of an array?

- a. array_reverse()
- b. array_search()
- c. array_shift()
- d. **array_slice()**

Q56. Which of the following function returns the sum of the values in an array?

- a. **array_sum()**
- b. array_splice()
- c. array_udiff()
- d. array_udiff_assoc()

Q57. Which of the following function checks if a specified value exists in an array?

- a. extract()
- b. **in_array()**
- c. key()
- d. krsort()

Q58. Singly quoted strings are treated almost literally, whereas doubly quoted strings replace variables with their values as well as specially interpreting certain character sequences. **a. true** b. false

USM's Shriram Mantri Vidyanidhi Info Tech Academy

Web Programming Technologies

Q59. Doubly quoted strings are treated almost literally, whereas singly quoted strings replace variables with their values as well as specially interpreting certain character sequences.

- a. true b. **false**

Q60. How will you concatenate two strings?

- a. **Using . operator.** b. Using + operator. c. Using add() function d. Using append() function

Q61. If there is any problem in loading a file then the require() function generates a warning but the script will continue execution.

- a. true b. **false**

Q62. If there is any problem in loading a file then the include() function generates a warning but the script will continue execution.

- a. **true** b. false

Q63. Which of the following function opens a file?

- a. **fopen()** b. fread() c. filesize() d. file_exist()

Q64. Which of the following function is used to read the content of a file?

- a. fopen() b. **fread()** c. filesize() d. file_exist()

Q65. Which of the following function is used to get the size of a file?

- a. fopen() b. fread() c. **filesize()** d. file_exist()

Q66. Which of the following function is used to check if a file exists or not?

- a. fopen() b. fread() c. filesize() d. **file_exist()**

Q67. Can you assign the default values to a function parameters?

- a. **true** b. false

Q68. Which of the following is used to set cookies?

- a. **setcookie() function** b. \$_COOKIE variable c. \$HTTP_COOKIE_VARS variable d. isset() function

Q69. Which of the following is used to get cookies?

- a. getcookie() function b. **\$_COOKIE variable** c. isset() function d. None of the above.

Q70. Which of the following is used to check that a cookie is set or not?

- a. getcookie() function b. \$_COOKIE variable c. **isset() function** d. None of the above.

Q71. Which of the following is used to delete a cookie?

- a. **setcookie() function** b. \$_COOKIE variable c. isset() function d. None of the above.

Q72. Which of the following is used to create a session?

- a. session_start() function b. **\$_SESSION[]** c. isset() function d. session_destroy() function

USM's Shriram Mantri Vidyanidhi Info Tech Academy

Web Programming Technologies

Q73. Which of the following is used to access session variables in PHP?

- a. session_start() function b. \$_SESSION[] c. isset() function d. session_destroy() function

Q74. Which of the following is used to check if session variable is already set or not in PHP?

- a. session_start() function b. \$_SESSION[] c. **isset() function** d. session_destroy() function

Q75. Which of the following is used to destroy the session?

- a. session_start() function b. \$_SESSION[] c. isset() function d. **session_destroy() function**

Q76. Which of the following provides access to the uploaded file in the temporary directory on the web server?

- a. **\$_FILES['file']['tmp_name']** b. \$_FILES['file']['name'] c. \$_FILES['file']['size'] d. \$_FILES['file']['type']

Q77. Which of the following provides the actual name of the uploaded file?

- a. \$_FILES['file']['tmp_name'] **b. \$_FILES['file']['name']** c. \$_FILES['file']['size'] d. \$_FILES['file']['type']

Q78. Which of the following provides the size of the uploaded file in PHP?

- a. \$_FILES['file']['tmp_name'] b. \$_FILES['file']['name'] c. **\$_FILES['file']['size']** d. \$_FILES['file']['type']

Q79. Which of the following provides content type of the uploaded file in PHP?

- a. \$_FILES['file']['tmp_name'] b. \$_FILES['file']['name'] c. \$_FILES['file']['size'] d. **\$_FILES['file']['type']**

Q79. Which of the following is correct about constants?

- a. To define a constant you have to use define() function.
b. To retrieve the value of a constant, you have to simply specify its name.
c. **Both of the above.**
d. None of the above.

XML

Q1. What does XML stand for?

- a. Example Markup Language b. X-Markup Language
c. **extensible Markup Language** d. eXtra Modern Link

Q2. There is a way of describing XML data, how?

- a. **XML uses a DTD to describe the data**
b. XML uses a description node to describe data
c. XML uses XSL to describe data

Q3. XML's goal is to replace HTML

- a. **False** b. True

Q4. What is the correct syntax of the declaration which defines the XML version?

- a. <xml version= "1.0"/> b. <?xml version= "1.0"/> c. **<?xml version = "1.0"?>**

Q5. What does DTD stand for?

- a. Dynamic Type Definition b. **Direct Type Definition**

USM's Shriram Mantri Vidyanidhi Info Tech Academy

Web Programming Technologies

c. Document Type Definition

d. Do the Dance

Q6. Is this a "well formed" XML document?

```
<?xml version= "1.0"?>
<note>
<to>Tove</to>
<from>Jani</from>
<heading>Reminder</heading>
<body>Don't forget me this weekend!</body>
</note>
```

- a. No **b. Yes**

Q7. Is this a "well formed" XML document?

```
<?xml version= "1.0"?>
<to>Tove</to>
<from>Jani</from>
<heading>Reminder</heading>
<body>Don't forget me this weekend!</body>
```

- a. No** b. Yes

Q8. Which statement is true?

- a. All XML documents must have a DTD b. All XML elements must be lower case
c. **All XML elements must be properly closed** d. All the statements are true

Q9. Which statement is true?

- a. XML tags are case sensitiv b. XML documents must have a root tag
c. XML elements must be properly nested **d. All the statements are true**

Q10. XML preserves white spaces

- a. True **b. False**

Q11. Is this a "well formed" xml document?

```
<?xml version= "1.0"?>
<note>
<to age= "29">Tove</to>
<from>Jani</from>
</note>
```

- a. Yes** b. No

Q12. Is this a "well formed" xml document?

```
<?xml version= "1.0"?>
<note>
<to age= 29>Tove</to>
<from>Jani</from>
</note>
```

- a. Yes **b. No**

USM's Shriram Mantri Vidyanidhi Info Tech Academy

Web Programming Technologies

- Q13. XML elements cannot be empty
a. **False** b. True
- Q14. Which is not a correct name for an XML element?
a. <Note> b. All 3 names are incorrect c. **<1 dollar>** d. <h1>
- Q15. Which is not a correct name for an XML element?
a. <NAME> b. **<first name>** c. <age> d. All 3 names are incorrect
- Q16. Which is not a correct name for an XML document?
a. <xmldocument> b. <phone number> c. **All 3 names are incorrect** d. <7eleven>
- Q17. XML attribute values must always be enclosed in quotes
a. False b. **True**
- Q18. What does XSL stand for?
a. eXtra Style Language b. eXtensible Style Listing
c. eXpandable Style Language d. **eXtensible Stylesheet Language**
- Q19. What is a correct way of referring to a stylesheet called "mystyle.xml"?
a. <stylesheet type="text/xml" href="mystyle.xml"/>
b. <link type="text/xml" href="mystyle.xml" />
c. **<?xml-stylesheet type="text/xml" href="mystyle.xml" ?>**
- Q20. For the XML parser to ignore a certain section of your XML document, which syntax is correct?
a. <CDATA> Text to be ignored </CDATA> b. **<![CDATA[Text to be ignored]]>**
c. <xml:CDATA[Text to be ignored]> d. <PCDATA> Text to be ignored </PCDATA>
- Q21. Which statement is true?
a. All the statements are true b. **All XML elements must have a closing tag**
c. All XML elements must be lower case d. All XML documents must have a DTD
- Q22. Is it easier to process XML than HTML?
a. **Yes** b. No c. Sometimes d. Cant say
- Q23. Which of the following programs support XML or XML applications?
a. Internet Explorer 5.5 b. Netscape 4.7 c. RealPlayer. d. **both 1 and 2**
- Q24. Kind of Parsers are
a. well-formed b. well-documented c. **non-validating and validating** d. none of the above
- Q25. Well formed XML document means
a. it contains a root element
b. it contain an element

USM's Shriram Mantri Vidyanidhi Info Tech Academy

Web Programming Technologies

- c. it contains one or more elements
- d. **must contain one or more elements and root element must contain all other elements**

Q26. Comment in XML document is given by

- a. `<!-- -->`
- b. `<!-- --!>`
- c. `<!-- -->`
- d. `</-- -->`

Q27. Which of the following strings are a correct XML name?

- a. **_myElement**
- b. my Element
- c. #myElement
- d. None of the above

Q28. Which of the following XML fragments are well-formed?

- a. `<?xml?>`
- b. **`<?xml version="1.0"?>`**
- c. `<?xml encoding="JIS"?>`
- d. `<?xml encoding="JIS" version="1.0"?>`

Q29. Valid XML document means (most appropriate)

- a. the document has root element
- b. the document contains atleast one or more root element
- c. **the XML document has DTD associated with it & it complies with that DTD**
- d. Each element must nest inside any enclosing element property

Q30. XML uses the features of

- a. HTML
- b. XHTML
- c. VML
- d. **SGML**

Q31. Which of the following XML documents are well-formed?

- a. **`<firstElement>some text goes here`
`<secondElement>another text goes here</secondElement>`
`</firstElement>`**
- b. `<firstElement>some text goes here</firstElement>`
`<secondElement> another text goes here</secondElement>`
- c. `<firstElement>some text goes here`
`<secondElement> another text goes here</firstElement>`
`</secondElement>`
- d. `</firstElement>some text goes here`
`</secondElement>another text goes here<secondElement>`
`<firstElement>`

Q32. To use the external DTD we have the syntax

- a. **`<?xml version="1.0" standalone="no"?> <! DOCTYPE DOCUMENT SYSTEM "order.dtd"?>`**
- b. `<?xml version="1.0" standalone="yes"?> <! DOCTYPE DOCUMENT SYSTEM "order.dtd"?>`
- c. `<?xml version="1.0" standalone="no"?> <! DOCTYPE DOCUMENT "order.dtd"?>`
- d. `<?xml version="1.0" standalone="yes"?> <! DOCTYPE DOCUMENT SYSTEM "order.dtd"?>`

Q33. The syntax for parameter entity is

- a. **`<! ENTITY % NAME DEFINITION>`**
- b. `< ENTITY % NAME DEFINITION>`
- c. `<! ENTITY $ NAME DEFINITION>`
- d. `< ENTITY % NAME DEFINITION>`

Q34. Which of the following XML fragments are well-formed?

USM's Shriram Mantri Vidyanidhi Info Tech Academy

Web Programming Technologies

- a. `<myElement myAttribute="someValue"/>`
 c. `<myElement myAttribute='someValue'>`
 b. `<myElement myAttribute=someValue/>`
 d. `<myElement myAttribute="someValue' />`

Q35. how to include external dtd in xml file

- a. `<!DOCTYPE rootnode SYSTEM "name of dtd file">`
 c. `<!DOCTYPE rootnode src="name of dtd file">`
 b. `<!DOCTYPE childnode SYSTEM "name of dtd file">`
 d. `<!DOCTYPE SYSTEM "name of dtd file">`

JSON

Q1. JSON stands for

- a. java source object notes
b. javascript object notation
 c. javascript orientation
 d. none

Q2. JSON is

- a. **language and platform independent**
 b. language dependent and platform independent
 c. language independent and platform dependent
 d. none

Q3. Json is used to

- a. Transfer data as key value pair**
 b. Transfer data as image
 c. Transfer data as arraylist
 d. None

Q4. To send data as Jason in php we use

- a. **json_encode();**
 b. encode_json()
 c. parsejson
 d. none

Q5. To read json data received from server javascript use

- a. parseJSON();**
 b. parseHTML();
 c. parseOBJECT()
 d. none

AJAX

Q1. Using AJAX we can make our web page

- a. More inactive and faster
 b. Easy to connect web page with server
c. more dynamic
 d. none

Q2. XML Http Request object is a part of

- a. W3C andard
 b. DOM Level 3
 c. both 1 and 2
 d. none

Q3. AJAX is combination of

- a. java+css+xml
 b. java+css+DOM+xml
c. avascript+css+DOM+XMLHttpRequest

Q4. What is AJAX?

- a. AJAX = Asynchronous JavaScript and XML.**
 c. AJAX = Asynchronous JavaScript and HTML
 b. AJAX = Asynchronous rquest and XML.
 d. None

Q5. Ajax request pass through total how many readystate

- a. 5**
 b. 4
 c. 3
 d. none

Q6. which Ajax property is used to read data from server

USM's Shriram Mantri Vidyanidhi Info Tech Academy

Web Programming Technologies

a. **responseText** b. responsetext c. responsedata d. none

Q7. Which method of Ajax hit server

a. **send** b. Hit c. Go d. none

Web Security

Q1. What is XSS stands for

a. **Cross Site Scripting** b. Extended site security c. None

Q2. ____ commonly targets scripts embedded in a page which are executed on the client-side (in the user's web browser) rather than on the server-side

a. XSS b. SQL Injection c. None

Q3. attack by which fraudsters impersonate a legitimate company and attempt to steal people's personal information or login credentials is called

a. **Phishing email** b. SQL Injection c. None

Q4. When developers fail to protect their users sensitive information such as user names, passwords, and session tokens there is a possibility of ____.

aSQL Injection

a. Insecure Direct Object Reference

b. **Cross-Site Request Forgery**

c. Broken Authentication and Session Management

Q5. A security measure to stop unauthorized access to documents is:

a. Network access control.

b. Business continuity/disaster recovery.

c. **Physical access restrictions.**

d. Backup/restore.

Q6. What is an example of vulnerabilities in web-based programs and environments?

a) SQL injection

b) Cross-site scripting

c) **All of the above**

d) none of the above

Q7. CSRF is stand for

a) **Cross-Site Request Forgery**

b) Cross script format

c) Cascading script format

d) Cross site required format

Q8. The placement of malicious code in SQL statements, via web page input. Is called

a) **SQL injection**

b) Cross-Site Request Forgery

c) None

Q9. Phishing is form of ____

a) Spamming

b) Identity Theft

c) **Impersonation**

Q10. Sniffing is used to perform ____

a) **Passive stack**

b) **Active stack**

c) None

Q11. What is the best statement for taking advantage of a weakness in the security of an IT System

a) Threat

b) Attack

c) Vulnerability

USM's Shriram Mantri Vidyanidhi Info Tech Academy

Web Programming Technologies

UI

1) Which of the following is correct about Bootstrap?

- a. Bootstrap is a sleek, intuitive, and powerful, mobile first front-end framework for faster and easier web development.
- b. It uses HTML, CSS and Javascript.
- c. Bootstrap was developed by Mark Otto and Jacob Thornton at Twitter.
- d. **All of the above.**

2) Which of the following is correct about Bootstrap?

- a. Bootstrap's responsive CSS adjusts to Desktops, Tablets and Mobiles.
- b. Provides a clean and uniform solution for building an interface for developers.
- c. It contains beautiful and functional built-in components which are easy to customize.
- d. **All of the above.**

3) Which of the following is a part of Mobile First Strategy of Bootstrap?

- a. Content: Determine what is most important.
- b. Layout: Design to smaller widths first. Base CSS address mobile device first; media queries address for tablet, desktops.
- c. Progressive Enhancement: Add elements as screen size increases.
- d. **All of the above.**

4) Which of the following is correct about Bootstrap Grid System?

- a. Rows must be placed within a .container class for proper alignment and padding.
- b. Use rows to create horizontal groups of columns.
- c. Content should be placed within the columns, and only columns may be the immediate children of rows.
- d. **All of the above.**

5) Which of the following is correct about Bootstrap Grid System?

- a. Predefined grid classes like .row and .col-xs-4 are available for quickly making grid layouts. LESS mixins can also be used for more semantic layouts.
- b. Columns create gutters (gaps between column content) via padding. That padding is offset in rows for the first and the last column via negative margin on .rows.
- c. Grid columns are created by specifying the number of twelve available columns you wish to span. For example, three equal columns would use three .col-xs-4.
- d. **All of the above.**

6) Which of the following is correct about Bootstrap Media Query?

- a. It simply applies some CSS, based on certain conditions set forth. If those conditions are met, the style is applied.
- b. **Both of the above.**
- c. None of the above.

7) Which of the following is correct about Bootstrap Media Query?

- a. Media queries have two parts, a device specification and then a size rule.
- b. Media Queries in Bootstrap allow you to move, show and hide content based on the viewport size. c.

USM's Shriram Mantri Vidyanidhi Info Tech Academy

Web Programming Technologies

Both of the above.

d. None of the above.

8) Which of the following is correct about Bootstrap Mobile First Strategy?

- a. You need to add the viewport meta tag to the element, to ensure proper rendering and touch zooming on mobile devices.
- b. width property controls the width of the device. Setting it to device-width will make sure that it is rendered across various devices (mobiles, desktops, tablets...) properly.
- c. initial-scale=1.0 ensures that when loaded, your web page will be rendered at a 1:1 scale, and no zooming will be applied out of the box.
- d. **All of the above.**

9) Which of the following is correct about Bootstrap Responsive Images?

- a. Bootstrap 3 allows you to make the images responsive by adding a class ..img-responsive to the <.img> tag.
- b. ..img-responsive class applies max-width: 100%; and height: auto; to the image so that it scales nicely to the parent element.
- c. **Both of the above.**
- d. None of the above.

10) Which of the following is correct about Bootstrap cross browser consistency?

- a. Bootstrap uses Normalize to establish cross browser consistency.
- b. Normalize.css is a modern, HTML5-ready alternative to CSS resets.
- c. Normalize.css is a small CSS file that provides better cross-browser consistency in the default styling of HTML elements.
- d. **All of the above.**

11) Which of the following class styles a table as a nice basic table with just some light padding and horizontal dividers?

- a. **table**
- b. table-striped
- c. table-bordered
- d. table-hover

12) Which of the following class styles a table as a nice basic table with stripes on rows?

- a. table
- b. **table-striped**
- c. table-bordered
- d. table-hover

13) Which of the following class styles a table with borders surrounding every element and rounded corners around the entire table?

- a. table
- b. table-striped
- c. **table-bordered**
- d. table-hover

14) Which of the following class styles a table with a light gray background to rows while the cursor hovers over them?

- a. table
- b. table-striped
- c. table-bordered
- d. **table-hover**

15) Which of the following class applies the hover color to a particular row or cell of a table?

- a. **active**
- b. success
- c. warning
- d. danger

16) Which of the following class indicates a successful or positive action?

- a. active
- b. **success**
- c. warning
- d. danger

USM's Shriram Mantri Vidyanidhi Info Tech Academy

Web Programming Technologies

- 17) Which of the following class indicates a warning that might need attention?
a. active b. success **c. warning** d. danger
- 18) Which of the following class indicates a dangerous or potentially negative action?
a. active **b. success** c. warning **d. danger**
- 19) Which of the following class can be used to create a responsive table?
a. table-responsive b. responsive c. active d. table
- 20) Which of the following is the default layout of a bootstrap form?
a. vertical b. inline c. horizontal d. None of the above.
- 21) Which of the following class is required to be added to form tag to make it inline?
a. inline **b. form-inline** c. horizontal d. None of the above.
- 22) Which of the following class is required to be added to form tag to make it horizontal?
a. horizontal **b. form-horizontal** c. horizontal d. None of the above.
- 23) Which of the following is true about bootstrap help text?
a. Bootstrap form controls can have a block level help text that flows with the inputs.
b. To add a full width block of content, use the .help-block after the <input>.
c. Both of the above.
d. None of the above.
- 24) Which of the following bootstrap style of button creates a default/ standard button?
a.btn b. btn-primary c. btn-success d. btn-info
- 25) Which of the following bootstrap style of button provides extra visual weight and identifies the primary action in a set of buttons?
a.btn **b. btn-primary** c. btn-success d. btn-info