

SQL Assignment – 15

Qu.1. Ans:

```
D5_Abhishek_83990>create table MULTICUST
-> as
-> select * from SALESPEOPLE
-> where snum in
-> (select snum from CUSTOMER
-> group by snum
-> having count(snum)>1);
Query OK, 2 rows affected, 1 warning (0.06 sec)
Records: 2  Duplicates: 0  Warnings: 1

D5_Abhishek_83990>select * from MULTICUST;
+-----+-----+-----+-----+
| Snum | Sname | City | Comm |
+-----+-----+-----+-----+
| 1001 | Peel | London | 0.12 |
| 1004 | Motika | London | 0.11 |
+-----+-----+-----+-----+
2 rows in set (0.00 sec)
```

Qu.2. Ans:

```
D5_Abhishek_83990>delete from CUSTOMER
-> where cnum not in (select cnum from ORDERS);
Query OK, 1 row affected (0.01 sec)

D5_Abhishek_83990>select * from CUSTOMER;
+-----+-----+-----+-----+-----+
| Cnum | Cname | City | Rating | Snum |
+-----+-----+-----+-----+-----+
| 2001 | Hoffman | London | 100 | 1001 |
| 2002 | Giovanni | Rome | 300 | 1003 |
| 2003 | Liu | San Jose | 200 | 1004 |
| 2004 | Grass | Berlin | 300 | 1004 |
| 2008 | Cisneros | San Jose | 300 | 1007 |
| 2007 | Pereira | Rome | 200 | 1004 |
+-----+-----+-----+-----+-----+
6 rows in set (0.00 sec)
```

Qu.3. Ans:

```
D5_Abhishek_83990>select snum, sname,comm+0.20 'New Comm' from SALESPEOPLE
-> where snum in
-> (select snum from ORDERS
-> group by snum
-> having sum(amt)>3000);
+-----+-----+-----+
| snum | sname  | New Comm |
+-----+-----+-----+
| 1002 | Serres |      0.33 |
+-----+-----+-----+
1 row in set (0.01 sec)
```