### **Introduction to Nails**

## Elizabeth Bollwerk and DAACS





## Nails are Useful to Archaeologists ...

- Durable will often preserve in the ground
- Corrosion is a major issue fried chicken or Cheeto nails
- Manufacturing techniques change over time – provide opportunities for dating structures/sites
- Size and head information can provide clues about use
- Primarily made from wrought iron but will also see steel and copper nails



## Nails – Manufacturing Techniques


### Nails have chronologic importance!

- Wrought/Forged (primarily 17th-18th century, though can get them in the early 19th century and reproductions).
- Machine Cut, hand heads (1790-1810)
- Machine Cut, machine heads (1805-present)
- Wire Nails (primarily post 1860)



## Wrought/Forged Nails

Handmade from square wrought iron nail rod








## Wrought/Forged Nails – Diagnostic Features

- Square in cross section
- Often have convex heads with indentations from individual hammer strikes
- Tips will often be rounded, pointed, or flattened from hammer strike (chisel tip)




# Wrought/Forged Nails – Head Types and Uses



### **Machine Cut Nails**

- Made by machine cutting shanks out of rolled iron sheeting (although steel increasingly used by 1890s)
- 1790s-early 1800s hand headed
- Early 1800s onward machine headed
- Commonly used throughout 19<sup>th</sup> century




## Machine Cut Nails – Diagnostic Features

- Taper in cross section
- Flat heads when machine headed
- Tips will often be blunt because they are the edge of the metal sheet
- Bevel where head meets shank from where heading machine grasped it





## Machine Cut Nails – Head Types and Uses



http://npshistory.com/publications/nail-chronology.pdf


## Wire/Drawn Nails

- Made by machine pulling and cutting prepared wire
- Machine also creates point and flat head
- Technology introduced in the 1850s but not widely used until 1880s




## Wire/Drawn Nails - Diagnostic Features

- Circular in cross section
- Flat heads
- Tips are pointed
- Often steel instead of iron



## Wire/Drawn Nails - Types and Uses

#### MODERN WIRE NAILS



These nails are usually manufactured from steel wire, which is held in gripper dies and headed (producing gripper marks on shanks); then wire is advanced and sheared to length with cutter die; and wire stock is then advanced to repeat operation. Earliest wire nails were only available in very small sizes (for picture frames etc.). Larger sizes were not widely available or used in American building construction until the third quarter of the 19th century. By the late 1880's, they were first superceding cut nails because of their relative cheapness. Wire nails are not readily dateable, though early examples have bulbous heads that are excentric to shank. In more recent years, wire nails have been made in a great variety of sizes, head shapes and shank designs (e.g., threeded nails), although cut nails continue to be made for specific purposes.