Let instructors try to break RaPS.

A supervised field beta focused on failures, friction and useful feedback.



Decision requested: authorize a small TEST pilot

READINESS RECOMMENDATION

Clear the start blocker before the pilot

Engineering checks

Startup failure reproduced.

Regression checks cover the shared fix and normal TEST behavior.

Deployed foundation

Web.8 backend verified.

Web.9 frontend correction needs publication and a deployed retest.

Field evidence needed

Retry the reported class.

Real devices and recovery.

Two-user results and retention.

Hold the cohort until web.9 is published and the owner dry run passes.

What each command provides

1 PM + 2 instructors

A site lead, hands-on testers and an observer when practical.

Their normal devices

Phone/tablet, browser/PWA, old and new hardware, ordinary connectivity.

Protected testing time

A 60-minute launch, then follow-up challenges during the week.

A feedback owner

Instructor → site PM → pilot owner; daily triage and a retest slot.

Start with 2–3 sites over one week. Expand the cohort after review.

TEST is one more supported MAJCOM

Same installations

Select TEST, then an existing installation.

All 73 physical locations are available; no new duplicate locations.

Same training workflow

Create, start, observe, sync, finalize and close through the normal controls and permission rules.

All MAJCOMs includes TEST. Use fictitious learners and clearly named beta classes.

Supported MAJCOM is a training label. Assigned installation roles and explicit sharing control access.

Owner dry run before instructors arrive

01 **Release on the device**

Every participating browser/PWA shows 3.4.12-web.9.

02 **Real sign-in and recovery**

Temporary password → new password → fresh login; reset and scope checks.

03 **A known case on two devices**

Claim, save, sync, finalize and reconcile the stored result with the SME case.

04 **Support and retention ownership**

Named support path, official-process fallback, both archive workflows checked.

Before meaningful record retention or expansion: verify off-NUC backup and an isolated restore.

Give instructors permission to be difficult

PRESS THE INTERFACE

Mistap. Undo. Enter long notes. Rotate. Use gloves and the keyboard.

INTERRUPT THE SESSION

Background. Lock. Return. Reload. Check active timer recovery.

LOSE THE CONNECTION

Claim online, disconnect, record, reconnect and compare exact entries.

COLLIDE WORKFLOWS

Two devices. Two evaluators. Stale views. Final records and scoped reports.

Use ordinary interface actions and disposable TEST cases. Capture what happens.

Expected safeguards are part of the test

Offline work	Continue a previously claimed assessment. New starts, finalization, void and close require the server.
Actual timer reload	Recovery requires VOID with a reason, then a new instance and a repeated approved timed performance.
Finalized results	Finalized assessment fields stay read-only. Coaching does not revise an official result.
Local copy removal	Removing one browser copy keeps the shared server record. Retention controls are owner-operated.

ONE REPORT PER FINDING

Turn “it broke” into a fixable report

TRY | CAPTURE | COMPARE | RETURN

Record the device, version, role/site, TEST case, exact steps, expected versus actual result, and local/cloud state.

ILLUSTRATIVE REPORT — NOT AN OBSERVED DEFECT

“After rotation, STOP did not respond. Timer remained active. Reproduced 2/3 tries on [device/browser].”

Return TEST-only evidence to the site PM. Include one thing worth keeping.

Pause the affected lane when evidence is at risk

PAUSE + ESCALATE

Unexpected access.
Wrong or lost grading.
Silent overwrites.
False save/final score.
Live records affected.

CAPTURE + TRIAGE

Blocked workflow.
Unclear recovery.
Unreachable control.
Misleading status.
Repeated workaround.

RECORD + IMPROVE

Friction and preferences.
Missing capability.
Useful display choice.
Good recovery.
What should stay.

Keep the device state. Site PM → pilot owner → Enterprise/NUC support.

Decide on evidence, then retest the fixes

No open critical blocker

Access, evidence integrity and stored final results behave correctly.

Known cases reconcile

Two devices, exports and scoped TEST reports agree on the selected fixtures.

Recovery is demonstrated

Real account recovery, outage/reconnect and timer interruption recovery work.

Instructors can work

Report independent/helped/blocked counts, observation burden and concrete friction.

Proposed operational gates. Clinical agreement needs SME review of the same cases.

A short cycle with protected instructor time

DAY 0

Owner dry run

Accounts, scopes, known case, support and recovery evidence.

DAY 1

Brief + challenge

10-minute brief, 40-minute break-it session, 10-minute debrief.

DAYS 2–5

Use + report

Cover remaining missions; use normal devices; daily PM triage.

DAYS 6–7

Fix + retest

Retest affected devices and cases; brief hold, extend or expand.

The leadership ask

Approve 2–3 TEST sites and a device mix.

Nominate each PM and two instructors.

Name the pilot owner, Enterprise support and SME.

Protect time to test, report and retest.

Return: a ranked defect list, instructor recommendations and a scoped go / hold / expand decision.

Start small. Try to break it. Bring evidence.

Appendix: who does what

Instructor / evaluator	Work at the assigned installation; hold the assessment claim; challenge and report.
Installation PM	Prepare fixtures/assignments, pair testers, reconcile counts and collect findings.
MAJCOM Manager	Review reports within ordinary authorized command scope and track site feedback.
Enterprise / NUC owner	Provision/reset accounts; operate retention; preserve backups and recovery evidence.
SME / pilot owner	Set reference cases, review rule disagreements, triage and authorize retesting.

Appendix: remaining operational checks

Real device release + identity	Browser/PWA version, first login, reset and scope on actual devices.
Outages + ownership	Local persistence, claim exclusion, reconnect and exact stored results.
Physical usability + timing	Gloves, light, keyboard, interruption recovery and reference-clock comparison.
Both retention workflows	Existing automatic closed-class worker; selected-class reporting archive worker.
Recoverability + support	Off-NUC backup, isolated restore, owner escalation and field support process.