

UNIVERSIDAD DE SAN CARLOS DE GUATEMALA
FACULTAD DE INGENIERÍA
ESCUELA DE CIENCIAS Y SISTEMAS
SISTEMAS ORGANIZACIONALES Y GERENCIALES 1
SECCIÓN: A
INGENIERO: FERNANDO PAZ
AUXILIAR: KHRISTIAN GARCÍA



Manual de Instalación

GRUPO 28	
202300794	Valery Pamela Alarcón Ramos
202300512	Daniel Andreé Hernandez Flores
202302220	Enner Esaí Mendizabal Castro

GUATEMALA 09 DE ABRIL DEL AÑO 2026

1. INDICE

1.	INDICE	2
2.	Manuales de Instalación.....	3
a.	Manual de Instalación del ERP — Odoo Community Edition (vía Docker).....	3
a.	Requerimientos del Sistema	3
b.	Procedimiento de Instalación (Ubuntu 22.04 + Docker)	4
c.	Validación Final del ERP	11
b.	Manual de Activación del CRM — Odoo CRM (Módulo Integrado).....	12
a.	Requerimientos.....	12
b.	Procedimiento de Activación.....	12
c.	Validación Final del CRM	14
c.	Bienvenida a Odoo.....	15
a.	Carga masiva de Productos	15
b.	Carga masiva de Clientes y Proveedores.....	17
d.	CRM y ERP	19
a.	ERP (ventas, compras, inventario).....	19
b.	CRM	20
c.	Compras a proveedores	20
d.	Cotizaciones de Productos.....	22
e.	Configurar servidor de salida SMTP.....	25
3.	Anexos	28

2. Manuales de Instalación

a. Manual de Instalación del ERP — Odoo Community Edition (vía Docker)

a. Requerimientos del Sistema


Requisito	Especificación Mínima
Sistema Operativo	Ubuntu 22.04 LTS o similar
RAM	4 GB mínimo (8 GB recomendado)
CPU	2 núcleos mínimo
Disco	40 GB de espacio libre
Docker Engine	Docker 24.x o superior
Docker Compose	Plugin docker compose (v2) integrado en Docker Engine
Navegador	Chrome, Firefox o Edge (última versión)
Acceso a Internet	Requerido para descargar imágenes de Docker Hub

Ventaja del enfoque Docker:

No es necesario instalar Python, PostgreSQL ni dependencias del sistema manualmente. Docker empaqueta todo el entorno de Odoo (servidor de aplicación, base de datos y dependencias) en contenedores aislados y reproducibles, garantizando que el entorno sea idéntico en cualquier máquina.

Paso 3: Instalar Docker Engine y el plugin de Compose

```
sudo apt install -y docker-ce docker-ce-cli containerd.io \
docker-buildx-plugin docker-compose-plugin
```




Paso 4: Verificar la instalación de Docker

```
docker --version
docker compose version
```


Salida esperada:

```
Docker version 26.1.4, build 5650f9b
Docker Compose version v2.27.1
```



Paso 5: Agregar el usuario actual al grupo docker


```
sudo usermod -aG docker $USER  
newgrp docker
```



The screenshot shows a terminal window with a dark background. The prompt is root@ip-172-31-32-153:~#. The user has entered the command `sudo usermod -aG docker $USER` and then `newgrp docker`. The terminal output shows the command being executed successfully. The window title is "Root - [172.31.32.153]". The bottom status bar shows "i-0dffe54ebd4c29c84 (hdsd0)" and "Public IP: 3.16.161.201 Private IP: 172.31.32.153".

Paso 6: Crear el directorio de trabajo del proyecto

```
mkdir -p ~/mayacode-odoo/addons  
cd ~/mayacode-odoo
```



The screenshot shows a terminal window with a dark background. The prompt is root@ip-172-31-32-153:~#. The user has entered the command `mkdir -p ~/mayacode-odoo/addons` and then `cd ~/mayacode-odoo`. The terminal output shows the command being executed successfully. The window title is "Root - [172.31.32.153]". The bottom status bar shows "i-0dffe54ebd4c29c84 (hdsd0)" and "Public IP: 3.16.161.201 Private IP: 172.31.32.153".

Paso 7: Crear el archivo docker-compose.yml

```
cat << 'EOF' > docker-compose.yml
version: '3.8'

services:

  db:
    image: postgres:15
    container_name: mayacode_postgres
    restart: always
    environment:
      POSTGRES_DB: postgres
      POSTGRES_USER: odoo
      POSTGRES_PASSWORD: MayaCode2026
    volumes:
      - mayacode_pgdata:/var/lib/postgresql/data
    networks:
      - mayacode_net

  odoo:
    image: odoo:17.0
    container_name: mayacode_odoo
    restart: always
    depends_on:
      - db
    ports:
      - "8069:8069"
    environment:
      HOST: db
      USER: odoo
      PASSWORD: MayaCode2026
    volumes:
      - mayacode_odoo_data:/var/lib/odoo
      - ./addons:/mnt/extra-addons
    networks:
      - mayacode_net

volumes:
  mayacode_pgdata:
  mayacode_odoo_data:


networks:
  mayacode_net:
    driver: bridge
EOF
```


Paso 10: Verificar contenedores activos

```
docker compose ps
```

Salida esperada:

NAME	IMAGE	STATUS	PORTS
mayacode_odoo	odoo:17.0	Up	0.0.0.0:8069->8069/tcp
mayacode_postgres	postgres:15	Up	5432/tcp



Paso 11: Verificar logs de Odoo

```
docker compose logs -f odoo
```

Mensaje esperado:

INFO odoo.service.server: HTTP service (werkzeug) running on 0.0.0.0:8069

DWS
🔍 Buscar [Alt+S]
🗺️ 📢 🔄 ⚙️ Estados Unidos (Ohio) admin-user

```

0.1idoo Created
[*] up 33/34mayacode-odoo_mayacode_odoo_data Created
✓ Image odoo:17.0 Pulled
39.6mayacode_pgdata Created
Image postgres:15 Pulled
16.3postgres Starting
Network mayacode-odoo_mayacode_net Created
0.1idoo Created
[*] up 33/34mayacode-odoo_mayacode_odoo_data Created
✓ Image odoo:17.0 Pulled
39.6mayacode_pgdata Created
Image postgres:15 Pulled
16.3postgres Started
Network mayacode-odoo_mayacode_net Created
0.1idoo Starting
[*] up 34/34mayacode-odoo_mayacode_odoo_data Created
✓ Image odoo:17.0 Pulled
39.6mayacode_pgdata Created
Image postgres:15 Pulled
16.3postgres Started
Network mayacode-odoo_mayacode_net Created
Volume mayacode-odoo_mayacode_odoo_data Created
0.0a Created
Volume mayacode-odoo_mayacode_pgdata Created
Container mayacode_postgres Started
0.0a Started
Container mayacode_odoo Started
0.0a Started

whuntslip:172-31-32-153:/mayacode-odoo/docker-compose.yml the attribute 'version' is obsolete, it will be ignored, please remove it to avoid potential confusion
INFO[0000] /home/ubuntu/mayacode-odoo/docker-compose.yml the attribute 'version' is obsolete, it will be ignored, please remove it to avoid potential confusion
NAME IMAGE COMMAND SERVICE CREATED STATUS PORTS
mayacode_odoo odoo:17.0 "/entrypoint.sh odoo" odoo 30 seconds ago Up 25 seconds 0.0.0.0:8069->8069/tcp, [::]:8069->8069/tcp, 8071-8072/tcp
mayacode_postgres postgres:15 "docker-entrypoint.s..." db 30 seconds ago Up 25 seconds 5432/tcp

whuntslip:172-31-32-153:/mayacode-odoo/docker-compose.yml the attribute 'version' is obsolete, it will be ignored, please remove it to avoid potential confusion
INFO[0000] /home/ubuntu/mayacode-odoo/docker-compose.yml the attribute 'version' is obsolete, it will be ignored, please remove it to avoid potential confusion
mayacode_odoo 2024-03-20 23:58:17,440 I INFO ? odoo: Odoo version 17.0-20240305
mayacode_odoo 2024-03-20 23:58:17,440 I INFO ? odoo: Using configuration file at /etc/odoo/odoo.conf
mayacode_odoo 2024-03-20 23:58:17,440 I INFO ? odoo: addons paths: [/usr/lib/python3/dist-packages/odoo/addons/, /var/lib/odoo/addons/17.0/, '/mnt/extra-addons']
mayacode_odoo 2024-03-20 23:58:17,440 I INFO ? odoo: database: odoo@db:5432
mayacode_odoo 2024-03-20 23:58:17,442 I INFO ? odoo:addons.base.models.ir.actions_report: Will use the Wkhtmltopdf binary at /usr/local/bin/wkhtmltopdf
mayacode_odoo 2024-03-20 23:58:18,066 I INFO ? odoo.service.server: HTTP service (werkzeug) running on 4060?78724?8069
                
```

i-Offfe54ebd4c29c84 (dsdsd)

PublicIP: 3.16.161.201 PrivateIP: 172.31.32.153


c. Validación Final del ERP

Acceder a:


http://{direccion IP}:8069

Datos de creación de base de datos:

Campo	Valor
Database Name	mayacode_db
Email	admin@mayacode.gt
Password	MayaCode2026
Language	Español
Country	Guatemala



The screenshot shows the Odoo database manager interface. At the top, there is a warning message: "Warning, your Odoo database manager is not protected. To secure it, we have generated the following master password for it: hte7-fa9p-kbhv". Below the warning, there is a form with the following fields: Master Password (filled with asterisks), Database Name (mayacode_db), Email (admin@mayacode.gt), Password (filled with asterisks), Phone Number (44444444), Language (Spanish (GT) / Español (GT)), Country (Guatemala), and Demo Data (unchecked). At the bottom of the form, there are two buttons: "Create database" and "or restore a database".



The screenshot shows the Odoo login interface. At the top, there is a placeholder for "Your logo". Below it, there is a form with the following fields: Correo electrónico (admin@mayacode.gt) and Contraseña (filled with asterisks). Below the password field, there is a red error message: "Nombre de usuario o contraseña incorrectos". At the bottom of the form, there is a button: "Iniciar sesión". Below the button, there is a footer: "Gestionar bases de datos Con la tecnología de Odoo".

b. Manual de Activación del CRM — Odoo CRM (Módulo Integrado)


a. Requerimientos

Odoo CRM es un módulo nativo. No requiere instalación adicional.


Prerrequisito: Contenedores activos (docker compose ps).

b. Procedimiento de Activación

1. Ingresar a <http://localhost:8069> como administrador.
2. Ir a **Apps**.




3. Buscar **CRM** (quitar filtro “Apps”).
4. Instalar **CRM** (Odoo S.A.).




5. Instalar módulos complementarios:


○ Email Marketing



○ Contactos




○ Ventas




c. Validación Final del CRM


- Menú CRM visible.



- Pipeline Kanban: *New* → *Qualified* → *Proposition* → *Won*.
- Crear contacto: Cliente Prueba MayaCode.




- Verificar Email Marketing operativo.



c. Bienvenida a Odoo


Dentro de la vista de Odoo, debemos instalar los siguientes módulos:

- Inventory
- Purchase
- Sales
- CRM
- Invoicing




a. Carga masiva de Productos


Seleccionamos el módulo de Inventory.




Luego en la parte superior seleccionamos Products.



En la tuerca que está a la derecha del buscador, seleccionamos Import records.



Y presionamos Upload File.



Luego solo mapeamos los campos correctamente y presionamos Import.

Field	Value	Field	Value
name	Placas PCB personalizables	Ab	Name
default_code	EL-001	Ab	Internal Reference
type	product	Type	Type
list_price	15.00	1.5	Sales Price
standard_price	8.00	1.5	Cost
categ_id/name	Microcontroladores	Product Category	Product Category
uom_id/name	Unidades	Unit of Measure	Unit of Measure
uom_po_id/name	Unidades	Unit of Measure	Unit of Measure
description_sale	Placa de circuito impreso personalizable. Ideal pa...	Sales Description	Sales Description
sale_ok	TRUE	Can be Sold	Can be Sold
purchase_ok	TRUE	Can be Purchased	Can be Purchased

Verificamos que los productos se carguen correctamente.


Product Name	Internal Reference	Price	On hand
Arduino Uno R3	[EL-002]	Price: 25.00 Q	On hand: 0.00 Units
Batería LiPo 3.7V 2000mAh	[EL-012]	Price: 8.00 Q	On hand: 0.00 Units
Caja de proyecto ABS 115x90mm	[EL-030]	Price: 5.00 Q	On hand: 0.00 Units
Camara OV2640 para ESP32-CAM	[EL-015]	Price: 6.00 Q	On hand: 0.00 Units
Cargador TP4056 con protección	[EL-013]	Price: 2.00 Q	On hand: 0.00 Units
Convertidor DC-DC Buck LM2596	[EL-011]	Price: 3.50 Q	On hand: 0.00 Units
Disipador aluminio 40x40x11mm	[EL-026]	Price: 2.50 Q	On hand: 0.00 Units
Driver A4988 para stepper	[EL-008]	Price: 2.50 Q	On hand: 0.00 Units
Estano sin plomo 0.8mm	[EL-024]	Price: 6.00 Q	On hand: 0.00 Units
Fuente de alimentación ATX 600W	[EL-020]	Price: 55.00 Q	On hand: 0.00 Units
Matriz LED 8x8 MAX7219	[EL-016]	Price: 5.50 Q	On hand: 0.00 Units
Modulo CAN Bus MCP2515	[EL-027]	Price: 7.00 Q	On hand: 0.00 Units
Modulo ESP32 Wi-Fi BT	[EL-004]	Price: 8.00 Q	On hand: 0.00 Units
Modulo GPS NEO-6M	[EL-014]	Price: 12.00 Q	On hand: 0.00 Units
Modulo lector RFID RC522	[EL-019]	Price: 4.00 Q	On hand: 0.00 Units
Modulo rele 5V 4 canales	[EL-009]	Price: 5.00 Q	On hand: 0.00 Units
Motor paso a paso NEMA 17	[EL-007]	Price: 12.00 Q	On hand: 0.00 Units
Multimetro digital DT-9205A	[EL-022]	Price: 18.00 Q	On hand: 0.00 Units
Osciloscopio digital DSO138	[EL-021]	Price: 35.00 Q	On hand: 0.00 Units
Pantalla OLED 0.96 I2C	[EL-005]	Price: 4.50 Q	On hand: 0.00 Units
Pasta termoconductor MX-4	[EL-025]	Price: 8.50 Q	On hand: 0.00 Units
Placas PCB personalizables	[EL-001]	Price: 15.00 Q	On hand: 0.00 Units
Raspberry Pi 4 Model B	[EL-003]	Price: 45.00 Q	On hand: 0.00 Units
Sensor corriente ACS712 30A	[EL-028]	Price: 4.50 Q	On hand: 0.00 Units
Sensor de gas MQ-2	[EL-017]	Price: 3.50 Q	On hand: 0.00 Units
Sensor temperatura DHT22	[EL-010]	Price: 4.00 Q	On hand: 0.00 Units
Sensor ultrasonico HC-SR04	[EL-006]	Price: 3.00 Q	On hand: 0.00 Units
Servomotor SG90 9g	[EL-018]	Price: 3.00 Q	On hand: 0.00 Units
Soldador de punta fina 60W	[EL-023]	Price: 22.00 Q	On hand: 0.00 Units
Tira LED RGB WS2812B 1m	[EL-029]	Price: 9.00 Q	On hand: 0.00 Units

b. Carga masiva de Clientes y Proveedores

Seleccionamos el módulo de Contacts.

App Name	Learn More
Sales	Learn More
Restaurant	Learn More
Invoicing	Learn More
CRM	Learn More
MRP II	Learn More
Website	Learn More
Inventory	Learn More
Accounting	Learn More
Knowledge	Learn More
Purchase	Learn More
Point of Sale	Learn More
Project	Learn More
eCommerce	Learn More
Manufacturing	Learn More
Email Marketing	Learn More
Timesheets	Learn More
Expenses	Learn More
Studio	Learn More
Time Off	Learn More
Recruitment	Learn More
Field Service	Learn More
Employees	Learn More
Data Recycle	Learn More
Maintenance	Learn More
Sign	Learn More
Helpdesk	Learn More
Subscriptions	Learn More
Quality	Learn More


Y repetimos el mismo proceso que con los productos.




Debemos subir los archivos CSV de clientes y proveedores.



Verificamos que los clientes y proveedores se carguen correctamente.




Verificamos que ambos archivos se hayan cargado correctamente.



d. CRM y ERP


a. ERP (ventas, compras, inventario)

- Settings → Users & Companies → Companies — configura tu empresa (nombre, logo, dirección)
- Settings → Accounting — activa moneda (GTQ o USD)
- Inventory → Configuration → Warehouses — verifica que exista al menos 1 almacén




b. CRM

- CRM — configura etapas del pipeline (ej: Nuevo → Contactado → Propuesta → Ganado)
- CRM → Configuration → Sales Teams — crea un equipo de ventas



c. Compras a proveedores

- Ve a Purchase → Orders → Purchase Orders → New
- Selecciona proveedor (de los importados)
- En "Products": agrega productos, cantidad y precio
- Clic Confirm Order → genera una orden de compra oficial
- Cuando llegue la mercancía: Receive Products → valida el ingreso al almacén
- Print → genera la factura del proveedor



Purchase Orders / P00001

WH/IN/00001

1 / 1

ValidatePrintPrint LabelsCancel

DraftReadyDone

Send messageLog noteActivities

Follow

WH/IN/00001

Receive From: Arduino Supply Guatemala

Scheduled Date: 04/08/2026 14:58:44

Deadline: 04/08/2026 14:58:44

Source Document: P00001

OperationsAdditional InfoNote

Product	Demand	Quantity	Unit
[EL-002] Arduino Uno R3	50.00	50.00	Units
[EL-003] Raspberry Pi 4 Model B	50.00	50.00	Units
[EL-004] Modulo ESP32 Wi-Fi BT	100.00	100.00	Units

Add a line

Today

OdooBot - 47 seconds ago

This transfer has been created from: P00001

OdooBot - 47 seconds ago

Transfer created

Your logo

MayaCode
Guatemala

Vendor Address:

Warehouse Address:

Arduino Supply Guatemala
Boulevard Vista Hermosa Zona 15
Ciudad de Guatemala
Guatemala
+502 5566-7788

MayaCode
Guatemala
12345678

WH/IN/00001

Order: P00001

Shipping Date: 04/08/2026 15:05:45

Product	Ordered	Delivered
[EL-002] Arduino Uno R3	50.00 Units	50.00 Units
[EL-003] Raspberry Pi 4 Model B	50.00 Units	50.00 Units
[EL-004] Modulo ESP32 Wi-Fi BT	100.00 Units	100.00 Units

d. Cotizaciones de Productos

- Ve a Sales → Orders → Quotations → New
- Selecciona cliente
- Agrega productos en "Products"
- Clic Send by Email → envía al cliente / Confirm → convierte en orden de venta
- Clic en Create Invoice → genera la factura del cliente
- El flujo completo: Cotización → Orden de Venta → Entrega → Factura

The screenshot shows the 'New Quotation' form in Odoo. The form is mostly empty, showing fields for Customer, Expiration (05/08/2026), and Payment Terms. The Order Lines table is empty. The total is 0.00 Q.

Product	Description	Quantity	UoM	Unit Pri...	Taxes	Tax excl.
Add a product Add a section Add a note Catalog						

Terms and conditions...




Total: 0.00 Q

The screenshot shows the 'New Quotation' form in Odoo after adding a product. The product 'Arduino Uno R3' is added to the Order Lines table. The total is 500.00 Q.


Product	Description	Quantity	UoM	Unit Pri...	Taxes	Tax excl.
[EL-002] Arduino Uno R3	[EL-002] Arduino Uno R3 Microcontrolador Arduino Uno R3 con ATmega328P. Compatible con shields y librerías estándar.	20.00	Units	25.00	12%	446.43 Q

Terms and conditions...


Untaxed Amount: 446.43 Q
VAT 12%: 53.57 Q
Total: 500.00 Q



Para enviar correos electrónicos, es necesario configurar un servidor de salida SMTP activando el modo desarrollador en **Settings → General Settings → Activate the developer mode**



Necesitamos activar la verificación en 2 pasos del correo que vayamos a utilizar y generar una contraseña de aplicación.



Para crear la contraseña de aplicación accedemos al siguiente link:

<https://myaccount.google.com/apppasswords>

Google Cuenta

← Contraseñas de aplicaciones

Las contraseñas de la aplicación te permiten acceder a tu Cuenta de Google en apps y servicios más antiguos que no son compatibles con los estándares de seguridad modernos.

Las contraseñas de la aplicación son menos seguras que usar apps y servicios actualizados que cuentan con estándares de seguridad modernos. Antes de crear una contraseña de la aplicación, debes verificar si la app la necesita para acceder.

[Más información](#)

No tienes contraseñas de la aplicación.

Para crear una nueva contraseña específica de la app, escribe un nombre a continuación...

Nombre de la app
Odoo

Crear

Privacidad Condiciones Ayuda Información

e. Configurar servidor de salida SMTP

Settings → Technical → Email → Outgoing Mail Servers → New
Ejemplo con Gmail

Si todo funciona bien debemos ver un mensaje de éxito a la izquierda:

New Outgoing Mail Servers

Gmail G28

Test Connection

Name? Gmail G28 Priority? 10

FROM Filtering? e.g., email@domain.com, domain.com

Authenticate with? ☒ Username ☐ SSL Certificate ☐ Command Line Interface ☐ Gmail OAuth Authentication

Connection

Connection Encryption? ☐ None ☒ TLS (STARTTLS) ☐ SSL/TLS

Username? danheracademico@gmail.com

Password?

Debugging? ☐

SMTP Server? smtp.gmail.com


SMTP Port? 587

Connection Test Successful!

Connect to your server through your usual username and password. This is the most basic SMTP authentication process and may not be accepted by all providers.


Vamos a crear una plantilla de correo electrónico para las cotizaciones:

- Crear una plantilla de correo
- Ve a Settings → Technical → Email Templates
- Clic New y llena:







The screenshot shows the 'New' email template form in Odoo. The form is titled 'Email Templates' and has tabs for 'Preview' and 'Add Context Action'. The 'Preview' tab is active, showing a template for 'Cotización de productos - G28'. The form fields include: Name (Cotización de productos - G28), Applies to (Lead/Opportunity), Subject (Cotización de productos electrónicos - {{object.name}}), Content (Estimado/a {{object.partner.name}}, Gracias por su interés en nuestros productos electrónicos. Adjuntamos la cotización solicitada con los detalles de precios y disponibilidad. Para cualquier consulta, no dude en contactarnos. Atentamente, Equipo de Ventas - G28 Electronics {{user.name}} ({{user.email}})), and Attachments (% Attachments).

Debes tener a un usuario con correo electrónico configurado.



The screenshot shows the 'Contacts' form for 'Daniel Odoo'. The form is titled 'Contacts' and has tabs for 'Individual' and 'Company'. The 'Individual' tab is active, showing contact information: Address (Octava Avenida Quinta Calle de Sancho Pansa, Street 2..., Guatemala (GT), ZIP), Phone (+502 5454 5454), Mobile, Email (daniel.ajedrez@gmail.com), Website (e.g. https://www.odoo.com), and Tags (e.g. "G28", "VIP", "Consulting", ...). The form also has tabs for 'Contacts & Addresses', 'Sales & Purchase', 'Invoicing', and 'Internal Notes'. The 'Add' button is visible at the bottom left. On the right side, there is a 'Send message' button and a 'Log note' button. The 'Activities' tab is also visible, showing a log of activities.

- Ve a CRM
- Abre o crea una oportunidad (clic New → ponle nombre y asigna un cliente)
- En el chatter (parte derecha), clic en Send message
- Aparece el compositor de correo → clic en el ícono "<->" y luego "Load a Template"
- Selecciona la plantilla que creaste → se autocompleta el asunto y cuerpo
- Verifica el destinatario (debe tener email el contacto)
- Clic Send



3. Anexos

Link de video Fase 2:

<https://drive.google.com/file/d/1vQUPMwzrz-YENQhpGLoo5S1G87aeVrmP/view?usp=sharing>