


# EXPERIMENT-14

1.) Create a sequence to be used with the primary key column of the DEPT table. The sequence should start at 200 and have a maximum value of 1000. Have your sequence increment by ten numbers. Name the sequence DEPT\_ID\_SEQ

QUERY:

```
CREATE SEQUENCE dept_id_seq START WITH 200 INCREMENT BY 10 MAXVALUE 1000;
```

OUTPUT:




The screenshot shows a SQL IDE interface. At the top, there's a toolbar with 'Language' set to 'SQL', 'Rows' set to '10', and buttons for 'Clear Command', 'Find Tables', 'Save', and 'Run'. Below the toolbar is a text area containing the SQL command: `1 CREATE SEQUENCE dept_id_seq START WITH 200 INCREMENT BY 10 MAXVALUE 1000;`. Below the text area is a tabbed interface with 'Results' selected. The 'Results' tab shows the message 'Sequence created.' and the execution time '0.01 seconds'.

2.) Write a query in a script to display the following information about your sequences: sequence name, maximum value, increment size, and last number

QUERY:

```
SELECT sequence_name, max_value, increment_by, last_number FROM user_sequences;
```

OUTPUT:



The screenshot shows a SQL IDE interface. At the top, there's a toolbar with 'Language' set to 'SQL', 'Rows' set to '10', and buttons for 'Clear Command', 'Find Tables', 'Save', and 'Run'. Below the toolbar is a text area containing the SQL command: `1 SELECT sequence_name, max_value, increment_by, last_number FROM user_sequences;`. Below the text area is a tabbed interface with 'Results' selected. The 'Results' tab shows a table with the following data:

| SEQUENCE_NAME | MAX_VALUE | INCREMENT_BY | LAST_NUMBER |
|---------------|-----------|--------------|-------------|
| DEPT_ID_SEQ   | 1000      | 10           | 200         |


Below the table, it says '1 rows returned in 0.00 seconds' and there is a 'Download' link.

3.) Write a script to insert two rows into the DEPT table. Name your script lab12\_3.sql. Be sure to use the sequence that you created for the ID column. Add two departments named Education and Administration. Confirm your additions. Run the commands in your script.

QUERY:

```
INSERT INTO dept VALUES (dept_id_seq.nextval, 'Education');
```

OUTPUT:



The screenshot shows a SQL IDE interface. At the top, there's a toolbar with 'Language' set to 'SQL', 'Rows' set to '10', and buttons for 'Clear Command', 'Find Tables', 'Save', and 'Run'. Below the toolbar is a text editor with the following SQL command:

```
1 insert into dept values (dept_id_seq.nextval, 'Education');
```

Below the text editor is a tabbed interface with 'Results' selected. The 'Results' tab shows the output of the query:


```
1 row(s) inserted.  
0.02 seconds
```

4.) Create a nonunique index on the foreign key column (DEPT\_ID) in the EMP table.

QUERY:

```
CREATE INDEX emp_dept_id_idx ON EMPLOYEES (department_id);
```

OUTPUT:



The screenshot shows a SQL IDE interface. At the top, there's a toolbar with 'Language' set to 'SQL', 'Rows' set to '10', and buttons for 'Clear Command', 'Find Tables', 'Save', and 'Run'. Below the toolbar is a text editor with the following SQL command:

```
1 CREATE INDEX emp_dept_id_idx ON EMPLOYEES (department_id);
```

Below the text editor is a tabbed interface with 'Results' selected. The 'Results' tab shows the output of the query:


```
Index created.  
0.02 seconds
```

5.)Display the indexes and uniqueness that exist in the data dictionary for the EMP table.

**QUERY:**

```
SELECT index_name,table_name,uniqueness FROM user_indexes WHERE table_name='EMPLOYEES';
```

**OUTPUT:**



The screenshot shows a SQL query execution interface. At the top, there is a toolbar with 'Language' set to 'SQL', 'Rows' set to '10', and buttons for 'Clear Command', 'Find Tables', 'Save', and 'Run'. Below the toolbar is a text area containing the SQL query: `1 SELECT index_name,table_name,uniqueness FROM user_indexes WHERE table_name='EMPLOYEES';`. Below the text area is a tabbed interface with 'Results' selected. The results are displayed in a table with three columns: 'INDEX\_NAME', 'TABLE\_NAME', and 'UNIQUENESS'. The table contains one row: 'EMP\_DEPT\_ID\_IDX', 'EMPLOYEE', and 'NONUNIQUE'. Below the table, it says '1 rows returned in 0.08 seconds' and there is a 'Download' link.

| INDEX_NAME      | TABLE_NAME | UNIQUENESS |
|-----------------|------------|------------|
| EMP_DEPT_ID_IDX | EMPLOYEE   | NONUNIQUE  |

1 rows returned in 0.08 seconds [Download](#)