Solving Problems

Effectively collaborating with Ai

Danielle Presgraves, Ph.D.
Director, Data Science Training

The Jackson Laboratory

Day 1: Knowledge, Uncertainty, and Calibration

- Crisis of Authority & Metacognition
- Why do smart people make mistakes?
- The Calibration Problem: How do we know when to trust our own conclusions?


Speed Round: Don’t use the internet!

Give a range you’d be surprised to miss only about 1 time in 5.

	Question	Answer
1	In what year was the Hubble Space Telescope Launched?	
2	How many chromosomes are in a normal diploid dog?	
3	How tall is Mount Kilimanjaro, in meters?	
4	How long is the Panama Canal, in kilometers?	
5	In what year were the first Nobel Prizes awarded?	
6	What is the average distance from the Earth to the Moon, in kilometers?	
7	What year was penicillin discovered?	


Course Introduction & Framing

The **Calibration Problem**: How do we know when to trust our own conclusions?



Ai = Data x (Representation ⇒ Objective/Loss) x Optimization

Workshop Overview: *Why do smart people make predictable mistakes?*



The Calibration Problem: How do we know when to trust our own conclusions?

Frameworks

Four frameworks designed to catch failures

The Calibration Problem

How do we know when to trust our own conclusions?

Framework	The Calibration Failure	The Mechanism	Day
Kahneman System 1/System 2	We don't recognize fast thinking	Name the system; interrupt the response	1
Paul-Elder Critical Thinking	We argue from hidden assumptions that are never examined	Expose the structure; demand evidence for each element	2
Polya Problem Solving	We treat complex problem as unsolvable wholes	Decompose; transform ambiguity into tractable steps	2
Wild & Pfannkuch Statistical Thinking	We trust data that has errors we cannot see	Interrogate the measurement before trusting the conclusion	3

The Four Frameworks

Kahneman

System 1 - *FAST*

- Uses heuristics
- Efficient
- Biases and errors

System 2 – *SLOW*

- Deliberate, analytical
- Requires attention
- Working memory
- More accurate
- Mentally demanding

"Our advice is not to do without intuition. It is to delay it. That is, it is not to decide prematurely and not to have intuitions very early." **Daniel Kahneman**

"Drawing an overly tight relationship between results and decision quality affects our decisions every day, potentially with far-reaching, catastrophic consequences." **Annie Duke, "Thinking in Bets"**

The Four Frameworks

Polya

1. **Understand Problem**
   - Clarify
   - Identify knowns, unknowns, constraints
   - Visualizations
2. **Devise a Plan**
   - Choose strategy
   - Break problem into smaller parts
   - Similarity to other easier (already-solved) problems
3. **Execute Plan**
   - Execute strategy
   - Check each step
4. **Iteration & Reflection**
   - Verify solution, “does it make sense?”
   - Generalize lessons
   - Consider alternatives

“A good solver is not someone who immediately knows the answer, but someone who systematically explores the problem” – **George Polya,** *How to Solve it* (1945)

“If I had an hour to solve a problem I'd spend 55 minutes thinking about the problem and 5 minutes thinking about solutions.” Einstein

The Four Frameworks

Paul-Elder

1. Purpose
- What is the goal?

2. Question at Issue
- What problem or question are we addressing?

3. Information
- What evidence or data do we have?

4. Interpretation & Inference
- What conclusions are we drawing?

5. Concepts
- What theories, definitions, or principles are involved?

6. Assumptions
- What are we taking for granted?

7. Implications & Consequences
- What follows from this reasoning?

8. Point of View
- What perspectives are influencing the analysis?

"Critical thinking improves when we actively examine the quality of our reasoning."
"Excellence in thought, however, must be systematically cultivated"
Richard Paul & Linda Elder, *The Miniature Guide to Critical Thinking*

The Four Frameworks

Wild & Pfannkuch

1. **Problem**
   - Define the question
   - Clarify context & goals
2. **Plan**
   - Decide on what data is needed
   - Design methods
3. **Data**
   - Collect, organize and clean data
   - Consider data quality and limitations
4. **Analysis**
   - Explore patterns, relationships, and variation
   - Use graphs, models, and summaries
5. **Conclusion**
   - Interpret findings in context
   - Evaluate uncertainty and limitations
   - Communicate results appropriately

“Data alone do not produce insight ; insight comes from reasoning about variation, context, and uncertainty.”

- Wild & Pfannkuch, “*Statistical Thinking in Empirical Enquiry”* (1999)

Thinker’s Log

Entry 1

Thinker’s Log Entry #1

- **Prompt:** What did I believe confidently this week that turned out to be wrong or uncertain?

The Crisis of Authority

Discussion

Discussion: The Crisis of Authority

Name a time an expert was confidently, publicly wrong and it mattered

Discussion: The Crisis of Authority

Name a time an expert was confidently, publicly wrong and it mattered

1. How do we know what we know, and how do we catch ourselves when we're wrong?
2. If peer review is broken and Ai hallucinates, how can we identify the truth?

If smart people are sometimes wrong, how can we trust our own conclusions?

Bayesian Updating

Medical Diagnosis

Disease

- A disease affects 1 in 1,000 people. A test for it is 99% accurate, meaning that is correctly identifies 99% of people who have it, and correctly clears 99% of people who don’t.
- You test positive.
- What is the probability that you actually have the disease?

Disease De-Brief

- **Did the answer feel surprising to you?**
- **If new evidence arrives, how should a rational thinker change their belief?**
  - Bayes' theorem doesn't eliminate uncertainty, but it tells us how to **update** our uncertainty when new evidence arrives
- A positive test increases our confidence but is still not **certain.**

Disease De-Brief

- **Did the answer feel surprising to you?**
- **If new evidence arrives, how should a rational thinker change their belief?**



Disease De-Brief

- **Did the answer feel surprising to you?**
- **If new evidence arrives, how should a rational thinker change their belief?**

Prior Belief

↓

New Evidence

↓

Updated Belief

The **PRIOR**

$$P[A \mid B] = \frac{P[A \cap B]}{P[B]} = \frac{P[A]P[B \mid A]}{P[B]}$$

Updated **Belief**

The new **Evidence**

Disease De-Brief

- A disease affects 1 in 1,000 people. A test for it is 99% accurate, meaning that is correctly identifies 99% of people who have it, and correctly clears 99% of people who don't.

- You test positive. What is the probability that you actually have the disease?

Prior: Disease prevalence = 1/1,000 = 0.001

Evidence:

positive test

1. P[+ive test| Disease] = 0.99
2. P[+ive test | No Disease] = 0.01

negative test

1. P[-ive test| Disease] = 0.01
2. P[-ive test| No Disease] = 0.99

Disease De-Brief

- A disease affects 1 in 1,000 people. A test for it is 99% accurate, meaning that is correctly identifies 99% of people who have it, and correctly clears 99% of people who don't.

- You test positive. What is the probability that you actually have the disease?

Prior: Disease prevalence = 1/1,000 = 0.001

Evidence:

positive test

1. P[+ive test| Disease] = 0.99
2. P[+ive test | No Disease] = 0.01

negative test

1. P[-ive test| Disease] = 0.01
2. P[-ive test| No Disease] = 0.99

Updated = P[D|+ test] = $\frac{0.001*0.99}{(0.001*0.99+0.999*0.01)}$

Disease De-Brief

- A disease affects 1 in 1,000 people. A test for it is 99% accurate, meaning that is correctly identifies 99% of people who have it, and correctly clears 99% of people who don't.


- You test positive. What is the probability that you actually have the disease?

Prior: Disease prevalence = 1/1,000=0.001

Evidence:

positive test

1. P[+ive test| Disease] = 0.99
2. P[+ive test | No Disease] = 0.01



P[D|+ test] = $\frac{0.001*0.99}{(0.001*0.99+0.999*0.01)}$

Disease De-Brief

- A disease affects 1 in 1,000 people. A test for it is 99% accurate, meaning that is correctly identifies 99% of people who have it, and correctly clears 99% of people who don't.
- You test positive. What is the probability that you actually have the disease?
- Calibration = When confidence matches accuracy<-- **appropriate Bayesian updating.**

  When encountering new evidence, you can adopt the following approaches:
  1. Ignore new evidence
  2. Over-updating
  3. Appropriate updating
- Miscalibration = failure to update appropriately
- Important question before looking at evidence:

What evidence would change your belief?

Disease De-Brief

Did the answer feel surprising to you?


Different types of **uncertainty** require different responses:

Type	Source	Can it be reduced?	Example
Aleatoric Uncertainty	• Inherent randomness • Some things cannot be known	No. but it can be quantified better.	• Measurement noise • Biological variation • Dice rolls
Epistemic Uncertainty	• Missing knowledge	Yes, if reliable information exists (more information!)	• Small sample size, missing evidence, unknown facts
Model Uncertainty (a subset of epistemic)	• Incorrect representation of reality • Different types: parameter uncertainty; structural uncertainty	Yes. Unless assumptions of model are wrong.	• Wrong assumptions, omitted variables, incorrect causal relationships

What is Knowledge, and Why is it “breaking”?

Lecture

What is knowledge and why is it breaking?



Plato's Cave

wikipedia


https://web.stanford.edu/class/ihum40/cave.pdf Translation of The Allegory of the Cave (Republic, VII)

What is knowledge and why is it breaking?

- Knowledge is justified true belief — Plato (428 - 348 BC)
  - **Justification**
    - Method choice, model selection
  - **Truth**
    - Honesty, transparency
  - **Belief**
    - Prior informative or experience, cognitive biases
- If knowledge is provisional, how can we rationally update beliefs in the light of new data?

What is knowledge and why is it breaking?

Data NEVER speaks for itself



- Difference between knowing THAT and knowing HOW
- We're going to examine a few frameworks for knowing

https://en.wikipedia.org/wiki/DIKW_pyramid

What is knowledge and why is it breaking?

Type	Example
Declarative (knowing **THAT)**	"Logistic regression estimates probabilities."
Procedural (knowing **HOW)**	"I can fit and interpret a logistic regression model."
Conceptual (knowing **WHY; Scaffold between ideas/models)**	"I understand why logistic regression uses the logit function and its **assumptions**."
Metacognitive (knowing your **limitations)**	"I recognize when **my model or reasoning may be unreliable** and seek additional evidence."

- Ai democratizes **declarative** and **procedural** knowledge, making it dramatically easier to access.
- What becomes increasingly valuable, and increasingly human, is **conceptual** understanding and **metacognition**.

Anderson, J. R. (1982). Acquisition of cognitive skill. *Psychological Review, 89*(4), 369–406.


Anderson, L. W., & Krathwohl, D. R. (Eds.). (2001). *A taxonomy for learning, teaching, and assessing: A revision of Bloom's Taxonomy of Educational Objectives*. Longman.

What is knowledge and why is it breaking?

- **The Gettier Problem** (1963. Only 3 pages!)

You can have justified true belief that is true ***by accident***.

Is it still considered knowledge?



https://fitelson.org/proseminar/gettier.pdf

https://en.wikipedia.org/wiki/Gettier_problem

What is knowledge and why is it breaking?

- **Tacit Knowing – Michael Polanyi** (1966)
  - “We can know more than we can tell”
  - Knowledge is unarticulated, and intuitive (i.e. riding a bike)
  - Knowledge is subjective
  - Polanyi’s paradox: The difficulty Ai systems have in replicating knowledge that humans cannot explicitly articulate.

https://en.wikipedia.org/wiki/Gettier_problem

What is knowledge and why is it breaking?

- **Social Epistemology**
  - Knowledge is not produced individually; it is produced in communities with norms
  - Science is not purely objective and rational
  - Some voices are amplified
  - **Epistemic injustice - Miranda Fricker**(2007)

What is knowledge and why is it breaking?

There is a crisis of **epistemic** authority

- A collapse of trust in experts, institutions, and credentialed knowledge.
- Frankfurt (2005): *On Bullshit*
  - Gives you the necessary vocabulary
- Nichols (2017): The Death of Expertise
  - The internet did not democratize knowledge, it democratized ***the feeling of being informed***
  - This is more dangerous than being and knowing that you are uninformed

What is knowledge and why is it breaking?

There is a crisis of **epistemic** authority

Ai gives everyone a **fluent**, **plausible**, and **confident** *expert voice* ***<u>at scale</u>***

- *Crockett & Messeri (2024, Nature): The Illusion of Understanding*. We outsource our thinking, retain the confidence, and lose the ability to detect when we are wrong. This is Gettier at scale!
- LLMS produce Bullshit, which is **<u>distinct from lying</u>**.
  - When you lie, you are implicating agreeing to the same truth
  - Bullshit has not regard at all to the truth which makes it harder to spot
- Convincingness is uncorrelated with accuracy
- Personalization of misinformation
- Collapse of effort signal

System 1/ System 2

Lecture

System1/System 2 – Daniel Kahneman

1. A bat and a ball cost $1.10 in total. The bat costs $1 more than the ball. How much does the ball cost?

System1/System 2 – Daniel Kahneman

1. A bat and a ball cost $1.10 in total. The bat costs $1 more than the ball. How much does the ball cost?

2. If it takes 5 machines 5 minutes to 5 widgets, how long for 100 machines to make 100 widgets?

System1/System 2 – Daniel Kahneman

1. A bat and a ball cost $1.10 in total. The bat costs $1 more than the ball. How much does the ball cost?

2. If it takes 5 machines 5 minutes to 5 widgets, how long for 100 machines to make 100 widgets?

3. In a lake, there is a patch of lily pads. Every day, the patch doubles in size. If it takes **48** days for the patch to cover the entire lake, how long would it take for the patch to cover half the lake?


System1/System 2 – Daniel Kahneman

Correct answers to the questions:

System1/System 2 – Daniel Kahneman


System 1 – Fast Thinking

What answer **feels** right?



System1/System 2 – Daniel Kahneman

System 2- Slow thinking



System1/System 2 – Daniel Kahneman

Characteristics

System 1 - FAST	System 2 - SLOW
Automatic	Deliberate
Effortless	Effortful
Pattern-Based	Analytical, Logical, Sequential

Used For

System 1 - FAST	System 2 - SLOW
IMMEDIATE reactions	Complex decisions
Reading facial expressions	Planning
Expert intuition in familiar domains	Mathematics, statistical reasoning, evidence evaluation

System1/System 2 – Daniel Kahneman

Characteristics

System 1 - FAST	System 2 - SLOW
Automatic	Deliberate
Effortless	Effortful
Pattern-Based	Analytical, Logical, Sequential

- Relies on shortcuts
- Vulnerable to bias
- Overconfident

- Substitutes easy questions for hard ones

- Mentally expensive
- Avoided unless necessary


Used For

System 1 - FAST	System 2 - SLOW
IMMEDIATE reactions	Complex decisions
Reading facial expressions	Planning
Expert intuition in familiar domains	Mathematics, statistical reasoning, evidence evaluation

System1/System 2 – Daniel Kahneman

Cognitive Biases

1. Confirmation bias
2. Availability Heuristic
3. Anchoring
4. Overconfidence
5. Motivated Reasoning
6. Others*



https://x.com/CurieuxExplorer/status/2017563543428862413

System1/System 2 – Daniel Kahneman

Without looking it up, **which causes more deaths in the US each year?**

1. Lightning Strikes
2. Bee, wasps, and hornet stings
3. I don’t know

How confident are you?

A. 0-50%

B. 50-75%

C. 75-100%

System1/System 2 – Daniel Kahneman

Strategies to Engage system 2?

System1/System 2 – Daniel Kahneman

Good problem solving is not about eliminating intuition.

It is about recognizing when intuition is insufficient.


What is knowledge and why is it breaking?

There is a crisis of epistemic authority

Ai gives everyone a fluent, plausible, and confident *expert voice* ***<u>at scale</u>***

We need to built structural tools to combat this!

- *We cannot trust authority*
- *We cannot even trust ourselves*




Hiring Game

Activity

Hiring Under Time Pressure

An Activity about Weighing Metrics



The Jackson Laboratory

Inspired by: https://www.survivalofthebestfit.com/

The 6 Candidates: Decide which 2 to Interview

Applicant A — 8

- B.S. in Biology
- Frequently presents lab updates
- Often coordinates tasks across research team
- Starts with established protocols before modifying them

Applicant B — 6

- B.S. in Computer Science
- Comfortable explaining technical work
- Completed a substantial independent data-analysis project
- Often asks how one part of a workflow will affect later analyses

Applicant C — 5

- Completed a B.S. science degree, then added data-science certificate training
- Listens before contributing in meetings
- Built several analysis tools independently
- Often identifies downstream consequences of technical decisions

Applicant D — 3

- Entered research through a community-college-to-university pathway
- Communicates particularly clearly in written project notes
- Regularly participates in peer code review and shared troubleshooting
- Adapts methods from outside their discipline when standard approaches were insufficient

Applicant E — 2

- Entered data science after several years in laboratory operations
- Prefers small group discussion
- Has taught themselves several automation tools
- Frequently questions established workflows

Applicant F — 1

- Changed into biomedical research from another professional field
- Develops ideas first in writing before discussing them
- Prefers long, uninterrupted blocks for technically difficult work
- Frequently connects immediate technical choices to consequences elsewhere

Hold up both cards (or answer in chat for your group)

Round 1 Tally

A	
B	
C	
D	
E	
F	

What was the strongest evidence in your decision?

What the Ai actually learned

Ai screener was trained on previous interns who were rated as successful

- Traditional Academic Path
- Confident Speaker
- Collaborative Worker
- Conventional Perspective

Scoring Rule	
Common historical Characteristics	+2
Less Common Characteristics	+1
Uncommon Characteristics	0

If these were genuinely successful historical interns, is the Ai wrong?

How the Ai score was derived

Applicant	Education Path	Communication	Work-Style	Perspective/Approach	Ai Score
A	Traditional +2	Confident +2	Collaborative +2	Established +2	8
B	Traditional +2	Confident +2	Independent +1	Systems-oriented +1	6
C	Traditional +2	Reserved +1	Independent +1	Systems-oriented +1	5
D	Alternative +1	Written 0	Collaborative +2	Non-Traditional 0	3
E	Career Changer 0	Reserved +1	Independent +1	Non-Traditional 0	2
F	Career Changer 0	Written 0	Deep-Focus 0	Systems-oriented +1	1

You may disagree with how the resume was mapped into these categories.
That mapping is another design decision in the pipeline.

Round 2: Same job, same applicants, new evidence: Select 2 Applicants

Results from a work-sample and reference assessment that was not included in the initial screen

A	Consistently delivers accurate work on time. In an open-ended project, however, they needed substantial direction before proposing alternatives to the original approach.
B	Produced one of the strongest technical analyses in a previous internship but initially overlooked several practical needs raised by project stakeholders.
C	During a prior project, noticed a data-quality problem others had missed; correcting it changed the team's interpretation of the results.
D	Their project documentation made it unusually easy for others to reproduce the work, although they sometimes spent too long refining an approach before committing to one.
E	Designed a workflow that substantially reduced processing errors, but introduced the first version without enough consultation, which made adoption harder than it needed to be.
F	Produced the most novel prototype in a previous project but missed two intermediate milestones while pursuing an approach that ultimately worked well.

The 6 Candidates: Decide which 2 to Interview

Applicant A — 8

- B.S. in Biology from a four-year university
- Frequently presents lab updates
- Coordinates tasks across research team
- Starts with established protocols before modifying them
- Required a lot of direction on open-ended work

Applicant B — 6

- B.S. in Computer Science
- Comfortable explaining technical work
- Completed a substantial independent data-analysis project
- Often asks how one part of a workflow will affect later analyses
- Despite technical capability, overlooked practical needs

Applicant C — 5

- Completed a traditional science degree, then added data-science certificate training
- Listens before contributing in meetings
- Built several analysis tools independently
- Often identifies downstream consequences of technical decisions
- Noticed and corrected quality control problems which changed interpretation

Applicant D — 3

- Community-college-to-university pathway
- Communicates particularly clearly in written project notes
- Regularly participates in peer code review and shared troubleshooting
- Adapts methods from outside when standard approaches were insufficient
- Spends too long refining an approach in beta testing

Applicant E — 2

- Entered data science after several years in laboratory operations
- Prefers small group discussion
- Autonomous learner
- Frequently questions established workflows
- introduced improved workflow without consultation so adoption was challenging

Applicant F — 1

- Career Changer
- Develops ideas first in writing before discussing them
- Prefers deep-focused time
- Frequently connects immediate technical choices to consequences elsewhere
- Produces novel prototypes but misses intermediate milestones

Hold up both cards

	Round 1 Tally	Round 2 Tally
A		
B		
C		
D		
E		
F		

- What was the strongest evidence in your decision?
- What changed?
- What remained the same?

De-Brief

Did the algorithm make a mistake?

- It calculated the rule exactly as designed
- Was the system objective?


What was the score measuring?

- Similarity to the organization's historical definition of success

If everyone in the historical dataset genuinely successful, where can bias enter?

- Sampling
- Labeling
- Measurement
- Deployment

Choices compound: Data has a Biography



When we turn success into numbers, earlier choices do not disappear!

The same pattern shows up… everywhere, but let's look at biomedical applications

Hiring is a convenient place to see the impact of human judgments. Biomedical data can hide the same choices inside labels like normal, rare, pathogenic, or high risk.

What counts as 'rare'?	HCM variant reference databases	Underrepresentation changed which variants were classed as benign
Who is represented?	Polygenic Risk Scores	Models work well for some ancestral backgrounds, but generalize poorly for others
What signal is missing?	NUDT15+Thiopurine toxicity	Underrepresentation can prevent discovery of an important predictor not just reduce precision

In hiring, the consequence is who gets an interview. In biomedical science, it can change what we call normal, rare, pathogenic, or high risk.

Bias does not require a biased person

- It can enter through the reference population, the measurement, the label, or the context in which the result is used.
- A system can be reproducible, internally consistent, and correctly calculated — and still answer the wrong question because of choices made before the calculation ever began.
- Always ask: **what is this system optimizing for?**

Case Study

Ai adoption at a rural hospital

The first recommendation

Situation. Riverbend is a 280-bed community hospital serving a small city and surrounding rural area. Its emergency department (ED) sees about 55,000 visits a year and orders about 11,000 chest X-rays. Between 7 pm and 7 am there is no radiologist on site; a teleradiology group reads overnight films, typically within 2.5 hours and sometimes up to 4. Last spring, a missed pneumonia on an overnight film led to a serious outcome and a public complaint. The Chief Medical Officer (CMO) wants to cut ED waiting times and avoid a repeat of the incident.

The first recommendation

Vendor brief (ClearView Health Systems).

- Product: ThoraxScan, an AI system that flags pneumonia on chest X-rays.
- “95% AUC. Trained and validated on 50,000 images from three leading academic medical centers.”
- “Reduces time to diagnosis by up to 40%. Reduces radiologist workload. FDA-cleared.”
- Proposed Riverbend use: overnight, if ThoraxScan reads “no pneumonia,” the ED physician may proceed without waiting for the teleradiology read. Flagged films jump the reading queue.
- Price: $380,000 per year on a three-year contract, with a 25% discount if signed by the end of this quarter.

The first recommendation

Your options:

A. Adopt as proposed

- overnight rule-out plus queue prioritization.

B. Adopt for prioritization only

- flagged films jump the queue; every film still gets a human read before decisions.

C. Run a local pilot first

- ThoraxScan runs silently alongside current practice; decide afterward).

D. Decline

The first recommendation

Tasks (individual 8 min, pair-share 6 min, debrief 6 min).

- Write your recommendation (A–D) in one sentence.
- Record your confidence (0–100%) that this is the right choice.
- List the three pieces of information you most want before signing, in rank order.
- Name one specific finding that would make you switch to a different option. Include a confidence number if you can.
- One line: were you mostly in System 1 or System 2 when you chose? What gave it away?
- Enter your answers in the first row of the Decision Log. Keep this sheet; you will need it on Days 2 to 4.

Use Case Decision Log

Checkpoint	Option (A–D)	Confidence (0–100%)	Strongest single reason	What would change my mind	Biggest unknown
Part 1 (Day 1)					
Part 2 (Day 2)					
Part 3 (Day 3)					
Final (Day 4)					

Conclusions & Summary

The Three Questions

- Confidence should be proportional to evidence

Confidence	Accuracy
95%	?
80%	?
60%	?

- What would a well-calibrated thinker look like?

The Three Questions

1. What do I know?
2. What don’t I know?
3. How much does that ignorance matter?

Dubito, ergo cogito, ergo sum.

The Four Frameworks

Kahneman

System 1 - *FAST*
- Uses heuristics

System 2 – *SLOW*
- Deliberate, and analytical
- Cognitively demanding

Polya

1. Understand Problem
2. Devise a Plan
3. Execute Plan
4. Iteration & Reflection

Paul-Elder

1. Purpose
2. Question at Issue
3. Information
4. Interpretation & Inference
5. Concepts
6. Assumptions
7. Implications & Consequences
8. Point of View

Wild & Pfannkuch

1. Problem
2. Plan
3. Data
4. Analysis
5. Conclusion

The Four Frameworks

Kahneman

System 1 - *FAST*
- Uses heuristics

System 2 – *SLOW*
- Deliberate, and analytical
- Cognitively demanding

Polya

1. Understand Problem
2. Devise a Plan
3. Execute Plan
4. Iteration & Reflection

Paul-Elder

1. Purpose
2. Question at Issue
3. Information
4. Interpretation & Inference
5. Concepts
6. Assumptions
7. Implications & Consequences
8. Point of View

Wild & Pfannkuch

1. Problem
2. Plan
3. Data
4. Analysis
5. Conclusion

Calibration Failures these model's address:

We are unaware that fast thinking is operating at all!

We treat complex problems as unsolvable wholes!

We argue from hidden assumptions that we never examine!

We trust data that encodes errors that we cannot see!

Homework

Solving Problems: Day 1 – Fill out form