

National Instrument 43-101
Technical Report

Aurora Platinum Corporation

Falconbridge - Aurora Joint Venture Footwall and Foy Properties

Sudbury, Ontario

L.D.S. Winter, P.Geo.
July 21, 2004

TABLE OF CONTENTS

SUMMARY (ITEM 3)	1
INTRODUCTION AND TERMS OF REFERENCE (ITEM 4)	2
DISCLAIMER (ITEM 5).....	2
PROJECT DESCRIPTION AND LOCATION (ITEM 6)	3
<i>Location</i>	3
<i>Property Ownership and Status</i>	3
<i>Nature of Company's Interest</i>	3
ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE AND PHYSIOGRAPHY (ITEM 7).....	4
HISTORY (ITEM 8).....	4
GEOLOGICAL SETTING (ITEM 9)	4
DEPOSIT TYPES (ITEM 10)	4
MINERALIZATION (ITEM 11)	5
EXPLORATION (ITEM 12)	5
<i>Footwall Property</i>	5
<i>Foy Property</i>	5
DRILLING (ITEM 13)	7
<i>Footwall Property</i>	7
<i>Foy Offset Property</i>	7
SAMPLING METHOD AND APPROACH (ITEM 14)	7
SAMPLE PREPARATION, ANALYSES AND SECURITY (ITEM 15)	7
DATA VERIFICATION (ITEM 16).....	8
ADJACENT PROPERTIES AND MINERAL BELTS (ITEM 17)	10
MINERAL PROCESSING AND METALLURGICAL TESTING (ITEM 18)	10
MINERAL RESOURCE AND MINERAL RESERVE ESTIMATES (ITEM 19).....	10
OTHER RELEVANT DATA AND INFORMATION (ITEM 20)	11
INTERPRETATION AND CONCLUSIONS (ITEM 21)	11
<i>Footwall Property</i>	11
<i>Foy Property</i>	11
RECOMMENDATIONS (ITEM 22)	12
REFERENCES (ITEM 23)	13
CERTIFICATE OF AUTHOR (ITEM 24).....	17
CONSENT OF AUTHOR (ITEM 25).....	18
ILLUSTRATIONS (ITEM 26)	19
APPENDICES (ITEM 27)	20

List of Figures

- Figure 1: Location - Footwall and Foy Properties
- Figure 2: Footwall Project Property Map
- Figure 3: Foy Project - Property Map
- Figure 4: Footwall Property - Drill Plan
- Figure 5: Footwall Property - Longitudinal Section
- Figure 6: Foy Property - Drill Plan

List of Tables

- Table 1: Foy Duplicate Samples - 2003
- Table 2: Foy Comparison of Lab Analyses to Standard Values - 2003

Appendices

- Appendix 1: Footwall Property – Patented/Unpatented Claims and Mining Leases
Foy Property – Patented/Unpatented Claims and Mining Leases

SUMMARY (ITEM 3)

The Footwall Project is located in the South Range of the Sudbury Intrusive Complex (the "SIC") and encompasses the footwall contact in the area where the past producing Falconbridge and Falconbridge East Mines, the Cryderman deposits and the adjacent producing Garson Mine of Inco Limited ("Inco") are located. Aurora Platinum Corp. (the "Company" or "Aurora") announced on August 12, 2003 that it had exercised the option in its Option/Joint Venture Agreement with Falconbridge Limited ("Falconbridge") and had acquired a 60% interest in the Footwall and Foy Properties (collectively the "Properties") by spending a total of \$6 million in exploration on the Properties.

The Foy Project is an exploration stage property located in the North Range of the SIC with Aurora being the operator. Since 2000, Aurora has identified three zones - the Nickel Lake, Wisner and Crazy Creek Zones of nickel-copper-platinum group metal (Ni-Cu-PGM) mineralization associated with the Foy Offset Dyke and within the Property.

The main focus of exploration on the Properties is magmatic Ni-Cu-PGM sulphide deposits typical of the Sudbury Mining Camp that has produced ore for over 100 years. The Sudbury Basin is host to a variety of deposit types closely associated with the SIC, a layered igneous complex, with associated radial and concentric "offset" dykes of quartz-diorite composition. The layered SIC ranges in composition from norite at its base through gabbro to a granophyric cap. Nickel-copper ore bodies are generally found at the lower contact of the SIC or associated with offset dykes, as fault-related deposits and footwall deposits. Mineralization generally occurs as semi-massive and massive sulphide deposits of pyrrhotite, pentlandite, chalcopyrite and titanium-poor magnetite.

In the eastern part of the Footwall Property, contact-type mineralization in the adjoining Inco ground to the north projects down-plunge into the Footwall Property and offers exploration potential (Cryderman Central and Cryderman East mineralization). An exploration drill hole put down in this area in 2001 by the Joint Venture detected a strong borehole UTEM geophysical anomaly which was considered to reflect the down-dip extension of the Cryderman East mineralization on the Property.

During 2003 work on the Footwall Property focused on evaluating the down-plunge projection of the Cryderman East Zone onto the Footwall Joint Venture ground. The program consisted of diamond drilling followed by borehole UTEM geophysical surveys. Three holes were drilled in this area. All holes deviated significantly due to the intensely foliated nature of the footwall sedimentary rocks. No mineralization of economic significance was intersected, however, two off-hole conductive plates were indicated by the UTEM surveys.

At the Foy Property, previous work by Inco to the southeast (WD-150 claim) and current work by Aurora indicated a section of the Foy Offset Dyke that is mineralized over a length of about two kilometres. This mineralized section extends from Inco's WD-150 nickel (Ni) - copper (Cu) sulphides deposit in the southeast, through the Aurora discoveries on the northeast and north sides of Nickel Lake to the mineralization further west-northwest at Foster Lake. Two holes were deepened and one new hole was drilled on the Foy Property in 2003 for a total of 2,162 metres. No mineralization of economic interest was intersected during this drilling.

The Crazy Creek Zone of structurally controlled footwall-type copper - platinum group metal (PGM) - precious metal (PM) mineralization about four kilometres west-northwest of Nickel Lake was stripped, mapped and sampled in 2003. Detailed work covered about 3,400 square metres and from this area 304 samples were collected and assayed and indicated gold, platinum, palladium, copper and nickel values of economic interest. Fifteen kilometres of induced polarization (IP) surveys were completed in June 2004 and the results will be used to provide targets for a drill program.

Aurora, as operator of the Footwall and Foy Properties will be proposing drill programs and budgets for the Footwall and Foy Properties when the results from work currently in progress are available.

INTRODUCTION AND TERMS OF REFERENCE (ITEM 4)

The writer was requested by Aurora to provide a summary of exploration results to date on the Footwall and Foy Projects. This report has been prepared for the purposes of filing an Annual Information Form (AIF) for Aurora, a publicly-traded mineral resource company listed on the TSX Venture Exchange, Toronto, Ontario, Canada. The Footwall Project was managed by Falconbridge until August 12, 2003 at which time Aurora exercised the option in its Option/Joint Venture agreement with Falconbridge and became manager. Information on the Footwall Project has been obtained from the Sudbury office of Aurora as well as from publicly available information. Information on the Footwall Project has been derived from Quarterly Summary Reports of Activities submitted to Aurora by Falconbridge, the operator of the Project to August 12, 2003 and since that time from Aurora.

The author visited the Foy Property in 2000, 2001, 2002 and most recently on January 29, 2003. The author also visited the core logging and storage facility on January 21, 2004. The author has not visited the Footwall Property, however, it is planned that he will visit the Property once the new proposed drilling program commences. Information on both the Footwall and Foy Projects has been obtained from the Sudbury office of Aurora as well as publicly available information. Aurora has been operator of the Foy Project from July 2000 to the present and since August 12, 2003 has been operator of the Footwall Project.

This report presents the work completed, results obtained and the status of claims, agreements, etc. as of June 30, 2004.

DISCLAIMER (ITEM 5)

This report is prepared in compliance with NI 43-101 F1 and presents a review of the geology of the Footwall and Foy Properties and their economic potential. The writer does not take any responsibility for environmental, political or other non-technical issues related to this report. Information concerning legal issues relevant to Section 3 (Summary), Section 6.2 (Property and Ownership Status) and Section 6.3 (Nature of Company's Interest) of this report has been obtained entirely from documents provided by the Company and the writer does not take any responsibility for legal issues related to these matters.

PROJECT DESCRIPTION AND LOCATION (ITEM 6)

Location

The Footwall Property is located approximately 15 km east-northeast of Sudbury within Falconbridge and Garson townships (Figure 1). The western end of the Property is located at latitude 46° 35'N, longitude 80° 50'W in NTS Map sheet 41 I/10.

The Foy Property is approximately 30 km north-northwest of Sudbury within parts of Bowell, Foy, Tyrone and Harty townships (Figure 1). The centre of the Property is located at latitude 46° 45'N, longitude 81° 14'W, in NTS map sheet 41 I/14.

Property Ownership and Status

The Footwall Property (Figure 2) is comprised of 1,601 hectares ("ha") of patented mining claims held 100% by Falconbridge.

Appendix 1 lists the patented claims which comprise the Footwall Property. Note that Aurora's interest in the Footwall Property is mining rights only and, to the extent known, should avoid any potential environmental liability due to previous mining activity. Falconbridge retains the surface rights to the Footwall Property.

The Foy Property (Figure 3) is comprised of 2,042 ha of mining lands. Falconbridge has a 100% interest in 1,413 ha held under patented mining claims (1,036 ha), 21-year mining leases (361 ha) and one staked (unpatented) mining claim (16 ha). The remaining 628 ha of patented mining claims lie within the Canhorn Joint Venture Claims, a 50/50 joint venture between Falconbridge and Inco (the "Canhorn Joint Venture").

Appendix 1 also lists the patented claims, unpatented claims and mining leases with property descriptions which comprise the Foy Property.

Nature of Company's Interest

Under a letter agreement dated June 7, 2000 which was formalized by an option and joint venture agreement (the "Falconbridge Agreement") dated August 28, 2000 between Aurora Platinum Corp. of Vancouver, British Columbia, Canada and Falconbridge Limited, Falconbridge granted Aurora an option to earn a 60% undivided interest in the Falconbridge Properties by expending a total of \$6,000,000 on exploration over three years, of which \$1,000,000 was to be incurred in the first year, \$2,000,000 in the second year and \$3,000,000 in the third year.

Having fulfilled the terms of the option, on August 12, 2003 Aurora exercised the option in the Falconbridge Agreement and acquired 60% of Falconbridge's interest in the Foy and Footwall Properties. If the results of exploration warrant further development and exploration, the parties may enter into a development and operating agreement. If either party becomes the owner of a 100% interest in the Falconbridge Properties, the 100% owner shall pay to the other party a 5% net proceeds of production royalty. Each party has a right of first refusal to acquire the other party's interest. The Falconbridge Agreement provides that Aurora and Falconbridge must contribute to exploration and development costs on a pro rata basis. In addition, Falconbridge will have the option, provided that it has at least a 40% interest in the Falconbridge Properties, to increase its working interest in any specific project by 10% by funding a feasibility study and will

have the further option, provided that it has at least a 50% interest in the Property upon commencement of the construction stage, to earn an additional 20% in the specific project by providing 100% of the funds required to place a deposit into production. Falconbridge will then be entitled to recover 100% of mine construction costs from 90% of net cash flow from a mine. The remaining 10% shall be shared, 70% by Falconbridge and 30% by Aurora.

ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE AND PHYSIOGRAPHY (ITEM 7)

The information contained in Item 7 has already been presented in the Technical Reports entitled, "Technical Report, Falconbridge Option Properties, Foy and Footwall, Sudbury, Ontario, NI 43-101F1 dated May 15, 2002" and "Technical Report, NI 43-101 F1, for Aurora Platinum Corp. on the Falconbridge - Aurora, Option/Joint Venture Footwall and Foy Properties, Sudbury, Ontario, dated February 4, 2003" filed on SEDAR. The interested reader is referred to the earlier reports for the information contained in these sections.

HISTORY (ITEM 8)

The information contained in Item 8 has already been presented in the Technical Reports entitled, "Technical Report, Falconbridge Option Properties, Foy and Footwall, Sudbury, Ontario, NI 43-101F1 dated May 15, 2002" and "Technical Report, NI 43-101 F1, for Aurora Platinum Corp. on the Falconbridge - Aurora, Option/Joint Venture Footwall and Foy Properties, Sudbury, Ontario, dated February 4, 2003" filed on SEDAR. The interested reader is referred to the earlier reports for the information contained in these sections.

GEOLOGICAL SETTING (ITEM 9)

The information contained in Item 9 has already been presented in the Technical Reports entitled, "Technical Report, Falconbridge Option Properties, Foy and Footwall, Sudbury, Ontario, NI 43-101F1 dated May 15, 2002" and "Technical Report, NI 43-101 F1, for Aurora Platinum Corp. on the Falconbridge - Aurora, Option/Joint Venture Footwall and Foy Properties, Sudbury, Ontario, dated February 4, 2003" filed on SEDAR. The interested reader is referred to the earlier reports for the information contained in these sections.

DEPOSIT TYPES (ITEM 10)

The information contained in Item 10 has already been presented in the Technical Reports entitled, "Technical Report, Falconbridge Option Properties, Foy and Footwall, Sudbury, Ontario, NI 43-101F1 dated May 15, 2002" and "Technical Report, NI 43-101 F1, for Aurora Platinum Corp. on the Falconbridge - Aurora, Option/Joint Venture Footwall and Foy Properties, Sudbury, Ontario, dated February 4, 2003" filed on

SEDAR. The interested reader is referred to the earlier reports for the information contained in these sections.

MINERALIZATION (ITEM 11)

The information contained in Item 11 has already been presented in the Technical Reports entitled, "Technical Report, Falconbridge Option Properties, Foy and Footwall, Sudbury, Ontario, NI 43-101F1 dated May 15, 2002" and "Technical Report, NI 43-101 F1, for Aurora Platinum Corp. on the Falconbridge - Aurora, Option/Joint Venture Footwall and Foy Properties, Sudbury, Ontario, dated February 4, 2003" filed on SEDAR. The interested reader is referred to the earlier reports for the information contained in these sections.

EXPLORATION (ITEM 12)

Footwall Property

In early December 2002, hole F-306 targeted the down-plunge extension onto the Footwall Joint Venture Property of the Cryderman East Zone of Inco. (Figure 4 shows drill hole locations, and Figure 5 shows this in longitudinal section.) A borehole UTEM survey of hole F-306 identified a conductive zone approximately 200 m to the west of the hole and this conductive zone was considered to coincide with the down-plunge projection of the Cryderman East Zone. A second conductor centred at approximately 1300 m in the hole and 50 m above and to the north of the hole was also indicated. The interpretation suggested a discrete sulphide source lying in the immediate footwall of the Cryderman East Zone.

In the second quarter, two holes (F-306A and F-306B) were completed in an attempt to intersect the second conductive zone. F-306A, an 800 metre wedge from hole F-306, deviated and was terminated prior to intersecting the proposed target. Hole F-306B ended at a depth of 1,623 metres, approximately 15 metres from the Inco boundaries and also missed the interpreted conductive plate. Drilling deviation was due to the intensely foliated nature of the footwall sedimentary rocks. A borehole UTEM survey of hole F-306B indicated a conductive body between 50 metres and 150 metres to the west.

Aurora became the operator of the Footwall Property on August 12, 2003 when it exercised the option in the Falconbridge Agreement. Since that time the Company has been concentrating on digitizing all the Falconbridge Mine and East Mine geological and engineering data such as level plans and sections. The objective of this work is to create a digital database that can be used to create a detailed, three-dimensional mine model to assist in generating exploration targets.

Foy Property

Mineralization occurs as zones, lenses and veins of massive and semi-massive sulphide minerals, mainly pyrrhotite, pentlandite and chalcopyrite in localized areas of the Foy Offset dyke. The Wisner Zone is a one-kilometre section of the Foy Offset dyke containing anomalous sulphide mineralization in outcrop, primarily on the upper surface

of country rock protrusions within the hanging wall of the Offset dyke. A similar relationship exists in the Nickel Lake Zone, which was discovered by drilling an electromagnetic conductor at depth, down-dip from the Inco WD-150 deposit. Small, surface gossans (10 metres by 10 metres in area) in the WD-38 zone consist of inclusion quartz diorite with a sulphide matrix in sublayer rocks at the contact with late granite breccia. This mineralization forms an approximately 2 kilometres long zone extending from WD-38 in the southeast, to Aurora's discoveries north and northeast of Nickel Lake to west-northwest of Foster Lake. Approximately 4 kilometres west-northwest of the Nickel Lake Zone is the Crazy Creek Zone of mineralization which lies partly on the Falconbridge Joint Venture and partly on the Canhorn Joint Venture, location WD232.

Two holes, 00-09 and 0F-01, were deepened in 2003 and one new hole, 03-11, was completed to a depth of 1,108 metres, however, no mineralization of economic significance was intersected in this drilling.

The Crazy Creek Zone is characterized by footwall-type stringer mineralization rich in copper, PGM and precious metals and with a strong structural control. During the second quarter of 2003, the Company completed a UTEM and EM 31 ground electromagnetic survey over an area of approximately 22 ha and covering the areas of known mineralization/conductivity. This work identified an extensive area of conductivity associated with the Crazy Creek Zone mineralization. During the third quarter of 2003, Aurora commenced a program of mechanical stripping, power washing, geological mapping and sampling which was completed in December 2003. Approximately 3,400 square metres, to an average depth of about 1.25 metres, were stripped and washed.

The stripped and washed area exposed sulphide mineralization as dominantly north-south trending, anastomosing lenses, veins, veinlets and stringers. The stripping exposed mineralization over a north-south strike length of approximately 180 metres and across a width of 160 metres.

The Crazy Creek Zone as exposed in the newly trenched area is characterized by high-grade Cu-PGM-rich lenses and veins with metal values similar to "footwall-type" mineralization. A total of 304 channel samples were collected from the stripped area with samples being taken to determine the metal content of the veins and lenses as well as the host, inclusion-bearing quartz diorite. Channel sample lengths varied from 0.15 metres to 2 metres with sample widths being from less than 1 centimetre to 9 centimetres. Metal values varied as follows:

- gold - detection limit (<1 part per billion) to 15.2 grams per tonne
- platinum - 2.5 parts per billion to 3.6 grams per tonne
- palladium - 0.05 parts per billion to 7.5 grams per tonne
- silver - detection limit (0.2 parts per million) to 217 grams per tonne
- copper - 0.01% to 33.9%
- nickel - 0.01% to 4.3%.

Vein mineralogy consists of chalcopyrite, bornite, pyrite and minor quartz. Platinum, palladium and silver occur as bismuth tellurides displaying overgrowth textures suggesting multiple episodes of mineralization. A pervasive iron-rich chlorite along vein margins represents an intense hydrothermal alteration.

In June 2004, 15 kilometres of IP surveys over the Crazy Creek Zone were completed and the results are currently being evaluated and interpreted.

DRILLING (ITEM 13)

Footwall Property

Three holes were drilled on the Footwall Property during 2003. These were holes F-306, and two wedge holes, F-306A and F-306B (Figure 4). Hole F-306 was completed to a depth of 1,520 metres and F-306A was an 800 metre wedge from F-306. Hole F-306B was completed to a depth of 1,623 metres. The total meterage was 3,943 metres. The results obtained from these three holes are summarized in Section 12 Exploration, Footwall Property. There has been no additional drilling to date in 2004.

Foy Offset Property

Two holes on the Foy Property (NI-09 and NI-01) were deepened in 2003 and one new hole (NI-11) was completed. As well, drilling continued on the Nickel Lake Property (Aurora-Inco Option/Joint Venture) which surrounds the Falconbridge Joint Venture below Nickel Lake. The locations of the drill holes completed to June 30, 2004 in this area are shown in Figure 6. A total of 2,162 metres was drilled in the three holes on the Foy Property. There has been no additional drilling to date in 2004.

SAMPLING METHOD AND APPROACH (ITEM 14)

For the Footwall Project drilling program, Falconbridge reported that the sampled core was sawn in half, with one-half of the core submitted to Lakefield Research for analysis and the other half retained for comparative purposes.

For the Foy Project drilling program, all of the drill core is sawn in half with a diamond saw. Half of the drill core is sampled in one-metre intervals for disseminated mineralization and one-half metre intervals for massive mineralization. The remaining half of the core is stored by the Company in a secure location.

Lithogeochemical samples taken by Aurora are panel samples or channel samples collected during mapping and prospecting to be representative of an outcrop. Channel samples are cut with a diamond saw in trenching programs.

SAMPLE PREPARATION, ANALYSES AND SECURITY (ITEM 15)

Falconbridge reported that all samples were analyzed for Ni, Cu, Pt, Pd, Au, Ag, Co and S, with a few selected samples analyzed for Pb and Zn. Samples were crushed and pulverized by Lakefield, with reject material retained at Lakefield Research ("Lakefield") for 90 days, then returned for long-term storage at Falconbridge.

On the Foy Project, samples were dried, crushed and approximately 250 grams are pulverized to pass 75 microns at ALS Chemex Laboratory's ("ALS Chemex") preparation facility in Mississauga, Ontario. Pulps are shipped to their laboratory in Vancouver, B.C. for analyses. Gold, platinum and palladium are analyzed by fire assay with an ICP finish. A gravimetric assay is done for gold values greater than 1000 ppb. Silver, copper, nickel and cobalt are initially digested in a partial extraction by aqua regia

digestion and analyzed by atomic absorption. For values greater than 10,000 ppm a total digestion with atomic absorption finish is undertaken.

Falconbridge utilizes Lakefield, a laboratory that is accredited to the ISO/IEC Guide 25 Standard for Specific Registered Tests. Falconbridge has not commented on its security procedures and handling of the sample material nor has Falconbridge reported on its quality control procedures.

Aurora has implemented a quality control program to ensure best practice in the sampling and analysis of the drill core. The drill core and lithogeochemical samples are transported in security-sealed bags for preparation at ALS Chemex in Mississauga, Ontario. This ISO 9001: 2000 registered laboratory is actively pursuing ISO 17025 certification under CAN-P-1579 "Guidelines for Accreditation of Mineral Analysis Testing Laboratories". In addition to the laboratory's internal analysis of accuracy and precision, Aurora submits standards for analysis of accuracy of the results.

Sample duplicates are taken in all Aurora drill programs with a duplicate being taken every 40th sample. Randomly selected pulps are also selected and sent to a second certified lab for analysis. Approximately 5% of all samples are checked in this fashion.

DATA VERIFICATION (ITEM 16)

The author did not visit the Footwall Project site. Falconbridge was the operator and the program was being operated within their technical standards. Falconbridge was using reputable, certified labs for their analyses.

The author visited the Foy Project site most recently on January 29, 2003 and the core logging and storage facility on January 21, 2004 and was satisfied that the geological controls, accuracy of surveying of drill collars and downhole orientation, the sampling methods and procedures and the chain of custody met with the highest standards of best practice. Aurora is using reputable, certified labs for their analyses. The analytical methods used for this project meet with industry standards.

Table 1 summarizes the results from 8 duplicate samples from the Foy Project. The original sample and the corresponding duplicate are paired with the original sample first followed by the duplicate (shaded). In general, there is reasonable correlation between the original and duplicate, however, for some individual samples as well as specific elements there are some significant variations. These variations between individual samples are considered to be quite typical and illustrate the problems associated with sampling a complex zone of mineralization with a drill hole of a small volume compared to the body of mineralization.

Table 2 presents the results obtained from three standards submitted to ALS Chemex as part of Aurora's quality control program. As can be seen there is good correlation between the ALS Chemex results and the standard value with the nickel values being identical. The only values which appear to show a constant bias are those for copper. Here the ALS Chemex values are consistently lower than the standards.

Table 1
2003 Foy Project Drilling – Duplicate Samples

Hole No.	Sample No.	Ag (ppm)	Pb (ppm)	Cu (ppm)	Au (ppb)	Pt (ppb)	Pd (ppb)	Ni (ppm)	Co (ppm)
00-09	672073	0.1	10	274	2	7.5	4	83	22
00-09	672081	0.1	22	453	3	13.5	8	87	26
00-09	672117	6.2	136	2570	76	96	59	196	14
00-09	672121	4	115	1645	67	73.5	40	132	15
00-09	672159	0.1	17	74	0.5	5.5	4	60	17
00-09	672161	0.1	16	87	0.5	7	4	71	22
00-09	672201	59.8	2440	51400	145	252	1640	8360	63
00-09	672202	31.6	589	30500	105	174.5	980	2920	30
00-09	672241	0.1	10	49	0.5	0.25	0.5	32	33
00-09	672242	0.1	11	50	0.5	0.25	0.5	32	33
00-09	673785	0.1	8	76	3	3	3	94	20
00-09	673791	0.1	7	89	2	2	3	100	26
00-09	673821	0.1	6	85	2	2	2	92	24
00-09	678333	0.2	7	95	3	4	4	104	26
03-11	673913	11.9	755	6060	74	263	233	9330	661
03-11	673924	14.4	1590	5840	82	265	258	9470	753

Field Duplicates (quartered core samples)

NOTE: Ag, Pb, Cu, Ni, Co analyzed by AA

Au, Pt, Pb analyzed by ICPMS

Table 2
2003 Foy Project Drilling
Comparison of Lab Analyses to Standard Values

BHID	Sample No.	Assay Standard Code	Lab Results	Element	Standard Values
00-09	673790	Sud-2	117	Au	128
00-09	673790	Sud-2	449	Pd	487
00-09	673790	Sud-2	276	Pt	297
00-09	673790	Sud-2	408	Co	500
00-09	673790	Sud-2	9430	Cu	10700
00-09	673790	Sud-2	16800	Ni	16800
00-09	673832	Sud-2	89	Au	128
00-09	673832	Sud-2	440	Pd	487
00-09	673832	Sud-2	305	Pt	297
00-09	673832	Sud-2	411	Co	500
00-09	673832	Sud-2	9600	Cu	10700
00-09	673832	Sud-2	16900	Ni	16800
03-11	673923	Sud-2	106	Au	128
03-11	673923	Sud-2	546	Pd	487
03-11	673923	Sud-2	311	Pt	297
03-11	673923	Sud-2	345	Co	500
03-11	673923	Sud-2	9910	Cu	10700
03-11	673923	Sud-2	16800	Ni	16800

In the author's opinion, adequate quality control procedures are in place for this stage of the Project. As the project advances to a resource development stage, further quality control procedures may be required and can be reviewed at that time.

In the opinion of the author, the computerized data management system utilized by Aurora is of the highest standards. The information is well organized, is backed up on a regular basis and produces high quality geological logs, sections and three-dimensional drawings.

ADJACENT PROPERTIES AND MINERAL BELTS (ITEM 17)

The Sudbury Mining Camp is one of the most prolific geological environments for economic occurrences of magmatic Ni-Cu-PGM's in the world. The Ni-Cu-PGM orebodies at Sudbury are considered to constitute the largest known concentration of copper-nickel sulphides on Earth (Figure 1). Total reserves and production are estimated at about 1.6 billion tonnes of ore. Production to date is in excess of 8.4 million tonnes of nickel metal and 8.3 million tonnes of copper metal (Naldrett, 1994).

As such, there are numerous adjacent properties in the Sudbury Mining Camp that are in production, have been in production in the past, or are prospective. There is ample literature and statistical data that corroborates the production, resources, reserves and exploration history of the Sudbury Mining Camp as referenced in this report.

The most important adjacent mines to the Footwall Property are Falconbridge's past-producing Falconbridge and East Mines and Inco's Cryderman Main, Cryderman Central and Cryderman East deposits, which have excellent potential to plunge at depth on to the Footwall Property. Immediately to the west of the Footwall Property, Inco's Garson Mine, 500 metres west of the western boundary of the Property, is currently in production at an annual rate in 1998 of 619,056 tonnes grading 1.86% nickel and 1.21% copper (Meyer et al., 2000). The Garson Fault is projected onto the Footwall Property from this fault-related deposit.

MINERAL PROCESSING AND METALLURGICAL TESTING (ITEM 18)

The mineralization encountered in exploration of both the Footwall Property and the Foy Property is typical of Sudbury District copper-nickel ores and as such, should not pose any processing or metallurgical risks. However, there have been no mineral processing or metallurgical tests completed at the current stage of this project.

MINERAL RESOURCE AND MINERAL RESERVE ESTIMATES (ITEM 19)

There are no reserves or resources estimated for the Properties consistent with current CIM Standards as per "Estimation of Mineral Resources and Mineral Reserves Best Practice Guidelines, 2003" and NI 43-101 requirements. A mineral inventory of historical remnant mineralization remaining in the Falconbridge and East Mines at the time of closure in 1984 and 1990 respectively has been reported previously (Winter, 2003) and is available on SEDAR.

No mineral reserves or resources have been defined on the Foy Property.

OTHER RELEVANT DATA AND INFORMATION (ITEM 20)

There is no additional relevant data or information.

INTERPRETATION AND CONCLUSIONS (ITEM 21)

Footwall Property

Drill hole F-306 was collared on December 2, 2002 and before the Christmas break was drilled to a depth of approximately 500 metres. The hole was resumed in January 2003 and was completed to a depth of 1,520 metres. Two wedge holes (F-306A and F-306B) appear to have deviated from the target area and no mineralization of significance was intersected, however, borehole UTEM work indicated the presence of two conductive plates adjacent to the holes.

All the Falconbridge Mine and East Mine data is being digitized and when this work is complete, it will be used to create three-dimensional models which will serve to focus further exploration work.

Foy Property

Previous work by Inco to the southeast and current work by Aurora in the Inco Nickel Lake Property Joint Venture and the Foy Property have indicated a section of the Foy Offset Dyke that is mineralized over a length of about two kilometres. This mineralized section extends from Inco's WD-150 Ni-Cu sulphide deposit in the southeast, through the Aurora discoveries on the northeast and north sides of Nickel Lake to the mineralization further west-northwest at Foster Lake.

The Aurora discovery of offset-dyke type Ni-Cu sulphide mineralization in the Nickel Lake Zone appears to be concentrated on the hangingwall of the Foy Offset Dyke. The sulphide mineralization is interpreted to occur associated with protrusions or ledges of granitoid country rock projecting into the hangingwall of the dyke. Drilling to date has indicated the presence of a zone or zones of massive to semi-massive mineralization that lie in part within the Foy Property beneath Nickel Lake.

Work on the Crazy Creek Zone about four kilometres west-northwest of the Nickel Lake Property within and adjacent to the Offset Dyke has identified an area of structurally controlled, footwall-type Cu-PGM-precious metals stringer mineralization. Approximately 3,400 square metres were stripped, mapped and sampled and indicated sulphide mineralization in north-south-trending stringers along strike (north-south) for 180 metres and across a width of 160 metres.

A total of 304 channel samples taken from the sulphide lenses, veins and adjacent host rock returned metal values as follows:

- gold - <1 part per billion to 15.2 grams per tonne
- platinum - 2.5 parts per billion to 3.6 grams per tonne
- palladium - 0.5 parts per billion to 7.5 grams per tonne

silver - <0.2 parts per million to 217 grams per tonne
copper - 0.01% to 33.9%
nickel - 0.01% to 4.3%.

A recently completed IP survey (15 kilometres) over the Crazy Creek Zone is currently being evaluated.

The Crazy Creek Zone is considered to be a target area of considerable economic interest and requires drill-testing to evaluate its economic potential.

RECOMMENDATIONS (ITEM 22)

Both the Footwall and Foy Properties, particularly in the context of the Sudbury mining camp are of considerable merit and additional work on both Projects is warranted.

Aurora is awaiting the results of the IP survey from the Crazy Creek Zone and as of June 30, 2004 the digitizing of the Footwall Project mine data (Falconbridge Mine and East Mine Properties). When this information is available in the third quarter, then drilling programs for the Footwall Project and the Foy Project-Crazy Creek Zone will be planned and presented to the Joint Venture partner.

"L.D.S. Winter"
L.D.S. Winter, P. Geo.
July 21, 2004

REFERENCES (ITEM 23)

There is extensive literature on the geology and mineral deposits of the Sudbury area, however, the following references used in the preparation of this report are considered to be the most pertinent.

1. Aeroquest Limited, 2000
Report on a Helicopter-borne Magnetic and Electromagnetic Survey, Midrim, Footwall, Foy 1, Foy 2 and North Range Projects, Ville Marie, P.Q. and Sudbury, Ont. Area for Aurora Platinum Corp., December, 2000.
2. Aurora Platinum Corp. - Falconbridge Limited JV, 2002
Unpublished information.
3. Blasco, K. and Lamontagne, Y., Lamontagne Geophysics Ltd., 2001
Logistics and Interpretation Report on a BH UTEM 4 Survey in Sudbury, Ontario for Aurora Platinum Corp., Foy: Holes Ni-01, Ni-02, Foy Main: Hole DDH-06, Wisner: Holes DDH-01, 05, 07, 04, May/July, 2001.
4. Byron, M., Aurora Platinum Corp., 2002
Memo to Scott McLean, Falconbridge Ltd., Winter Drill Proposal and Project Summary, Foy Offset Property, January 18, 2002.
5. Card, K.D. and Meyn, H.D., 1969
Geology of the Leinster-Bowell Area, District of Sudbury, Ontario
Department of Mines, Geological Report 65.
6. Cosec, M., 2000
Some Sudbury Production Statistics, Staff Geologist, Sudbury District, Ontario Geological Survey, 2000.
7. Dressler, B.O., 1984
Sudbury Geological Compilation. Ontario Geological Survey Map 2491, Precambrian Geology Series, scale 1:50,000, geological compilation 1982-83.
8. Dressler, B.O., Gupta, V.L. and Muir, T.L., 1991
The Sudbury Structure. In Thurston, P.C. et al., (ed.) Geology of Ontario. Ontario Geological Survey Special Volume 4, 593-625.
9. Dressler, B.O., Peredery, W.V. and Muir, T.L., 1992
Geology and Mineral Deposits of the Sudbury Structure, Ontario Geological Survey, Guidebook 8, 33 pages.
10. Eckstrand, O.R., 1995
Magmatic Nickel-Copper-Platinum Group Elements, in Geology of Canadian Mineral Deposit Types, Geological Survey of Canada, Geology of Canada No. 8.
11. Falconbridge Limited, 2001, 2002
Quarterly Summary Report of Activities, Footwall Project.

12. Fugro Airborne Surveys, 2001
Logistics and Processing Report of the Airborne Magnetic and MEGATEM II Electromagnetic Multicoil Survey of the Foy Project, Phase 1, Sudbury, Ontario for Aurora Platinum Corp., September, 2001.
13. Giblin, P.E., 1984
History of Exploration and Development of Geological Studies and Development of Geological Concepts. *In* The Geology and Ore Deposits of the Sudbury Structure, Ontario Geological Survey Special Volume 1.
14. Grant, R.W. and Bite, A., 1984
Sudbury Quartz Diorite Offset Dykes. *In* The Geology and Ore Deposits of the Sudbury Structure. Ontario Geological Survey Special Volume 1.
15. Heminsley, G. and Lafortune, G., Lamontagne Geophysics Ltd., 2002
Logistics and Interpretation Report on a BH UTEM 4 Survey in Sudbury, Ontario for Aurora Platinum Corp., Nickel Lake: Holes Ni-03-2, Ni-04, January, 2002.
16. Heminsley, G. and Sinclair, R., Lamontagne Geophysics Ltd., 2001
Interpretation Report on a BH UTEM 4 Survey in Sudbury, Ontario for Falconbridge Limited, Footwall Zone: Holes F-286, F-287, F-288, F-290, F-291, F-292, October, 2001.
17. Krogh, T.E., Davis, D.W. and Corfu, F., 1984
Precise U-Pb Zircon and Baddeleyite Ages for the Sudbury Area. *In* The Geology and Ore Deposits of the Sudbury Structure. Ontario Geological Survey Special Volume 1.
18. Langridge, R. and Sinclair, R., Lamontagne Geophysics Ltd., 2001
Logistics Report and Interpretation UTEM 3 Survey, Falconbridge Footwall Project, Falconbridge, Sudbury for Falconbridge Limited (Exploration), May, 2001.
19. Lightfoot, P.C., Naldrett, A.J. and Morrison, G., 1997
Sublayer and Offset Dykes of the Sudbury Igneous Complex - an Introduction and Field Guide. Ontario Geological Survey Open File Report 5965.
20. Lochhead, D.R., 1955
The Falconbridge Ore Deposit, Canada. *Economic Geology*, v. 50, pp. 42-50.
21. Mawdsley, J.B., 1931
Geology of Part of the Falconbridge and Errington Properties in the Vicinity of Sudbury, Ontario. Geological Survey of Canada, Memoir 165, pp. 82-88.

22. Mazur, R.J., 2002
Falconbridge Option Properties, Foy and Footwall, Sudbury, Ontario
Technical Report for Aurora Platinum Corp. for NI 43-101, 43 p.
Appendix.
23. Meyer, G., Cossec, M., Grabowski, G.P.B., Guindon, Chaloux, E., and Charette,
M., 2000
Open File Report 6007, Report of Activities, Resident Geologists
Program, Kirkland Lake and Sudbury Districts, Ontario Geological
Survey, 2000.
24. Mining Magazine, April 2000, p. 234.
25. Naldrett, A.J., 1984
Mineralogy and Composition of the Sudbury Ores. *In* The Geology
and Ore Deposits of the Sudbury Structure. Ontario Geological
Survey Special Volume 1.
26. Naldrett, A.J., Innes, D.G., Sowa, J. and Gorton, M.P., 1982
Compositional Variations Within and Between Five Sudbury Ore
Deposits. *Economic Geology*, v. 77, 1519-1534.
27. Naldrett, A.J., Pessaran, R., Asif, M. and Li, C., 1994
Compositional Variation in the Sudbury Ores and Prediction of the
Proximity of Footwall Copper-PGE Orebodies. *In* Lightfoot, P.C.
and Naldrett, A.J. (eds.) *Proceedings of the Sudbury - Noril'sk
Symposium*. Ontario Geological Survey Special Volume 5, 133-
146.
28. Naldrett, A.J., 1994
The Sudbury-Noril'sk Symposium, An Overview, *In* Lightfoot, P.C.
and Naldrett, A.J. (eds.) *Proceedings of the Sudbury-Noril'sk
Symposium*, Ontario Geological Survey Special Volume 5, 3-8.
29. Naldrett, A.J., Asif, M., Schandl, E., Searcy, T., Morrison, G.G., Binney, W.P.,
Moore, C., 1999
Platinum-Group Elements in the Sudbury Ores: Significance with
Respect to the Origin of Different Ore Zones and to the Exploration
for Footwall Orebodies, *Economic Geol.*, v. 94, no. 2, p. 185-210.
30. Owen, D.L. and Coats, C.J.A., 1984
Falconbridge and East Mines. *In* The Geology and Ore Deposits of
the Sudbury Structure. Ontario Geological Survey Special Volume
1.
31. Pattison, E.F., 1979
The Sudbury Sublayer, *Canadian Mineralogist* 17, 257-274.
32. Winter, L.D.S., 2000
Geological Report on the Foy Project, Foy and Bowell Townships
and the Footwall Project, Falconbridge and Garson Townships,
District of Sudbury, Ontario for Aurora Platinum Corp., August 8,
2000.

33. Winter, L.D.S., 2003

Technical Report, 43-101 F1, for Aurora Platinum Corp. on the Falconbridge - Aurora Option/Joint Venture Footwall and Foy Properties, Sudbury, Ontario., 28 p. 7 Figures, 4 Tables, 1 Appendix.

CERTIFICATE OF AUTHOR (ITEM 24)

L.D.S. Winter
1849 Oriole Drive, Sudbury, ON P3E 2W5
(705) 524-4106
(705) 524-6368 (fax)
email: swinter@vianet.ca

I, Lionel Donald Stewart Winter, P. Geo. do hereby certify that:

1. I am currently an independent consulting geologist.
2. I graduated with a degree in Mining Engineering (B.A.Sc.) from the University of Toronto in 1957. In addition, I have obtained a Master of Science (Applied) (M.Sc. App.) from McGill University, Montreal, QC.
3. I am a Life Member of the Canadian Institute of Mining, the Prospectors and Developers Association of Canada, a Fellow of the Geological Association of Canada, a Registered Geoscientist in Ontario and a Registered Geoscientist in British Columbia (P. Geo.).
4. I have worked as a geologist for a total of 47 years since my graduation from university.
5. I have read the definition of "qualified person" set out in National Instrument 43-101 ("NI43-101") and certify that by reason of my education, affiliation with a professional association (as defined in NI 43-101) and past relevant work experience, I fulfill the requirements to be a "qualified person" for the purposes of NI 43-101.
6. I am responsible for the preparation of the technical report titled "Technical Report on the Aurora Platinum Corp., Falconbridge - Aurora Joint Venture, Footwall and Foy Properties, Sudbury, Ontario, Canada" and dated July 21, 2004 (the "Technical Report"). I visited the Foy Project Area most recently on January 29, 2003 for one (1) day.
7. I prepared a geological report on the Projects that are the subject of the Technical Report in August, 2000 as well as a Technical Report (43-101 F1) on the Projects in February, 2003.
8. I am not aware of any material fact or material change with respect to the subject matter of the Technical Report that is not reflected in the Technical Report, the omission to disclose which makes the Technical Report misleading.
9. I am independent of the issuer applying all of the tests in section 1.5 of National Instrument 43-101.
10. I have read National Instrument 43-101 and Form 43-101F1, and the Technical Report has been prepared in compliance with that instrument and form.
11. I consent to the filing of the Technical Report with any stock exchange and other regulatory authority and any publication by them, including electronic publication in the public company files on their websites accessible by the public, of the Technical Report.

Dated this 21st Day of July, 2004

"L.D.S. Winter"
Signature of QP

L.D.S. Winter
Print name of QP

CONSENT OF AUTHOR (ITEM 25)

L.D.S. Winter
1849 Oriole Drive, Sudbury, ON P3E 2W5
(705) 524-4106
(705) 524-6368 (fax)
email: swinter@vianet.ca

TO: TSX Venture Exchange
Ontario Securities Commission
British Columbia Securities Commission
Alberta Securities Commission
Quebec Securities Commission


I, Lionel Donald Stewart Winter, P. Geol., do hereby consent to the filing with the regulatory authorities referred to above the technical report titled "Technical Report on the Aurora Platinum Corp., Falconbridge - Aurora Joint Venture, Footwall and Foy Properties, Sudbury, Ontario," and dated July 21, 2004 (the "Technical Report") and to the written disclosure of the Technical Report and of extracts from or a summary of the Technical Report in the written disclosure in the Annual Information Form of Aurora Platinum Corp. being filed.

Dated this 21st Day of July, 2004

"L.D.S. Winter"
Signature of QP

L.D.S. Winter
Print name of QP

ILLUSTRATIONS (ITEM 26)







FIGURE 2
AURORA PLATINUM CORP.
Falconbridge Joint Venture
FOOTWALL PROJECT
Property
July, 2004 By: SW / LD






FIGURE 3
 AURORA PLATINUM CORP.
 Falconbridge Joint Venture
 FOY PROJECT
 Property
 July, 2004 By: SW / LD

0 1000 2000 3000 4000 5000 Metres




FIGURE 4
AURORA PLATINUM CORP.
Falconbridge Joint Venture
FOOTWALL PROJECT
Diamond Drill Holes
July, 2004 By: SW / LD

0 200 400 800 1200 1600 2000
 SCALE IN METRES

Legend

- Drill Holes
-  Ni - Cu Deposits
-  Ni - Cu Potential Deposits
-  Remaining Historic Tonnages





FIGURE 5
AURORA PLATINUM CORP.
Falconbridge Joint Venture
FOOTWALL PROJECT
Longitudinal Section
July, 2004 By: SW / LD



Legend

- Shaft
- Aurora / Falconbridge
- Falconbridge and INCO




FIGURE 6
 AURORA PLATINUM CORP.
 Falconbridge Joint Venture
 FOY PROJECT
 Nickel Lake Drill Hole Location
 2000 - 2003 Programs
 July, 2004 By: SW / YC




FIGURE 7
 AURORA PLATINUM CORP.
 Falconbridge Joint Venture
 FOY PROJECT
 Section NI-03 / NI-04
 Nickel Lake Zone
 July, 2004 By: SW / YC

Legend

-  IQD
-  Granite
-  Massive Sulphides
-  Diss. / Blebby Sulphides
-  Drill Indicated Mineralization

APPENDICES (ITEM 27)

Appendix 1. Property Descriptions – Patented/Unpatented Claims and Mining Leases Footwall Property

Township	Lot No.	Concession	Claim No.	Claim Unit	Parcel No.	Legal Description
FALCONBRIDGE	5	3	S36792	1	12961 SES	NW 1/4 of N 1/2
FALCONBRIDGE	5	3	S36791	1	12960 SES	SW 1/4 of N 1/2
FALCONBRIDGE	5	3	S56852	1	22827 SES	SE 1/4 of N 1/2
FALCONBRIDGE	5	3	S56851	1	22827 SES	NE 1/4 of N 1/2
FALCONBRIDGE	5	4	S28597	1	12356 SES	NW 1/4 of S 1/2
FALCONBRIDGE	5	4	S56951	1	22831 SES	SW 1/4 of S 1/2
FALCONBRIDGE	5	4	S28598	1	12357 SES	SW 1/4 of N 1/2
FALCONBRIDGE	5	4	S56952	1	22831 SES	SE 1/4 of S 1/2
FALCONBRIDGE	5	4	S56954	1	22831 SES	SE 1/4 of N 1/2
FALCONBRIDGE	5	4	S56953	1	22831 SES	NE 1/4 of S 1/2
FALCONBRIDGE	5	4	S28596	1	12355 SES	NW 1/4 of N 1/2
FALCONBRIDGE	6	3	S36789	1	12924 SES	NW 1/4 of N 1/2
FALCONBRIDGE	6	3	S36898	1	12926 SES	NE 1/4 of N 1/2
FALCONBRIDGE	6	3	S36897	1	12925 SES	SE 1/4 of N 1/2
FALCONBRIDGE	6	4	S17906	1	6399 SES	SW 1/4 of S 1/2
FALCONBRIDGE	6	4	S27334	1	9454 SES	SE 1/4 of N 1/2
FALCONBRIDGE	6	4	S27330	1	9581 SES	SW 1/4 of N 1/2
FALCONBRIDGE	6	4	S27335	1	9455 SES	NE 1/4 of N 1/2
FALCONBRIDGE	6	4	S17994	1	6401 SES	SE 1/4 of S 1/2
FALCONBRIDGE	6	4	S17907	1	6400 SES	NE 1/4 of S 1/2
FALCONBRIDGE	6	4	S17908	1	6402 SES	NW 1/4 of S 1/2
FALCONBRIDGE	6	4	S27336	1	9456 SES	NW 1/4 of N 1/2
FALCONBRIDGE	7	3	S17459	1	6360 SES	SE 1/4 of N 1/2
FALCONBRIDGE	7	3	S17445	1	6356 SES	NW 1/4 of S 1/2
FALCONBRIDGE	7	3	S17447	1	6358 SES	NW 1/4 of N 1/2
FALCONBRIDGE	7	3	S17446	1	6357 SES	SW 1/4 of N 1/2
FALCONBRIDGE	7	3	S17458	1	6359 SES	NE 1/4 of N1/2
FALCONBRIDGE	7	4	S27328	1	9582 SES	SE 1/4 of N 1/2
FALCONBRIDGE	7	4	S17502	1	6361 SES	SE 1/4 of S 1/2
FALCONBRIDGE	7	4	S17503	1	6362 SES	SW 1/4 of S 1/2
FALCONBRIDGE	7	4	S27329	1	9583 SES	NE 1/4 of S 1/2
FALCONBRIDGE	8	2	S17603	1	6381 SES	NW 1/4 of N 1/2
FALCONBRIDGE	8	2	S16966	1	6304 SES	NE 1/4 of N 1/2
FALCONBRIDGE	8	3	S17441	1	6364 SES	SW 1/4 of N 1/2
FALCONBRIDGE	8	3	S17444	1	6366 SES	SE 1/4 of S 1/2
FALCONBRIDGE	8	3	S17183	1	6336 SES	NW 1/4 of N 1/2
FALCONBRIDGE	8	3	S17177	1	6337 SES	NE 1/4 of N 1/2
FALCONBRIDGE	8	3	S17442	1	6363 SES	SE 1/4 of N 1/2
FALCONBRIDGE	8	3	S17439	1	6367 SES	SW 1/4 of S 1/2
FALCONBRIDGE	8	3	S17443	1	6365 SES	NE 1/4 of S 1/2
FALCONBRIDGE	8	3	S17440	1	6368 SES	NW 1/4 of S 1/2
FALCONBRIDGE	9	2	S17868	1	6398 SES	NW 1/4 of N 1/2
FALCONBRIDGE	9	2	S17066	1	6315 SES	NE 1/4 of N 1/2
FALCONBRIDGE	9	3	S17436	1	5980 SES	SE 1/4 of N 1/2
FALCONBRIDGE	9	3	S17434	1	6327 SES	SW 1/4 of S 1/2
FALCONBRIDGE	9	3	S17174	1	5969 SES	SW 1/4 of N 1/2
FALCONBRIDGE	9	3	S17184	1	5975 SES	NE 1/4 of N 1/2
FALCONBRIDGE	9	3	S17437	1	6369 SES	NE 1/4 of S 1/2

Township	Lot No.	Concession	Claim No.	Claim Unit	Parcel No.	Legal Description
FALCONBRIDGE	9	3	S17438	1	6370 SES	SE 1/4 of S 1/2
FALCONBRIDGE	9	3	S17185	1	5968 SES	NW 1/4 of N 1/2
FALCONBRIDGE	9	3	S17435	1	6326 SES	NW 1/4 of S 1/2
FALCONBRIDGE	10	2	S17165	1	6307 SES	NW 1/4 of N 1/2
FALCONBRIDGE	10	2	S17166	1	6306 SES	NE 1/4 of N 1/2
FALCONBRIDGE	10	3	S4104	1	3028 SES	NW 1/4 of N 1/2
FALCONBRIDGE	10	3	S17433	1	6328 SES	SE 1/4 of S 1/2
FALCONBRIDGE	10	3	S17169	1	6329 SES	NW 1/4 of S 1/2
FALCONBRIDGE	10	3	S17168	1	6330 SES	SW 1/4 of S 1/2
FALCONBRIDGE	10	3	S17216	1	5971 SES	SE 1/4 of N 1/2
FALCONBRIDGE	10	3	S4103	1	3030 SES	NE 1/4 of N 1/2
FALCONBRIDGE	10	3	S17170	1	5972 SES	SW 1/4 of N 1/2
FALCONBRIDGE	10	3	S17178	1	6331 SES	NE 1/4 of S 1/2
FALCONBRIDGE	11	2	S119602	1	30620 SES	NE 1/4 of N 1/2
FALCONBRIDGE	11	3	S4009	1	3038 SES	SW 1/4 of N 1/2
FALCONBRIDGE	11	3	S4226	1	3139 SES	NE 1/4 of S 1/2
FALCONBRIDGE	11	3	S4225	1	3138 SES	SE 1/4 of S 1/2
FALCONBRIDGE	11	3	S4193	1	3141 SES	NW 1/4 of S 1/2
FALCONBRIDGE	11	3	S4007	1	3046 SES	NE 1/4 of N 1/2
FALCONBRIDGE	11	3	S4227	1	3140 SES	SW 1/4 of S 1/2
FALCONBRIDGE	11	3	S4231	1	32527 SES	SE 1/4 of N 1/2
FALCONBRIDGE	11	3	S4076	1	3039 SES	NW 1/4 of N 1/2
FALCONBRIDGE	12	3	S4192	1	3135 SES	NE 1/4 of S 1/2
FALCONBRIDGE	12	3	S4191	1	3134 SES	SE 1/4 of N 1/2
FALCONBRIDGE	12	3	S4149	1	3085 SES	NW 1/4 of N 1/2
FALCONBRIDGE	12	3	S4078	1	3029 SES	NE 1/4 of N 1/2
GARSON	1	3	S15083	1	7723 SES	SE 1/4 of N 1/2
GARSON	1	3	S15086	1	7722 SES	SW 1/4 of N 1/2
GARSON	1	3	S15085	1	25519 SES	SE 1/4 of S 1/2
GARSON	1	3	S4144	1	3165 SES	NW 1/4 of N 1/2
GARSON	1	3	S4145	1	3202 SES	NE 1/4 of N 1/2
GARSON	1	3	S15084	1	7726 SES	NE 1/4 of S 1/2
GARSON	1	3	S15088	1	25519 SES	SW 1/4 of S 1/2
GARSON	1	3	S15087	1	7725 SES	NW 1/4 of S 1/2
GARSON	1	4	S4148	1	3133 SES	SE 1/4 of S 1/2
GARSON	1	4	S29228	1	8314 SES	NW 1/4 of S 1/2
GARSON	1	4	S4212	1	3103 SES	NE 1/4 of S 1/2
GARSON	1	4	S4146	1	3166 SES	SW 1/4 of S 1/2
GARSON	2	3	S9367	1	7729 SES	SE 1/4 of S 1/2
GARSON	2	3	S4217	1	3168 SES	NE 1/4 of N 1/2
GARSON	2	3	S9366	1	7728 SES	NE 1/4 of S 1/2
GARSON	2	3	S4218	1	3167 SES	NE 1/4 of N 1/2
GARSON	2	3	PT5033	1	3051 SES	W 1/2
GARSON	2	4	S29229	1	8117 SES	SW 1/4 of S 1/2
GARSON	2	4	S16441	1	6294 SES	SE 1/4 of S 1/2
GARSON	2	4	S16443	1	6296 SES	NW 1/4 of S 1/2
GARSON	2	4	S16442	1	6295 SES	NE 1/4 of S 1/2
TOTAL				95		
Mining Lease				0		
Patented				95		
Unpatented				0		

Appendix 1. Property Descriptions – Patented/Unpatented Claims and Mining Leases.
Foy Property

Township	Lot No.	Concession	Claim No.	Claim Unit	Parcel No.	Legal Description
BOWELL	0	0	S1197692	1		
BOWELL	4	3	S1667	1	5525 SWS	W
BOWELL	4	3	S29409	1	8737 SWS	PT of BROKEN LOT
BOWELL	5	3	S25004	1	8588 SWS	SE PT of S PT
BOWELL	5	3	S25003	1	8589 SWS	NE PT of S PT
BOWELL	5	3	S25005	1	8590 SWS	NW PT of S PT
BOWELL	5	3	S25002	1	8591 SWS	SW PT of S PT
BOWELL	6	3		1	5622 SWS	LW NICKEL LAKE
BOWELL	6	3	S25006	1	8587 SWS	NE PT of S PT
BOWELL	6	3	S37791	1	11298 SWS	SW PT of N PT
BOWELL	6	3	S37790	1	11297 SWS	SE PT of N PT
BOWELL	6	3	S29408	1	8726 SWS	NW PT of S PT
BOWELL	6	3		1	5075 SWS	ROAD ALLOWANCE
BOWELL	7	2	S29412	1	8727 SWS	PT of BROKEN LOT
BOWELL	7	2	S82062	1	15937 SWS	SW PT of N PT
BOWELL	7	2		1	1434 ANS	ML WD 212
BOWELL	7	2	S29411	1	8730 SWS	PT of BROKEN LOT
BOWELL	7	2	S82061	1	15937 SWS	NW PT of N PT
BOWELL	7	3	S29640	1	8759 SWS	SW PT of S PT
BOWELL	7	3	S55265	1	16319 SWS	PT of BROKEN LOT
BOWELL	7	3	S37793	1	11300 SWS	SW PT of N PT
BOWELL	7	3	S37792	1	11299 SWS	SE PT of N PT
BOWELL	7	3	S37798	1	11305 SWS	NE PT of N PT
BOWELL	7	3	S37772	1	11292 SWS	NW PT of N PT
BOWELL	8	2	S82070	1	15936 SWS	SW PT of S PT
BOWELL	8	2	S82067	1	15936 SWS	NW PT of S PT
BOWELL	8	2	S82069	1	15936 SWS	NW PT of N PT
BOWELL	8	2	S82064	1	15936 SWS	SE PT of N PT
BOWELL	8	2		1	1434 ANS	ML WD 37
BOWELL	8	2	S82063	1	15936 SWS	NE PT of S PT
BOWELL	8	2	S82066	1		LW BED LAKE
BOWELL	8	2	S82068	1	15936 SWS	SW PT of N PT
BOWELL	8	2	S82065	1	15936 SWS	NE PT of N PT
BOWELL	8	3	S55262	1	14659 SWS	PT of BROKEN LOT
BOWELL	8	3	S55261	1	14660 SWS	ML WD 236
BOWELL	8	3	S37771	1	11291 SWS	NE PT of N PT
BOWELL	8	3	S55264	1	14649 SWS	LW FOSTER LAKE
BOWELL	8	3	S37794	1	11301 SWS	SE PT of N PT
BOWELL	8	3	S55263	1	14659 SWS	PT of BROKEN LOT
BOWELL	8	3	S37778	1	11296 SWS	NW PT of N PT
BOWELL	8	3	S29641	1	8760 SWS	S PT of S PT
BOWELL	8	3		1	1409 ANS	E PT ML WD 228
BOWELL	8	3	S37795	1	11302 SWS	SW PT of N PT
BOWELL	9	3	S37777	1	11295 SWS	NE PT of N PT
BOWELL	9	3	S37797	1	11304 SWS	SW of N PT CANHOR
BOWELL	9	3	S37776	1	11294 SWS	NW PT of N PT
BOWELL	9	3	S55342	1	12610 SWS	SE PT of S PT
BOWELL	9	3	S37796	1	11303 SWS	SE of N PT CANHOR
BOWELL	9	3	S51089	1	12610 SWS	N PT of S PT
BOWELL	9	3		1	1409 ANS	ML WD 228 CANHORN

Township	Lot No.	Concession	Claim No.	Claim Unit	Parcel No.	Legal Description
BOWELL	9	3	S55343	1	12610 SWS	SW PT of S PT
BOWELL	10	3	S37774	1	11290 SWS	NW PT of N PT
BOWELL	10	3	S37775	1	11289 SWS	NE PT OF N PT
BOWELL	10	3		1	1434 ANS	ML WD 211 CANHORN
BOWELL	11	3	S37773	1	11293 SWS	NE PT of N PT
FOY	0	0	A129706	1	1079 LSWS	SEE CLM MAP M-815
FOY	0	0	S129705	1	1079 LSWS	SEE CLM MAP M-815
FOY	0	0	S129707	1	1079 LSWS	SEE CLM MAP M-815
FOY	0	0	S133770	1	1079 LSWS	SEE CLM MAP M-815
FOY	0	0	S133771	1	1079 LSWS	SEE CLM MAP M-815
FOY	0	0	S133772	1	1079 LSWS	SEE CLM MAP M-815
FOY	0	0	S133773	1	1079 LSWS	SEE CLM MAP M-815
FOY	0	0	S133774	1	1079 LSWS	SEE CLM MAP M-815
FOY	0	0	S133775	1	1079 LSWS	SEE CLM MAP M-815
FOY	0	0	S133776	1	1079 LSWS	SEE CLM MAP M-815
FOY	0	0	S133777	1	1079 LSWS	SEE CLM MAP M-815
FOY	0	0	S133778	1	1079 LSWS	SEE CLM MAP M-815
FOY	0	0	S133779	1	1079 LSWS	SEE CLM MAP M-815
FOY	0	0	S133780	1	1079 LSWS	SEE CLM MAP M_815
FOY	0	0	S133781	1	1079 LSWS	SEE CLM MAP M_815
FOY	0	0	S133782	1	1079 LSWS	SEE CLM MAP M_815
FOY	0	0	S133783	1	1079 LSWS	SEE CLM MAP M_815
FOY	0	0	S133784	1	1079 LSWS	SEE CLM MAP M_815
FOY	0	0	S133785	1	1079 LSWS	SEE CLM MAP M_815
FOY	0	0	S133786	1	1079 LSWS	SEE CLM MAP M_815
FOY	0	0	S133787	1	1079 LSWS	SEE CLM MAP M_815
FOY	0	0	S133927	1	1079 LSWS	SEE CLM MAP M_815
FOY	0	0	S133928	1	1079 LSWS	SEE CLM MAP M_815
FOY	0	0	S133929	1	1079 LSWS	SEE CLM MAP M_815
FOY	0	0	S133930	1	1079 LSWS	SEE CLM MAP M_815
FOY	0	0	S133931	1	1079 LSWS	SEE CLM MAP M-815
FOY	0	0	S133932	1	1079 LSWS	SEE CLM MAP M-815
FOY	0	0	S133933	1	1079 LSWS	SEE CLM MAP M-815
FOY	0	0	S133934	1	1079 LSWS	SEE CLM MAP M-815
FOY	0	0	S133935	1	1079 LSWS	SEE CLM MAP M-815
FOY	0	0	S133936	1	1079 LSWS	SEE CLM MAP M-815
FOY	1	3	S37754	1	11388 SWS	PT of BROKEN LOT
FOY	1	3	S37757	1	11389 SWS	PT of BROKEN LOT
FOY	1	3	S37765	1	11390 SWS	PT of BROKEN LOT
FOY	1	3	S37766	1	11382 SWS	PT of BROKEN LOT
FOY	2	3	S37755	1	11378 SWS	PT of BROKEN LOT
FOY	2	3	S37756	1	11379 SWS	PT of BROKEN LOT
FOY	2	3	S37763	1	11380 SWS	PT of BROKEN LOT
FOY	2	3	S37764	1	11381 SWS	PT of BROKEN LOT
FOY	3	3	S37760	1	11385 SWS	PT of BROKEN LOT
FOY	3	3	S37761	1	11386 SWS	PT of BROKEN LOT
FOY	3	3	S37762	1	11387 SWS	PT of BROKEN LOT
FOY	4	3	S37758	1	11383 SWS	PT of BROKEN LOT
FOY	4	3	S37759	1	11384 SWS	PT of BROKEN LOT
HARTY	0	0	S133787	1	1079 LSWS	NE PT TWP MAP-920
TYRONE	0	0	S133782	1	1079 LSWS	SEE CLM MAP M-116
TYRONE	0	0	S133783	1	1079 LSWS	SEE CLM MAP M-116
TYRONE	0	0	S133784	1	1079 LSWS	SEE CLM MAP M-116

Township	Lot No.	Concession	Claim No.	Claim Unit	Parcel No.	Legal Description
TYRONE	0	0	S133785	1	1079 LSWS	SEE CLM MAP M-116
TYRONE	0	0	S133786	1	1079 LSWS	SEE CLM MAP M-116
TYRONE	0	0	S133787	1	1079 LSWS	SEE CLM MAP M-116
TYRONE	0	0	S133788	1	1079 LSWS	SEE CLM MAP M-116
TYRONE	0	0	S133789	1	1079 LSWS	SEE CLM MAP M-116
TYRONE	0	0	S133790	1	1079 LSWS	SEE CLM MAP M-116
TYRONE	0	0	S133791	1	1079 LSWS	SEE CLM MAP M-116
TOTAL				110		
Mining				31		
Lease						
Patented				78		
Unpatented				1		

Claims Subject to the Inco Agreement

Township	Lot No.	Concession	Claim No.	Claim Unit	Parcel No.	Legal Description
FOY			S9620/S9625	1	7330 SWS	Mining Locn WD 247
FOY			S9621/S9628	1	** 7331 SWS	Mining Locn WD 233
FOY			S9618	1	7332 SWS	Mining Locn WD 249
FOY			S9624	1	7333 SWS	Mining Locn WD 248
FOY			S9623	1	7335 SWS	Mining Locn WD 234
FOY			S9617	1	7336 SWS	Mining Locn WD 235
FOY			S10934	1	7495 SWS	
FOY			S10935	1	7499 SWS	
FOY			S10937	1	7500 SWS	
FOY			S10932	1	7501 SWS	
FOY			S9619	1	7521 SWS	
FOY			S9555	1	7522 SWS	
FOY			S9554	1	7523 SWS	
FOY			S9553	1	7524 SWS	
FOY			S9729	1	7525 SWS	
FOY			S9727	1	7526 SWS	
FOY			S9731	1	7527 SWS	
FOY			S9726	1	7528 SWS	
FOY			S9725	1	7529 SWS	
FOY			S10933	1	7530 SWS	
FOY			S9622	1	7531 SWS	
FOY			S9733	1	7532 SWS	
FOY			S11928	1	7533 SWS	
FOY			S11674	1	7534 SWS	
FOY			S11673	1	7535 SWS	
FOY			S11672	1	7536 SWS	
FOY			S11670	1	7537 SWS	
FOY			S11669	1	7538 SWS	
FOY			S11929	1	7539 SWS	
FOY			S11671	1	7540 SWS	
FOY			S9730	1	7541 SWS	
FOY			S11667	1	7542 SWS	
FOY			S10936	1	7543 SWS	
FOY			S34608	1	8844 SWS	
FOY			S34609	1	8846 SWS	
FOY			S34610	1	8847 SWS	
BOWELL			S9626/S9627	1	7334 SWS	Mining Locn WD 232
BOWELL			S31540	1	8850 SWS	
BOWELL			S31541	1	8851 SWS	
BOWELL			S31542	1	8852 SWS	
TOTAL				40		
Mining Lease				0		
Patented				40		

**A portion of this property is located on Howell Township