Rajalakshmi Engineering College

Name: Darshan S

Email: 241801040@rajalakshmi.edu.in

Roll no: 241801040 Phone: 7305911089

Branch: REC

Department: I AI & DS FB

Batch: 2028

Degree: B.E - AI & DS



NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 4_COD_Question 3

Attempt : 1 Total Mark : 10

Marks Obtained: 2.5

Section 1: Coding

1. Problem Statement

Write a program to implement a queue using an array and pointers. The program should provide the following functionalities:

Insert an element into the queue. Delete an element from the queue. Display the elements in the queue.

The queue has a maximum capacity of 5 elements. If the queue is full and an insertion is attempted, a "Queue is full" message should be displayed. If the queue is empty and a deletion is attempted, a "Queue is empty" message should be displayed.

Input Format

Each line contains an integer representing the chosen option from 1 to 3.

Option 1: Insert an element into the queue followed by an integer representing the element to be inserted, separated by a space.

Option 2: Delete an element from the queue.

Option 3: Display the elements in the queue.

Output Format

For option 1 (insertion):-

- 2. "Queue is full." if the queue is already full and cannot accept more elements.

 For option 2 (deletion):-

- 1. The program outputs: "Deleted number is: <data>" if an element is successfully deleted and returns the value of the deleted element.
- 2. "Queue is empty." if the queue is empty no elements can be deleted.

For option 3 (display):-

- 1. The program outputs: "Elements in the gueue are: <element1> <element2> ... <elementN>" where <element1>, <element2>, ..., <elementN> represent the elements present in the queue.
- 2. "Queue is empty." if the queue is empty no elements can be displayed.

For invalid options, the program outputs: "Invalid option."

Refer to the sample output for the formatting specifications.

Sample Test Case

Input: 1 10

```
24,180,1040
                                                     24,180,1040
 Output: 10 is inserted in the queue.
     Elements in the queue are: 10
     Invalid option.
     Answer
     #include <stdio.h>
     #include <stdlib.h>
     #define max 5
                                                                                24,180,1040
     int queue[max];
     int front = -1, rear = -1;
    You are using GCC
 int insertq(int *data)
       if(rear==max-1){
          return 0;
       }else{
          if(front==-1)
          front=0;
          rear++;
return 1;
          queue[rear]=*data;
                                                                                24,180,1040
                                                     24,180,1040
     int delq()
       if(front==-1 || front>rear){
          printf("Queue is empty,\n");
       }else{
          printf("Deleted number is: %d\n",queue[front]);
          front++;
          if(front<rear){</pre>
            front=rear=-1;
ana apragr
                                                                                241801040
                           241801040
                                                     241801040
```

```
24,180,1040
                                                         24,180,1040
     void display()
        if(front==-1 || front>rear){
          printf("Queue is empty,\n");
        }else{
          printf("Elements in the queue are: 10");
          for( int i=front;i<rear;i++){</pre>
            printf("%d",queue[i]);
printf("\n");
                                                                                     24,180,1040
     int main()
        int data, reply, option;
        while (1)
          if (scanf("%d", &option) != 1)
             break;
          switch (option)
741801040 case 1:
               if (scanf("%d", &data) != 1)
                 break;
               reply = insertq(&data);
               if (reply == 0)
                 printf("Queue is full.\n");
                 printf("%d is inserted in the queue.\n", data);
               break;
             case 2:
                           Called without arguments
               delq(); //
               break;
             case 3:
                                                                                     241801040
               display();
               break;
             default:
               printf("Invalid option.\n");
```

break } return 0; } Status: Partial	241801040	241801040	241801049
Status : Partial	ly correct		Marks : 2.5/10
24,180,104,0	24,30,1040	241801040	247807040
241801040	241801040	241801040	241801049