# Calibrating the Sick-Sicker model

### Directed search using Nelder-mead

#### The DARTH workgroup

Developed by the Decision Analysis in R for Technologies in Health (DARTH) workgroup:

Fernando Alarid-Escudero, PhD (1)

Eva A. Enns, MS, PhD (2)

M.G. Myriam Hunink, MD, PhD (3,4)

Hawre J. Jalal, MD, PhD (5)

Eline M. Krijkamp, MSc (3)

Petros Pechlivanoglou, PhD (6)

Alan Yang, MSc (7)

In collaboration of:

- 1. Division of Public Administration, Center for Research and Teaching in Economics (CIDE), Aguas-calientes, Mexico
- 2. University of Minnesota School of Public Health, Minneapolis, MN, USA
- 3. Erasmus MC, Rotterdam, The Netherlands
- 4. Harvard T.H. Chan School of Public Health, Boston, USA
- 5. University of Pittsburgh Graduate School of Public Health, Pittsburgh, PA, USA
- 6. The Hospital for Sick Children, Toronto and University of Toronto, Toronto ON, Canada
- 7. The Hospital for Sick Children, Toronto ON, Canada

Please cite our publications when using this code:

- Alarid-Escudero F, Maclehose RF, Peralta Y, Kuntz KM, Enns EA. Non-identifiability in model calibration and implications for medical decision making. Med Decis Making. 2018; 38(7):810-821.
- Jalal H, Pechlivanoglou P, Krijkamp E, Alarid-Escudero F, Enns E, Hunink MG. An Overview of R in Health Decision Sciences. Med Decis Making. 2017; 37(3): 735-746. https://journals.sagepub.com/doi/abs/10.1177/0272989X16686559

A walkthrough of the code could be found in the follwing link: - https://darth-git.github.io/calibSMDM2018-materials/

Copyright 2017, THE HOSPITAL FOR SICK CHILDREN AND THE COLLABORATING INSTITUTIONS. All rights reserved in Canada, the United States and worldwide. Copyright, trademarks, trade names and any and all associated intellectual property are exclusively owned by THE HOSPITAL FOR Sick CHILDREN and the collaborating institutions. These materials may be used, reproduced, modified, distributed and adapted with proper attribution.

Change eval to TRUE if you want to knit this document.

```
rm(list = ls())  # clear memory (removes all the variables from the workspace)
```

# 00 Calibration Specifications

Model: Sick-Sicker 4-state Markov Model

Inputs to be calibrated: p\_S1S2, hr\_S1, hr\_S2

Targets: Surv, Prev, PropSick

Calibration method: Directed search using Nelder-mead

Goodness-of-fit measure: Sum of Log-Likelihood

# 01 Load packages

```
if (!require('pacman')) install.packages('pacman'); library(pacman) # use this package to conveniently
# load (install if required) packages from CRAN
p_load("lhs", "plotrix", "psych", "scatterplot3d")
# install_github("DARTH-git/darthtools", force = TRUE) Uncomment if there is a newer version
p_load_gh("DARTH-git/darthtools")
```

# 02 Load target data

```
load("SickSicker_CalibTargets.RData")
lst targets <- SickSicker targets</pre>
# Plot the targets
# TARGET 1: Survival ("Surv")
plotrix::plotCI(x = lst targets$Surv$time, y = lst targets$Surv$value,
                ui = lst_targets$Surv$ub,
                li = lst_targets$Surv$lb,
                ylim = c(0, 1),
                xlab = "Time", ylab = "Pr Survive")
# TARGET 2: Prevalence ("Prev")
plotrix::plotCI(x = lst_targets$Prev$time, y = lst_targets$Prev$value,
                ui = lst_targets$Prev$ub,
                li = lst_targets$Prev$lb,
                ylim = c(0, 1),
                xlab = "Time", ylab = "Prev")
# TARGET 3: Proportion who are Sick ("PropSick"), among all those afflicted (Sick+Sicker)
plotrix::plotCI(x = lst targets$PropSick$time, y = lst targets$PropSick$value,
                ui = lst_targets$PropSick$ub,
                li = lst_targets$PropSick$lb,
                ylim = c(0, 1),
                xlab = "Time", ylab = "PropSick")
```

## 03 Load model as a function

```
# - inputs are parameters to be estimated through calibration
# - outputs correspond to the target data

# creates the function run_sick_sicker_markov()
source("SickSicker_MarkovModel_Function.R")

# Check that it works
v_params_test <- c(p_S1S2 = 0.105, hr_S1 = 3, hr_S2 = 10)
run_sick_sicker_markov(v_params_test) # It works!</pre>
```

# 04 Specify calibration parameters

```
# Specify seed (for reproducible sequence of random numbers)
set.seed(072218)

# number of initial starting points
n_init <- 100

# names and number of input parameters to be calibrated
v_param_names <- c("p_S1S2", "hr_S1", "hr_S2")
n_param <- length(v_param_names)

# range on input search space
lb <- c(p_S1S2 = 0.01, hr_S1 = 1.0, hr_S2 = 5) # lower bound
ub <- c(p_S1S2 = 0.50, hr_S1 = 4.5, hr_S2 = 15) # upper bound

# number of calibration targets
v_target_names <- c("Surv", "Prev", "PropSick")
n_target <- length(v_target_names)</pre>
```

## 05 Calibration functions

```
v_GOF[2] <- sum(dnorm(x = lst_targets$Prev$value,</pre>
                       mean = model res$Prev,
                       sd = lst_targets$Prev$se,
                       log = T)
# TARGET 3: "PropSick"
# log likelihood
v_GOF[3] <- sum(dnorm(x = lst_targets$PropSick$value,</pre>
                       mean = model_res$PropSick,
                       sd = lst_targets$PropSick$se,
                       log = T)
# OVERALL
# can give different targets different weights
v_weights <- rep(1,n_target)</pre>
# weighted sum
GOF_overall <- sum(v_GOF[1:n_target] * v_weights)</pre>
# return GOF
return(GOF_overall)
```

#### 06 Calibrate!

```
# record start time of calibration
t_init <- Sys.time()</pre>
### Sample multiple random starting values for Nelder-Mead ###
v_params_init <- matrix(nrow=n_init,ncol=n_param)</pre>
for (i in 1:n param){
 v_params_init[,i] <- runif(n_init,min=lb[i],max=ub[i])</pre>
colnames(v_params_init) <- v_param_names</pre>
### Run Nelder-Mead for each starting point ###
m_calib_res <- matrix(nrow = n_init, ncol = n_param+1)</pre>
colnames(m_calib_res) <- c(v_param_names, "Overall_fit")</pre>
for (j in 1:n_init){
  ### use optim() as Nelder-Mead ###
  fit_nm <- optim(v_params_init[j,], f_gof,
                  control = list(fnscale = -1, # switches from minimization to maximization
                                 maxit = 1000), hessian = T)
 m_calib_res[j,] <- c(fit_nm$par,fit_nm$value)</pre>
  ### to use a simulated annealing instead ###
  # fit_sa <- optim(v_params_init[j,], f_gof,</pre>
                    method = c("SANN"), # switches to using simulated annealing
                    control = list(temp = 10, tmax = 10, # algorithm tuning parameters
  #
                                   fnscale = -1, maxit = 1000),
                   hessian = T)
  # m_calib_res[j,] = c(fit_sa$par,fit_sa$value)
```

```
### to use a genetic algorithm instead ###
# library(DEoptim)
# f_fitness <- function(params){
# names(params) = v_param_names
# return(-f_gof(params))}
# fit_ga = DEoptim(f_fitness, lower=lb, upper=ub)
# m_calib_res[j,] = c(fit_ga$optim$bestmem,-1*fit_ga$optim$bestval)

}
# Calculate computation time
comp_time <- Sys.time() - t_init</pre>
```

# 07 Exploring best-fitting input sets

```
# Arrange parameter sets in order of fit
m_calib_res <- m_calib_res[order(-m_calib_res[,"Overall_fit"]),]</pre>
# Examine the top 10 best-fitting sets
m_calib_res[1:10,]
# Plot the top 10 (top 10%)
scatterplot3d(x = m_calib_res[1:10, 1],
              y = m \text{ calib res}[1:10, 2],
              z = m_{calib_res}[1:10, 3],
              xlim = c(lb[1], ub[1]), ylim = c(lb[2], ub[2]), zlim = c(lb[3], ub[3]),
              xlab = v_param_names[1], ylab = v_param_names[2], zlab = v_param_names[3])
# Pairwise comparison of top 10 sets
pairs.panels(m_calib_res[1:10,v_param_names])
### Plot model-predicted output at best set vs targets ###
v_out_best <- run_sick_sicker_markov(m_calib_res[1,])</pre>
# TARGET 1: Survival ("Surv")
plotrix::plotCI(x = lst_targets$Surv$time, y = lst_targets$Surv$value,
                ui = lst_targets$Surv$ub,
                li = lst_targets$Surv$lb,
                ylim = c(0, 1),
                xlab = "Time", ylab = "Pr Survive")
points(x = lst_targets$Surv$time,
       y = v_out_best$Surv,
       pch = 8, col = "red")
legend("topright",
       legend = c("Target", "Model-predicted output"),
       col = c("black", "red"), pch = c(1, 8))
# TARGET 2: "Prev"
plotrix::plotCI(x = lst_targets$Prev$time, y = lst_targets$Prev$value,
                ui = lst_targets$Prev$ub,
                li = lst_targets$Prev$lb,
                ylim = c(0, 1),
```

```
xlab = "Time", ylab = "Prev")
points(x = lst_targets$Prev$time,
      y = v_out_best$Prev,
       pch = 8, col = "red")
legend("topright",
       legend = c("Target", "Model-predicted output"),
       col = c("black", "red"), pch = c(1, 8))
# TARGET 3: "PropSick"
plotrix::plotCI(x = lst_targets$PropSick$time, y = lst_targets$PropSick$value,
               ui = lst_targets$PropSick$ub,
               li = lst_targets$PropSick$lb,
               ylim = c(0, 1),
               xlab = "Time", ylab = "PropSick")
points(x = lst_targets$PropSick$time,
       y = v_out_best$PropSick,
       pch = 8, col = "red")
legend("topright",
       legend = c("Target", "Model-predicted output"),
       col = c("black", "red"), pch = c(1, 8))
```