

SLD series



SLD 120 degree workstation

Applicable to office staff area

120° wokstation: Included metal legs + side to side connection bar + 120° bench table frame(3 seaters) component

V table top: T=25mm,straight PVC edge,partical board
Fabric desk screen: 12mm MDF covered with fabric, 2mm gap in the middle of the screen,

fabric only select from page 16(small pearl), 4mm Iron bracket with screws

A wires box: Full metal with brush, open in both side, can be used separated

C wires box: Full metal with standard socket hole punching, can be used separated, with screws




120° wokstation for 3 seats: W1200*D600*H725*3 **V table top:** 1200*1200*600*600*T25



120° wokstation for 6 seats: **V table top:** 1200*1200*600*600*T25



120° wokstation for 9 seats: W1200*D600*H725*9 **V table top**: 1200*1200*600*600*T25



SLD single side workstation

Applicable to office staff area

Freestanding table frame(double bar): Included metal legs + side to side connection bar Straight table top: T=25mm,straight PVC edge,partical board Fabric desk screen: 12mm MDF covered with fabric, 2mm gap in the middle of the screen, fabric only select from page 16(small pearl), 4mm Iron bracket with screws A wires box: Full metal with brush, open in both side, can be used separated C wires box: Full metal with standard socket hole punching, can be used separated, with screws



Freestanding table frame (double bar): W1500*D750*H725 Straight table top: W1500*D750*T25




WS3 single side frame (double bar): W1500*D750*H725*3 Straight table top: W1500*D750*T25



WS2 single side frame (double bar): W1500*D750*H725*2 Straight table top: W1500*D750*T25



WS4 single side frame (double bar): W1500*D750*H725*4 Straight table top: W1500*D750*T25



SLD face to face workstation

Applicable to office staff area

Face to face frame: Included metal legs + side to side connection bar Straight table top: T=25mm,PVC 45 degree bevel edge,partical board Fabric desk screen: 12mm MDF covered with fabric, 2mm gap in the middle of the screen, fabric only select from page 16(small pearl), 4mm Iron bracket with screws A wires box: Full metal with brush, open in both side, can be used separated C wires box: Full metal with standard socket hole punching, can be used separated, with screws



WS2 face to face frame: W1500*D1500*H725 Straight table top: W1500*D750*T25




WS6 face to face frame: W1500*D1500*H725*3 Straight table top: W1500*D750*T25



WS4 face to face frame: W1500*D1500*H725*2 Straight table top: W1500*D750*T25



WS8 face to face frame: W1500*D1500*H725*4 Straight table top: W1500*D750*T25



SLD With fixed cabinet

Applicable to office staff area

Face to face frame: Included metal legs + small metal legs + side to side connection bar Straight table top: T=25mm,straight PVC edge,partical board

Fabric desk screen: 12mm MDF covered with fabric, 2mm gap in the middle of the screen, fabric only select from page 16(small pearl), 4mm Iron bracket with screws

A wires box: Full metal with brush, open in both side, can be used separated C wires box: Full metal with standard socket hole punching, can be used separated,

Mobile Pedestal with bevel edge: Full MFC, box + box + filing, front 45 degree bevel cutting, full 16mm particle board, full 1mm PVC edge, full 18 inch push out slider, with adjustor foot. With lock but without handles, Full install packing



with screws

WI2 face to face frame for 2 fixed cabinet: WI500*DI500*H725 Straight table top: WI500*D750*T25



WI6 face to face frame for 6 fixed cabinet: WI500*DI500*H725*3 Straight table top: WI500*D750*T25



WI4 face to face frame for 4 fixed cabinet: WI500*DI500*H725*2 Straight table top: WI500*D750*T25



WI8 face to face frame for 8 fixed cabinet: WI500*DI500*H725*4 Straight table top: WI500*D750*T25



SLD X shape workstation

Applicable to office staff area

WS4 face to face frame: Included 2pcs metal legs + 4pcs side to mid connection bar + 1pcs metal mid leg

Bench workstation return table frame: Included 1pcs metal legs + 1pcs return table connection bar

L table top: T=25mm,straight PVC edge,partical board

Fabric desk screen: 12mm MDF covered with fabric, 2mm gap in the middle of the screen, fabric only select from page 16(small pearl), 4mm Iron bracket with screws A wires box: Full metal with brush, open in both side, can be used separated C wires box: Full metal with standard socket hole punching, can be used separated, with screws



WS4 face to face frame: W1500*D1200*H725*2 Bench workstation return table frame: W600*D1200*H725



SLD conference desk

Applicable to Office conference area

Freestanding table frame(double bar): Included metal legs + side to side connection bar Straight table top: T=25mm,PVC 45 degree bevel edge,partical board A wires box: Full metal with brush, open in both side, can be used separated C wires box: Full metal with standard socket hole punching, can be used separated, with screws

Plastic snake: Plastic



Freestanding table frame (double bar): W1800*D900*H725 Straight table top: W1800*D900*T25



Freestanding table frame (double bar): W2000*D900*H725 Straight table top: W2000*D900*T25



Freestanding table frame (double bar): W2200*D1000*H725 Straight table top: W2200*D1000*T25



Freestanding table frame (double bar): W2400*D1200*H725 Straight table top: W2400*D1200*T25



SLD conference desk

Applicable to Office conference area

Freestanding table frame(double bar): Included metal legs + side to side connection bar Straight table top: T=25mm,PVC 45 degree bevel edge,partical board A wires box: Full metal with brush, open in both side, can be used separated C wires box: Full metal with standard socket hole punching, can be used separated, with screws








Meeting table frame: W3600*D1200*H725 Conference table top: W1800*D1200*T25*2



Meeting table frame: W4200*D1200*H725 Conference table top: W2100*D1200*T25*2





Meeting table frame: W4800*D1200*H725 Conference table top: W1600*D1200*T25*3



Meeting table frame: W6300*D1200*H725 Conference table top: W2100*D1200*T25*3





Freestanding table frame: W1400*D750*H725 Manager return table frame: W900*D600*H725 Straight table top: W1400*D750*T25



Freestanding table frame: W1500*D750*H725 Manager return table frame: W900*D600*H725 Straight table top: W1500*D750*T25



Freestanding table frame: W1600*D750*H725 Manager return table frame: W900*D600*H725 Straight table top: W1600*D750*T25



SLD team leader desk

Applicable to office manager area

Freestanding table frame(double bar): Included metal legs + side to side connection bar Manager return table frame: Included metal legs + return table connection bar Straight table top: T=25mm,straight PVC edge,partical board Modesty Panel(Wood): T=16mm,straight PVC edge,partical board ,metal sheet bracket A wires box: Full metal with brush, open in both side, can be used separated C wires box: Full metal with standard socket hole punching, can be used separated, with screws



Freestanding table frame:
W1800*D900*H725
Manager return table frame:
W1200*D600*H725
Straight table top:
W1800*D900*T25



Freestanding table frame:
W2000*D900*H725
Manager return table frame:
W1200*D600*H725
Straight table top:
W2000*D900*T25



SLD manager desk

Applicable to office manager area

Freestanding table frame(double bar): Included metal legs + side to side connection bar Straight table top: T=25mm,straight PVC edge,partical board

Modesty Panel (Wood): T=16mm, straight PVC edge, partical board, metal sheet bracket A wires box: Full metal with brush, open in both side, can be used separated C wires box: Full metal with standard socket hole punching, can be used separated, with screws

Side cabinet E with bevel edge(open shelf + 3 drawers): (open shelf + 3 drawers)Front and body 45 degree bevel edge, except deviding board is 25mm thick, rest all 16mm thick partical board, full 1mm PVC edge, with 1pcs deviding board, with lock, floating wooden base(45mm height),drawer in 18 inches 3 parts telescopic slides with handle inside for A4 paper tray



Freestanding table frame: W1400*D750*H725 Straight table top: W1400*D750*T25



Freestanding table frame: W1500*D750*H725
Straight table top: W1500*D750*T25



Freestanding table frame: W1600*D750*H725
Straight table top: W1600*D750*T25



Freestanding table frame: W1800*D900*H725 Straight table top: W1800*D900*T25



Freestanding table frame: W2000*D900*H725 Straight table top: W2000*D900*T25

SLD director desk


Applicable to office manager area

WII single side frame for I fixed cabinets (double bar): Included metal legs + small metal legs + side to side connection bar

straight table top: T=25mm,straight PVC edge,partical board

Modesty Panel (Wood): T=16mm, straight PVC edge, partical board, metal sheet bracket A wires box: Full metal with brush, open in both side, can be used separated

C wires box: Full metal with standard socket hole punching, can be used separated, with screws Side cabinet A with bevel edge(open shelf + empty + 2 drawers): (open shelf + empty + 2 drawers) Front and body 45 degree bevel edge, except deviding board is 25mm thick, rest all 16mm thick partical board, full 1mm PVC edge, with 1pcs deviding board, with lock, floating wooden base (45mm height),drawer in 18 inches 3 parts telescopic slides with handle inside for A4 paper tray





WI1 single side frame for 1 fixed cabinets: WI400*D750*H725 Straight table top: WI400*D750*T25



WII single side frame for I fixed cabinets: WI500*D750*H725 Straight table top: WI500*D750*T25



WII single side frame for 1 fixed cabinets: WI600*D750*H725 Straight table top: WI600*D750*T25



WII single side frame for I fixed cabinets: WI800*D900*H725 Straight table top: WI800*D900*T25



WII single side frame for I fixed cabinets: W2000*D900*H725 Straight table top: W2000*D900*T25



SLD CEO desk

Applicable to office manager area

Manager desk frame with Support box: Included metal legs + bevel metal box + side to side connection bar

Straight table top: T=25mm,straight PVC edge,partical board

Modesty Panel (Wood): T=16mm, straight PVC edge, partical board, metal sheet bracket A wires box: Full metal with brush, open in both side, can be used separated C wires box: Full metal with standard socket hole punching, can be used separated, with screws

Side cabinet GM with bevel edge(single sliding + 2 drawers + single swing door): (single sliding + 2 drawers + single swing door)Front and body 45 degree bevel edge, except deviding board is 25mm thick, rest all 16mm thick partical board, full 1mm PVC edge, with 1pcs deviding board, with lock, floating wooden base(60mm height),drawer in 18 inches 3 parts telescopic slides with handle inside for A4 paper tray,swing door with handles and lock



Manager desk frame with Support box: W1800*D900*H725 Straight table top: W1800*D900*T25



Manager desk frame with Support box: W2000*D900*H725 Straight table top: W2000*D900*T25



Manager desk frame with Support box: W2200*D900*H725 Straight table top: W2200*D900*T25



Manager desk frame with Support box: W2400*D1000*H725 Straight table top: W2400*D1000*T25

Fabric color





Table top color





Table leg color

