

**M&W Office pod**



# S

## MW-pw-n-39

(Price includes furniture)

Capacity: 

### Product Size:

Appearance size:  
W1080mm(42.51")x D1000mm(39.4")x H2326mm(91.61")  
Empty size:  
W942mm(37.11")x D960mm(37.8")x H2146mm(84.51")  
Floor space: 1m<sup>2</sup>(10.76 sq.ft)

### NET Weight (KG):

Office pod: 265KG      Chair: 16KG

### Gross Weight (KG):

Office pod: 295KG      Chair: 21KG

### Package:

Office pod: 1pcs / 1carton      Chair: 1pcs / 1carton

### Package Size:

Office pod: W2320xD580xH1265  
Packaging includes working table  
Chair: 720x150x270  
Kraft box

### Material description:

Premium version:

Main frame: 6063-T6 Alluminum alloy,electrostatic powder coating with DuPont thermosetting polymer powder

Side wall: PVC film+1mm galvanized steel sheet+PET acoustic felt+1mm galvanized steel sheet (Outside to inside)

Glass: 5+5mm laminated tempered Glass, edge with screen print

Carpet: Nylon fiber carpet with PET felt based

Interior wall panel: 12mm PET felt acoustic board + Polyester fabric

Ventilation: 5 minutes auto-exchange in every 30 mins for vacancy

Lighting: LED strap-shape lamp, strength and temperature adjustable


Rotary dimmer panel: Alluminum anodized exterior, tact button to switch function and close, rotate the knob to adjust, power button to switch off fan and lamp, long press to turn on full manual model when all off.

Power adapter: Wide input range 100~305VAC, 24V output, Maximum power 100~150W.

Power outlet-AC: 5 Hole universal outlet×2 (Multi-type outlet available), Rated current: 10A, Rated power: 1100w/110v,2400w/240v.

Supporting furniture:including 1 L-shape table and 1 Pneumatic adjustable stool

### Furniture included:





# M

## MW-pw-n-40

(Price includes furniture)

Capacity: 

### Product Size:

Appearance size:

W1600mm(63")xD1375mm(54.11")x"H2326mm(91.6")

Empty size:

W1462mm(57.6")x"D1335mm(52.6")x"H2146mm(84.5")

Floor space: 2.2m<sup>2</sup>(23.68 sq.ft)

**NET Weight (KG):** Chair: 20KG

**Gross Weight (KG):** Chair: 25KG

### Package:

Office pod: 1pcs/1carton

Chair: 1pcs/1carton

### Package Size:

Office pod:

W2320xD900xH1265

Packaging includes working table

Chair: 620x620x490

1pcs/1carton

Kraft box



### Furniture included:



### Material description:

Premium version:

Main frame: 6063-T6 Alluminum alloy,electrostatic powder coating with DuPont thermosetting polymer powder

Side wall: PVC film+1mm galvanized steel sheet+PET acoustic felt+1mm galvanized steel sheet (Outside to inside)

Glass: 5+5mm laminated tempered Glass, edge with screen print

Carpet: Nylon fiber carpet with PET felt based

Interior wall panel: 12mm PET felt acoustic board + Polyester fabric

Ventilation: 5 minutes auto-exchange in every 30 mins for vacancy

Lighting: LED strap-shape lamp, strength and temperature adjustable

Rotary dimmer panel: Alluminum anodized exterior, tact button to switch function and close, rotate the knob to adjust, power button to switch off fan and lamp, long press to turn on full manual model when all off.

Power adapter: Wide input range 100~305VAC, 24V output, Maximum power 100~150W.

Power outlet-AC: 5 Hole universal outlet×2 (Multi-type outlet available), Rated current: 10A, Rated power: 1100w/110v,2400w/240v.

Supporting furniture:including 1 Working table and 1 Swivel armchair





#### Material description:

Premium version: aluminum frame, 5+5 ultra-white laminate glass, PET acoustic felt board with fabric wrapped, 220V+usb power supply, cetrifugal fan for air intaking, adjustable in fan speed, light strength and light temperature, concealed door closer. Interior and exterior color option

Supporting furniture:including 1 Trapezoidal coffee Table and 2 Couch



#### Furniture included:



# SL

## MW-pw-n-41

(Price includes furniture)

Capacity: 

#### Product Size:

Appearance size:

W2300mm(90.6")x"D966mm(38")x"H2326mm(91.6")

Empty size:

W2162mm(85.11")x"D926mm(365")x"H2146mm(84.5")

Floor space: 2.2m<sup>2</sup>(23.68 sq.ft)

**NET Weight (KG):** Sofa: 40KG

**Gross Weight (KG):** Sofa: 50KG

#### Package:

Office pod: 1pcs/1carton

Sofa: 2pcs/1carton

#### Package Size:

Office pod:

W2320xD900xH1265

Packaging includes trapezoidal coffee table

Sofa: 835x765x466

2pcs/1carton





# L MW-pw-n-42

(Price includes furniture)

Capacity: 

## Product Size:

Appearance size:

W2300mm(90.6")xD1785mm(70.3")xH2326mm(91.6")

Empty size:

W2162mm(85.1")xD1745mm(68.7")xH2146mm(84.5")

Floor space: 2.2m<sup>2</sup>(23.68 sq.ft)

## NET Weight (KG):

Office pod: 667KG      Sofa: 75KG

## Gross Weight (KG):

Office pod: 697KG      Sofa: 85KG

## Package:

Office pod: 1pcs/1carton      Sofa: 2pcs/1carton

## Package Size:

Office pod:

W2320xD1140xH1265

Packaging includes meeting table

Sofa: 1700x765x466

2pcs/1carton



## Furniture included:



## Material description:

Premium version:

Main frame: 6063-T6 Alluminum alloy,electrostatic powder coating with DuPont thermosetting polymer powder

Side wall: PVC film+1mm galvanized steel sheet+PET acoustic felt+1mm galvanized steel sheet (Outside to inside)

Glass: 5+5mm laminated tempered Glass, edge with screen print

Carpet: Nylon fiber carpet with PET felt based

Interior wall panel: 12mm PET felt acoustic board + Polyester fabric

Ventilation: 5 minutes auto-exchange in every 30 mins for vacancy

Lighting: LED strap-shape lamp, strength and temperature adjustable

Rotary dimmer panel: Alluminum anodized exterior, tact button to switch function and close, rotate the knob to adjust, power button to switch off fan and lamp, long press to turn on full manual model when all off.

Power adapter: Wide input range 100~305VAC, 24V output, Maximum power 100~150W.

Power outlet-AC: 5 Hole universal outlet×2 (Multi-type outlet available), Rated current: 10A, Rated power: 1100w/110v,2400w/240v.

Supporting furniture:including 1 Meeting table and 2 Couch





#### Material description:

Premium version:

Main frame: 6063-T6 Alluminum alloy,electrostatic powder coating with DuPont thermosetting polymer powder

Side wall: PVC film+1mm galvanized steel sheet+PET acoustic felt+1mm galvanized steel sheet (Outside to inside)

Glass: 5+5mm laminated tempered Glass, edge with screen print

Carpet: Nylon fiber carpet with PET felt based

Interior wall panel: 12mm PET felt acoustic board + Polyester fabric

Ventilation: 5 minutes auto-exchange in every 30 mins for vacancy

Lighting: LED strap-shape lamp, strength and temperature adjustable

Rotary dimmer panel: Alluminum anodized exterior, tact button to switch function and close, rotate the knob to adjust, power button to switch off fan and lamp, long press to turn on full manual model when all off.

Power adapter: Wide input range 100~305VAC, 24V output, Maximum power 100~150W.

Power outlet-AC: 5 Hole universal outlet×2 (Multi-type outlet avalible), Rated current: 10A, Rated power: 1100w/110v,2400w/240v.

Supporting furniture: including 1 Meeting table and 6 chairs



#### Furniture included:



# XL

## MW-pw-n-43

(Price includes furniture)

Capacity:

#### Product Size:

Appearance size:

W2600mm(102.4")xD2487mm(97.6")xH2326mm(91.6")

Empty size:

W2462mm(96.9")xD2447mm(96.3")xH2146mm(84.5")

Floor space: 6.8m<sup>2</sup>(73.19 sq.ft)

**NET Weight (KG):** Chair: 22KG

**Gross Weight (KG):** Chair: 27KG

#### Package:

Office pod: 2pcs/1carton

Chair: 1pcs/1carton

#### Package Size:

Office pod:

W2600xD760xH1265+

W2320xD1140xH1265

Packaging includes meeting table

Chair: 600x590x600

1pcs/1carton

Kraft box







soft pad interior

# SP

## MW-pw-n-44

(Price includes furniture)


Capacity:

**Product Size:**  
Appearance size:  
W1080mm(42.51")x D1000mm(39.4")x H2326mm(91.61")  
Empty size:  
W942mm(37.11")x D960mm(37.8")x H2146mm(84.51")  
Floor space: 1m²(10.76 sq.ft)

**NET Weight (KG):** Chair: 16KG  
**Gross Weight (KG):** Chair: 21KG  
**Package:**  
Office pod: 1pcs/1carton      Chair: 1pcs/1carton

**Package Size:**  
Office pod:  
W2320xD900xH1265 Packaging includes accent table  
Chair: 720x150x270  
1pcs/1carton  
Kraft box

Furniture included:



**Material description:**  
Premium version:  
Main frame: 6063-T6 Alluminum alloy,electrostatic powder coating with DuPont thermosetting polymer powder  
Side wall: PVC film+1mm galvanized steel sheet+PET acoustic felt+1mm galvanized steel sheet (Outside to inside)  
Glass: 5+5mm laminated tempered Glass, edge with screen print  
Carpet: Nylon fiber carpet with PET felt based  
Interior wall panel: Plywood board, PU sponge, Polyester fabric, steel frame  
Ventilation: 5 minutes auto-exchange in every 30 mins for vacancy  
Lighting: LED strap-shape lamp, strength and temperature adjustable  
Rotary dimmer panel: Alluminum anodized exterior, tact button to switch function and close, rotate the knob to adjust, power button to switch off fan and lamp, long press to turn on full manual model when all off .  
Power adapter: Wide input range 100~305VAC, 24V output, Maximum power 100~150W.  
Power outlet-AC: 5 Hole universal outlet×2 (Multi-type outlet available), Rated current: 10A, Rated power: 1100w/110v,2400w/240v.

Supporting furniture:including 1 Accent table and 1 Pneumatic adjustable stool



soft pad interior

# LP

## MW-pw-n-45

(Price includes furniture)

Capacity: 

**Product Size:**

Appearance size:

W2300mm(90.6)x"D1785mm(70.3)x"H2326mm(91.6)

Empty size:

WV2162mm(85.1)x"D1745mm(68.7)x"H2146mm(84.5)

Floor space: 2.2m<sup>2</sup>(23.68 sq.ft)

**Package:**

Office pod: 2pcs/1carton

**Package Size:**

Office pod:

W2320xD1140xH1265+

W2320xD1140xH1265

Packaging includes meeting table and Upholstered furniture

**Furniture included:**



**Material description:**

Premium version:

Main frame: 6063-T6 Alluminum alloy,electrostatic powder coating with DuPont thermosetting polymer powder

Side wall: PVC film+1mm galvanized steel sheet+PET acoustic felt+1mm galvanized steel sheet (Outside to inside)

Glass: 5+5mm laminated tempered Glass, edge with screen print

Carpet: Nylon fiber carpet with PET felt based

Interior wall panel: Plywood board, PU sponge, Polyester fabric, steel frame

Ventilation: 5 minutes auto-exchange in every 30 mins for vacancy

Lighting: LED strap-shape lamp, strength and temperature adjustable

Rotary dimmer panel: Alluminum anodized exterior, tact button to switch function and close, rotate the knob to adjust, power button to switch off fan and lamp, long press to turn on full manual model when all off.

Power adapter: Wide input range 100~305VAC, 24V output, Maximum power 100~150W.

Power outlet-AC: 5 Hole universal outlet×2 (Multi-type outlet available), Rated current:

10A, Rated power: 1100w/110v,2400w/240v.

Supporting furniture:including 1 Meeting table and Upholstered furniture







Interior - Fabric

 DK-82	 DK-86 Furniture standard
 HY-5003	 DK-12
 HY-5019	 DK-63
 DK-88	 DK-53
 DK-68	 HY-5005
 DK-58	 HY-5021
 HY-5012	 DK-22
 HY-5028	 DK-48
 HY-5014	 DK-40
 HY-5032	 DK-43



Exterior Cladding - Powder coating & Vynle film

 S-01	 S-02
 S-06	 S-07
 S-04	 S-05
 S-08 For side wall only	 S-09

Interior material - PET acoustic felt

 LY-803	 LY-817
 PC2002	 PB2024





**Web:** [mwworkstation.com](http://mwworkstation.com)

**Mail:** [robbor@mwworkstation.com](mailto:robbor@mwworkstation.com)

**Tel:** +86 13695211636

**WhatsApp:** +8613695211636

**Add:** NO.3 Xingye North Road Dawotang  
Industrial District Shishan Nanhai Foshan  
City Guangdong P.R China



WhatsApp

rob  
bor  
@  
mww  
ork  
sta  
tio  
n