Table of Contents

What is CloudFormation? ... 1
Simplify infrastructure management ... 1
Quickly replicate your infrastructure ... 1
Easily control and track changes to your infrastructure ... 2
Getting started with CloudFormation ... 2
Related information ... 2
Getting started ... 3
How CloudFormation works ... 3
Key concepts ... 3
How CloudFormation works ... 7
Ways to get started with CloudFormation ... 10
Signing up for an AWS account ... 10
Sign up for an AWS account ... 11
Create a user with administrative access ... 11
Creating your first stack ... 13
Prerequisites ... 13
Create a CloudFormation stack with the console ... 14
Monitor stack creation ... 17
Test the web server ... 19
Troubleshooting ... 19
Clean up ... 20
Next steps ... 21
Best practices ... 22
Shorten the feedback loop to improve development velocity ... 23
Organize your stacks by lifecycle and ownership ... 24
Use cross-stack references to return the value of an output exported by another stack ... 25
Use CloudFormation StackSets for multi-account and multi-region deployments ... 25
Verify quotas for all resource types ... 25
Reuse templates to replicate stacks in multiple environments ... 26
Use modules to reuse resource configurations ... 26
Adopt infrastructure as code practices ... 27
Don't embed credentials in your templates ... 27
Use AWS-specific parameter types ... 27
Use parameter constraints ... 28

Use pseudo parameters to promote portability ... 28
Use `AWS::CloudFormation::Init` to deploy software applications on Amazon EC2 instances ... 29
Use the latest helper scripts ... 29
Validate templates before using them ... 29
Validate templates for organization policy compliance ... 30
Using YAML or JSON for template authoring ... 30
Implement a comprehensive tagging strategy ... 31
Leverage template macros for advanced transformations ... 31
Manage all stack resources through CloudFormation ... 32
Create change sets before updating your stacks ... 32
Use stack policies to protect resources ... 32
Use AWS CloudTrail to log CloudFormation calls ... 33
Use code reviews and revision controls to manage your templates ... 33
Update your Amazon EC2 instances regularly ... 33
Use drift detection regularly ... 33
Configure rollback triggers for automatic recovery ... 34
Implement effective stack refactoring strategies ... 34
Use CloudFormation Hooks for lifecycle management ... 34
Use IaC Generator to create templates from existing resources ... 35
Use AWS Infrastructure Composer for visual template design ... 35
Consider using AWS Cloud Development Kit (AWS CDK) for complex infrastructure ... 36
Use IAM to control access ... 36
Apply the principle of least privilege ... 37
Secure sensitive parameters ... 37
Implement policy as code with AWS CloudFormation Guard ... 37
Working with templates ... 39
Where templates get stored ... 40
Validating templates ... 40
Getting started with templates ... 2
Plan to use the CloudFormation template reference ... 41
Sample templates ... 42
Template format ... 42
Template structure ... 43
Comments ... 45
Specifications ... 45

Learn more ... 46
Using regular expressions ... 46
Template sections ... 47
Resources ... 49
Parameters ... 57
Outputs ... 70
Mappings ... 76
Metadata ... 84
Rules ... 90
Conditions ... 110
Transform ... 122
Format version ... 123
Description ... 123
Infrastructure Composer ... 124
Why use Infrastructure Composer in CloudFormation console mode? ... 124
How is this mode different than the Infrastructure Composer console? ... 125
AWS CloudFormation language server ... 125
IDEs integrating with the AWS CloudFormation language server ... 126
Getting started ... 126
Initializing a CloudFormation project in the IDE ... 132
Open source ... 133
Need help? ... 134
IaC generator ... 134
Considerations ... 135
Permissions ... 136
Commonly used commands ... 136
Migrate a template to the AWS CDK ... 137
Start a resource scan ... 137
View the scan summary ... 142
Create a template from scanned resources ... 143
Create a stack from scanned resources ... 148
Resolve write-only properties ... 149
Get values stored in other services ... 154
General considerations ... 155
Get Systems Manager plaintext value ... 156
Get Systems Manager secure string ... 159

Get Secrets Manager value ... 163
Get AWS values ... 167
Syntax ... 167
Available pseudo parameters ... 168
Examples ... 170
Get stack outputs ... 174
Exporting stack output values versus using nested stacks ... 174
Considerations ... 175
Listing exported output values ... 175
Listing stacks that import an exported output value ... 176
Specify existing resources at runtime ... 177
Overview ... 178
Example ... 179
Considerations ... 182
Supported AWS-specific parameter types ... 183
Supported Systems Manager parameter types ... 185
Unsupported Systems Manager parameter types ... 185
Walkthroughs ... 186
Refer to resource outputs in another CloudFormation stack ... 187
Deploy applications on Amazon EC2 ... 191
Update a stack ... 201
Create a scaled and load-balanced application ... 218
Peer with a VPC in another account ... 231
Perform ECS blue/green deployments ... 242
Template snippets ... 265
General ... 267
Auto scaling ... 277
AWS Billing Console ... 309
CloudFormation ... 313
CloudFront ... 320
CloudWatch ... 332
CloudWatch Logs ... 338
DynamoDB ... 372
Amazon EC2 ... 376
Amazon ECS ... 413
Amazon EFS ... 436

Elastic Beanstalk ... 461
Elastic Load Balancing ... 466
IAM ... 471
AWS Lambda ... 489
Amazon Redshift ... 495
Amazon RDS ... 505
Route 53 ... 514
Amazon S3 ... 522
Amazon SNS ... 531
Amazon SQS ... 531
Amazon Timestream ... 532
Windows-based stacks ... 561
Bootstrapping Windows stacks ... 562
Use CloudFormation-supplied resource types ... 569
Custom resources ... 571
Template macros ... 616
Nested stacks ... 633
Wait conditions ... 639
Create reusable resource configurations with modules ... 646
Considerations when using modules ... 647
Understand module versioning ... 648
Use modules in a template ... 649
Use parameters to specify module values ... 650
Reference module resources ... 653
Creating and managing stacks ... 655
Interfaces for managing your stacks ... 656
Create a stack ... 657
Creating a stack ... 658
Configure stack options ... 661
Preview the configuration of your stack ... 663
View stack information ... 664
Update your stack template ... 666
Understand update behaviors of stack resources ... 668
Update stacks using change sets ... 670
Create a change set ... 672
View a change set ... 677

Drift-aware change sets ... 686
Execute a change set ... 691
Delete a change set ... 694
Example change sets ... 695
Change sets for nested stacks ... 708
Validate stack deployments ... 714
How pre-deployment validation works ... 715
Considerations ... 715
Prerequisites ... 716
Validate a stack deployment (console) ... 716
Validate a stack deployment (AWS CLI) ... 717
Validation types ... 718
Resource limitations ... 719
Update stacks directly ... 733
Cancel a stack update ... 736
To cancel a stack update (console) ... 737
To cancel a stack update (AWS CLI) ... 737
Delete a stack ... 737
Related resources ... 739
View deleted stacks ... 739
Monitor stack progress ... 740
View stack events ... 741
View stack events by operation ... 749
View stack deployment timeline graph ... 753
Understand stack creation events ... 756
Monitor stack updates ... 758
Continue rolling back an update ... 760
Determine the cause of a stack failure ... 764
Stack failure options ... 765
Roll back your stack on alarm breach ... 775
Add rollback triggers during stack creation or updating ... 776
Add rollback triggers to a change set ... 777
View rollback triggers for a stack ... 777
View rollback triggers for a change set ... 778
Detect unmanaged configuration changes to stacks and resources ... 778
What is drift? ... 779

Drift detection status codes ... 780
Considerations when detecting drift ... 782
Detect drift on an entire CloudFormation stack ... 784
Detect drift on individual stack resources ... 790
Resolve drift with an import operation ... 794
Import AWS resources ... 804
Manually import AWS resources ... 805
Automatically import AWS resources ... 842
Reverting an import operation ... 844
Stack refactoring ... 849
How stack refactoring works ... 849
Stack refactoring considerations ... 850
Prerequisites ... 851
Refactor stacks (console) ... 851
Refactor stacks (AWS CLI) ... 852
Resource limitations ... 857
Resource type support ... 861
Use quick-create links to create CloudFormation stacks ... 1049
URL format ... 1049
Example ... 1050
Creating a stack using a quick-create link ... 1051
Example commands for the AWS CLI and PowerShell ... 1052
CancelUpdateStack ... 1053
ContinueUpdateRollback ... 1054
CreateStack ... 1055
Deploy ... 1059
DeleteStack ... 1060
DescribeStackEvents ... 1061
DescribeStackResource ... 1063
DescribeStackResources ... 1064
DescribeStacks ... 1067
GetTemplate ... 1071
ListStackResources ... 1073
ListStacks ... 1074
UpdateStack ... 1076
ValidateTemplate ... 1080

Upload local artifacts to an S3 bucket ... 1083
Managing stacks with StackSets ... 1087
StackSets concepts ... 1088
Administrator and target accounts ... 1089
CloudFormation StackSets ... 1089
Permission models for StackSets ... 1089
Stack instances ... 1090
StackSet operations ... 1091
StackSet operation options ... 1092
Tags ... 1094
StackSets status codes ... 1094
Stack instance status codes ... 1095
Prerequisites ... 1097
Enable AWS Regions that are disabled by default ... 1097
Grant self-managed permissions ... 1098
Activate trusted access ... 1115
Get started using a sample template ... 1120
Prerequisites ... 1120
Create a StackSet with a sample template from the console ... 1121
Monitor StackSet creation ... 1123
View StackSet results ... 1124
Update your StackSet ... 1124
Add stacks to your StackSet ... 1125
Clean up ... 1126
Next steps ... 1127
Create StackSets (self-managed permissions) ... 1128
Create a StackSet with self-managed permissions (console) ... 1128
Create a StackSet with self-managed permissions (AWS CLI) ... 1130
Create StackSets (service-managed permissions) ... 1132
Considerations ... 1132
Create a StackSet with service-managed permissions (console) ... 1133
Create a StackSet with service-managed permissions (AWS CLI) ... 1135
Enable-disable automatic deployments ... 1139
How automatic deployments work ... 1140
Considerations ... 1140
Enable or disable automatic deployments (console) ... 1141

Enable or disable automatic deployments (AWS CLI) ... 1141
Update StackSets ... 1142
Update your StackSet (console) ... 1142
Update your StackSet (AWS CLI) ... 1144
Add stacks to StackSets ... 1146
Add stacks to a StackSet (console) ... 1146
Add stacks to a StackSet (AWS CLI) ... 1148
Override parameters on stacks ... 1149
Override parameters on stacks (console) ... 1149
Override parameters on stacks (AWS CLI) ... 1151
Delete stacks from StackSets ... 1152
Delete stacks from your StackSet (console) ... 1153
Delete stacks from your StackSet (AWS CLI) ... 1155
Delete StackSets ... 1156
Delete a StackSet (console) ... 1156
Delete a StackSet (AWS CLI) ... 1157
Delete service roles (optional) ... 1157
Target account gates ... 1158
Requirements ... 1159
CloudFormation templates for creating Lambda functions ... 1160
Choose the Concurrency Mode ... 1160
How each Concurrency Mode works ... 1161
Choosing between Strict failure tolerance and Soft failure tolerance based on deployment speed ... 1163
Choosing your Concurrency Mode (console) ... 1165
Choosing your Concurrency Mode (AWS CLI) ... 1166
Detecting drift on StackSets ... 1167
How CloudFormation performs drift detection on a StackSet ... 1167
Detect drift on a StackSet (console) ... 1168
Detect drift on a StackSet (AWS CLI) ... 1169
Stopping drift detection on a StackSet ... 1176
Import stacks into StackSets ... 1177
Self-managed stack import ... 1177
Service-managed stack import ... 1181
Revert stack imports ... 1186
Best practices ... 1186

Defining the template ... 1187
Creating or adding stacks to the StackSet ... 1187
Updating stacks in a StackSet ... 1188
Sample templates ... 1188
Troubleshooting ... 1190
Common reasons for stack operation failure ... 1190
Retrying failed stack creation or update operations ... 1191
Stack instance deletion fails ... 1192
Stack import operation fails ... 1192
Stack instance failure count for StackSets operations ... 1192
Syncing stacks with Git source code ... 1199
How Git sync works ... 1200
How Git sync works ... 1200
Comments on pull requests ... 1201
Stack deployment file ... 1202
CloudFormation template file ... 1203
Template definition repository ... 1203
Prerequisites ... 1203
Git repository ... 1204
CloudFormation template ... 1204
Git sync service role ... 1204
IAM permissions for console users ... 1207
Create a stack from repository source code ... 1210
Create a stack from repository source code ... 1211
Update your stack from your Git repository ... 1213
Enable comments on pull requests ... 1214
Status dashboard ... 1214
Git sync status ... 1215
Latest sync events ... 1216
Supported stack states ... 1216
Managing extensions with the CloudFormation registry ... 1220
Related documentation ... 1220
Concepts ... 1221
Extension types ... 1221
Public extensions ... 1222
Activated extensions ... 1222

View the available and activated extensions ... 1223
Public extensions ... 1224
IAM role ... 1225
Automatically use new versions of extensions ... 1227
Use aliases to refer to extensions ... 1228
Commonly used AWS CLI commands for working with public extensions ... 1228
Activate a public extension ... 1229
Update a public extension ... 1233
Deactivate public extensions ... 1234
Private extensions ... 1235
IAM permissions ... 1236
Commonly used AWS CLI commands for working with private extensions ... 1236
Register a private extension ... 1236
Deregister private extensions ... 1239
Edit configuration data for extensions ... 1240
Permissions required to use dynamic references ... 1241
Edit configuration data for an extension (console) ... 1241
Edit configuration data for an extension (AWS CLI) ... 1242
Record resource types in AWS Config ... 1243
Preventing sensitive properties being recorded in a configuration item ... 1244
Continuous delivery ... 1245
Walkthrough: Building a pipeline for test and production stacks ... 1245
Prerequisites ... 1246
Walkthrough overview ... 1246
Step 1: Edit the artifact and upload it to an S3 Bucket ... 1247
Step 2: Create the pipeline stack ... 1249
Step 3: View the WordPress stack ... 1254
Step 4: Clean up resources ... 1255
See also ... 1256
Configuration properties reference ... 1256
Configuration properties (console) ... 1256
Configuration properties (JSON object) ... 1259
See also ... 1264
CloudFormation artifacts ... 1264
Stack template file ... 1265
Template configuration file ... 1265

See also ... 1266
Using parameter override functions with CodePipeline pipelines ... 1267
`Fn::GetArtifactAtt` ... 1267
`Fn::GetParam` ... 1269
See also ... 1271
Template Reference Guide ... 1272
Security ... 1273
Protect stacks from being deleted ... 1274
Controlling who can change termination protection on stacks ... 1275
Prevent updates to stack resources ... 1276
Example stack policy ... 1277
Defining a stack policy ... 1278
Setting a stack policy ... 1282
Updating protected resources ... 1283
Modifying a stack policy ... 1286
More example stack policies ... 1287
Data protection ... 1291
Encryption at rest ... 1292
Encryption in transit ... 1292
Internetwork traffic privacy ... 1292
Control access with IAM ... 1292
Defining IAM identity-based policies for CloudFormation ... 1293
Acknowledging IAM resources in CloudFormation templates ... 1302
Managing credentials for applications running on Amazon EC2 instances ... 1303
Granting temporary access (federated access) ... 1303
Identity-based policy examples ... 1305
AWS managed policies ... 1312
CloudFormation service role ... 1315
Cross-service confused deputy prevention ... 1316
FAS requests and permission evaluation ... 1318
Logging API calls ... 1320
CloudFormation information in CloudTrail ... 1321
Understanding CloudFormation log file entries ... 1322
Infrastructure security ... 1326
Resilience ... 1326
Compliance validation ... 1327

Configuration and vulnerability analysis ... 1327
Security best practices ... 1327
Use IAM to control access ... 1328
Do not embed credentials in your templates ... 1328
Use AWS CloudTrail to log CloudFormation calls ... 1328
AWS PrivateLink ... 1329
Considerations for CloudFormation VPC endpoints ... 1329
Creating an interface VPC endpoint for CloudFormation ... 1330
Creating a VPC endpoint policy for CloudFormation ... 1331
Monitoring with EventBridge ... 1333
CloudFormation and Git sync events overview ... 1334
Permissions ... 1335
Creating a custom event pattern ... 1336
Events detail reference ... 1337
Resource Status Change ... 1338
Stack Status Change ... 1340
Drift Detection Status Change ... 1342
StackSet Status Change ... 1345
StackSet Stack Instance Status Change ... 1346
StackSet Operation Status Change ... 1349
Repository Sync Status Change ... 1351
Resource Sync Status Change ... 1354
Quotas ... 1357
Feature availability ... 1365
StackSets and macros ... 1365
Troubleshooting ... 1366
Troubleshooting guide ... 1366
Troubleshooting errors ... 1367
Delete stack fails ... 1368
Dependency error ... 1369
AWS Config and AWS Systems Manager conflicts ... 1369
Error parsing parameter when passing a list ... 1369
Insufficient IAM permissions ... 1370
Invalid value or unsupported resource property ... 1370
Quota exceeded ... 1370
Nested stacks rollback failure ... 1371

No updates to perform ... 1371
Resource failed to stabilize during a create, update, or delete stack operation ... 1371
Security group does not exist in VPC ... 1372
Update rollback failed ... 1372
Wait condition didn't receive the required number of signals from an Amazon EC2 instance ... 1374
Resource removed from stack but not deleted ... 1375
Contacting support ... 1375
Troubleshooting with Amazon Q ... 1377
Features ... 1377
How it works ... 1377
Pricing ... 1378
Regional availability ... 1378
Limitations ... 1378
Document history ... 1379
Archived updates ... 1404