Listings

1.1 Revisiting running a basic Docker container 1
1.2 Listing Docker images 4
1.3 Pulling the Ubuntu 18.04 image 6
1.4 Listing the ubuntu Docker images 6
1.5 Running a tagged Docker image 7
1.6 Docker run and the default latest tag 9
1.7 Pulling the fedora image 9
1.8 Viewing the fedora image 10
1.9 Pulling a tagged fedora image 10
1.10 Searching for images 11
1.11 Pulling down the jamtur01/puppetmaster image 12
1.12 Creating a Docker container from the puppetmaster image 12
1.13 Logging into the Docker Hub 14
1.14 Creating a custom container to modify 15
1.15 Adding the Apache package 15
1.16 Committing the custom container 16
1.17 Reviewing our new image 16
1.18 Committing another custom container 17
1.19 Inspecting our committed image 17
1.20 Running a container from our committed image 18
1.21 Creating a sample repository 19
1.22 Our first Dockerfile 19

1.23 A RUN instruction in exec form 21
1.24 Running the Dockerfile 23
1.25 Tagging a build 24
1.26 Building from a Git repository 24
1.27 Uploading the build context to the daemon 25
1.28 Managing a failed instruction 26
1.29 Creating a container from the last successful step 26
1.30 Bypassing the Dockerfile build cache 27
1.31 A template Ubuntu Dockerfile 28
1.32 A template Fedora Dockerfile 28
1.33 Listing our new Docker image 29
1.34 Using the docker history command 29
1.35 Launching a container from our new image 30
1.36 Viewing the Docker port mapping 31
1.37 The docker port command 31
1.38 The docker port command with container name 31
1.39 Exposing a specific port with -p 32
1.40 Binding to a different port 32
1.41 Binding to a specific interface 32
1.42 Binding to a random port on a specific interface 33
1.43 Exposing a port with docker run 33
1.44 Connecting to the container via curl 34
1.45 Specifying a specific command to run 35
1.46 Using the CMD instruction 35
1.47 Passing parameters to the CMD instruction 35
1.48 Overriding CMD instructions in the Dockerfile 36
1.49 Launching a container with a CMD instruction 36
1.50 Overriding a command locally 37
1.51 Specifying an ENTRYPOINT 38
1.52 Specifying an ENTRYPOINT parameter 38
1.53 Rebuilding static_web with a new ENTRYPOINT 38

1.54 Using docker run with ENTRYPOINT 39
1.55 Using ENTRYPOINT and CMD together 39
1.56 Using the WORKDIR instruction 40
1.57 Overriding the working directory 40
1.58 Setting an environment variable in Dockerfile 41
1.59 Prefixing a RUN instruction 41
1.60 Executing with an ENV prefix 41
1.61 Setting multiple environment variables using ENV 42
1.62 Using an environment variable in other Dockerfile instructions . . 42
1.63 Persistent environment variables in Docker containers 43
1.64 Runtime environment variables 43
1.65 Using the USER instruction 43
1.66 Specifying USER and GROUP variants 44
1.67 Using the VOLUME instruction 45
1.68 Using multiple VOLUME instructions 45
1.69 Using the ADD instruction 46
1.70 URL as the source of an ADD instruction 46
1.71 Archive as the source of an ADD instruction 47
1.72 Using the COPY instruction 48
1.73 Adding LABEL instructions 49
1.74 Using docker inspect to view labels 49
1.75 Adding ARG instructions 50
1.76 Using an ARG instruction 51
1.77 The predefined ARG variables 51
1.78 Specifying a HEALTHCHECK instruction 53
1.79 Docker inspect the health state 53
1.80 Health log output 54
1.81 Disabling inherited health checks 54
1.82 Adding ONBUILD instructions 55
1.83 Showing ONBUILD instructions with docker inspect 55
1.84 A new ONBUILD image Dockerfile 56

1.85 Building the apache2 image 56
1.86 The webapp Dockerfile 57
1.87 Building our webapp image 57
1.88 Trying to push a root image 59
1.89 Pushing a Docker image 59
1.90 Deleting a Docker image 64
1.91 Deleting multiple Docker images 65
1.92 Deleting all images 66
1.93 Running a container-based registry 67
1.94 Listing the jamtur01 static_web Docker image 67
1.95 Tagging our image for our new registry 68
1.96 Pushing an image to our new registry 68
1.97 Building a container from our local registry 69

Index

.dockerignore, 25
/var/lib/docker, 5

Automated Builds, 61

Build content, 48
Build context, 19, 25
  .dockerignore, 25
Building images, 18
Bypassing the Dockerfile cache, 27

Context, 19

Debugging Dockerfiles, 26
Docker
  Bind UDP ports, 33
  Docker Hub, 5
  Dockerfile
    ADD, 46
    ARG, 50
    CMD, 34
    COPY, 48
    ENTRYPOINT, 38
    ENV, 41
    EXPOSE, 21, 33
    FROM, 20
    LABEL, 20, 48
    ONBUILD, 55
    RUN, 21
    STOPSIGNAL, 50
    USER, 43
    VOLUME, 44
    WORKDIR, 40
  Running your own registry, 66
  Security, 8
  setting the working directory, 40
  specifying a Docker build source, 24
  tags, 7
docker
  build, 18, 22, 23, 50
    –no-cache, 27
    -f, 24
    context, 19
  commit, 16
  history, 29
  images, 4, 9, 29, 67
  inspect, 17, 33, 49, 55
  login, 14

logout, 14
port, 31, 33
ps, 30
pull, 6, 9
push, 58, 63, 68
rm, 65
rmi, 64, 65
run, 1, 9, 12, 21, 26, 30, 35, 36, 68
–entrypoint, 40
–expose, 22
-P, 33
-e, 43
-u, 44
-w, 41
set environment variables, 43
search, 10
tag, 67
Docker Content Trust, 8
Docker Hub, 5, 6, 10, 58, 60, 61
Logging in, 14
Private repositories, 58
Docker Hub Enterprise, 5
Docker Inc, 8
Docker Trusted Registry, 5
Dockerfile, 18, 55, 61, 70
DSL, 18
exec format, 21
template, 27

exec format, 21

GitHub, 61

HTTP_PROXY, 66
HTTPS_PROXY, 66

NO_PROXY, 66

Port mapping, 21
Private repositories, 58
proxy, 66

Registry
private, 66

Supervisor, 37

tags, 7
Trusted builds, 61

Union mount, 2

Thanks! I hope you enjoyed the book.

© Copyright 2016 - James Turnbull < >

ISBN 978-0-9888202-0-3