



Client User Manual

A practical guide for pharmacy owners, administrators, pharmacists, cashiers, claims officers, inventory staff, and other authorized users.

HealthFlow Pharmacy Management System

Daily operations, inventory, point of sale, patients, insurance claims, NHIS, purchasing, reports, accounting, e-pharmacy, and offline continuity.

Document version

1.0

Issue date

15 June 2026

Prepared for

HealthFlow clients

Classification

Client operations guide

Welcome to HealthFlow

HealthFlow brings the main activities of a pharmacy into one secure workspace. This manual explains the everyday tasks your team will perform and the controls that protect your records.

Use the access given to you

Each user should sign in with their own account. Available menus and actions depend on the user's role. Do not share administrator accounts or passwords.

Who should use this guide?

Daily users

Pharmacists, pharmacy technicians, medicine counter assistants, cashiers, claims officers, inventory officers, accounts officers, nurses, doctors, records officers, and other approved staff.

Supervisors

Administrators, pharmacy owners, branch managers, procurement officers, warehouse staff, billing officers, and facility managers.

Before you begin

Facility name

HealthFlow web address

Facility administrator

Branch name

Local support contact

Installation date

Protect sensitive information

Patient records, prescriptions, NHIS information, prices, sales, and credentials are confidential. Only access records needed for your assigned work.

Contents

01

Quick Start and Navigation

02

Roles and Access

03

Dashboard and Inventory

04

Sales and Shift Management

05

Patients and Purchases

06

Insurance Claims

07

NHIS and CCC Verification

08

CLAIM-it Transfer and CXF Export

09

Attachments and Claim Corrections

10

Patient Care and E-Pharmacy

11

Reports and Accounting

12

Settings and Administration

13

Online, Offline, and Sync

14

Troubleshooting and Checklists

1. Quick Start and Navigation

Sign in

- 1 Open the HealthFlow web address provided by your administrator.
- 2 Enter your registered email address and password.
- 3 Select your organization or branch when prompted.
- 4 Confirm that the correct facility and your name appear in the workspace.

First sign-in

Change any temporary password immediately. If your role or branch is incorrect, stop and contact the facility administrator before recording transactions.

Main navigation

Dashboard

Daily summary, alerts, quick actions, recent activity, and operational indicators.

Inventory

Medicines, batches, stock levels, prices, expiry dates, imports, and transfers.

Sales (POS)

Dispensing, checkout, payments, receipts, and cashier shifts.

Patients

Patient profiles, insurance details, contact information, and history.

Claims

General insurance claims, claim status, submission, and follow-up.

Purchases

Suppliers, purchase orders, invoices, received items, and stock updates.

E-Pharmacy

Licensed online inventory publishing and customer medicine requests.

NHIS

NHIS pharmacy claims, CCC verification, attachments, export, and transfer.

Patient Care

Vitals, refill management, follow-ups, birthdays, and patient messages.

Reports

Operational dashboards, filters, drill-downs, and exports.

Accounting

Shifts, receivables, payments, reconciliation, and financial summaries.

Settings

Facility profile, staff access, integrations, branding, and administration.

Common screen controls

Control	Purpose	Good practice
Search	Find a medicine, patient, claim, supplier, or transaction.	Search before creating a new record to avoid duplicates.
Add / New	Create a new record.	Complete required fields marked with an asterisk.
Edit	Correct or update an existing record.	Confirm the record identity before changing it.
Save	Store current information.	Wait for the success message before closing the screen.
Export / Print	Produce a document or data file.	Check filters and date range before exporting.

2. Roles and Access

HealthFlow uses role-based access. A user only sees the modules and actions needed for their work. Your facility administrator assigns roles.

Typical role	Main responsibilities
Administrator	Facility settings, staff access, all modules, sensitive corrections, backups, and permanent NHIS claim deletion.
Pharmacist	Dispensing, clinical review, inventory, patients, claims, NHIS, and reports.
Pharmacy Technician / MCA	Dispensing support, inventory work, patient service, and permitted sales tasks.
Cashier	POS checkout, payment recording, receipts, and assigned shift activities.
Inventory / Procurement Officer	Stock records, purchase orders, batch receiving, transfers, and expiry monitoring.
Claims / Billing Officer	Insurance and NHIS claim preparation, verification, attachments, submission, and follow-up.
Accounts Officer	Accounting, receivables, reconciliation, payment records, and financial reports.
Branch Manager	Branch oversight, approved inventory and POS actions, reports, and offline sync monitoring.
Clinical / Records Staff	Patient records, vitals, medication history, follow-ups, and authorized claim support.

NHIS deletion is administrator-only

Rejecting a claim and deleting a claim are different actions. Authorized staff may reject a claim when appropriate. Only an administrator can permanently delete an NHIS claim, and deletion cannot be undone.

Account safety

- ☐ Use your own account for every transaction.
- ☐ Never disclose your password, NHIA credentials, branch token, or verification codes.
- ☐ Lock or sign out of HealthFlow when leaving the computer.
- ☐ Do not use an administrator account for ordinary cashier work.
- ☐ Report unexpected access, unfamiliar transactions, or suspicious prompts immediately.

When a menu is missing

A missing menu usually means your role does not include that permission. Ask the administrator to review your assigned role. Do not use another person's account as a workaround.

3. Dashboard and Inventory

Use the dashboard

Dashboard

The dashboard summarizes current activity. Depending on your role, it may show sales, claims, inventory alerts, recent transactions, low stock, expiring medicines, and quick actions.

- Review low-stock and expiry warnings at the start of the day.
- Use date and branch filters where available.
- Select a summary item to open the related detailed screen.

Add a medicine

Inventory > Add Drug

- 1 Search for the medicine first to avoid duplicates.
- 2 Select **Add Drug** and enter the medicine name, category, form, strength, and applicable codes.
- 3 Enter batch information, expiry date, quantity, cost price, selling price, and reorder level.
- 4 Review the details and save.

Receive or update stock

Stock should normally be increased through a completed purchase or approved stock operation. Keep each batch separate when expiry dates or costs differ.

Batch control

- Record the correct batch number.
- Use the printed expiry date.
- Do not merge different batches.
- Investigate negative or unusual quantities.

Price control

- Confirm cost and selling prices.
- Use approved NHIS prices and codes where applicable.
- Restrict price changes to authorized staff.
- Document stock adjustments.

Import inventory from Excel

Inventory > Import Excel

- 1 Use the HealthFlow import template or the column format supplied during onboarding.
- 2 Upload the workbook and review the preview.
- 3 Correct rejected rows, duplicate codes, invalid dates, or missing prices.
- 4 Confirm the import only after the preview totals are correct.

Expiry and quantity accuracy

Inventory information affects dispensing, purchasing, alerts, claims, and reports.
Never guess a batch, expiry date, medicine code, or quantity.

4. Sales and Shift Management

Open a cashier shift

Sales (POS)

- 1 Confirm the selected branch and terminal.
- 2 Select **Open Shift** or **Start POS**.
- 3 Enter the opening cash accurately.
- 4 Confirm before beginning sales.

Complete a sale

- 1 Search by medicine name, code, batch, or scan the barcode.
- 2 Select the correct medicine and batch. Confirm expiry, quantity, and price.
- 3 Add items to the cart and enter the quantity dispensed.
- 4 For insurance or NHIS transactions, link the correct patient and follow the claim workflow.
- 5 Select the payment method: cash, mobile money, card, insurance, or another configured option.
- 6 Review the total and select **Complete Sale**.
- 7 Issue or print the receipt where required.

Clinical responsibility remains with the dispenser

HealthFlow assists with records and warnings. The pharmacist or authorized professional must still confirm the medicine, dose, interactions, legal requirements, and appropriateness before dispensing.

Correct a cart before payment

Edit the quantity or remove the item before completing the sale. After payment, follow your facility's authorized return, reversal, or correction process. Do not create an undocumented stock adjustment to hide an error.

Close a shift

- 1 Finish or suspend all open sales.
- 2 Count cash and verify non-cash payment totals.
- 3 Select **Close Shift**.
- 4 Enter counted cash and a note for any difference.
- 5 Review the shift summary and confirm closure.

When the internet is unavailable

If your branch has offline support, HealthFlow may offer **Save to Branch Server**, **Save Offline Sale**, or similar controls. Continue only when the screen confirms the sale was saved locally. Sync when connectivity returns.

Do not repeat a sale after a slow response

First check the sales list or receipt status. Repeating the transaction can create duplicate sales and incorrect stock.

5. Patients and Purchases

Create or update a patient

Patients > Add Patient

- 1 Search by name, phone, folder number, insurance number, NHIS number, or Ghana Card.
- 2 If no matching profile exists, select **Add Patient**.
- 3 Enter the full name, phone number, folder number, date of birth, gender, and other available details.
- 4 Add insurance or NHIS information exactly as shown on the member's records.
- 5 Review and save.

Avoid duplicate patient profiles

Always search before creating a patient. Duplicate profiles split prescription, refill, claim, and payment history.

View patient history

Open the patient profile to review authorized details such as purchases, medicines, claims, vitals, refills, and follow-up information. Visibility depends on your role.

Create a purchase order

Purchases > New Purchase Order

- 1 Select or add the supplier.
- 2 Enter the supplier invoice number and purchase date.
- 3 Add each medicine, quantity, batch, expiry date, and cost price.
- 4 Compare the item total with the supplier document.
- 5 Save the order, then complete or receive it when the physical stock has been verified.

Receiving checklist

- | | |
|---|--|
| ☐ Supplier and invoice are correct. | ☐ Expiry date is acceptable. |
| ☐ Medicine and strength match the order. | ☐ Cost price is correct. |
| ☐ Quantity received is correct. | ☐ Damaged items are excluded. |
| ☐ Batch number is readable. | ☐ Purchase total matches the invoice. |

Complete purchases only after verification

Completing a purchase updates inventory. If the stock has not physically arrived or has not been checked, keep the order pending according to your facility procedure.

6. Insurance Claims

The general **Claims** module manages configured insurance providers. The separate **NHIS** module contains the specialized NHIA and CLAIM-it workflow.

Claims module

Use for general insurance claim creation, patient linkage, provider selection, submission status, payment tracking, and follow-up.

NHIS module

Use for NHIS member verification, CCC generation, medicine coding, prescription attachment, CLAIM-it transfer, and CXF export.

Create a general insurance claim

Claims > New Claim

- 1 Select the patient and insurance provider.
- 2 Confirm the member or policy information.
- 3 Link the correct sale or add the approved claim items.
- 4 Attach supporting documents where required.
- 5 Review amount, service date, and claim details.
- 6 Save as draft or submit according to your facility's process.

Understand claim status

Status	Meaning	Typical action
Draft	Information is incomplete or still under review.	Edit and complete required fields.
Ready	Claim has passed local readiness checks.	Submit or export using the approved route.
Submitted	Claim has been sent to the insurer or processing system.	Monitor acknowledgement and status.
Accepted	Claim has been accepted for processing.	Track payment or reconciliation.
Rejected	Claim was declined or intentionally rejected.	Review reason and correct where permitted.
Paid	Payment has been recorded.	Reconcile against remittance.
Failed	Technical submission did not complete.	Read the error, correct the issue, and retry safely.

Never delete a claim to hide an error

Use correction, rejection, or audit notes. Permanent deletion is reserved for authorized administrators and should only be used for a genuinely invalid duplicate or test record.

7. NHIS and CCC Verification

Create an NHIS claim

NHIS > New Claim

- 1 Search for the patient or enter the NHIS member number or Ghana Card number.
- 2 Select the correct card type.
- 3 Select **Generate/Validate CC Code via NHIA**.
- 4 Review the returned member name, HIN, gender, date of birth, and membership result.
- 5 Complete the folder number, service date, prescribing facility, referral information, prescriber, and authorization details.
- 6 Add the medicines and confirm NHIS codes, quantities, approved prices, dose, frequency, and duration.
- 7 Attach the scanned prescription when required.
- 8 Review the NHIS Pharmacy Check panel and resolve blockers.
- 9 Select **Save Claim**.

CCC generation

CCC generation checks the member against the NHIA eligibility service using the facility's saved NHIA credentials. Each facility must use credentials officially issued for that facility.



CCC generation is not claim submission

A successful CCC verifies attendance or eligibility information. The completed claim must still be saved and later transferred or exported using the approved CLAIM-it workflow.

Common CCC results

Result	What to do
CCC generated	Verify the member details, complete the claim, and save.
Membership inactive	Do not generate a claim code. Ask the member to contact NHIA or renew membership.
Member not found / invalid number	Check the card type and number, then try once more.
Facility credentials rejected	Ask the administrator to verify and re-save that facility's NHIA credentials in Settings.
Network or service unavailable	Keep the claim information, wait, and retry. Do not repeatedly click the button.


Do not share NHIA credentials

Credentials belong to the facility. Enter them only in the protected Settings screen and never send them through chat, screenshots, email, or printed manuals.

8. CLAIM-it Transfer and CXF Export

Direct transfer through the branch server

Direct CLAIM-it transfer is an API operation. No claim file is moved. HealthFlow sends the claim information in the request body, including the CLAIM-it claim ID and supported attachment data.



The browser must not contact CLAIM-it directly

All direct CLAIM-it submissions must pass through the local HealthFlow branch server. Do not change local ports, service installation, tokens, or bridge addresses unless HealthFlow support instructs you.

Submit selected NHIS claims directly

- 1 Confirm that CLAIM-it and the HealthFlow branch server are running on the pharmacy computer.
- 2 Open **NHIS** and select the ready claim or claims.
- 3 Choose the configured direct transfer action.
- 4 Review the claim count and totals.
- 5 Submit once and wait for the CLAIM-it response.
- 6 Read the import report and correct any rejected fields before retrying.

CLAIM-it claim ID

Every direct claim requires a CLAIM-it **claimID**. HealthFlow creates or preserves this identifier when the claim is prepared. If the identifier is missing, HealthFlow blocks submission and asks the user to regenerate or repair the claim.

CXF export is manual import only

A **.cxf** file is used for the separate manual import workflow. Export the CXF from HealthFlow, then import that file through the CLAIM-it user interface.

Method	What is transferred	User action
Direct transfer	Claim JSON or XML sent through the local branch server.	Select claims and submit; no file movement.
Manual CXF import	A generated .cxf file containing the claim package.	Export from HealthFlow and import in CLAIM-it.

Hosted HealthFlow and local CLAIM-it

The online HealthFlow website can generate CCC through the configured service. Direct CLAIM-it transfer still requires the local branch server because CLAIM-it runs on the pharmacy's own computer.

9. Attachments and Claim Corrections

Attach a scanned prescription

NHIS > New Claim or Edit Claim > Scanned Prescription

- 1 Scan or photograph the full prescription clearly.
- 2 Select the attachment area and choose the file.
- 3 Wait until the file name and size appear in the claim.
- 4 Save the claim and wait for a success message.
- 5 Reopen the claim and confirm the attachment is still listed when the document is important to submission.

Supported files

PDF, JPEG, or PNG, subject to the current screen limit. The NHIS claim screen indicates a maximum of 3 MB per prescription attachment.

Image quality

The patient's details, prescriber, facility, date, medicines, dose, signature, and authorization marks should be readable.

Correct an existing NHIS claim

- 1 Open the claim and select the edit action.
- 2 Read the warning or validation panel.
- 3 Correct only the inaccurate or missing information.
- 4 Replace or add the prescription attachment if required.
- 5 Select **Save Corrections** and wait for confirmation.
- 6 Recheck readiness before export or submission.

A slow save does not always mean failure

Do not click Save repeatedly. Wait for the response, then check the claim list or reopen the claim before trying again. Repeated saves can create confusion or duplicate uploads.

Reject versus delete

Action	Use when	Result
Reject	The claim should remain in history but cannot proceed.	Status changes to rejected and the record remains auditable.
Delete	An administrator confirms the record is an invalid duplicate, test, or irrecoverable mistake.	The claim is permanently removed. This action is restricted to administrators.

Deletion cannot be undone

Verify the claim number, patient, service date, and reason before an administrator confirms permanent deletion.

10. Patient Care and E-Pharmacy

Patient Care

Patient Care

The Patient Care workspace supports services beyond a single sale. Available tabs and actions depend on the facility and user role.

Vitals and records

Find the patient, record authorized vital signs, add notes, and save. Confirm the patient identity before entering clinical information.

Medication refills

Create or review refill requests, confirm the medicine and schedule, and update the refill queue after service.

Follow-ups

Review due follow-ups, birthdays, adherence reminders, and approved communication tasks.

Messages

Use patient communication only for approved care and service purposes. Protect private information.

E-Pharmacy

E-Pharmacy

The licensed e-pharmacy module allows approved facilities to publish eligible inventory and receive medicine requests or customer orders.

- 1 Confirm that the facility registration and license information are current.
- 2 Select medicines approved for online visibility.
- 3 Review price, stock, restrictions, and prescription requirements before publishing.
- 4 Monitor incoming requests and verify the customer's details.
- 5 For prescription medicines, obtain and review the required prescription before fulfillment.
- 6 Update the request status through preparation, collection, delivery, or completion.

Restricted medicines

Publishing a medicine does not remove legal or professional controls. Prescription-only and restricted products must follow Ghanaian law, facility policy, and pharmacist review.

11. Reports and Accounting

Generate a report

Reports

- 1 Select the report category or dashboard.
- 2 Choose the organization, branch, date range, status, and other filters.
- 3 Select **Generate** or apply the filters.
- 4 Review summary values and open drill-down details where available.
- 5 Export to PDF, Excel, or CSV, or print the report.

Reports reflect selected filters

Before sharing a report, confirm the date range, branch, payment type, claim status, and other active filters. Include these details when discussing totals.

Accounting workspace

Accounting

Authorized users can review shift totals, receivables, claims, payments, reconciliation, and accounting summaries.

- Match shift totals with cashier records and physical cash.
- Match card and mobile money totals with provider statements.
- Track insurer and NHIS receivables separately from cash sales.
- Record payment references and dates accurately.
- Investigate differences before marking reconciliation complete.

Exporting data safely

Before export

- Confirm the intended recipient.
- Use only the necessary date range.
- Remove unnecessary patient information.
- Check totals against the screen.

After export

- Store files in an approved location.
- Do not leave reports on public computers.
- Do not send confidential files through unapproved channels.
- Delete temporary copies securely.

12. Settings and Administration

Settings are restricted to administrators because changes can affect the entire facility, billing, integrations, and staff access.

Facility profile

Settings > Facility / Organization

- Maintain the correct facility name, type, contact details, address, and logo.
- Confirm branch information before assigning users or recording stock.
- Keep license and accreditation details current.
- Review the change before selecting **Save Settings**.

Staff and access

- Create one account per person.
- Assign the least privilege needed for the person's job.
- Remove or suspend access promptly when staff leave or change roles.
- Review administrator accounts regularly.

NHIA and CLAIM-it settings

- Enter only credentials officially issued to the facility.
- Keep CCC generation settings separate from CLAIM-it submission settings.
- Test CCC verification after saving credentials.
- Use the installed local branch server for direct CLAIM-it transfer.
- Keep CXF export configured as manual file import where that workflow is used.

Do not change technical installation values casually

Branch tokens, local service addresses, CLAIM-it bridge values, ports, encryption keys, and service installation are managed during deployment. Contact HealthFlow support before changing them.

Backups

- 1 Use the configured backup controls at the agreed schedule.
- 2 Confirm the latest backup date and status.
- 3 Download or store recovery files only in an approved secure location.

Backup is not the same as sync

Sync sends pending records between approved systems. A backup is a recovery copy. Your facility may need both.

13. Online, Offline, and Sync

Understand the operating modes

Mode	Meaning	User action
Online cloud	The browser is connected to HealthFlow's hosted data services.	Work normally and wait for success confirmations.
Online local sync	The branch server is available and can coordinate local operations and synchronization.	Use approved local actions and monitor sync status.
Offline local	Internet access is unavailable, but approved records can be saved locally.	Continue supported work and sync when connectivity returns.

Use Offline Sync

Offline Sync

- 1 Review connection status, pending records, failed records, and last successful sync.
- 2 Select **Sync Now** only when the connection is stable.
- 3 Allow the process to finish without closing the browser or branch server.
- 4 Review failures and read the exact error before retrying.
- 5 Contact support if the same record fails repeatedly.

Do not reinstall or reconfigure the branch server during an outage

A temporary network or remote service problem does not normally require changing ports, tokens, credentials, Windows services, or CLAIM-it. Preserve the working installation and report the exact error.

Avoid duplicate records during slow connections

- ☐ Click Save, Submit, or Sync once.
- ☐ Wait for a success or failure message.
- ☐ Check the list before repeating the action.
- ☐ Search by patient, claim number, sale number, or date.

☐ Report duplicates instead of deleting them without authorization.

Local CLAIM-it availability

CLAIM-it runs on the pharmacy computer. Direct transfer works only when the local CLAIM-it service and HealthFlow branch server are available. A hosted website cannot directly operate another computer's local CLAIM-it installation.

14. Troubleshooting

Problem	Check first	Recommended action
Cannot sign in	Email, password, internet, and assigned organization.	Retry carefully, then use password recovery or contact the administrator.
Menu or button is missing	User role and selected branch.	Ask the administrator to review access. Do not use another account.
Save is slow	Whether a success message or new list item appears.	Wait and check the record before clicking again.
CCC cannot be generated	Member number, card type, membership status, facility credentials, and connectivity.	Correct the specific issue. Administrators should re-save credentials only when rejected.
Prescription attachment fails	File type, file size, connection, and whether the claim still exists.	Use PDF/JPEG/PNG within the displayed limit, then save once and reopen to verify.
Direct CLAIM-it submit fails	Branch server, CLAIM-it, claim readiness, and claimID.	Read the error. Repair missing claimID or correct claim data; do not send CXF through the API.
Offline records are pending	Internet and branch-server status.	Use Sync Now when stable and review failures.
Stock is incorrect	Recent purchases, sales, transfers, returns, and adjustments.	Trace the transaction history before an authorized correction.
Report total looks wrong	Date range, branch, status, and payment filters.	Reset filters and regenerate before reporting a defect.

Information to provide support

- ☐ Facility and branch name.
- ☐ User role, not the user's password.
- ☐ Date and time of the problem.
- ☐ Screen or module where it occurred.
- ☐ Claim number, sale number, or record ID when applicable.
- ☐ Exact error message and a screenshot with secrets hidden.
- ☐ Whether the computer was online, offline, or using the branch server.
- ☐ Steps taken immediately before the error.

Never send secrets in a support screenshot

Hide passwords, NHIA API keys and secrets, branch tokens, encryption keys, patient documents, and other confidential values unless an approved secure support process specifically requires them.

Daily and Weekly Checklists

Opening checklist

- ☐ Sign in with your own account.
- ☐ Confirm facility and branch.
- ☐ Review low-stock and expiry alerts.
- ☐ Confirm internet and branch-server status.
- ☐ Open the cashier shift if assigned.
- ☐ Check pending sync failures.
- ☐ Confirm printer and scanner availability.

Closing checklist

- ☐ Complete or safely suspend open sales.
- ☐ Close cashier shifts and count cash.
- ☐ Review unsent claims and failed submissions.
- ☐ Sync pending offline records.
- ☐ Confirm daily totals and exceptions.
- ☐ Complete scheduled backup checks.
- ☐ Sign out and secure the workstation.

Weekly administrator review

- ☐ Review user access and administrator accounts.
- ☐ Review stock adjustments and negative quantities.
- ☐ Review expiry and reorder reports.
- ☐ Review claim failures, rejections, and receivables.
- ☐ Confirm backups and sync health.
- ☐ Reconcile payment methods and cashier shifts.
- ☐ Review pending purchases and supplier balances.
- ☐ Document and escalate recurring system errors.

Staff acknowledgement

Use this section if your facility requires confirmation that staff received and reviewed the manual.

Staff name

Role

Signature

Date

Administrator / trainer

Training date

Keep the manual available

Store the current PDF where staff can find it. Replace older copies after major HealthFlow updates or facility process changes.

Support and Document Control

HealthFlow support

Product: HealthFlow Pharmacy Management System

Developer: David Gabion Selorm

Email: gabiondavidselorm@gmail.com

Business: Neon Digital Technologies

Business email: zittechgh@gmail.com

Website: <https://www.neondigitaltechnologies.com>

Facility support contacts

Facility administrator

Phone

Branch technical contact

Phone

NHIS / claims lead

Phone

Document control

Version	Date	Description
1.0	15 June 2026	Initial client manual covering core pharmacy, claims, NHIS, CLAIM-it, offline, reporting, and administrative workflows.

Scope of this manual

The exact screens available to a client depend on the subscribed modules, configured facility type, branch setup, and user permissions. Facility policy and applicable law take priority over general examples in this guide.

