

Hepatitis C

The majority of cases of posttransfusion hepatitis have been due to hepatitis C virus (HCV) infection. However, widespread screening of blood products has dramatically reduced the incidence of new infections.

Cutaneous manifestations associated with acute and chronic HCV infection include: - **Leukocytoclastic vasculitis**, typically secondary to **cryoglobulinemia** - **Cutaneous necrosis** - **Pruritus** - **Acquired angioedema** - **Porphyria cutanea tarda (PCT)** - Erythema nodosum - Urticaria - Erythema multiforme - Polyarteritis nodosa

Lichen planus is more frequently observed in patients with HCV infection, although reported incidence rates vary across studies. In Italian patients with HCV-associated oral lichen planus, there is an increased frequency of the **HLA-DR6 allele**, suggesting a potential role for host genetic factors in this association.

Disorders of Both Skin and Liver

The following conditions are characterized by concurrent involvement of the skin and liver:

Argininosuccinic Aciduria

- Autosomal recessive disorder
- Features include ataxia, seizures, severe intellectual disability, hepatomegaly with liver dysfunction, and brittle hair

Dermatomyositis

- May be the initial presentation of a primary or secondary hepatic tumor

Eruptive Neonatal Angiomatosis

- Characterized by multiple cutaneous angiomas
- Vascular lesions may also affect internal organs, including the liver

Graft-versus-Host Disease (GVHD)

- Both acute and chronic forms can significantly affect the skin and liver
- Most commonly seen in patients following bone marrow transplantation

Hereditary Hemorrhagic Telangiectasia (Osler-Weber-Rendu Disease)

- Arteriovenous fistulas lead to vascular shunting
- Hepatic involvement may manifest as multiple small telangiectatic vessels, resembling cirrhosis

Histiocytoses

- Includes **Langerhans cell histiocytosis** and **malignant histiocytosis**
- Both skin and liver can be involved

Immunodeficiency States

- Predispose to infections affecting both skin and liver
- Examples:
 - Congenital: ataxia-telangiectasia, Chediak-Higashi syndrome, chronic granulomatous disease
 - Acquired: HIV/AIDS

Mastocytosis

- Hepatomegaly is a common finding in systemic mastocytosis

Mucocutaneous Lymph Node Syndrome (Kawasaki Disease)

- Children may present with upper abdominal pain due to hepatobiliary involvement
- Liver enzyme elevations may occur secondary to vasculitic changes or bile duct inflammation

Porphyrias

- Group of metabolic disorders with both cutaneous and hepatic manifestations: - **Porphyria cutanea tarda** - **Variegate porphyria**
- **Erythropoietic (erythrohepatic) porphyria**
- **Hereditary coproporphyria**

Sarcoidosis

- Cutaneous sarcoidosis may be accompanied by hepatic infiltration
- Hepatic granulomas are common and often asymptomatic

Syphilis

- Hepatic granulomas can occur
- True syphilitic hepatitis is rare and typically presents with pruritus and cholestatic jaundice

Systemic Lupus Erythematosus (SLE)

- Abnormal liver function tests are common
- Most often due to **drug-induced hepatitis**
- Thrombotic complications such as **Budd-Chiari syndrome** and **veno-occlusive disease** may occur, with or without lupus anticoagulant
- Rare hepatic manifestations include nodular regenerative hyperplasia, perihepatitis, and hepatic or splenic rupture

Tuberculosis

- Hepatic granulomas may be present

Vinyl Chloride Disease

- Occupational exposure-related disorder affecting skin and liver

TABLE 151-6 Diseases with Both Cutaneous and Hepatic Involvement

- Argininosuccinic aciduria
- Dermatomyositis
- Drug reactions
- Eruptive neonatal angiomatosis
- Graft-versus-host disease
- Hereditary hemorrhagic telangiectasia (Osler-Weber-Rendu disease)
- Histiocytoses
- Immunodeficiency states
- Mastocytosis
- Mucocutaneous lymph node syndrome (Kawasaki disease)
- Porphyrrias
- Porphyria cutanea tarda
- Variegate porphyria
- Erythropoietic (erythrohepatic) porphyria
- Hereditary coproporphyria
- Sarcoidosis
- Syphilis
- Systemic lupus erythematosus

- Tuberous sclerosis
- Vinyl chloride disease