

```
here <- $(x,0)$[]
there <- $(x,10)$[]
gridx <- $10$[]
gridy <- $10$[]
resolution <- $16$[]
```

```
BLOCK entry (angle, loc, hhere, there, resolution, gridx, max_angle, step, gridy, here, i)
[]
{
  gridx <- ${0} - 1$[gridx];
  gridy <- ${0} - 1$[gridy];
  step <- $(( ${0}.x - {1}.x) / {2}, ( ${0}.y - {1}.y) / {2}) :: point$[there, here, resolution];
  loc <- ${0}$[here];
  max_angle <- $NULL :: float$[];
  i <- $1$[];
  GOTO inter0 (angle, loc, there, resolution, gridx, max_angle, step, gridy, here, i)
}
```

```
BLOCK inter0 (angle, loc, there, resolution, gridx, max_angle, step, gridy, here, i)
[]
{
  hhere <- $SELECT SUM(( ${0}! / ((c.x!) * (( ${0} - c.x)!))) * (u ** c.x) * ((1 - u) ** ( ${0} - c.x)) *
    ( ${1}! / ((c.y!) * (( ${1} - c.y)!))) * (v ** c.y) * ((1 - v) ** ( ${1} - c.y))) AS h
    FROM controlp AS c, LATERAL (SELECT {2}.x / {0}, {2}.y / {1}) AS _(u,v)$[gridx, gridy, here];
  JUMP loop0_head (angle, loc, hhere, there, resolution, gridx, max_angle, step, gridy, here, i)
}
```

```
BLOCK loop0_head (angle, loc, hhere, there, resolution, gridx, max_angle, step, gridy, here, i)
[]
{
  condition%0 <- ${0} > {1}$[i, resolution];
  IF condition%0
  THEN GOTO truthy0 (angle, max_angle)
  ELSE GOTO falsey0 (loc, hhere, there, resolution, gridx, max_angle, step, gridy, here, i)
}
```

```
BLOCK truthy0 (angle, max_angle)
[]
{
  EMIT ${0} = {1}$[angle, max_angle];
  STOP
}
```

```
BLOCK falsey0 (loc, hhere, there, resolution, gridx, max_angle, step, gridy, here, i)
[]
{
  loc <- $({0}.x + {1}.x, {0}.y + {1}.y) :: point$[loc, step];
  GOTO inter8 (loc, hhere, there, resolution, gridx, max_angle, step, gridy, here, i)
}
```

```
BLOCK inter8 (loc, hhere, there, resolution, gridx, max_angle, step, gridy, here, i)
[]
{
  hloc <- $SELECT SUM(( ${0}! / ((c.x!) * (( ${0} - c.x)!))) * (u ** c.x) * ((1 - u) ** ( ${0} - c.x)) *
    ( ${1}! / ((c.y!) * (( ${1} - c.y)!))) * (v ** c.y) * ((1 - v) ** ( ${1} - c.y))) AS h
    FROM controlp AS c, LATERAL (SELECT {2}.x / {0}, {2}.y / {1}) AS _(u,v)$[gridx, gridy, loc];
  GOTO inter9 (hhere, loc, there, resolution, gridx, max_angle, step, gridy, here, i, hloc)
}
```

```
BLOCK inter9 (hhere, loc, there, resolution, gridx, max_angle, step, gridy, here, i, hloc)
[]
{
  angle <- $degrees(atan(( ${0} - {1}) / sqrt(({2}.x - {1}.x)** 2 + ({2}.y - {1}.y)** 2))$[hloc, hhere, loc];
  GOTO inter10 (angle, loc, hhere, there, resolution, gridx, max_angle, step, gridy, here, i)
}
```

```
BLOCK inter10 (angle, loc, hhere, there, resolution, gridx, max_angle, step, gridy, here, i)
[]
{
  condition%1 <- ${0} IS NULL OR {1} > {2}$[max_angle, angle, max_angle];
  IF condition%1
  THEN GOTO truthy1 (angle, loc, hhere, there, resolution, gridx, step, gridy, here, i)
  ELSE JUMP loop0_head (angle, loc, hhere, there, resolution, gridx, max_angle, step, gridy, here, i)
}
```

```
BLOCK truthy1 (angle, loc, hhere, there, resolution, gridx, step, gridy, here, i)
[]
{
  max_angle <- ${0}$[angle];
  JUMP loop0_head (angle, loc, hhere, there, resolution, gridx, max_angle, step, gridy, here, i)
}
```