DC-ROMA RISC-V Mainboard Interface Overview


| Document Attributes | | |
|--------------------------|--------------------------------|--|
| Document version | V1.0 | |
| Latest release date | February 27, 2025 | |
| Applicable product model | DC-ROMA RISC-V Mainboard | |
| Operating system version | Ubuntu 24.04 and Fedora 41 | |
| Document target audience | DC-ROMA RISC-V Mainboard Users | |

Abstract

This document provides an overview of the functions associated with each interfaces on the DC-ROMA RISC-V Mainboard.

DeepComputing

Diagram of DC-ROMA RISC-V Mainboard Interface



DC-ROMA RISC-V Mainboard Interface SPECS

| No. | Interface | Supported Functions |
|-----|--------------|--|
| 1 | USB TYPE-C | PD3.0, USB3.2 GEN1, |
| | 000111120 | USB2.0,Charging port |
| 2 | USB TYPE-C | USB3.2 GEN1, USB2.0, UART |
| 3 | USB TYPE-C | USB3.2 GEN1, USB2.0, ST LINK |
| | | PD3.0, USB3.2, GEN1, |
| 4 | USB TYPE-C | USB2.0,DP1.4,HDMI,Charging port |
| 5 | TF CARD CONN | TF CARD |
| 6 | M.2 E-key | WIFI+BT,PCIE, USB, I2C, SDIO, UART, PCM |

DeepComputing

| 7 | KEY&TP CONN | KEY+TP |
|----|---------------------|------------------------|
| 8 | EMMC CONN | EMMC 32G/64G/128G/256G |
| 9 | FAN CONN | FAN |
| 10 | SPEAKER CONN | SPEAKER |
| 11 | AUDIO BOARD CONN | AUDIO BOARD |
| 12 | EDP CONN | 2.2K SCREEN |
| 13 | DETECT SWITCH | DETECT TOP COVER |
| 14 | CAMERA CONN | CAMERA+MIC |
| 15 | POWER ON/OFF SWTICH | POWER ON/OFF |
| 16 | BATTERY CONN | 4S BATTERY |

DeepComputing DeepComputing