BINARY IMAGE PROCESSING USING EROSION AND DILATION.

IMAGE PROCESSING

GROUP 14 | DCIT 407 | February 13, 2026

GROUP MEMBERS

Senyo Dedoo	11138713
Maseni Bright Roger	11250575
Elliot Datsomor	11014393
Noel Osei-Tutu	11285438
Sarkodie Adom Maxwell	11299043
Clement Cobby Konor	11062226
Addo Nathaniel Ofosu-Ansah	11352845
Doreen Owireduaa Amankwah	11210385

PROJECT TOPIC: BINARY IMAGE PROCESSING USING EROSION AND DILATION

INTRODUCTION TO BINARY IMAGE PROCESSING

Binary image processing is a fundamental area of digital image analysis that focuses on images containing only two possible intensity values: typically **0 (black)** and **1 (white)**, or equivalently **0 and 255** in 8-bit representation.

Formally, a binary image can be defined as a function:

$$f(x , y) \in \{0, 1\}$$

where:

- (x,y) represents pixel coordinates
- 1 denotes foreground (object)
- 0 denotes background

Binary images are widely used in:

- Document analysis
- Medical image segmentation
- Object detection
- Shape analysis
- Industrial inspection systems

Binary processing simplifies computational complexity by reducing grayscale intensity variations into logical foreground–background representations.

A major class of binary image processing techniques is **Mathematical Morphology**, which includes two fundamental operations: **Erosion** and **Dilation**.

MATHEMATICAL MORPHOLOGY: THEORETICAL FOUNDATION

In morphology, a binary image is treated as a **set of foreground pixels** in a 2D integer space:

Mathematical morphology is grounded in **set theory and lattice algebra**. In this framework, a binary image is interpreted as a set of points in a two-dimensional integer grid:

$$\mathbf{A \subseteq Z^2}$$

where A represents the set of coordinates corresponding to foreground pixels.

A second essential component is the **structuring element**, denoted as:

$$\mathbf{B \subseteq Z^2}$$

The structuring element is a small predefined pattern that probes the image to examine its geometric structure. It may take various shapes, such as a square, disk, or cross.

Morphological operations are defined through interactions between the image set A and the structuring element B.

The two most fundamental morphological operations are:

- **Erosion**
- **Dilation**

EROSION

CONCEPTUAL DEFINITION

Erosion is a morphological operation that systematically removes boundary pixels from foreground objects. Its primary effect is to shrink objects and eliminate small irregularities.

Conceptually, erosion tests whether the structuring element can be fully contained within the object at a given location.

MATHEMATICAL DEFINITION

The erosion of a set A by a structuring element B is defined as:

$$\mathbf{A \ominus B = \{z \in Z^2 \mid B_z \subseteq A\}}$$

where:

- B_z is the translation of B by vector z,
- The structuring element must be entirely contained within A.

This means that a point z remains in the output only if every pixel of the translated structuring element overlaps with foreground pixels in A.

OPERATIONAL INTERPRETATION

In discrete image terms:

- For each pixel position, the structuring element is centered on that pixel.
- If all pixels covered by the structuring element are foreground, the output pixel remains foreground.
- Otherwise, the output pixel becomes background.

Thus, erosion performs a logical AND operation over the neighborhood defined by the structuring element.

EFFECTS OF EROSION

Erosion:

- Reduces object size,
- Removes small noise components,
- Breaks narrow connections,
- Smooths object boundaries inward.

DILATION

CONCEPTUAL DEFINITION

Dilation is the dual operation of erosion. It expands the boundaries of foreground objects. Conceptually, dilation determines whether the structuring element overlaps the object at least partially.

MATHEMATICAL DEFINITION

The dilation of a set AAA by structuring element BBB is defined as:

$$A \oplus B = \{z \in Z^2 \mid (\hat{B})_z \cap A \neq \emptyset\}$$

where:

- $\hat{B}$ is the reflection of B,
- The intersection between the translated structuring element and A must be non-empty.

In simpler terms, a pixel becomes foreground if at least one element of the structuring element overlaps with a foreground pixel.

OPERATIONAL INTERPRETATION

In discrete image processing:

- The structuring element is centered on each pixel.
- If at least one overlapping pixel is foreground, the output pixel becomes foreground.

Thus, dilation performs a logical OR operation over the neighborhood.

EFFECTS OF DILATION

Dilation:

- Expands object boundaries,
- Fills small holes,
- Connects nearby objects,
- Thickens thin structures.

5. Duality Between Erosion and Dilation

Erosion and dilation are dual operations with respect to set complementation:

$$(A \ominus B)^c = A^c \oplus B$$

where:

- A^c is the complement of A

This duality is fundamental in morphological theory and demonstrates the mathematical symmetry between shrinking and expanding operations.

Compound Morphological Operations

Erosion and dilation are often combined to produce more advanced transformations.

6.1 OPENING

$$A \circ B = (A \ominus B) \oplus B$$

Opening:

- Removes small objects,
- Smooths contours,
- Preserves overall shape.

CLOSING

$$A \cdot B = (A \oplus B) \ominus B$$

Closing:

- Fills small holes,
- Connects adjacent components,
- Smooths boundaries outward.

Computational Perspective

From an algorithmic standpoint, erosion and dilation operate as sliding-window transformations across the image.

For an image of size $H \times W$ and a structuring element of size $k \times k$,the computational complexity is:

$$O(H \times W \times k^2)$$

These operations are nonlinear because they do not satisfy superposition:

$$f(A + C) \neq f(A) + f(C)$$

This nonlinearity makes morphological operations particularly effective for shape-based analysis rather than intensity-based smoothing

Theoretical Significance

Binary morphological operations are significant because they:

- Are rigorously defined using set theory,
- Preserve geometric structure,
- Are translation invariant,
- Provide robust shape-based filtering,
- Serve as foundational tools in segmentation pipelines.

They form the theoretical basis for more advanced image processing techniques such as skeletonization, boundary extraction, region filling, and connected component analysis.

Conclusion

Binary image processing using erosion and dilation provides a mathematically rigorous framework for analyzing and modifying object structures in images. By interpreting binary images as sets in a discrete space and applying structuring elements, these operations enable systematic manipulation of shape and topology.

Erosion reduces objects and removes noise, while dilation expands structures and fills gaps. Together, they form the foundational principles of mathematical morphology, which remains central to modern computer vision and image analysis systems.