


Experiment -1

#Code:-

```
select d.dept_name,  
       e.emp_name,  
       e.salary  
from employee e  
join department d  
on d.dept_id = e.dept_id where  
e.salary > (  
    select avg(e1.salary)  
    from employee e1  
    where e1.dept_id = e.dept_id  
)  
and e.dept_id in(  
    select dept_id  
    from employee  
    group by dept_id  
    having count(*) >= 3  
)
```

Output:-



The screenshot shows a SQL IDE with a query editor and a results pane. The query is the same as the one in the code block. The results pane shows a table with three columns: dept_name, emp_name, and salary. The results are as follows:

dept_name	emp_name	salary
IT	Aman	90000.00
Sales	Priya	80000.00

Experiment -2

Code:

```
CREATE OR REPLACE FUNCTION log_customer_insert()
RETURNS TRIGGER AS $$
BEGIN
    INSERT INTO customer_audit
    (customer_id, customer_name, action, action_time)
    VALUES
    (NEW.customer_id, NEW.customer_name, 'ADDED', CURRENT_TIMESTAMP);

    RETURN NEW;
END;
$$ LANGUAGE plpgsql;

CREATE OR REPLACE FUNCTION log_customer_delete()
RETURNS TRIGGER AS $$
BEGIN
    INSERT INTO customer_audit
    (customer_id, customer_name, action, action_time)
    VALUES
    (OLD.customer_id, OLD.customer_name, 'REMOVED', CURRENT_TIMESTAMP);

    RETURN OLD;
END;
$$ LANGUAGE plpgsql;

CREATE TRIGGER after_customer_insert
AFTER INSERT ON bank_customer
FOR EACH ROW
EXECUTE FUNCTION log_customer_insert();

CREATE TRIGGER after_customer_delete
AFTER DELETE ON bank_customer
FOR EACH ROW
EXECUTE FUNCTION log_customer_delete();
```

Output:

```
1 CREATE OR REPLACE FUNCTION log_customer_insert()
2 RETURNS TRIGGER AS $$
3 BEGIN
4     INSERT INTO customer_audit
5     (customer_id, customer_name, action, action_time)
6     VALUES
7     (NEW.customer_id, NEW.customer_name, 'ADDED', CURRENT_TIMESTAMP);
8
9     RETURN NEW;
10 END;
11 $$ LANGUAGE plpgsql;
12
13 CREATE OR REPLACE FUNCTION log_customer_delete()
14 RETURNS TRIGGER AS $$
15 BEGIN
16     INSERT INTO customer_audit
17     (customer_id, customer_name, action, action_time)
```

Results Chart

Success. No rows returned