# Sioyek Tutorial

#### 1. Basics

- Press of to open a new document or shift + o to open a previously opened document.
- Use the arrow keys for navigation.
- Use Ctrl + PageDown / Ctrl + PageUp to go to previous/next page.
- Press Space Space to go to the next/previous screen (which is equivalent to scrolling down half of screen width). You can also use PageDown and PageUp.
- Press Shift + j to zoom out.
- Press Shift + to zoom in.
- Press Fill to enter fullscreen mode.
- Press st to fit the document to screen ignoring white page margins.
- Press s to fit the document to screen (including white margins).
- Press i to toggle dark mode.
- Enter gg to go to the first page. In order to go to a specific page, enter [NUM] gg where [NUM] is the page number. For example in order to go to page 31, enter [31gg]. You can also press [Home] to go to a specific page.
- Press G to go to the last page.
- Press Tab to open table of contents (if it exists).
- Use backspace to go back in history. You can also use Ctrl + left arrow and Ctrl + right arrow to navigate backward/forward in history. Also extra mouse buttons can be used to navigate history.
- With some text selected, press was to search the text in Google Scholar and will to search it in Library Genesis. Try it out on the following texts:

  Vaswani, Ashish, et al. "Attention is all you need." Advances in neural information processing systems. 2017.




Figure 1: Mandlebrot Set

## 2. Command Palette

- Press : to open a searchable list of all sioyek commands
- If the command is bound to a key, the keybinding is shown on the right (multiple keybinds are separated by | symbol)

### 3. Search

- Press  $\[ Ctrl \] + \[ f \]$  or  $\[ \] / \[ ]$  to search.
- $\bullet$  Press n//Shift + n to go to the next/previous match.
- In order to quickly jump in search results, you can use [NUM] n where [NUM] is a number. For example in order to jump to the 10th next occurance of current search term, enter to most commands in sioyek can be prefixed with a number N which is equivalent to repeating them N times.

### 4. Marks

• Press m to set a mark in current location. After you press m, sloyek waits for you to press another symbol which is the name of the mark. For example to create a mark named u, enter mul.

•	In order to go to a mark, press (backtick) followed by the name of the mark. For example in
	order to go to the mark in previous example, we enter u. Note that the backtick character
	is different from the single quote character .

- Note that marks are persistent (they are saved even after sioyek is closed). Lower case marks are local to each file, while upper case marks are global.
- You can right click on any line to create a visual mark which highlights below the line. This highlight has multiple functions. First, it can reduce disorientation when scrolling by first right clicking the line we are reading and then scrolling. Second, it can also act as a mark, so we can jump back to the location where we last put the highlight by pressing and then right clicking. You can try it out here:

Right click on me!

• You can move this visual mark to the next/previous line by pressing i and k. You can also press rough to enable visual scroll mode. In this mode, scrolling the mouse wheel moves this visual mark.

### 5. Bookmarks

- Press b to create a bookmark in the current location.
- Press b to search the bookmarks in the current file and b (that is g followed by capital B) to search all the bookmarks.
- In order to delete a bookmark, first goto the bookmark and then enter db (delete the closest bookmark).
- If you select a piece of text and then press the bookmark text. You can try it on the following text:

  Bookmark me!

# 6. Highlights

- Select a piece of text and then press [H] followed by a lower case letter to highlight the selected text (the letter can be though of as the "type" of the highlight). For example you can press [hh] to create a highlight of type "h". Different types of highlight are colored differently, and the color is configurable in the prefs.config file.
- Press gh to search the highlights in the current file and gH (that is g followed by capital H) to search all the highlights.
- In order to delete a highlight, you can click on a highlight and then press delp.

## 7. Smart Jump

- You can middle click on figure names (for example on '1' in 'Figure 1') to jump to the location where that figure is located. This works even if the document is not linked. You can also middle click on in-line references (for example on '2' in '[?, ?]') to go to the corresponding entry in the "References" section.
- You can also right click on figure names or in-line references to open a quick overview of their location instead of jumping to them.
- Try it out by middle / right clicking on the figure name / in-line reference in the following text: You can see a beautiful colorization of mandlebrot set in Figure ??. For more information about the mandlebrot set, see [?].
- You can also middle click on the full-citation of a paper to search it in Google Scholar, or you can shift +middle click on it to search it in Library Genesis. You can use this feature, for example, while in the "References" section of a document.

#### 8. Portals

- Press F12 to open the helper window. This window automatically displays the closest portal to the current location.
- In order to create a portal, press p to enter the current location as the source of the portal. Now you navigate to the portal destination and press p again to mark that location as the destination of the portal. (note that source and destination don't have to be in the same document, for example you can create a portal from a reference to a paper to the actual paper).
- You can also create a portal by pressing p and then clicking (or middle clicking using smart jumps) on a link. This automatically creates a link between the current location and the destination of the link.
- In order to delete a portal, press [dp]. This deletes the closest portal to the current location (the portal that is being displayed in the helper window).
- Sometimes you need to slightly edit a portal (especially when creating a portal using links, because sometimes for example a link to a figure doesn't center the figure properly in the screen). In order to do this, press shift + p (p) while the portal is active. This takes you to the portal's destination. Now you can adjust the destination and once you are done press the back button (by default it is backspace) to go back to where you were.
- You can also use the mouse wheel to adjust the portal in helper window. You can also pan it using mouse drag or zoom using mouse wheel while holding control.

## 9. Configuration

- There are four configuration files: two of them are system-wide and are not meant to be edited by the user (keys.config and prefs.config), while the other two are user-editable (keys\_user.config and prefs\_user.config).
- The former (i.e., the system-wide configuration files) are always loaded by sioyek before the latter. This implies that configuration options set in the user-editable configuration files always overwrite the ones in the system-wide files.
- In order to edit any configuration, copy the configuration line you want to edit to the user-editable config file and change it there.
  - For example, suppose we want to change the key that opens the table of contents. We search for 'table of contents' in keys.config and find the following:

```
# Open table of contents.
goto_toc t
```

We copy this line to keys\_user.config and change the key. For example, suppose we want to use capital [T] to open the table of contents. We can put the following line in keys\_user.config:

goto\_toc T

- In portable builds, the config files are located in the same place where sioyek executable file is located. In non-portable builds, their location is OS-dependent. You can also open them by pressing to open the command window and then entering one of the following:
  - prefs
  - prefs\_user
  - keys
  - keys\_user

# 10. Synctex

- Press F4 to enable "synctex mode". While in synctex mode, right clicking on a piece of texts opens the corresponding latex file location.
- You can configure the synctex inverse search command using inverse\_search\_command config in prefs.config. Here is an example for VsCode:

```
inverse_search_command "C:\path\to\vscode\Code.exe" -r -g %1:%2
```

%1 stands for the name of the file and %2 stands for the line number in the file.

• Here is the forward search configuration for Latex Workshop for VsCode:

```
"latex-workshop.view.pdf.external.synctex.command": "C:\path\\to\\sioyek.exe",
"latex-workshop.view.pdf.external.synctex.args": [
"--inverse-search",
"\"C:\\path\\to\\vscode\\Code.exe\\" -r -g %1:%2",
"--reuse-window",
"--forward-search-file",
"%TEX%",
"--forward-search-line",
"%LINE%",
"%PDF%"
]
And here is example configuration for VimTeX:
let g:vimtex_view_method = 'sioyek'
```

### 11. Extensions

You can extend sioyek by writing your own extensions. See the documentation on how to do it. We also have some extensions available here. For example we have an extension that downloads the paper from google scholar just by control+clicking on its name.