Material Safety Data Sheet

Version 4.5 Revision Date 03/04/2013 Print Date 01/14/2014

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Arsenic(III) oxide

Product Number : 311383 Brand : Sigma-Aldrich

Supplier : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052 Emergency Phone # (For : (314) 776-6555

both supplier and

manufacturer)

Preparation Information : Sigma-Aldrich Corporation

Product Safety - Americas Region

1-800-521-8956

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Carcinogen, Target Organ Effect, Highly toxic by ingestion, Corrosive

GHS Classification

Acute toxicity, Oral (Category 2)
Skin corrosion (Category 1B)
Serious eye damage (Category 1)
Carcinogenicity (Category 1A)
Acute aquatic toxicity (Category 1)

GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H300 Fatal if swallowed.

H314 Causes severe skin burns and eye damage.

H350 May cause cancer. H400 Very toxic to aquatic life.

Precautionary statement(s)

P201 Obtain special instructions before use.
P264 Wash hands thoroughly after handling.
P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/ physician.

HMIS Classification

Health hazard: 3

Sigma-Aldrich - 311383 Page 1 of 8

Chronic Health Hazard: * Flammability: 0 Physical hazards: 0

NFPA Rating

Health hazard: 3
Fire: 0
Reactivity Hazard: 0

Potential Health Effects

Inhalation May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous

membranes and upper respiratory tract.

Skin May be harmful if absorbed through skin. Causes skin burns.

Eyes Causes eye burns.

Ingestion May be fatal if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms : Arsenous acid

Arsenic trioxide

Formula : As₂O₃

Molecular Weight : 197.84 g/mol

Component		Concentration			
Arsenic trioxide Included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH)					
CAS-No.	1327-53-3	-			
EC-No.	215-481-4				
Index-No.	033-003-00-0				

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eve contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIREFIGHTING MEASURES

Conditions of flammability

Not flammable or combustible.

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Arsenic oxides

Sigma-Aldrich - 311383 Page 2 of 8

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value	Control	Basis	
			parameters		
Remarks	Substance listed; for more information see OSHA document 1910.1017				
Arsenic trioxide	1327-53-3	TWA	0.01 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
	Lung cancer Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Confirmed human carcinogen varies				
	See 1910.1018				
		С	0.002 mg/m3	USA. NIOSH Recommended Exposure Limits	
	Potential Occupational Carcinogen OSHA considers 'Inorganic Arsenic' to mean copper acetoarsenite & all inorganic compounds containing arsenic except ARSINE. See Appendix A minute ceiling value				

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Sigma-Aldrich - 311383 Page 3 of 8

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form powder Colour white

Safety data

pH no data available

Melting point/range: 312.3 °C (594.1 °F)

point/freezing point

Boiling point 457.2 °C (855.0 °F) at 1,013 hPa (760 mmHg)

Flash point not applicable
Ignition temperature no data available
Auto-ignition no data available

temperature

Lower explosion limit no data available Upper explosion limit no data available

Vapour pressure 0.000001 hPa (0.000001 mmHg) at 66 °C (151 °F)

Density 3.738 g/cm3

Water solubility 17.8 g/l at 20 °C (68 °F) - OECD Test Guideline 105

Partition coefficient: log Pow: 5

n-octanol/water

Relative vapour density

no data available

no data available

Odour no data available
Odour Threshold no data available

10. STABILITY AND REACTIVITY

Evapouration rate

Chemical stability

Stable under recommended storage conditions.

Sigma-Aldrich - 311383 Page 4 of 8

Possibility of hazardous reactions

no data available

Conditions to avoid

Heat.

Materials to avoid

Oxidizing agents, Metals

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Arsenic oxides

Other decomposition products - no data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50

LD50 Oral - rat - 14.6 mg/kg

Inhalation LC50

no data available

Dermal LD50

no data available

Other information on acute toxicity

no data available

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

This is or contains a component that has been reported to be carcinogenic based on its IARC, OSHA, ACGIH, NTP, or EPA classification.

Human carcinogen.

IARC: 1 - Group 1: Carcinogenic to humans (Arsenic trioxide)

1 - Group 1: Carcinogenic to humans (Arsenic trioxide)

NTP: Known to be human carcinogen (Arsenic trioxide)

Reproductive toxicity

no data available

Teratogenicity

Sigma-Aldrich - 311383 Page 5 of 8

no data available

Specific target organ toxicity - single exposure (Globally Harmonized System)

no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

no data available

Aspiration hazard

no data available

Potential health effects

Inhalation May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous

membranes and upper respiratory tract.

Ingestion May be fatal if swallowed.

Skin May be harmful if absorbed through skin. Causes skin burns.

Eyes Causes eye burns.

Signs and Symptoms of Exposure

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated., Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath, Headache

Synergistic effects

no data available

Additional Information

RTECS: CG3325000

12. ECOLOGICAL INFORMATION

Toxicity

Toxicity to fish mortality LOEC - Oncorhynchus gorbuscha - 16 mg/l - 3.0 d

mortality NOEC - Oncorhynchus gorbuscha - 9.5 mg/l - 3.0 d

LC50 - Oncorhynchus mykiss (rainbow trout) - > 1.000 mg/l - 96.0 h

Toxicity to daphnia

and other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 8.23 mg/l - 24 h

Persistence and degradability

no data available

Bioaccumulative potential

Bioaccumulation Lepomis cyanellus -

Bioconcentration factor (BCF): 236

Mobility in soil

no data available

PBT and vPvB assessment

no data available

Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Very toxic to aquatic life.

13. DISPOSAL CONSIDERATIONS

Sigma-Aldrich - 311383 Page 6 of 8

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1561 Class: 6.1 Packing group: II

Proper shipping name: Arsenic trioxide Reportable Quantity (RQ): 1 lbs

Marine pollutant: No

Poison Inhalation Hazard: No

IMDG

UN number: 1561 Class: 6.1 Packing group: II EMS-No: F-A, S-A

Proper shipping name: ARSENIC TRIOXIDE

Marine pollutant: No

IATA

UN number: 1561 Class: 6.1 Packing group: II

Proper shipping name: Arsenic trioxide

15. REGULATORY INFORMATION

OSHA Hazards

Carcinogen, Target Organ Effect, Highly toxic by ingestion, Corrosive

California to cause birth defects or other reproductive harm.

SARA 302 Components

The following components are subject to reporting levels established by SARA Title III, Section 302:

Arsenic trioxide CAS-No. Revision Date 1327-53-3 2008-11-03

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

Arsenic trioxide CAS-No. Revision Date 1327-53-3 2008-11-03

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

Arsenic trioxide CAS-No. Revision Date 1327-53-3 2008-11-03

Pennsylvania Right To Know Components

Arsenic trioxide CAS-No. Revision Date 1327-53-3 2008-11-03

New Jersey Right To Know Components

Arsenic trioxide CAS-No. Revision Date 1327-53-3 2008-11-03

California Prop. 65 Components

WARNING! This product contains a chemical known to the State of CAS-No. Revision Date California to cause cancer. 1327-53-3 2007-09-28

Arsenic trioxide

California Prop. 65 Components

WARNING: This product contains a chemical known to the State of CAS-No. Revision Date

Sigma-Aldrich - 311383 Page 7 of 8

1327-53-3

2007-09-28

16. OTHER INFORMATION

Further information

Copyright 2013 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Sigma-Aldrich - 311383 Page 8 of 8