# **Material Safety Data Sheet**

Version 4.2 Revision Date 10/29/2012 Print Date 05/06/2013

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Arsenic

Product Number : 267961 Brand : Aldrich

Supplier : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052 Emergency Phone # (For : (314) 776-6555

both supplier and

manufacturer)

Preparation Information : Sigma-Aldrich Corporation

Product Safety - Americas Region

1-800-521-8956

### 2. HAZARDS IDENTIFICATION

### **Emergency Overview**

### **OSHA Hazards**

Carcinogen, Target Organ Effect, Toxic by inhalation., Harmful by ingestion.

### **Target Organs**

Skin, Lungs

#### **GHS Classification**

Acute toxicity, Oral (Category 4)
Acute toxicity, Inhalation (Category 3)
Acute aquatic toxicity (Category 1)
Chronic aquatic toxicity (Category 1)

### GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H302 Harmful if swallowed. H331 Toxic if inhaled.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P273 Avoid release to the environment.

P311 Call a POISON CENTER or doctor/ physician.

P501 Dispose of contents/ container to an approved waste disposal plant.

**HMIS Classification** 

Health hazard: 2
Chronic Health Hazard: \*
Flammability: 0

Physical hazards: 0

**NFPA** Rating

Health hazard: 2
Fire: 0
Reactivity Hazard: 0

### **Potential Health Effects**

InhalationToxic if inhaled. May cause respiratory tract irritation.SkinHarmful if absorbed through skin. May cause skin irritation.

**Eyes** May cause eye irritation. **Ingestion** Harmful if swallowed.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula : As

Molecular Weight : 74.92 g/mol

Component		Concentration
Arsenic		
CAS-No.	7440-38-2	-
EC-No.	231-148-6	
Index-No.	033-001-00-X	

### 4. FIRST AID MEASURES

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

# In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 5. FIREFIGHTING MEASURES

#### Conditions of flammability

Not flammable or combustible.

# Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

# **Hazardous combustion products**

Hazardous decomposition products formed under fire conditions. - Arsenic oxides

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions

Wear respiratory protection. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

# **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Aldrich - 267961 Page 2 of 7

# Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

# 7. HANDLING AND STORAGE

### Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed.

### Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis		
Arsenic	7440-38-2	TWA	0.01 mg/m3	USA. ACGIH Threshold Limit Values (TLV)		
Remarks		Lung cancer Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Confirmed human carcinogen				
		С	0.0020 mg/m3	USA. NIOSH Recommended Exposure Limits		
	Potential Occ	Potential Occupational Carcinogen See Appendix A 15 minute ceiling value				

### Personal protective equipment

# **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Immersion protection Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: > 480 min

Material tested:Dermatril® (Aldrich Z677272, Size M)

Splash protection Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: > 30 min

Material tested:Dermatril® (Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 873000, e-mail sales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an Industrial Hygienist familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Aldrich - 267961 Page 3 of 7

# Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin and body protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# **Appearance**

Form powder Colour grey

# Safety data

pH no data available

Melting Melting point/range: 817 °C (1,503 °F) - lit.

point/freezing point

Boiling point 613 °C (1,135 °F) - lit.

Flash point not applicable
Ignition temperature no data available
Autoignition no data available

temperature

Lower explosion limit no data available
Upper explosion limit no data available
Vapour pressure no data available

Density 5.727 g/mL at 25 °C (77 °F)

Water solubility no data available Partition coefficient: no data available

n-octanol/water

Relative vapour

density

no data available

Odour no data available
Odour Threshold no data available
Evaporation rate no data available

### 10. STABILITY AND REACTIVITY

### **Chemical stability**

Stable under recommended storage conditions.

# Possibility of hazardous reactions

no data available

### Conditions to avoid

Heat. Exposure to air may affect product quality.

### Materials to avoid

Oxidizing agents, Halogens, Palladium undergoes a violent reaction with arsenic, Zinc, Platinum oxide, Nitrogen trichloride, Bromine azide

Aldrich - 267961 Page 4 of 7

# **Hazardous decomposition products**

Hazardous decomposition products formed under fire conditions. - Arsenic oxides Other decomposition products - no data available

# 11. TOXICOLOGICAL INFORMATION

#### **Acute toxicity**

#### Oral LD50

LD50 Oral - rat - 763 mg/kg

Remarks: Behavioral: Ataxia. Diarrhoea

LD50 Oral - mouse - 145 mg/kg

Remarks: Behavioral: Ataxia. Diarrhoea

Inhalation LC50 no data available

**Dermal LD50** 

no data available

# Other information on acute toxicity

no data available

# Skin corrosion/irritation

no data available

# Serious eye damage/eye irritation

no data available

### Respiratory or skin sensitization

no data available

# Germ cell mutagenicity

no data available

## Carcinogenicity

This is or contains a component that has been reported to be carcinogenic based on its IARC, OSHA, ACGIH, NTP, or EPA classification.

IARC: 1 - Group 1: Carcinogenic to humans (Arsenic)

NTP: Known to be human carcinogen (Arsenic)

Known to be human carcinogen (Arsenic)

# Reproductive toxicity

no data available

### **Teratogenicity**

no data available

### Specific target organ toxicity - single exposure (Globally Harmonized System)

no data available

# Specific target organ toxicity - repeated exposure (Globally Harmonized System)

no data available

# **Aspiration hazard**

no data available

### Potential health effects

**Inhalation** Toxic if inhaled. May cause respiratory tract irritation.

**Ingestion** Harmful if swallowed.

**Skin** Harmful if absorbed through skin. May cause skin irritation.

**Eyes** May cause eye irritation.

### Signs and Symptoms of Exposure

Absorption into the body leads to the formation of methemoglobin which in sufficient concentration causes cyanosis. Onset may be delayed 2 to 4 hours or longer.

# Synergistic effects

no data available

### **Additional Information**

RTECS: CG0525000

### 12. ECOLOGICAL INFORMATION

### **Toxicity**

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 9.9 mg/l - 96.0 h

Toxicity to daphnia

EC50 - Daphnia magna (Water flea) - 3.8 mg/l - 48 h

and other aquatic invertebrates

# Persistence and degradability

no data available

# Bioaccumulative potential

no data available

### Mobility in soil

no data available

#### PBT and vPvB assessment

no data available

### Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

### 13. DISPOSAL CONSIDERATIONS

#### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

#### Contaminated packaging

Dispose of as unused product.

## 14. TRANSPORT INFORMATION

DOT (US)

UN number: 1558 Class: 6.1 Packing group: II

Proper shipping name: Arsenic Reportable Quantity (RQ): 1 lbs

Marine pollutant: No

Poison Inhalation Hazard: No

**IMDG** 

UN number: 1558 Class: 6.1 Packing group: II EMS-No: F-A, S-A

Proper shipping name: ARSENIC

Aldrich - 267961 Page 6 of 7

Marine pollutant: No

**IATA** 

UN number: 1558 Class: 6.1

Proper shipping name: Arsenic

Packing group: II

### 15. REGULATORY INFORMATION

#### **OSHA Hazards**

Carcinogen, Target Organ Effect, Toxic by inhalation., Harmful by ingestion.

### **SARA 302 Components**

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

Arsenic CAS-No. Revision Date 7440-38-2 2007-07-01

### SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

# **Massachusetts Right To Know Components**

<b>3</b>		
Arsenic	CAS-No. 7440-38-2	Revision Date 2007-07-01
Pennsylvania Right To Know Components		
,	CAS-No.	<b>Revision Date</b>
Arsenic	7440-38-2	2007-07-01
New Jersey Right To Know Components		
	CAS-No.	Revision Date
Arsenic	7440-38-2	2007-07-01
California Prop. 65 Components		
WARNING! This product contains a chemical known to the State of	CAS-No.	<b>Revision Date</b>
California to cause cancer.	7440-38-2	2008-10-10
Arsenic		

### 16. OTHER INFORMATION

#### **Further information**

Copyright 2012 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Aldrich - 267961 Page 7 of 7