

Independence in Variables

Discrete

Two discrete random variables X and Y are called independent if:

$$P(X = x, Y = y) = P(X = x) P(Y = y) \text{ for all } x, y$$

Intuitively: knowing the value of X tells us nothing about the distribution of Y . If two variables are not independent, they are called dependent. This is a similar conceptually to independent events, but we are dealing with multiple *variables*. Make sure to keep your events and variables distinct.

Continuous

Two continuous random variables X and Y are called independent if:

$$P(X \leq a, Y \leq b) = P(X \leq a) P(Y \leq b) \text{ for all } a, b$$

This can be stated equivalently using either the CDF or the PDF:

$$\begin{aligned} F_{X,Y}(a, b) &= F_X(a) F_Y(b) \text{ for all } a, b \\ f(X = x, Y = y) &= f(X = x) f(Y = y) \text{ for all } x, y \end{aligned}$$

More generally, if you can factor the joint density function then your random variable are independent (or the joint probability function for discrete random variables):

$$\begin{aligned} f(X = x, Y = y) &= h(x)g(y) \\ P(X = x, Y = y) &= h(x)g(y) \end{aligned}$$

Example: Showing Independence

Let N be the # of requests to a web server/day and that $N \sim \text{Poi}(\lambda)$. Each request comes from a human with probability = p or from a "bot" with probability = $(1-p)$. Define X to be the # of requests from humans/day and Y to be the # of requests from bots/day. Show that the number of requests from humans, X , is independent of the number of requests from bots, Y .

Since requests come in independently, the probability of X conditioned on knowing the number of requests is a Binomial. Specifically:

$$\begin{aligned} (X|N) &\sim \text{Bin}(N, p) \\ (Y|N) &\sim \text{Bin}(N, 1 - p) \end{aligned}$$

To get started we need to first write an expression for the joint probability of X and Y . To do so, we use the chain rule:

$$P(X = x, Y = y) = P(X = x, Y = y | N = x + y) P(N = x + y)$$

We can calculate each term in this expression. The first term is the PMF of the binomial $X|N$ having x "successes". The second term is the probability that the Poisson N takes on the value $x + y$:

$$\begin{aligned} P(X = x, Y = y | N = x + y) &= \binom{x+y}{x} p^x (1-p)^y \\ P(N = x + y) &= e^{-\lambda} \frac{\lambda^{x+y}}{(x+y)!} \end{aligned}$$

Now we can put those together we have an expression for the joint:

$$P(X = x, Y = y) = \binom{x+y}{x} p^x (1-p)^y e^{-\lambda} \frac{\lambda^{x+y}}{(x+y)!}$$

At this point we have derived the joint distribution over X and Y . In order to show that these two are independent, we need to be able to factor the joint:

$$\begin{aligned}
 P(X = x, Y = y) &= \binom{x+y}{x} p^x (1-p)^y e^{-\lambda} \frac{\lambda^{x+y}}{(x+y)!} \\
 &= \frac{(x+y)!}{x! \cdot y!} p^x (1-p)^y e^{-\lambda} \frac{\lambda^{x+y}}{(x+y)!} \\
 &= \frac{1}{x! \cdot y!} p^x (1-p)^y e^{-\lambda} \lambda^{x+y} && \text{Cancel (x+y)!} \\
 &= \frac{p^x \cdot \lambda^x}{x!} \cdot \frac{(1-p)^y \cdot \lambda^y}{y!} \cdot e^{-\lambda} && \text{Rearrange}
 \end{aligned}$$

Because the joint can be factored into a term that only has x and a term that only has y , the random variables are independent.

Symmetry of Independence

Independence is symmetric. That means that if random variables X and Y are independent, X is independent of Y and Y is independent of X . This claim may seem meaningless but it can be very useful. Imagine a sequence of events X_1, X_2, \dots . Let A_i be the event that X_i is a "record value" (eg it is larger than all previous values). Is A_{n+1} independent of A_n ? It is easier to answer that A_n is independent of A_{n+1} . By symmetry of independence both claims must be true.

Expectation of Products

Lemma: Product of Expectation for Independent Random Variables:

If two random variables X and Y are independent, the expectation of their product is the product of the individual expectations.

$$\begin{aligned}
 E[X \cdot Y] &= E[X] \cdot E[Y] && \text{if } X \text{ and } Y \text{ are independent} \\
 E[g(X)h(Y)] &= E[g(X)]E[h(Y)] && \text{where } g \text{ and } h \text{ are functions}
 \end{aligned}$$

Note that this assumes that X and Y are independent. Contrast this to the sum version of this rule (expectation of sum of random variables, is the sum of individual expectations) which does **not** require the random variables to be independent.