Toward a Bifactorial Encabulation of the Bi-Cycle: Longitudinal Invariance and the Hypothetical Distribution of Queer Desire

The present study applies a fully saturated bifactor encabulation framework to longitudinally intensive bi-cycle data, wherein the non-central chi-square distribution is leveraged to ensure that our failure to reject non-invariance does not deviate unduly from the hypothetical population model we are, at best, sincerely approximating.



Three correlated but spiritually distinct latent constructs including *Attraction*, *Fantasy*, and *Lust*, are encabulated via polychoric covariance structure using the WLSMV estimator, chosen for its robustness to the ordinal, and frankly chaotic, nature of desire. Residual co-variances among *Inactive*, *Education*, *Gym*, *Work*, and *Social* activity indicators are freed in recognition of the well-established phenomenon whereby one's bi panic at the gym does not occur independently of one's bi panic at work, nor indeed of one's bi panic during mandatory online compliance training.

The structural cascade proceeds as follows: Attraction loads onto Fantasy, Fantasy loads onto Lust, and Lust loads on anything wearing thigh highs. No modification indices were consulted during model specification, though it should be noted that a non-trivial allocation of researcher degrees of freedom were expended upstream during the data screening process, which we disclose here in the spirit of open science and light dissociation. To establish the minimum sample size at which the encabulated bi-cycle could be trusted not to simply be vibing, a simulation study was conducted via parametric bootstrapping of extant data. This procedure confirmed that below a certain threshold, the model's chi-square becomes less a test statistic and more of a cry for help, which was found to be consistent with the broader literature.

Phase estimation of the bi-cycle is operationalized through a purpose-built interactive applet, in which the co-occurrence and polychoric correlation of gendered Attraction, Fantasy, and Lust indicators are synthesized into a continuous cycle position, reported to three decimal places of precision, because bisexual feelings, while cyclical, are not imprecise. For genderfluid respondents, whose gender reference frame may itself rotate across the longitudinal measurement window, the applet provides an option to reverse the color gradient at will, ensuring that the direction of encabulation remains aligned with the user's current gender orientation rather than being arbitrarily imposed by the researcher's own non-fluid coordinate system.

Fit is assessed via CFI, TLI, RMSEA, and SRMR, the last of which is included primarily for vibes. Non-invariance across the M, X, and F gender parcels is neither confirmed nor denied, but rather held in a theoretically productive superposition consistent with contemporary bifactorial queer epistemology and the general energy of a Thursday afternoon. Correspondence concerning this article should be addressed to the first and only author, who is single, theoretically available, and whose own bi-cycle phase is estimated at approximately 0.268, pending replication.