

1. Select the delimiters used in JSP expression language.

1 / 1 point

- ☒ `${ ... }`
- ☐ `<... />`
- ☐ `<% ... %>`
- ☐ `<%! ... %>`

☒ **Correct**
Correct

2. Select all the following which are JSP decision-making (conditional) tags.

1 / 1 point

☒ `<c:choose>`

☒ **Correct**
Correct

☒ `<c:when>`

☒ **Correct**
Correct

☒ `<c:if>`

☒ **Correct**
Correct

☒ `<c:otherwise>`

☒ **Correct**
Correct

3. Select all the following which are JSP URL management tags.

1 / 1 point

☒ `<c:url>`

☒ **Correct**
Correct

☒ `<c:param>`

☒ **Correct**
Correct

☐ `<c:out>`

☐ `<c:query>`

4. Which of the following is NOT a conditional JSP tag?

1 / 1 point

- ☒ `<c:else>`
- ☐ `<c:if>`
- ☐ `<c:choose>`
- ☐ `<c:when>`

☒ **Correct**
Correct

5. Which of the following are logical operators that can be used in conditional expressions in JSP?

1 / 1 point

☒ &&

✔ **Correct**
Correct

☒ ||

✔ **Correct**
Correct

☐ +

☐ %

6. What is the data type of almost all EL implicit objects?

1 / 1 point

☐ List

☒ Map

☐ PageContext

☐ Comma-separated values

✔ **Correct**
Correct

7. Which of the following is NOT a valid EL implicit object?

1 / 1 point

☐ param

☐ cookie

☐ pageContext

☒ scope

✔ **Correct**
Correct

8. What is an example of an import used in a JSP?

1 / 1 point

- ☐ `<% import java.util.List; %>`
- ☐ `<% page import="java.util.List" %>`
- ☒ `<%@ page import="java.util.List" %>`
- ☐ `<%@ import class="java.util.List" %>`

✓ **Correct**
Correct

9. Given an HTML form with checkboxes for a parameter called favoriteColor, which EL expression would access the first value of the favoriteColor parameter?

1 / 1 point

- ☐ `${paramValues.favoriteColor[1]}`
- ☒ `${paramValues.favoriteColor[0]}`
- ☐ `${paramValues[favoriteColor][0]}`
- ☐ `${paramValues[favoriteColor][1]}`

✓ **Correct**
Correct

10. Given the JSP code, `"${21 % 4}"`, what will be displayed on the page?

1 / 1 point

- ☐ 5.25
- ☒ 1
- ☐ 21 % 4
- ☐ `${21 % 4}`

✓ **Correct**
Correct