Fableous quick start guide

1. Online (uq zone):

The homepage of Fableous demo is on the uq zone.

https://s4523761-fableous.uqcloud.net/index/index.php

Account/password for the demo:

teacher/teacher: for teachersstudent/student: for students

• test/test: for developers

2. Localhost server

- 1. Can use XAMPP (or other applications) to start a local *apache* server and **mysql** database server. XAMPP can download from its official website <u>Xampp download</u>
- 2. Then import the **fableous.sql** into the mysql server.

 If there are some database errors alerted in pages, the pages need to change the pwd to "" in related php code.
- 3. The **root folder** of the webapp-Fableous is **'index'** folder, ensure it is on the apache document root folder.
 - Just copy or move the **index** folder to the *htdocs* on your computer.
- 4. In terms of the server, you should install **node.js** and its package websocket (**ws**). A great guide can follow to install *node.js* is the official website <u>Node.js.org</u>

Then start it as a local server (the default port on localhost is 8080):

```
npm install ws -g
node server.js
```

Then the website could be access by <u>'localhost/index/index.php'</u>.

In the page, *test accounts/passwords and quick login portal* are on the **bottom-right** of the page (might need to scroll to the bottom). This is only used for test for developer, and should not appear in the formal product. You can delete it in the *'index/index.php'*.