


Full Custom Regulatory

Michigan does not have a
state law therefore its
removed and the sign is
shorter.



R1-6
IN-STREET PEDESTRIAN CROSSING - YIELD

RCOC STOCK NUMBERS:
94 181 (12x30)


* See page 8-7 for symbol design.

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q
12	30	0.25	1	2 D	0.75	24	2	7.75	1.25	1.5 D	8.25	1.5 C	3.742	2.482

R	S	T	U	V	W	X	Y	Z	AA	BB	CC	DD	EE
2.481	5	1.25	0.625	0.875 C	1.326	1.096	1.095	0.350	1	0.690	4.765	4.764	1.5

- COLORS: LEGEND, INNER BORDER
INNER BACKGROUND
OUTER BACKGROUND
YIELD SIGN LEGEND AND OUTER BACKGROUND
- BLACK
— WHITE (RETROREFLECTIVE)
— YELLOW or FLUORESCENT YELLOW-GREEN (RETROREFLECTIVE)
— RED (RETROREFLECTIVE)

R100 Weight, Designated Loading Road (Formally Class A)



SIDE 1

Vector file available upon request

1.250" Radius, 0.375" Border, 0.375" Indent, Black on White;
"SEASONAL", C 2K; "LOAD", C 2K;
"AND SPEED", C 2K;
"RESTRICTIONS", C 2K specified length;
"IN EFFECT", C 2K;

**Doubled sided sign. One side
upside down when flipping
along short side.**




SIDE 2

**MDOT calls this sign R12-8 but it is a
custom sign. Therefore, its a R100-11
Designated Weight Loading Sign.**

1.250" Radius, 0.375" Border, 0.375" Indent, Black on White;
"248-858-4804", B 2K;

**RCOC STOCK NUMBER:
94 267 (24x30)**


R100 Weight, Normal Loading Road (Formally Class B)



1.250" Radius, 0.375" Border, 0.375" Indent, Black on White;
 "LEGAL", C; "AXLE LOADING", C; "SINGLE", B;
 "18", B; ",", B; "000", B; "TANDEM", B; "26", B;
 ",", B; "000", B;

SIDE 1


**Doubled sided sign. One side
upside down when flipping
along short side.**



SIDE 2

1.250" Radius, 0.375" Border, 0.375" Indent, Black on White;
 "REDUCED", C; "AXLE LOADING", C;
 "SINGLE", B; "11", B; ",", B; "700", B;
 "TANDEM", B; "16", B; ",", B; "900", B;

**RCOC STOCK NUMBER:
2004 050 (30x24)**




**RCOC STOCK NUMBER:
2001 501 (12x18)**


R7-14
NO STOPPING STANDING PARKING

COLORS
LEGEND AND BORDER - RED (REFL.)
BACKGROUND - WHITE (REFL.)

93 545 (9x12) Left



PEDESTRIAN SYMBOL — WHITE (RETROREFLECTIVE) ON BLACK




R10-3e
COUNT-DOWN PEDESTRIAN

RCOC STOCK NUMBERS:

93 837 (9x15) Right

93 838 (9x15) Left



* See pages 6-8 and 6-10 for symbol design.

COLORS: LEGEND, BORDER
BACKGROUND
UPRAISED HAND SYMBOL, TIMER
PEDESTRIAN SYMBOL

— BLACK
— WHITE (RETROREFLECTIVE)
— ORANGE (RETROREFLECTIVE) ON BLACK
— WHITE (RETROREFLECTIVE) ON BLACK

Full Custom Warning

W100 Hidden Driveways



30x30;
30.0" across sides 1.5" Radius, 0.8" Border, 0.5" Indent, Black on Fluorescent yellow;
"HIDDEN", C 2K; "DRIVEWAYS", C 2K;




36x36;
36.0" across sides 2.3" Radius, 0.9" Border, 0.6" Indent, Black on Fluorescent yellow;
"HIDDEN", C 2K; "DRIVEWAYS", C 2K;

RCOC STOCK NUMBERS:

94 467 (30x30)

93 714 (36x36)

W100 Water Over Road



36.00" across sides 3.75" Radius, 0.88" Border, 0.63" Indent, Black on Yellow;
"WATER", C 2K; "OVER", C 2K; "ROAD", C 2K;

**RCOC STOCK NUMBER:
2007608 (36x36)**



W14-2b
ROAD ENDS

SIGN	DIMENSIONS (INCHES)					
	A	B	C	D	E	F
LOCAL	30	.5	.75	6 C	2	1.875
STD.	36	.625	.875	8 C	2.25	2.25
SPECIAL	48	.75	1.25	10 C	2.5	3

COLORS

LEGEND AND BORDER - BLACK (NON-REFL.)
BACKGROUND - YELLOW (REFL.)

**RCOC STOCK NUMBER:
2005 503 (30x30)**

Full Custom Object Markers

RCOC STOCK NUMBERS:
2004 696 (24x48) Right
2004 662 (24x48) Left

PANEL ON LEFT
SIDE OF ROADWAY

PANEL ON RIGHT
SIDE OF ROADWAY



OM-3L

OM-3R

USE UP!@!!!!

SIGN	DIMENSIONS (INCHES)							
	A	B	C	D	E	F	G	H
NON-FREEWAY	12	36	6	18	2	4	5	1.37
FREEWAY	24	48	12	24	3	6	7	3.5
BRIDGE PIER	36	72	18	36	4	8	10	8.75

COLORS

STRIPES "G" - BLACK (NON-REFL.)
 STRIPES "F" - YELLOW (REFL.)
 (PERMANENT SIGN)

COLORS

STRIPES "G" - ORANGE (REFL.)
 STRIPES "F" - WHITE (REFL.)
 (CONSTRUCTION ZONE SIGN)

MI/2006

11-3 (MI)

Full Custom Information

I100 Adopt-a-Road



Size	Color	Border	Margin	C.R.	Holes	Centers	Item #
24" SQ	BK, BL, GR & RD/WH	5/8"	3/8"	1 1/2"	2 - 7/16"	21"	44444444

**RCOC STOCK NUMBER:
2000016 (24x24)**

I100 Natural Beauty Road



1.500" Radius, 0.625" Border, 0.375" Indent, Black on White;

**RCOC STOCK NUMBER:
2004159 (24x30)**

Full Custom School


S100 School Days Only



Andy Needs top make this

S4-1aP **24x12** 10 inches iust to small
SCHOOL DAYS ONLY

A	B	C	D	E	F	G	H	J
24	10	.375	.625	1.5	2	2.5 C	1	2
36	18	.625	.875	2.25	3.5	4 C	3	3
48	24	.75	1.25	3	5	5 C	4	4



S4-1cP
SCHOOL HOURS (THREE LINES)

A	B	C	D	E	F	G	H	J
24	15	.375	.625	1.5	2.25	2.5 D	1.5	.375
36	18	.625	.875	2.25	2.7	3 D	1.8	.5
48	24	.75	1.25	3	3.6	4 D	2.4	.75

COLORS

LEGEND AND BORDER

BACKGROUND

CENTRALLY LOCATE ALL LEGENDS

- BLACK (NON-REFL.)

- WHITE (REFL.)

RCOC STOCK NUMBER:

93 890 (24x10)

Check size!

Full Sign Post Inserts


Sign Post Insert Reflective Panel

RCOC STOCK NUMBERS:

94100 (60x3x0.080) Red ASTM Type IV


94263 (60x30x0.80) Yellow ASTM Type IV

94541 (60x30x0.080) White ASTM Type XI



Full Standard Destination, Distance, and Directional

All come from from SHS 2024: https://mutcd.fhwa.dot.gov/kno-shs_2024-release-status/index.htm unless otherwise noted.



D9-2

HOSPITAL

**RCOC STOCK NUMBER:
2003557**

A	B	C	D	E
18	.5	1.5	15 EM	1.5
24	.5	2	20 EM	1.5
30	.75	2.5	25	1.875


COLORS: LEGEND —WHITE (RETROREFLECTIVE)
BACKGROUND —BLUE (RETROREFLECTIVE)

3-59

NOTE: From SHS 2004: https://mutcd.fhwa.dot.gov/ser-shs_millennium_eng.htm

M6-1P Directional Arrow - Turn (plaque)

Redesign Under Development -
MDOT and OLD Federal ones
Shown (DO NOT USE!)



M6-1
DIRECTIONAL ARROW AUXILIARY

OLD FED

** See page 6-2 for arrow design.

A	B	C	D	E	F	G	H	J	K
12*	9*	-	-	4.5	4.25	4.25	4.5	1.5	0.375
21	15	0.375	0.625	7.5	7	7.125	7.5	1.5	0.5
30	21	0.375	0.625	10.5	10	10.25	10.75	1.5	0.5

*12 x 9 IS FOR BICYCLE AUXILIARIES ONLY AND SHALL BE WHITE ON GREEN.

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — WHITE (RETROREFLECTIVE)

COLORS: INTERSTATE ROUTE SIGN, GENERAL SERVICES:
LEGEND, BORDER — BLUE (RETROREFLECTIVE)
BACKGROUND — WHITE (RETROREFLECTIVE)

COLORS: COUNTY ROUTE SIGN:
LEGEND, BORDER — YELLOW (RETROREFLECTIVE)
BACKGROUND — BLUE (RETROREFLECTIVE)

COLORS: GENERAL INFORMATION, BICYCLE*:
LEGEND, BORDER — GREEN (RETROREFLECTIVE)
BACKGROUND — WHITE (RETROREFLECTIVE)

RCOC STOCK NUMBER:
ADD


D9-6 SUPPLEMENTAL PANELS



PANEL D
ENTRANCE PANEL



PANEL E
INFORMATION PANEL



PANEL F
ARROW PANEL



SIGN	DIMENSIONS (INCHES)									
	A	B	C	D	E	F	G	H	J	K
MIN.	18	6	.5	2 1-W	2	1	6	1.5	1	4
STD.	24	9	.5	3 1-W	3	1	9	1.5	2.5	4

COLORS

LEGEND AND BORDER - WHITE (REFL.)
 BACKGROUND - BLUE (REFL.)
 CENTRALLY LOCATE ALL LEGENDS

MDOT Version

M6-3P Directional Arrow - Through (plaque)



M6-3

DIRECTIONAL ARROW AUXILIARY

OLD FED

** See page 6-2 for arrow design.

A	B	C	D	E	F	G	H	J	K
12*	9*	-	-	1.5	6	2.125	4.25	1.5	0.375
21	15	0.375	0.625	2.625	9.75	3.5	7	1.5	0.5
30	21	0.375	0.625	3.5	14	5	10	1.5	0.5

*12 x 9 IS FOR BICYCLE AUXILIARIES ONLY AND SHALL BE WHITE ON GREEN.

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — WHITE (RETROREFLECTIVE)

COLORS: INTERSTATE ROUTE SIGN, GENERAL SERVICES:
LEGEND, BORDER — BLUE (RETROREFLECTIVE)
BACKGROUND — WHITE (RETROREFLECTIVE)

COLORS: COUNTY ROUTE SIGN:
LEGEND, BORDER — YELLOW (RETROREFLECTIVE)
BACKGROUND — BLUE (RETROREFLECTIVE)

RCOC STOCK NUMBER:
ADD

COLORS: GENERAL INFORMATION, BICYCLE*:
LEGEND, BORDER — GREEN (RETROREFLECTIVE)
BACKGROUND — WHITE (RETROREFLECTIVE)

Full Standard Other







Figure 1 — IDENTIFICATION EMBLEM




D7 does not do anything with these.

**RCOC STOCK NUMBER:
0928 997**

ACCOUNT: 110.009 (Which is not D7 or D8)

All from the internet



STAFF MOUNTED PADDLES


THE STAFF MOUNTED PADDLES SHALL BE FABRICATED USING TYPE "III" OR "IV" RETROREFLECTIVE SHEETING ON BOTH SIDES. THE STOP SIGN SHALL HAVE A RED BACKGROUND WITH WHITE LEGEND AND BORDER. THE SLOW SIGN SHALL HAVE AN ORANGE BACKGROUND WITH BLACK LEGEND AND BORDER.

RCOC STOCK NUMBER:

0929 002 Stop/Slow Paddle

Fully Fabricated Standard Regulatory

All come from from SHS 2024: https://mutcd.fhwa.dot.gov/kno-shs_2024-release-status/index.htm unless otherwise noted.




RCOC STOCK NUMBER:
2005602 (30x30)
2007476 (36x36)

* Reduce Spacing 40%.

A	B	C	D	E	F	G
18	0.375	6	6 C*	3	7.401	7.456
30	0.75	10	10 C*	5	12.335	12.426
36	0.875	12	12 C*	6	14.802	14.912
48	1.25	16	16 C*	8	19.736	19.882


COLORS: LEGEND, BORDER — WHITE (RETROREFLECTIVE)
 BACKGROUND — RED (RETROREFLECTIVE)



**RCOC STOCK NUMBER:
2006486**

A	B	C	D	E	F	G	H	J
18	0.375	2	1	1.5 C	2.372	2.175	0.625	1.5
30	0.625	4	1.75	2.5 C	3.953	3.625	0.875	1.5
36	0.75	5	2	3 C	4.718	4.375	1.25	2
48	1	6	2.75	4 C	6.249	5.875	2	3
60	1.5	8	3.5	5 C	7.905	7.25	2.5	4

COLORS: LEGEND, OUTER BACKGROUND — RED (RETROREFLECTIVE)
INNER BACKGROUND, BORDER — WHITE (RETROREFLECTIVE)




Need to put 36x15 in table. Do we use MDOT DETAIL???

RCOC STOCK NUMBER:
2000305 (30x12)
93660 (36x15) RCOC MOD

★ Reduce Spacing 50%.

A	B	C	D	E	F	G	H	J	K
18	6	0.5	1.5	3 C	5.822	1.455	0.795	6.483	1.5
30	12	0.75	3	6 C*	10.805	2.401	0.599	12.606	1.875

COLORS: LEGEND, BORDER — WHITE
BACKGROUND — RED (RETROREFLECTIVE)



R1-5R

YIELD HERE TO PEDESTRIANS

RCOC STOCK NUMBER:

93 828 (36x36) Left

93 829 (36x36) Right



R1-5L

* See page 7-7 for detail.

** See page 8-7 for symbol design.

A	B	C	D	E	F	G	H	J	K	L	M	N
36	0.625	0.875	3.25	2	1	1.5 C	9.5	4 C	1	7.75	6	4.75

P	Q	R	S	T	U	V	W	X	Y	Z	AA
10	15.625	14	2.372	2.175	13.25	2.5	10.804	2.441	14	0.625	2.25

COLORS: LEGEND, BORDER

BACKGROUND, YIELD SIGN INNER BACKGROUND

YIELD SIGN LEGEND AND OUTER BACKGROUND

— BLACK (RETROREFLECTIVE)

— WHITE (RETROREFLECTIVE)

— RED (RETROREFLECTIVE)



R2-1
SPEED LIMIT


**RCOC
STOCK
NUMBERS:**

2004 365 (25 MPH)
2004 373 (30 MPH)
2004 381 (35 MPH)
2004 399 (40 MPH)
2004 406 (45 MPH)
2004 414 (50 MPH)
2004 422 (55 MPH)

* Optically space numerals about centerline.

A	B	C	D	E	F	G	H	J	K	L	M	N	P
18	24	0.375	0.625	3	3 E	2	8 E*	7.053	7.052	5.491	5.491	VAR*	1.5
24	30	0.375	0.625	4	4 E	2	10 E*	9.403	9.403	7.321	7.321	VAR*	1.5
30	36	0.5	0.75	4.5	5 E	2.5	12 E*	11.754	11.754	9.152	9.151	VAR*	1.875
36	48	0.625	0.875	6	6 E	5	14 E*	14.105	14.104	10.982	10.981	VAR*	2.25
48	60	0.75	1.25	8	8 E	6	16 E*	18.806	18.806	14.642	14.642	VAR*	3

COLORS: LEGEND, BORDER — BLACK
 BACKGROUND — WHITE (RETROREFLECTIVE)




R2-6aP
FINES DOUBLE (PLAQUE)

RCOC STOCK NUMBERS:
94164 (24x18)
RCOC incorrectly stocks 24x24

* Reduce Spacing 20%.

A	B	C	D	E	F	G	H	J	K	L	M
24	18	0.375	0.625	3.5	4 D	3	4 D*	6.984	9.555	9.554	1.5
36	24	0.375	0.625	4.125	6 D	3.75	6 D*	10.476	14.332	14.332	1.5
48	36	0.625	0.875	7	8 D	6	8 D*	13.968	19.109	19.109	2.25

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — WHITE (RETROREFLECTIVE)



R3-1

MOVEMENT PROHIBITION - NO RIGHT TURN

RCOC STOCK NUMBERS:
2003656 (24x24)
2005280 (30x30) RCOC MOD
ADD (36x36)

* See page 7-3 for arrow design.

A	B	C	D	E	F	G	H	J	K	L	M	N	P
24	0.375	0.625	1.5	10.5	4.016	7.5	2	2.531	2.75	6.375	6.75	2	1.5
36	0.625	0.875	2.25	15.75	6.023	11.25	3	3.797	4.125	9.563	10.125	3	2.25
48	0.75	1.25	3	21	8.031	15	4	5.063	5.5	12.75	13.5	4	3

COLORS: CIRCLE, DIAGONAL — RED (RETROREFLECTIVE)
ARROW, BORDER — BLACK
BACKGROUND — WHITE (RETROREFLECTIVE)

See annotated *MDOT Support* *Hole Placement Detail #12*

R3-2
2024 Edition



R3-2
MOVEMENT PROHIBITION - NO LEFT TURN

RCOC STOCK NUMBERS:
2003 630 (24x24)
2005 256 (30x30) RCOC MOD
2007 070 (36x36)

* See page 7-3 for arrow design.

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q
24	0.375	0.625	1.5	10.5	4.016	7.5	2	0.5	2.531	2.75	6.375	6.75	2	1.5
36	0.625	0.875	2.25	15.75	6.023	11.25	3	0.75	3.797	4.125	9.563	10.125	3	2.25
48	0.75	1.25	3	21	8.031	15	4	1	5.063	5.5	12.75	13.5	4	3

COLORS: CIRCLE, DIAGONAL — RED (RETROREFLECTIVE)
 ARROW, BORDER — BLACK
 BACKGROUND — WHITE (RETROREFLECTIVE)



R3-3
MOVEMENT PROHIBITION - NO TURNS

RCOC STOCK NUMBERS:
2003672 (24x24)
2007096 (36x36)

* Reduce Spacing 35%.

A	B	C	D	E	F	G	H	J	K	L	M
24	0.375	0.625	4.5	6 D	4	5 D*	4.834	4.834	9.545	9.544	1.5
36	0.625	0.875	6	10 D	6	8 D*	8.057	8.056	15.271	15.271	2.25
48	0.75	1.25	9	12 D	8	10 D*	9.668	9.667	19.089	19.089	3

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — WHITE (RETROREFLECTIVE)



R3-4

MOVEMENT PROHIBITION - NO U TURN

RCOC STOCK NUMBERS:
2003680 (24x24)
2005321 (30x30) RCOC MOD
ADD 36x36

* See page 7-3 for arrow design.

A	B	C	D	E	F	G	H	J	K	L	M	N
24	0.375	0.625	1.5	10.5	2.531	2.484	2.25	6	3.75	2	6.75	1.5
36	0.625	0.875	2.25	15.75	3.797	3.728	3.375	9	5.625	3	10.125	2.25
48	0.75	1.25	3	21	5.063	4.969	4.5	12	7.5	4	13.5	3

COLORS: CIRCLE, DIAGONAL — RED (RETROREFLECTIVE)
 ARROW, BORDER — BLACK
 BACKGROUND — WHITE (RETROREFLECTIVE)



R3-7R
RIGHT LANE MUST TURN RIGHT

RCOC STOCK NUMBERS:
2005420 (30x30)
94272 (36x36)

* Reduce Spacing 40%.

** Reduce Spacing 20%.

A	B	C	D	E	F	G	H
30	0.5	0.75	4.5	4 C	4	5 C	12.164
36	0.625	0.875	5	5 C*	5	6 C	13.785
48	0.75	1.25	7	6.5 C**	6.5	8 C	18.844

J	K	L	M	N	P	Q	R
0.450	2.050	10.564	6.928	10.884	1.890	0.610	1.875
0.853	2.272	12.365	8.314	12.545	2.183	0.942	2.25
0.889	3.111	16.621	11.085	16.998	2.923	1.077	3

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — WHITE (RETROREFLECTIVE)



R3-7L
LEFT LANE MUST TURN LEFT

RCOC STOCK NUMBERS:
2005107 (30x30)
94271 (36x36)

A	B	C	D	E	F	G	H
30	0.5	0.75	4.5	4 C	4	5 C	9.644
36	0.625	0.875	5	5 C	5	6 C	12.055
48	0.75	1.25	7	6.5 C	6.5	8 C	15.672

J	K	L	M	N	P	Q	R
1.710	0.790	10.564	6.928	10.884	0.630	1.870	1.875
2.138	0.987	13.205	8.314	13.605	0.788	2.337	2.25
2.748	1.252	17.167	11.085	17.687	0.993	3.007	3

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — WHITE (RETROREFLECTIVE)



R4-1
DO NOT PASS

**RCOC STOCK NUMBER:
2004034 (24x30)**

A	B	C	D	E	F	G	H	J	K	L	M	N	P
12	18	0.375	0.375	2.875	2.75 D	2	2.188	2.188	3.247	3.247	4.308	4.307	1.5
18	24	0.375	0.625	3.5	4 D	2.5	3.183	3.182	4.723	4.723	6.266	6.265	1.5
24	30	0.375	0.625	3.5	6 D	2.5	4.774	4.774	7.085	7.084	9.399	9.398	1.5
36	48	0.625	0.875	7	8 D	5	6.365	6.365	9.446	9.446	12.531	12.531	2.25
48	60	0.75	1.25	8	10 D	7	7.957	7.956	11.808	11.807	15.664	15.664	3

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — WHITE (RETROREFLECTIVE)




R4-2
PASS WITH CARE

**RCOC STOCK NUMBER:
2004266 (24x30)**

A	B	C	D	E	F	G	H	J	K	L	M	N	P
12	18	0.375	0.375	2.5	3 C	2	3.977	3.976	3.587	3.586	4.052	4.051	1.5
18	24	0.375	0.625	3.5	4 C	2.5	5.302	5.302	4.782	4.782	5.402	5.402	1.5
24	30	0.375	0.625	3.5	6 C	2.5	7.953	7.953	7.173	7.173	8.103	8.103	1.5
36	48	0.625	0.875	7	8 C	5	10.604	10.604	9.564	9.564	10.804	10.804	2.25
48	60	0.75	1.25	8	10 C	7	13.255	13.255	11.955	11.955	13.505	13.505	3

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — WHITE (RETROREFLECTIVE)



R4-7
KEEP RIGHT


RCOC STOCK NUMBER:
2004133 (24x30)
2007848 (36x48)

* See page 7-3 for arrow design.

A	B	C	D	E	F	G	H	J
12	18	0.375	0.375	2.5	3.75	2.5	6.196	3.25
18	24	0.375	0.625	2.25	4.125	2.25	9.294	3.375
24	30	0.375	0.625	2	4.5	2	12.392	3.5
36	48	0.625	0.875	4.5	8.25	4.5	18.588	6.75
48	60	0.75	1.25	4	9	4	24.785	7

K	L	M	N	P	Q	R	S	T
3.25	3.667	4	15	1.807	4.5	1	5.25	1.5
4.875	5.5	6	22.5	2.711	6.75	1.5	7.875	1.5
6.5	7.333	8	30	3.615	9	2	10.5	1.5
9.75	11	12	45	5.422	13.5	3	15.75	2.25
13	14.667	16	60	7.230	18	4	21	3

COLORS: SYMBOL, BORDER — BLACK
BACKGROUND — WHITE (RETROREFLECTIVE)




R4-21R
RIGHT TURN ONLY

**RCOC STOCK NUMBERS:
2004 349 (24x30) NEW SIGN!**

A	B	C	D	E	F	G	H	J	K	L	M	N	P
24	30	0.375	0.625	4	5 C	3.5	7.603	7.602	6.803	6.802	6.953	6.952	1.5

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — WHITE (RETROREFLECTIVE)



R4-21L

LEFT TURN ONLY

**RCOC STOCK NUMBERS:
2004 323 (24x30) NEW SIGN!**


A	B	C	D	E	F	G	H	J	K	L	M	N	P
24	30	0.375	0.625	4	5 C	3.5	6.028	6.027	6.803	6.802	6.953	6.952	1.5

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — WHITE (RETROREFLECTIVE)

2-189-2

See annotated *MDOT Support*
Hole Placement Detail #12

R5-1
 2024 Edition




R5-1
 DO NOT ENTER

RCOC STOCK NUMBER:
 2005 066 (30x30)
 2006 816 (36x36)

A	B	C	D	E	F	G	H	J	K	L	M	N	P
30	6.5	4 D	2	5	14.5	12.5	6.365	3.541	0.459	9.446	7.725	7.724	1.875
36	7.5	5 D	2.5	6	17.5	15	7.956	4.426	0.574	11.808	9.656	9.655	2.25
48	11	6 D	3	8	23.5	20	9.548	5.311	0.689	14.169	11.587	11.587	3

COLORS: INNER BACKGROUND — RED (RETROREFLECTIVE)
 LEGEND, OUTER BACKGROUND — WHITE (RETROREFLECTIVE)
 NO BORDER




RCOC STOCK NUMBER:
2002921 (30x18)
2004638 (36x24)

A	B	C	D	E	F	G	H	J	K
30	18	0.5	3	5 D	2	10.958	6.804	6.804	1.5
36	24	0.5	4.5	6 D	3	13.150	8.165	8.164	1.5
42	30	0.75	5	8 D	4	17.533	10.886	10.886	1.875

COLORS: LEGEND, BORDER — WHITE (RETROREFLECTIVE)
 BACKGROUND — RED (RETROREFLECTIVE)

What is the deal on this size? 54x18



RCOC STOCK NUMBERS:

Add (30x10)

2001973 (36x12)

94270 (54x18) Non std sign need hole spacings


* See page 7-3 for arrow design.

A	B	C	D	E	F	G	H	J
36	12	0.5	1.25	2.125	0.625	4 D	3	1.25
48	18	0.75	1.875	3.625	1	5 D	3.5	2.5
72	24	1	2.5	4.25	1.25	8 D	6	2.5

K	L	M	N	P	Q	R	S	T
9.886	2	10.398	7.466	2	5.25	0.248	9.5	1.5
12.358	3	12.997	11.144	2.5	7	0.311	14.25	1.875
19.772	4	20.796	14.932	4	10.5	0.496	19	3

COLORS: LEGEND, BACKGROUND — BLACK
ARROW, BORDER — WHITE (RETROREFLECTIVE)

What is the deal on this size? 54x18



RCOC STOCK NUMBERS:
Ad (30x10)
2001965 (36x12)
94269 (54x18) hole spacings

* See page 7-3 for arrow design.

A	B	C	D	E	F	G	H	J
36	12	0.5	1.25	2.125	0.625	4 D	3	1.25
48	18	0.75	1.875	3.625	1	5 D	3.5	2.5
72	24	1	2.5	4.25	1.25	8 D	6	2.5

K	L	M	N	P	Q	R	S	T
9.886	2	10.398	7.466	2	5.25	0.248	9.5	1.5
12.358	3	12.997	11.144	2.5	7	0.311	14.25	1.875
19.772	4	20.796	14.932	4	10.5	0.496	19	3

COLORS: LEGEND, BACKGROUND — BLACK
 ARROW, BORDER — WHITE (RETROREFLECTIVE)




R8-3
NO PARKING (SYMBOL)

RCOC STOCK NUMBERS:
2001361 (12x12)
2003648 (24x24)

A	B	C	D	E	F	G	H	J	K
12	0.375	0.375	1.125	1.875	6 E(m)	1.875	2.988	1	1.5
24	0.375	0.625	1.5	4.5	12 E(m)	3.75	5.976	2	1.5
30	0.5	0.75	1.875	5.625	15 E(m)	4.708	7.450	2.5	1.875
36	0.625	0.875	2.25	6.75	18 E(m)	5.625	8.964	3	2.25
48	0.75	1.25	3	9	24 E(m)	7.5	11.952	4	3

COLORS: LEGEND — RED (RETROREFLECTIVE)
BACKGROUND — WHITE (RETROREFLECTIVE)
SYMBOL, BORDER — BLACK



R10-6
STOP HERE ON RED


**RCOC STOCK NUMBER:
2004620 (24x36)**

* See page 7-3 for arrow design.

A	B	C	D	E	F	G	H	J	K	L
24	36	0.375	0.625	4	5 D	2.5	3 D	2	3.143	7.806
36	48	0.625	0.875	5	7 D	4	4 D	1.75	3.641	10.928

M	N	P	Q	R	S	T	U	V	W	X
7.805	8.690	0.856	3	4.834	5.805	5.804	6.649	6.75	14.625	1.5
10.928	11.586	1.142	4	6.445	8.126	8.126	8.673	9.5	19	2.25

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — WHITE (RETROREFLECTIVE)



R10-7
DO NOT BLOCK INTERSECTION


**RCOC STOCK NUMBER:
2004018 (24x30)**

* Reduce Spacing 50%.

A	B	C	D	E	F	G	H
24	30	0.375	0.625	4.5	5 C	3.5	4 B*

J	K	L	M	N	P	Q
6.653	2.5	0.376	9.528	8.628	10.465	1.5

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — WHITE (RETROREFLECTIVE)




R10-11a
NO TURN ON CIRCULAR RED

**RCOC STOCK NUMBER:
2005305 (24x30)**

A	B	C	D	E	F	G	H	J	K
24	30	0.375	0.625	2.75	5 E	2	4 D	1.5	6
36	48	0.625	0.875	4.75	8 E	3.5	6 D	1.5	10

L	M	N	P	Q	R	S	T	U
4.703	4.702	6.445	6.445	6.445	2.875	9.287	3	1.5
7.524	7.524	9.668	9.667	9.667	4.313	13.931	5	2.25

COLORS: LEGEND, BORDER — BLACK
CIRCLE — RED (RETROREFLECTIVE)
BACKGROUND — WHITE (RETROREFLECTIVE)



R10-15R

TURNING VEHICLES YIELD TO PEDESTRIANS



R10-15L

**RCOC STOCK NUMBER:
NEW**

* Reduce Spacing 20%.

** See page 7-3 for arrow design.

*** See page 8-7 for symbol design.

A	B	C	D	E	F	G	H	J	K	L	M
30	0.375	0.625	4.188	3.625	2	3.188	1.875	12	2.5	3.875	9

N	P	Q	R	S	T	U	V	W	X	Y	Z
3.5	1 C	3 D*	2.25	3 D	2.875	12.026	4.306	12.596	4.875	6.5	0.313

AA	BB	CC	DD	EE	FF	GG	HH	JJ	KK	LL	MM
0.188	1.573	1.458	1.625	0.667	0.400	1.25	0.991	3.391	2.375	6.875	1.875

UPPER SECTION

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — YELLOW (RETROREFLECTIVE) or
FLUORESCENT YELLOW-GREEN
(RETROREFLECTIVE)

LOWER SECTION

COLORS: LEGEND, BORDER — BLACK
YIELD SIGN LEGEND AND
OUTER BACKGROUND — RED (RETROREFLECTIVE)
BACKGROUND, YIELD SIGN,
INNER BACKGROUND — WHITE (RETROREFLECTIVE)




R11-2
ROAD CLOSED

**RCOC STOCK NUMBER:
2006246 (48x30)**

A	B	C	D	E	F	G	H	J	K
48	30	0.625	0.75	5	8 D	4	13.410	19.333	1.875

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — WHITE (RETROREFLECTIVE)



R11-4

ROAD CLOSED TO THROUGH TRAFFIC


**RCOC STOCK NUMBER:
2006254 (60x30)**

A	B	C	D	E	F	G	H	J
60	30	0.625	0.875	4	6 C	2.5	5 C	16.566

K	L	M	N	P	Q	R	S	T
4	2.022	22.587	3.052	3.051	16.326	2.682	23.007	2.25

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — WHITE (RETROREFLECTIVE)

Back side is reflective



R15-1

GRADE CROSSING (CROSSBUCK)

**RCOC STOCK NUMBER:
2001163 (48x9) C-Channel**

* Increase Spacing to fit space.


A	B	C	D	E	F	G
24	4.5	0.875	2.75 D	0.75	9	22.5
48	9	1.75	5.5 D	1.5	18	45

COLORS: LEGEND — BLACK
BACKGROUND — WHITE (RETROREFLECTIVE)
NO BORDER

2-388

Fully Fabricated Standard School

All come from from SHS 2024: https://mutcd.fhwa.dot.gov/kno-shs_2024-release-status/index.htm unless otherwise noted.



S1-1
SCHOOL

RCOC STOCK NUMBERS:
93 475 (30x30)
93 305 (36x36)

* See page 8-71 for symbol design.

A	B	C	D	E	F	G	H	J
30	0.5	0.75	7.75	7.200	20	3	12.352	1.875
36	0.625	0.875	9.25	8.689	24	3.625	14.822	2.25
48	0.75	1.25	12.375	11.544	32	4.875	19.763	3


COLORS: LEGEND, BORDER — BLACK
BACKGROUND — FLUORESCENT YELLOW-GREEN (RETROREFLECTIVE)



RCOC STOCK NUMBERS:
93 478 (24x9) This is a new
size!

A	B	C	D	E	F	G	H	J
24	9	0.375	0.625	2.5	4 D	10.187	10.187	1.5
36	12	0.625	0.875	3	6 D	15.281	15.280	2.25

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — FLUORESCENT YELLOW-GREEN (RETROREFLECTIVE)




S4-4P

WHEN FLASHING (PLAQUE)

**RCOC STOCK NUMBERS:
NEW! (24x12) This is a new
size!**

A	B	C	D	E	F	G	H	J	K	L	M
24	12	0.375	0.625	2.625	2.5 D	1.75	4.291	4.290	7.668	7.667	1.5
36	18	0.625	0.875	3.5	4 D	3	6.865	6.864	12.268	12.268	2.25

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — WHITE (RETROREFLECTIVE)



S5-2
END SCHOOL ZONE

**RCOC STOCK NUMBER:
2004 068 (24x30)**

A	B	C	D	E	F	G	H	J	K	L	M	N
24	30	0.375	0.625	6	4 C	3	4.042	4.041	8.603	8.603	5.582	1.5
36	48	0.625	0.875	10	6 C	5	6.063	6.062	12.905	12.904	8.373	2.25

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — WHITE (RETROREFLECTIVE)

Fully Fabricated Standard Warning

All come from from SHS 2024: https://mutcd.fhwa.dot.gov/kno-shs_2024-release-status/index.htm unless otherwise noted.



RCOC STOCK NUMBERS:
2005165 (30x30) Left
2007046 (36x36) Left
2005488 (30x30) Right
2007286 (36x36) Right

* See page 7-3 for arrow design.


A	B	C	D	E	F	G	H	J	K	L	M	N	P
18	0.375	0.625	7	1.827	2.672	5.5	3.736	1.800	0.600	1.064	2.400	7.125	1.5
30	0.5	0.75	11.667	3.044	4.453	9.167	6.227	3	1	1.773	4	11.875	1.875
36	0.625	0.875	14	3.653	5.344	11	7.472	3.6	1.200	2.128	4.8	14.25	2.25
48	0.75	1.25	18.667	4.871	7.125	14.667	9.963	4.8	1.600	2.838	6.400	19	3

WARNING SIGN

COLORS: LEGEND, BORDER — BLACK
 BACKGROUND — YELLOW (RETROREFLECTIVE)

TTC SIGN

COLORS: LEGEND, BORDER — BLACK
 BACKGROUND — ORANGE (RETROREFLECTIVE)



RCOC STOCK NUMBERS:
2005082 (30x30) Left
2006981 (36x36) Left
2005404 (30x30) Right
2007228 (36x36) Right

* See page 7-3 for arrow design.


A	B	C	D	E	F	G	H	J	K	L	M	N
18	0.375	0.625	5.294	5.437	2.672	4.050	1.402	0.662	3.388	5.875	7.125	1.5
30	0.5	0.75	8.823	9.062	4.453	6.75	2.337	1.103	5.647	9.792	11.875	1.875
36	0.625	0.875	10.587	10.875	5.344	8.100	2.804	1.324	6.776	11.75	14.25	2.25
48	0.75	1.25	14.116	14.5	7.125	10.800	3.739	1.765	9.035	15.667	19	3

WARNING SIGN

COLORS: LEGEND, BORDER — BLACK
 BACKGROUND — YELLOW (RETROREFLECTIVE)

TTC SIGN

COLORS: LEGEND, BORDER — BLACK
 BACKGROUND — ORANGE (RETROREFLECTIVE)




RCOC STOCK NUMBERS:
2005149 (30x30) Left
2007020 (36x36) Left
2005462 (30x30) Right
2007260 (36x36) Right

* See page 7-3 for arrow design.

A	B	C	D	E	F	G	H	J	K	L	M	N	P
18	0.375	0.625	8.625	2.063	2.531	0.797	0.600	1.800	2.109	6.375	0.825	6.75	1.5
30	0.5	0.75	14.375	3.438	4.219	1.328	1	3	3.516	10.625	1.375	11.25	1.875
36	0.625	0.875	17.25	4.125	5.063	1.594	1.200	3.600	4.219	12.75	1.650	13.5	2.25
48	0.75	1.25	23	5.5	6.75	2.125	1.600	4.800	5.625	17	2.200	18	3

WARNING SIGN
COLORS: LEGEND, BORDER — BLACK
 BACKGROUND — YELLOW (RETROREFLECTIVE)

TTC SIGN
COLORS: LEGEND, BORDER — BLACK
 BACKGROUND — ORANGE (RETROREFLECTIVE)



* See page 7-3 for arrow design.


A	B	C	D	E	F	G	H	J	K	L	M	N	P
18	0.375	0.625	8.438	2.438	0.063	2.531	2.509	3.938	2.25	1	2.375	6.75	1.5
30	0.5	0.75	14.062	4.063	0.104	4.219	4.181	6.562	3.75	1.667	3.958	11.25	1.875
36	0.625	0.875	16.875	4.875	0.125	5.063	5.017	7.875	4.5	2	4.75	13.5	2.25
48	0.75	1.25	22.5	6.5	0.167	6.75	6.690	10.5	6	2.667	6.333	18	3

WARNING SIGN

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — YELLOW (RETROREFLECTIVE)

TTC SIGN

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — ORANGE (RETROREFLECTIVE)



RCOC STOCK NUMBERS:
2005656 (30x30) Left
2007062 (36x36) Left
2005701 (30x30) Right
2007301 (36x36) Right

* See page 7-3 for arrow design.


HORIZONTAL ALIGNMENT - WINDING ROAD

A	B	C	D	E	F	G	H	J
18	0.375	0.625	0.938	5.667	0.937	1.875	3.708	0.188
30	0.5	0.75	1.562	9.446	1.562	3.125	6.179	0.313
36	0.625	0.875	1.875	11.335	1.875	3.75	7.145	0.375
48	0.75	1.25	2.5	15.113	2.5	5	9.887	0.5

K	L	M	N	P	Q	R	S	T
0.375	1.842	3.922	0.375	3.437	1.172	2.391	6.375	1.5
0.625	3.069	6.537	0.625	5.728	1.953	3.984	10.625	1.875
0.75	3.683	7.845	0.75	6.874	2.344	4.781	12.75	2.25
1	4.911	10.460	1	9.165	3.125	6.375	17	3

WARNING SIGN
COLORS: LEGEND, BORDER — BLACK
BACKGROUND — YELLOW (RETROREFLECTIVE)

TTC SIGN
COLORS: LEGEND, BORDER — BLACK
BACKGROUND — ORANGE (RETROREFLECTIVE)



W1-6R

LARGE ARROW (1-DIRECTION)

Do we want to stock the orange one?



W1-6L

RCOC STOCK NUMBERS:
2004729 Orange USE UP
2004703 (48x24) Yellow
add (60x30)
(72x36x0.125)

* See page 7-3 for arrow design.


A	B	C	D	E	F	G	H
24	12	0.375	0.625	6	9.5	8.5	1.5
36	18	0.375	0.625	9	14.25	12.75	1.5
48	24	0.625	0.75	12	19	17	1.875
60	30	0.625	0.875	15	23.75	21.25	2.25

WARNING SIGN

COLORS: LEGEND, BORDER — BLACK
 BACKGROUND — YELLOW (RETROREFLECTIVE)

TTC SIGN

COLORS: LEGEND, BORDER — BLACK
 BACKGROUND — ORANGE (RETROREFLECTIVE)



W1-7

LARGE ARROW (2-DIRECTION)

RCOC STOCK NUMBER:

2004654 (48x24)


add (60x30)

add (72x36x0.125)

* See page 7-3 for arrow design.

A	B	C	D	E	F	G	H
24	12	0.375	0.625	6	9.5	8.5	1.5
36	18	0.375	0.625	9	14.25	12.75	1.5
48	24	0.625	0.75	12	19	17	1.875
60	30	0.625	0.875	15	23.75	21.25	2.25

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — YELLOW (RETROREFLECTIVE)



RCOC STOCK NUMBERS:
2002640 (18x24)
2003945 (24x30)
add (30x36)
add (36x48)


A	B	C	D	E	F
12	18	0.5	8.5	5.5	1.5
18	24	0.75	11.25	8.25	1.5
24	30	0.875	14.125	11.125	1.5
30	36	1	17	14	1.875
36	48	1.125	22.875	16.875	2.25

WARNING SIGN
 COLORS: LEGEND
 BACKGROUND
 NO BORDER

— BLACK
 — YELLOW (RETROREFLECTIVE)

TTC SIGN
 COLORS: LEGEND
 BACKGROUND
 NO BORDER

— BLACK
 — ORANGE (RETROREFLECTIVE)




RCOC STOCK NUMBERS:
2005 008 (30x30)
2006 783 (36x36)

W2-1
INTERSECTION WARNING - CROSSROAD


A	B	C	D	E	F
18	0.375	0.625	1.5	7.5	1.5
24	0.375	0.625	2	10	1.5
30	0.5	0.75	2.5	12.5	1.875
36	0.625	0.875	3	15	2.25
48	0.75	1.25	4	20	3

COLORS: LEGEND, BORDER — BLACK
 BACKGROUND — YELLOW (RETROREFLECTIVE)



A	B	C	D	E	F	G
18	0.375	0.625	1.5	7.5	6	1.5
24	0.375	0.625	2	10	8	1.5
30	0.5	0.75	2.5	12.5	10	1.875
36	0.625	0.875	3	15	12	2.25
48	0.75	1.25	4	20	16	3

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — YELLOW (RETROREFLECTIVE)




RCOC STOCK NUMBERS:
2005660 (30x30)
2007525 (36x36)

W2-4

INTERSECTION WARNING - T-INTERSECTION

A	B	C	D	E	F	G	H
18	0.375	0.625	1.5	6.375	4.125	8.25	1.5
24	0.375	0.625	2	8.5	5.5	11	1.5
30	0.5	0.75	2.5	10.625	6.875	13.75	1.875
36	0.625	0.875	3	12.75	8.25	16.5	2.25
48	0.75	1.25	4	17	11	22	3


COLORS: LEGEND, BORDER — BLACK
BACKGROUND — YELLOW (RETROREFLECTIVE)



* See page 8-50 for symbol design.

A	B	C	D	E	F	G	H	J	K	L	M	N	P
24	0.375	0.625	7.915	8.434	11.017	5.332	7.790	8.559	10.796	5.553	0.5	0.375	1.5
30	0.5	0.75	9.894	10.542	13.772	6.665	9.738	10.699	13.495	6.942	0.625	0.469	1.875
36	0.625	0.875	11.873	12.651	16.526	7.998	11.685	12.838	16.194	8.330	0.75	0.563	2.25
48	0.75	1.25	15.831	16.868	22.035	10.664	15.581	17.118	21.592	11.107	1	0.75	3

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — YELLOW (RETROREFLECTIVE)



RCOC STOCK NUMBERS:
2005628 (30x30)
2007509 (36x36)


W3-1
STOP AHEAD

* See page 7-6 for arrow design.

A	B	C	D	E	F	G	H	J	K	L	M	N
18	0.375	0.625	6.75	2	1.75	7.75	0.313	4.75	4.75	1.968	1.967	1.5
30	0.5	0.75	11.25	3.375	2.875	12.875	0.5	7.875	7.875	3.262	3.262	1.875
36	0.625	0.875	13.5	4.125	3.375	15.625	0.625	9.5	9.5	3.935	3.935	2.25
48	0.75	1.25	18	5.5	4.5	20.625	0.75	12.563	12.562	5.204	5.203	3

WARNING SIGN
 COLORS: ARROW, BORDER — BLACK
 SYMBOL — RED (RETROREFLECTIVE)
 SYMBOL BORDER — WHITE (RETROREFLECTIVE)
 BACKGROUND — YELLOW (RETROREFLECTIVE)

TTC SIGN
 COLORS: ARROW, BORDER — BLACK
 SYMBOL — RED (RETROREFLECTIVE)
 SYMBOL BORDER — WHITE (RETROREFLECTIVE)
 BACKGROUND — ORANGE (RETROREFLECTIVE)



RCOC STOCK NUMBER:
2006147 (30x30)
2006 501 (36x36)


W3-2
YIELD AHEAD

* See page 7-6 for arrow design.

A	B	C	D	E	F	G	H	J	K	L	M	N
18	0.375	0.625	6.75	2.063	7.125	0.313	1.688	0.469	0.375	0.75	14.25	1.5
30	0.5	0.75	11.25	3.438	11.875	0.5	2.813	0.781	0.625	1.25	23.75	1.875
36	0.625	0.875	13.5	4.125	14.25	0.625	3.375	0.938	0.75	1.375	28.5	2.25
48	0.75	1.25	18	5.5	19	0.75	4.5	1.25	1	1.875	38	3

WARNING SIGN
COLORS: ARROW, BORDER – BLACK
SYMBOL – RED (RETROREFLECTIVE)
SYMBOL BORDER – WHITE (RETROREFLECTIVE)
BACKGROUND – YELLOW (RETROREFLECTIVE)

TTC SIGN
COLORS: ARROW, BORDER – BLACK
SYMBOL – RED (RETROREFLECTIVE)
SYMBOL BORDER – WHITE (RETROREFLECTIVE)
BACKGROUND – ORANGE (RETROREFLECTIVE)



**RCOC STOCK NUMBER:
2007442 (36x36)**

W3-3
SIGNAL AHEAD


A	B	C	D	E	F	G
18	0.375	0.625	3	5	2.25	1.5
30	0.5	0.75	5	8.75	3.75	1.875
36	0.625	0.875	5.75	10	4.25	2.25
48	0.75	1.25	7.5	12.5	5	3

WARNING SIGN

COLORS: LEGEND, BORDER — BLACK
 TOP CIRCLE — RED (RETROREFLECTIVE)
 MIDDLE CIRCLE — YELLOW (RETROREFLECTIVE)
 BOTTOM CIRCLE — GREEN (RETROREFLECTIVE)
 BACKGROUND — YELLOW (RETROREFLECTIVE)

TTC SIGN

COLORS: LEGEND, BORDER — BLACK
 TOP CIRCLE — RED (RETROREFLECTIVE)
 MIDDLE CIRCLE — YELLOW (RETROREFLECTIVE)
 BOTTOM CIRCLE — GREEN (RETROREFLECTIVE)
 BACKGROUND — ORANGE (RETROREFLECTIVE)



A	B	C	D	E	F	G	H
30	0.5	0.75	12.813	10.938	4.336	2.969	24.609
36	0.625	0.875	15.375	13.125	5.203	3.563	29.531
48	0.75	1.25	20.5	17.5	6.938	4.75	39.375


J	K	L	M	N	P	Q
9.492	10.176	23.763	3.281	9.908	11.563	1.875
11.391	12.211	28.516	3.938	11.890	13.875	2.25
15.188	16.281	38.021	5.25	15.853	18.5	3

WARNING SIGN

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — YELLOW (RETROREFLECTIVE)

TTC SIGN

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — ORANGE (RETROREFLECTIVE)



RCOC STOCK NUMBERS:
NEW (48x48) Left
NEW (48x48) Right

W4-3L
W4-3R
ADDED LANE

* See page 7-3 for arrow design.

A	B	C	D	E	F	G	H	J
30	0.5	0.75	10.625	5.442	4.419	4.375	6.25	2.5
36	0.625	0.875	12.75	6.530	5.303	5.25	7.5	3
48	0.75	1.25	17	8.707	7.071	7	10	4

K	L	M	N	P	Q	R	S
1.875	6.25	4.219	2.292	3.281	8.75	1.25	1.875
2.25	7.5	5.063	2.75	3.938	10.5	1.5	2.25
3	10	6.75	3.667	5.25	14	2	3


WARNING SIGN

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — YELLOW (RETROREFLECTIVE)

TTC SIGN

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — ORANGE (RETROREFLECTIVE)

Ask MDOT how
many they have
for left.



RCOC STOCK NUMBERS:

93347 (48x48) Left Orange USE UP

2007278 (36x36) Right

93346 (48x48) Right Orange USE UP

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q
30	0.5	0.75	5.287	1.380	1.953	10	2.5	1.25	3.333	1.875	1.458	0.833	4.133	1.875
36	0.625	0.875	6.344	1.656	2.344	12	3	1.5	4	2.25	1.75	1	5	2.25
48	0.75	1.25	8.459	2.208	3.125	16	4	2	5.333	3	2.333	1.333	6.666	3

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — YELLOW (RETROREFLECTIVE)



W4-4P

CROSS TRAFFIC DOES NOT STOP (PLAQUE)

**RCOC STOCK NUMBER:
NEW NUMBER (36x18)**

A	B	C	D	E	F	G	H
24	12	0.375	0.375	2.875	2.25 C	1.75	7.765
36	18	0.375	0.5	4	3.5 C	3	12.079
48	24	0.625	0.625	5.75	4.5 C	3.5	15.531

J	K	L	M	N	P	Q	R
1.625	0.122	9.511	6.122	2.127	2.330	5.920	1.5
2.5	0.203	14.782	9.524	3.309	3.624	9.209	1.5
3.25	0.243	19.024	12.245	4.254	4.659	11.840	1.875

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — YELLOW (RETROREFLECTIVE)



**RCOC STOCK NUMBER:
94 449 (30x30)**

A	B	C	D	E	F	G	H	J	K	L	M
30	0.5	0.75	5 D	3	1.75	3.25	8.382	8.381	15.012	15.011	1.875
36	0.625	0.875	6 D	3.5	2	4	10.058	10.057	18.014	18.013	2.25
48	0.75	1.25	8 D	4	3	5	13.410	13.410	24.018	24.018	3

WARNING SIGN

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — YELLOW (RETROREFLECTIVE)

TTC SIGN

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — ORANGE (RETROREFLECTIVE)



**RCOC STOCK NUMBER:
2005206 (30x30)**

W5-2
NARROW BRIDGE

* Reduce Spacing 20%.


A	B	C	D	E	F	G	H	J	K
18	0.375	0.625	3 D*	0.375	1.125	7.641	7.640	6.455	1.5
30	0.5	0.75	5 D*	0.5	2	12.735	12.734	10.758	1.875
36	0.625	0.875	6 D*	0.75	2.25	15.282	15.281	12.910	2.25
48	0.75	1.25	8 D*	0.5	3.5	20.375	20.375	17.213	3

WARNING SIGN

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — YELLOW (RETROREFLECTIVE)

TTC SIGN

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — ORANGE (RETROREFLECTIVE)



**RCOC STOCK NUMBER:
2006824 (36x36)**

W6-1
DIVIDED HIGHWAY

* See page 7-3 for arrow design.

A	B	C	D	E	F	G	H	J	K
30	0.5	0.75	10	9.562	2.063	13.687	7.938	4.500	3.125
36	0.625	0.875	12	11.450	2.5	16.425	9.525	5.400	3.75
48	0.75	1.25	16	15.299	3.301	21.900	12.700	7.200	5


L	M	N	P	Q	R	S	T	U
23.438	1.563	1.818	0.438	8.313	4.125	8.75	4.346	1.875
28.125	1.875	2.182	0.525	9.975	4.950	10.5	5.215	2.25
37.5	2.5	2.909	0.700	13.300	6.600	14	6.953	3

WARNING SIGN

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — YELLOW (RETROREFLECTIVE)

TTC SIGN

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — ORANGE (RETROREFLECTIVE)



SAME AS W6-1 BUT UPSIDE DOWN

W6-2

DIVIDED HIGHWAY ENDS

* See page 7-3 for arrow design.

A	B	C	D	E	F	G	H	J	K
30	0.5	0.75	10	9.562	2.063	13.687	7.938	4.500	3.125
36	0.625	0.875	12	11.450	2.5	16.425	9.525	5.400	3.75
48	0.75	1.25	16	15.299	3.301	21.900	12.700	7.200	5


L	M	N	P	Q	R	S	T	U
23.438	1.563	1.818	0.438	8.313	4.125	8.75	4.346	1.875
28.125	1.875	2.182	0.525	9.975	4.950	10.5	5.215	2.25
37.5	2.5	2.909	0.700	13.300	6.600	14	6.953	3

WARNING SIGN

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — YELLOW (RETROREFLECTIVE)

TTC SIGN

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — ORANGE (RETROREFLECTIVE)



**RCOC STOCK NUMBER:
93710 (36x36)**

W7-6
HILL BLOCKS VIEW

A	B	C	D	E	F	G	H	J	K	L	M	N
30	0.5	0.75	5 D	3.75	2.5	6.778	6.778	12.234	12.234	7.253	7.253	1.875
36	0.625	0.875	6 D	4.5	3	8.134	8.134	14.681	14.680	8.704	8.704	2.25
48	0.75	1.25	7 D	5.25	3.5	9.490	9.489	17.128	17.127	10.155	10.154	3

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — YELLOW (RETROREFLECTIVE)



A	B	C	D	E	F	G	H	J	K	L	M
18	0.375	0.625	2.5	0.5	1.75	3 C	8.389	8.388	4.097	4.096	1.5
30	0.5	0.75	4.25	0.75	3	5 C	13.981	13.980	6.828	6.827	1.875
36	0.625	0.875	5	1	3.5	6 C	16.777	16.777	8.193	8.193	2.25
48	0.75	1.25	7	1	5	8 C	22.369	22.369	10.924	10.924	3

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — YELLOW (RETROREFLECTIVE)



W8-13

BRIDGE ICES BEFORE ROAD

**RCOC STOCK NUMBER:
2006733 (36x36)**

A	B	C	D	E	F	G	H	J
24	0.375	0.625	4 C*	2	4 C**	1.75	2.25	6.911
36	0.625	0.875	5 C	3.75	5 C	2.5	2.5	9.578
48	0.75	1.25	7 C	5.25	7 C	3.5	3.5	13.410

* Reduce Spacing 40%.
** Reduce Spacing 50%.

K	L	M	N	P	Q	R	S
6.910	8.123	2.5	2.002	12.624	5.194	5.194	1.5
9.578	11.454	4	2.452	17.906	6.903	6.902	2.25
13.409	16.035	5	3.733	24.768	9.664	9.663	3

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — YELLOW (RETROREFLECTIVE)




**RCOC STOCK NUMBER:
93830 (36x36) Right**

A	B	C	D	E	F	G	H
30	0.5	0.75	5 D	2.5	1.5	3.5	8.582
36	0.625	0.875	6 D	3	2	4	10.373
48	0.75	1.25	8 D	4	3	5	13.830

J	K	L	M	N	P	Q	R
9.331	8.055	8.054	7.807	8.306	1.875	7.153	7.152
11.122	9.666	9.665	9.293	10.042	2.25	8.583	8.583
14.830	12.887	12.887	12.390	13.390	3	11.444	11.444

WARNING SIGN
COLORS: LEGEND, BORDER — BLACK
BACKGROUND — YELLOW (RETROREFLECTIVE)

TTC SIGN
COLORS: LEGEND, BORDER — BLACK
BACKGROUND — ORANGE (RETROREFLECTIVE)




W10-1

GRADE CROSSING ADVANCE WARNING

**RCOC STOCK NUMBER:
2006444 (36)**

A	B	C	D	E	F	G	H	J
24	0.375	0.625	9.5	2.5	5 E	9.25	5.75	2.5
30	0.375	0.625	11.5	3.5	7 E	12.375	7.125	3
36	0.5	0.75	14	4	8 E	14.375	8.625	4
48	0.75	1.25	19	5	10 E	18.375	11.625	5

COLORS: LEGEND, BORDER, DIAGONALS — BLACK
BACKGROUND — YELLOW (RETROREFLECTIVE)




W11-2
PEDESTRIAN

**RCOC STOCK NUMBER:
2006444 (36x36)**

* See page 8-7 for symbol design.

A	B	C	D	E	F	G	H
18	0.375	0.625	8	7.5	4.75	3.473	1.5
30	0.5	0.75	13.5	12.5	7.75	6.043	1.875
36	0.625	0.875	16	15	9.25	7.195	2.25
48	0.75	1.25	22	20	12.5	9.781	3

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — YELLOW (RETROREFLECTIVE) OR
FLUORESCENT YELLOW-GREEN (RETROREFLECTIVE)



RCOC STOCK NUMBER:
93669 (30x30)
93668 (36x36)

W11-3
LARGE ANIMAL - DEER

* See page 8-33 for symbol design.

A	B	C	D	E	F	G	H
24	0.375	0.625	10.625	7.875	6.5	6.035	1.5
30	0.5	0.75	13.5	10	8.25	7.673	1.875
36	0.625	0.875	16.25	12	9.875	9.266	2.25
48	0.75	1.25	21.25	15.75	13	12.070	3

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — YELLOW (RETROREFLECTIVE)




W11-5
FARM VEHICLE

RCOC STOCK NUMBER:
add (30x30)
2006832 (36x36) USE UP

* See page 8-42 for symbol design.

A	B	C	D	E	F	G	H
24	0.375	0.625	10	6.375	9	8.096	1.5
30	0.5	0.75	12.5	8	11.25	10.153	1.875
36	0.625	0.875	15	9.5	13.25	12.329	2.25
48	0.75	1.25	20	12.75	17.875	16.317	3

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — YELLOW (RETROREFLECTIVE)




RCOC STOCK NUMBERS:
93708 (30x30)
93709 (36x36) USE UP

* See page 8-44 for symbol design.

A	B	C	D	E	F	G	H
24	0.375	0.625	10.5	6.5	10	8.484	1.5
30	0.5	0.75	13.375	7.875	12.5	10.605	1.875
36	0.625	0.875	16	9.625	15	12.862	2.25
48	0.75	1.25	21.375	12.75	20	17.104	3

COLORS: LEGEND, BORDER — BLACK
 BACKGROUND — YELLOW (RETROREFLECTIVE)




W11-8
EMERGENCY VEHICLE

**RCOC STOCK NUMBER:
2006858 (36)**

* See page 8-15 for symbol design.

A	B	C	D	E
24	0.375	0.625	3.5	1.5
30	0.5	0.75	4.375	1.875
36	0.625	0.875	5.25	2.25
48	0.75	1.25	7	3

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — YELLOW (RETROREFLECTIVE)



**RCOC STOCK NUMBER:
94 459 (36x36)**

W11-10
TRUCK

* See page 8-1 for symbol design.


A	B	C	D	E	F
24	0.375	0.625	4	6.5	1.5
30	0.5	0.75	5	8.125	1.875
36	0.625	0.875	6	9.5	2.25
48	0.75	1.25	8	12.75	3

WARNING SIGN

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — YELLOW (RETROREFLECTIVE)

TTC SIGN

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — ORANGE (RETROREFLECTIVE)



RCOC STOCK NUMBERS:
94448 (30x30) Yellow
94429 (36x36) Yellow

W11-15
TRAIL CROSSING

* See page 8-4 for symbol design.
 ** See page 8-7 for symbol design.

A	B	C	D	E	F	G	H	J	K	L	M
18	0.375	0.625	6.25	0.875	0.125	8.875	2.524	2.25	5.469	5.469	1.5
24	0.375	0.625	8.5	1.25	0.125	11.875	3.366	3	7.438	7.437	1.5
30	0.5	0.75	10.75	1.5	0.25	14.75	4.207	3.75	9.407	9.406	1.875
36	0.625	0.875	12.75	1.75	0.375	17.625	5.049	4.5	11.157	11.156	2.25
48	0.75	1.25	17	2.375	0.375	23.625	6.732	6	14.875	14.875	3

COLORS: LEGEND, BORDER — BLACK
 BACKGROUND — YELLOW (RETROREFLECTIVE) OR
 FLUORESCENT YELLOW-GREEN (RETROREFLECTIVE)



W13-1P
ADVISORY SPEED (PLAQUE)

RCOC STOCK NUMBERS:

NEW (24x24) 45 MPH
NEW (24x24) 40 MPH
NEW (24x24) 35 MPH
NEW (24x24) 30 MPH
NEW (24x24) 25 MPH
NEW (24x24) 20 MPH
NEW (24x24) 15 MPH
NEW (24x24) 10 MPH

* Optically space numerals about vertical centerline
 ** Increase Spacing 100%.

A	B	C	D	E	F	G	H	J	K	L
18	0.375	0.625	2.5	8 E*	2	3 E**	VAR	5.133	5.132	1.5
24	0.375	0.625	3.625	10 E*	2.75	4 E**	VAR	6.843	6.843	1.5
30	0.5	0.75	4.5	12 E*	4	5 E**	VAR	8.554	8.554	1.875

WARNING SIGN

COLORS: LEGEND, BORDER — BLACK
 BACKGROUND — YELLOW (RETROREFLECTIVE)

TTC SIGN



COLORS: LEGEND, BORDER — BLACK
 BACKGROUND — ORANGE (RETROREFLECTIVE)



**RCOC STOCK NUMBER:
2005024 (30x30)**

A	B	C	D	E	F	G	H	J	K	L
24	0.375	0.625	5 D	1	2	8.206	8.205	5.980	5.979	1.5
30	0.5	0.75	6 D	1.5	2.5	9.847	9.847	7.176	7.175	1.875
36	0.625	0.875	7 D	2	3	11.488	11.488	8.371	8.371	2.25
48	0.75	1.25	10 D	2	4	16.412	16.411	11.959	11.959	3

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — YELLOW (RETROREFLECTIVE) OR
FLUORESCENT YELLOW-GREEN (RETROREFLECTIVE)



RCOC STOCK NUMBER:
93821 (36x9x0.063) Left
93820 (36x9x0.063) Right

Note smaller thicknesss

* See page 7-3 for arrow design.

A	B	C	D	E	F	G	H
24	6	0.375	0.375	1.5	3 B	4.5	2
36	9	0.375	0.625	2.5	4 C	6	2.5



J	K	L	M	N	P	Q	R
3.467	3.106	4.862	6.573	1.394	3.468	3	1.5
6.444	4.360	8.083	10.804	1.639	6.444	4	1.5

COLORS: LEGEND, BORDER — BLACK
 BACKGROUND — YELLOW (RETROREFLECTIVE)



A	B	C	D	E	F	G	H	J	K	L	M
24	0.375	0.625	5 D	3	0.75	4.25	4.028	4.028	11.556	11.555	1.5
30	0.5	0.75	6 D	4	1	5	4.834	4.834	13.867	13.867	1.875
36	0.625	0.875	7 D	5	1.125	5.875	5.640	5.639	16.178	16.178	2.25
48	0.75	1.25	10 D	6	1.5	8.5	8.057	8.056	23.112	23.111	3

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — YELLOW (RETROREFLECTIVE) OR
FLUORESCENT YELLOW-GREEN (RETROREFLECTIVE)



W14-2aR
NO OUTLET (WITH ARROW)



W14-2aL
NO OUTLET (WITH ARROW)

RCOC STOCK NUMBERS:
93823 (36x9x0.063) Left
93822 (36x9x0.063) Right

Note smaller thicknesss


* See page 7-3 for arrow design.

A	B	C	D	E	F	G	H
24	6	0.375	0.375	1.5	3 B	4.5	1.625
36	9	0.375	0.625	2.5	4 C	6	2.25

J	K	L	M	N	P	Q	R
3.242	0.782	0.843	9.305	5.282	4.023	3	1.5
5.402	2.102	0.148	15.606	8.102	7.504	4	1.5

COLORS: LEGEND, BORDER — BLACK
 BACKGROUND — YELLOW (RETROREFLECTIVE)

Check sizes as Feds changed them in new edition



W16-7PR

DOWNWARD DIAGONAL ARROW (PLAQUE)

RCOC STOCK NUMBERS:

94 567 (30x18) Left Yellow

94 568 (30x18) Right Yellow

93 476 (24x12) Left Fluorescence Yellow Green

93 477 (30x18) Left Fluorescence Yellow Green



W16-7PL

DOWNWARD DIAGONAL ARROW (PLAQUE)

* See page 7-3 for arrow design.

** The 12" x 6" size sign is for in-street use only.

A	B	C	D	E	F	G	H	J	K
12	6	0.375	0.375	1.251	2.895	6.25	4	30°	1.5
12	9	0.375	0.375	1.451	3.507	8.5	4.25	41°	1.5
21	15	0.375	0.625	2.389	5.880	14.25	7	41°	1.5
30	21	0.5	0.75	3.198	8.400	20.375	10	41°	1.875

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — YELLOW (RETROREFLECTIVE) OR
FLUORESCENT YELLOW-GREEN (RETROREFLECTIVE)



W16-9P
AHEAD (PLAQUE)


RCOC STOCK NUMBERS:
NEW ITEM (30x18) Yellow
93785 (30x18) Fluroescent Yellow-Green

A	B	C	D	E	F	G	H	J
24	12	0.375	0.625	3.5	5 C	8.753	8.753	1.5
30	18	0.375	0.625	5.5	7 C	12.255	12.254	1.5

COLORS: LEGEND, BORDER — BLACK
 BACKGROUND — YELLOW (RETROREFLECTIVE)

Fully Fabricated Standard Object Markers

All come from from SHS 2024: https://mutcd.fhwa.dot.gov/kno-shs_2024-release-status/index.htm unless otherwise noted.



OM3-R
OBJECT MARKER TYPE 3


See cstm section for
MDOT Object Makers
which are larger and
have differnt pattern
design.

Placed on RIGHT side of road

**RCOC STOCK NUMBER:
2002012 (12x36)**

A	B	C	D	E	F	G	H	J	K
6	18	3.803	4.386	4.385	1.040	1.033	1.601	1.5	1
12	36	7.607	8.771	8.771	2.080	2.065	3.202	3	1.5

COLORS: STRIPES — BLACK
BACKGROUND — YELLOW (RETROREFLECTIVE)



OM3-L
OBJECT MARKER TYPE 3


See cstm section for
MDOT Object Makers
which are larger and
have differnt pattern
design.

Placed on LEFT side of road

RCOC STOCK NUMBER:
2002004 (12x36)

A	B	C	D	E	F	G	H	J	K
6	18	3.803	4.386	4.385	1.040	1.033	1.601	1.5	1
12	36	7.607	8.771	8.771	2.080	2.065	3.202	3	1.5

COLORS: STRIPES — BLACK
BACKGROUND — YELLOW (RETROREFLECTIVE)



**RCOC STOCK NUMBER:
2003 523 (18x18)**

**Current stock is wrong at
24x24 it should be 18x18 as
shown here!**

A	B
18	1.5

COLORS: SIGN — RED (RETROREFLECTIVE)
NO BORDER