

DEE DAVIS INC

Technical Specifications - Traffic Signs

RFQ #: DDI-2026-007

A. General Requirements

All supplied traffic signs shall meet the requirements of the Michigan Department of Transportation (MDOT) 2020 Standard Specifications For Construction, Section 919.

Sign Panel Materials

All sign panels shall be either Type III or Type V, except for the following signs which shall be 0.063" aluminum sheets:

- DEAD END – RIGHT SPECIAL 36"x9" FLUORESCENT YELLOW
- DEAD END – LEFT SPECIAL 36"x9" FLUORESCENT YELLOW
- NO OUTLET – RIGHT W14-2AR(MOD) 36"x9" FLUORESCENT YELLOW
- NO OUTLET – LEFT W14-2AR(MOD) 36"x9" FLUORESCENT YELLOW

Sign Sheeting

Sign sheeting shall comply with MDOT Section 919.02B and Table 919-3. Sign reflective sheeting is for highway signs and other traffic control devices to assure optimum day and night visibility when exposed to a light source in dry and wet weather conditions.

Bidders must specify:

- Brand name and manufacturer of sheeting used
- Confirmation that materials are listed on MDOT's Qualified Products List (QPL)

B. Fabrication

Signs shall be fabricated in accordance with:

- Current MDOT Traffic Safety Standard Highway Signs Manual
- MDOT Reflective Sign Sheeting Guidelines
- All sheeting materials must be listed on MDOT QPL

C. Sign Face Requirements

?? CRITICAL: Required Markings on ALL Signs

ALL fabricated signs shall bear the following information in characters not to exceed one half inch in height:

1. The initials "RCOC" in uppercase letters
2. The 2-digit month/2-digit year of fabrication (e.g., "02/26" for February 2026)
3. Uppercase initials of the sheeting manufacturer (e.g., "3M" for 3M Company)
4. Uppercase initials (4-character max) representing the supplier fabricating the sign

Location: This information string shall be on or near the sign border at the bottom, lower left portion of the sign face.

Example marking:

RCOC 02/26 3M ABCD

Additional Requirements

- No splices shall be in the sign face
- Design shall conform to detailed drawings in the current Michigan Manual of Uniform Traffic Control Devices (MMUTCD)
- Holes in aluminum as specified
- Sign faces must conform to all standards specified herein

D. Packaging and Shipping

Protection Requirements

Fabricated signs shall be packaged to ensure:

- Protection from damage in transit
- Readiness for use upon delivery
- Sheeting, decals, and signs shall NOT become wet in transit

Packaging Standards

- Packaged cartons: Maximum weight 60 pounds
- Plastic banded with each sign face protected
- Slip sheet paper (glossy side) against each sign face
- Pallet skids: Protected and plastic banded with slip sheet protection
- Banding, stacking, or crating in accord with commercially accepted standards
- Adequate support and protection to prevent movement and chafing during transit

Carton/Pallet Marking

Each carton or pallet skid shall be clearly marked with:

- Contents description
- Quantity
- Item stock code number (as shown on DEE DAVIS INC purchase order)
- Any special packaging or handling requirements

E. Certification Requirements

The supplier shall certify:

- All materials furnished are new or refurbished aluminum like new
- All work will be good quality, free from faults and defects
- All work conforms to these technical specifications
- All materials and work conform to MDOT standards and MMUTCD requirements

Samples may be requested to confirm acceptability. All work not conforming to these specifications, including substitutions not approved and authorized, may be considered defective.

F. Quality Assurance

MDOT Qualified Products List (QPL)

- All sign sheeting materials MUST be listed on MDOT QPL
- Supplier must provide documentation/certification of QPL listing
- Non-compliant materials will not be accepted

MUTCD Compliance

- All signs must meet current Michigan Manual of Uniform Traffic Control Devices (MMUTCD) standards
- Supplier must provide MUTCD compliance certification with quote

G. Delivery Requirements

- Delivery to: Waterford, MI 48328 (specific address provided upon award)
- Signs must arrive ready for immediate installation
- Packaging must protect signs during transit
- Delivery coordination required (will be specified in purchase order)

Questions or Clarifications

Contact: Dee Davis
DEE DAVIS INC
Phone: 248-376-4550
Email: info@deedavis.biz

This specification is part of RFQ #DDI-2026-007
All quotes must reference this RFQ number
Quote deadline: February 10, 2026 @ 12:00 PM EST