


Node REPL



Read, Evaluate, Print, Loop

```
Command Prompt - node  X + v
Microsoft Windows [Version 10.0.22631.3880]
(c) Microsoft Corporation. All rights reserved.

C:\Users\DEEPAK MAURYA>node -v
v21.7.1

C:\Users\DEEPAK MAURYA>npm -v
10.8.2

C:\Users\DEEPAK MAURYA>node
Welcome to Node.js v21.7.1.
Type ".help" for more information.
> 1+1
2
> var a="Deepak Maurya"
undefined
> a
'Deepak Maurya'
> var i=10;
undefined
> var j=20;
undefined
> i+j
30
> i+j+80
110
>
```

89°F Mostly cloudy

Search

ENG IN 11:33 13-08-2024

VS Code interface showing a project named "NamasteNodeJs" with a file explorer on the left and a terminal at the bottom.

EXPLORER

- OPEN EDITORS
 - Welcome
 - Note.txt episode-01...
 - episode-01.pdf...
 - Note.txt episode-02\...
 - Note.txt episode-03-lets-write-code\... U
 - JS app.js U
 - episode-02.pdf...
- NAMASTENODEJS
 - episode-01
 - episode-02
 - digital-note
 - text-note
 - Note.txt
 - episode-03-lets...
 - digital-note
 - text-note
 - JS app.js U

EDITOR



```
episode-03-lets-write-code > JS app.js > ...
1  var name="Deepak Maurya";
2  var a=10;
3  var b=20
4  console.log(name);
5  console.log(a+b);
6  console.log(global);
7
```


TERMINAL

```
PS C:\Users\DEEPAK MAURYA\Desktop\WamasteNodeJs\episode-03-lets-write-code> node app.js
Deepak Maurya
30
<ref *1> Object [global] {
  global: [Circular *1],
  clearImmediate: [Function: clearImmediate],
  setImmediate: [Function: setImmediate] {
    [Symbol(nodejs.util.promisify.custom)]: [Getter]
  },
  clearInterval: [Function: clearInterval],
  clearTimeout: [Function: clearTimeout],
  setInterval: [Function: setInterval],
  setTimeout: [Function: setTimeout] {
```

STATUS BAR

main* 89°F Mostly cloudy 11:43 13-08-2024





VS Code interface showing a JavaScript file named `app.js` in the `episode-03-lets-write-code` directory. The code defines variables `name`, `a`, and `b`, and logs `globalThis`, `global`, `this`, and `window` to the console.

```
1 var name="Deepak Maurya";
2 var a=10;
3 var b=20;
4 // console.log(name);
5 // console.log(a+b);
6
7 //global is the not part of v8 engine but it is
8 //one of the super power given by node js
9 // console.log(global);
10 console.log(globalThis); // refers to same global object
11 console.log(global===globalThis);// True
12 // console.log(this); // Empty Object => {}
13 // console.log(window); // window is not defined
14
```

The terminal output shows the `global` object structure:

```
<ref *1> Object [global] {
  global: [Circular *1],
  clearImmediate: [Function: clearImmediate],
  setImmediate: [Function: setImmediate] {
    [Symbol(nodejs.util.promisify.custom)]: [Getter]
  },
  clearInterval: [Function: clearInterval],
  clearTimeout: [Function: clearTimeout],
  setInterval: [Function: setInterval],
  setTimeout: [Function: setTimeout] {
    [Symbol(nodejs.util.promisify.custom)]: [Getter]
  },
  queueMicrotask: [Function: queueMicrotask],
  structuredClone: [Function: structuredClone],
  atob: [Getter/Setter],
  btoa: [Getter/Setter],
  performance: [Getter/Setter],
  fetch: [Getter/Setter],
  navigator: [Getter],
  crypto: [Getter]
}
```

The status bar at the bottom indicates the current file is `main*`, the editor is in `UTF-8` encoding with `CRLF` line endings, and the language is `Babel JavaScript`. The system tray shows the date as `13-08-2024` and time as `12:04`.