







Class 	Description 	Example 	
<code>.active</code>	Adds a blue background color to simulate a "pressed" button	Try it (tryit.asp?filename=trybs_button_acti	
<code>.active</code>	Animates a striped progress bar	Try it (tryit.asp?filename=trybs_progressbar	
<code>.active</code>	Adds a blue background color to the active dropdown item in a dropdown	Try it (tryit.asp?filename=trybs_dropdown-a	
<code>.active</code>	Adds a blue background color to the active pagination link (to highlight the current page)	Try it (tryit.asp?filename=trybs_pagination_	
<code>.affix</code>	The Affix plugin allows an element to become affixed (locked/sticky) to an area on the page. It toggles <code>position:fixed</code> on and off	Try it (tryit.asp?filename=trybs_ref_js_affix	
<code>.alert</code>	Creates an alert message box	Try it (tryit.asp?filename=trybs_alerts&stac	
<code>.alert-danger</code>	Red alert box. Indicates a dangerous or potentially negative action	Try it (tryit.asp?filename=trybs_alerts&stac	
<code>.alert-dismissible</code>	Together with the <code>.close</code> class, this class is used to close the alert	Try it (tryit.asp?filename=trybs_alerts_dism	
<code>.alert-info</code>	Light-blue alert box. Indicates some information	Try it (tryit.asp?filename=trybs_alerts&stac	
<code>.alert-link</code>	Used on links inside alerts to add matching colored links	Try it (tryit.asp?filename=trybs_alerts_link&	
<code>.alert-success</code>	Green alert box. Indicates a successful or positive action	Try it (tryit.asp?filename=trybs_alerts&stac	


Class 	Description	Example	
.alert-warning	Yellow alert box. Indicates caution should be taken with this action	Try it (tryit.asp?filename=trybs_alerts&stacl	
.badge	Creates a circular badge (grey circle - often used as a numerical indicator)	Try it (tryit.asp?filename=trybs_badges&sta	
.bg-danger	Adds a red background color to an element. Represents danger or a negative action	Try it (tryit.asp?filename=trybs_txt_bgcolor	
.bg-info	Adds a light-blue background color to an element. Represents some information	Try it (tryit.asp?filename=trybs_txt_bgcolor	
.bg-primary	Adds a blue background color to an element. Represents something important	Try it (tryit.asp?filename=trybs_txt_bgcolor	
.bg-success	Adds a green background color to an element. Indicates success or a positive action	Try it (tryit.asp?filename=trybs_txt_bgcolor	
.bg-warning	Adds a yellow background color to an element. Represents a warning or a negative action	Try it (tryit.asp?filename=trybs_txt_bgcolor	
.breadcrumb	A pagination. Indicates the current page's location within a navigational hierarchy	Try it (tryit.asp?filename=trybs_breadcrumb	
.btn	Creates a basic button (gray background and rounded corners)	Try it (tryit.asp?filename=trybs_button_btn	

Class 	HTML (html/default.asp)	Description	CSS (css/default.asp) 
.btn-block		Creates a block level button that spans the entire width of the parent element	Try it (tryit.asp?filename=trybs_button_bloc
.btn-danger		Red button. Indicates danger or a negative action	Try it (tryit.asp?filename=trybs_button_styl
.btn-default		Default button. White background and grey border	Try it (tryit.asp?filename=trybs_button_styl
.btn-group		Groups buttons together on a single line	Try it (tryit.asp?filename=trybs_button_groi
.btn-group-justified		Makes a group of buttons span the entire width of the screen	Try it (tryit.asp?filename=trybs_button_groi
.btn-group-lg		Large button group (makes all buttons in a button group larger - increased font-size and padding)	Try it (tryit.asp?filename=trybs_button_groi
.btn-group-sm		Small button group (makes all buttons in a button group smaller)	Try it (tryit.asp?filename=trybs_button_groi
.btn-group-xs		Extra small button group (makes all buttons in a button group extra small)	Try it (tryit.asp?filename=trybs_button_groi
.btn-group-vertical		Makes a button group appear vertically stacked	Try it (tryit.asp?filename=trybs_button_groi
.btn-info		Light-blue button. Represents information	Try it (tryit.asp?filename=trybs_button_styl
.btn-link		Makes a button look like a link (get button behavior)	Try it (tryit.asp?filename=trybs_button_styl
.btn-lg		Large button	Try it (tryit.asp?filename=trybs_button_size


Class	Description	Example
<code>.btn-primary</code>	Blue button.	Try it (tryit.asp?filename=trybs_button_styl
<code>.btn-sm</code>	Small button	Try it (tryit.asp?filename=trybs_button_size
<code>.btn-success</code>	Green button. Indicates success or a positive action	Try it (tryit.asp?filename=trybs_button_styl
<code>.btn-warning</code>	Yellow button. Represents warning or a negative action	Try it (tryit.asp?filename=trybs_button_styl
<code>.btn-xs</code>	Extra small button	Try it (tryit.asp?filename=trybs_button_size
<code>.caption</code>	Adds a caption text inside a <code>.thumbnail</code>	Try it (tryit.asp?filename=trybs_img_thumb
<code>.caret</code>	Creates a caret arrow icon ▼, which indicates that the button is a dropdown	Try it (tryit.asp?filename=trybs_ref_hlp_car
<code>.carousel</code>	Creates a carousel (slideshow)	Try it (tryit.asp?filename=trybs_carousel&st
<code>.carousel-caption</code>	Creates a caption text for each slide in the carousel	Try it (tryit.asp?filename=trybs_carousel2&s
<code>.carousel-control</code>	Container for next and previous links	Try it (tryit.asp?filename=trybs_carousel2&s
<code>.carousel-indicators</code>	Adds little dots/indicators at the bottom of each slide (which indicates how many slides there is in the carousel, and which slide the user are currently viewing)	Try it (tryit.asp?filename=trybs_carousel2&s
<code>.carousel-inner</code>	Container for slide items	Try it (tryit.asp?filename=trybs_carousel2&s


Class 	Description	Example	
.center-block	Centers any element (Sets an element to display:block with margin-right:auto and margin-left:auto)	Try it (tryit.asp?filename=trybs_ref_hlp_cen	
.checkbox	Container for checkboxes	Try it (tryit.asp?filename=trybs_form_check	
.checkbox-inline	Makes multiple checkboxes appear on the same line	Try it (tryit.asp?filename=trybs_form_check	
.clearfix	Clears floats	Try it (tryit.asp?filename=trybs_grid_ex7&s	
.close	Indicates a close icon	Try it (tryit.asp?filename=trybs_ref_hlp_clo	
.col-**-*	Responsive grid (span 1-12 column). Extra small devices Phones (< 768px), Small devices Tablets (≥768px), Medium devices Desktops (≥992px), Large devices Desktops (≥1200px). Column values can be 1-12.	Try it (tryit.asp?filename=trybs_grid_large&	
.col-**-offset-*	Move columns to the right. These classes increase the left margin of a column by * columns	Try it (tryit.asp?filename=trybs_grid_ex8&s	
.col-**-pull-*	Changes the order of the grid columns	Try it (tryit.asp?filename=trybs_grid_ex9&s	
.col-**-push-*	Changes the order of the grid columns	Try it (tryit.asp?filename=trybs_grid_ex9&s	
.collapse	Indicates collapsible content - which can be hidden or shown on demand	Try it (tryit.asp?filename=trybs_collapsible8	



Class	HTML (tryit.asp)	Description	Example	CSS (tryit.asp)
<code>.collapse in</code>		Show the collapsible content by default	Try it (tryit.asp?filename=trybs_collapsible_	
<code>.container</code>		Fixed width container with widths determined by screen sites. Equal margin on the left and right.	Try it (tryit.asp?filename=trybs_gs_containe	
<code>.container-fluid</code>		A container that spans the full width of the screen	Try it (tryit.asp?filename=trybs_gs_containe	
<code>.control-label</code>		Allows a label to be used for form validation	Try it (tryit.asp?filename=trybs_form_horizo	
<code>.danger</code>		Adds a red background to the table row (<code><tr></code> or table cell (<code><td></code>). Indicates a dangerous or potentially negative action	Try it (tryit.asp?filename=trybs_table_conte	
<code>.disabled</code>		Disables a button (adds opacity and a "no-parking-sign" icon on hover)	Try it (tryit.asp?filename=trybs_button_acti	
<code>.disabled</code>		Disables a dropdown item (adds a grey text color and a "no-parking-sign" icon on hover)	Try it (tryit.asp?filename=trybs_dropdown-a	
<code>.disabled</code>		Disables a pagination link (cannot be clicked - adds a grey text color and a "no-parking-sign" icon on hover)	Try it (tryit.asp?filename=trybs_pagination_	
<code>.disabled</code>		Disables a list item in a list group (cannot be clicked - adds a grey background color and a "no-parking-sign" icon on hover)	Try it (tryit.asp?filename=trybs_list_group_	


Class 	Description	Example	
<code>.divider</code>	Used to separate links in the dropdown menu with a thin horizontal border	Try it (tryit.asp?filename=trybs_dropdown-c)	
<code>.dl-horizontal</code>	Lines up the terms <code><dt></code> and descriptions <code><dd></code> in <code><dl></code> elements side-by-side. Starts off like default <code><dl></code> s, but when the browser window expands, it will line up side-by-side	Try it (tryit.asp?filename=trybs_ref_txt_dl-h)	
<code>.dropdown</code>	Creates a toggleable menu that allows the user to choose one value from a predefined list	Try it (tryit.asp?filename=trybs_dropdown-r)	
<code>.dropdown-header</code>	Used to add headers inside the dropdown menu	Try it (tryit.asp?filename=trybs_dropdown-l)	
<code>.dropdown-menu</code>	Adds the default styles for the dropdown menu container	Try it (tryit.asp?filename=trybs_dropdown-r)	
<code>.dropdown-menu-right</code>	Right-aligns a dropdown menu	Try it (tryit.asp?filename=trybs_dropdown-r)	
<code>.dropdown-toggle</code>	Used on the button that should hide and show (toggle) the dropdown menu	Try it (tryit.asp?filename=trybs_dropdown-r)	
<code>.dropup</code>	Indicates a dropup menu (upwards instead of downwards)	Try it (tryit.asp?filename=trybs_dropdown-r)	
<code>.embed-responsive</code>	Container for embedded content. Makes videos or slideshows scale properly on any device	Try it (tryit.asp?filename=trybs_responsive_)	

Class	HTML (html/default.asp)	Description	Example	CSS (css/default.asp)
<code>.embed-responsive-16by9</code>		Container for embedded content. Creates an 16:9 aspect ratio embedded content	Try it (tryit.asp?filename=trybs_responsive_16by9)	
<code>.embed-responsive-4by3</code>		Container for embedded content. Creates an 4:3 aspect ratio embedded content	Try it (tryit.asp?filename=trybs_responsive_4by3)	
<code>.embed-responsive-item</code>		Used inside <code>.embed-responsive</code> . Scales the video nicely to the parent element	Try it (tryit.asp?filename=trybs_responsive_item)	
<code>.fade</code>		Adds a fading effect when closing an alert box	Try it (tryit.asp?filename=trybs_alerts_fade)	
<code>.form-control</code>		Used on input, textarea, and select elements to span the entire width of the page and make them responsive	Try it (tryit.asp?filename=trybs_form_basic)	
<code>.form-control-feedback</code>		Form validation class	Try it (tryit.asp?filename=trybs_form_horizontal)	
<code>.form-control-static</code>		Adds plain text next to a form label within a horizontal form	Try it (tryit.asp?filename=trybs_form_horizontal)	
<code>.form-group</code>		Container for form input and label	Try it (tryit.asp?filename=trybs_form_basic)	
<code>.form-inline</code>		Makes a <code><form></code> left-aligned with inline-block controls (This only applies to forms within viewports that are at least 768px wide)	Try it (tryit.asp?filename=trybs_ref_form-inline)	

Class 	Description	Example	
.form-horizontal	Aligns labels and groups of form controls in a horizontal layout	Try it (tryit.asp?filename=trybs_ref_form-hc	
.glyphicon	Creates an icon. Bootstrap provides 260 free glyphs from the Glyphicons (bootstrap_glyphicons.asp). Halflings set	Try it (tryit.asp?filename=trybs_glyphs&sta	
.has-danger	Adds a red color to the label and a red border to the input, as well as an error icon inside the input (used together with .has-feedback)	Try it (tryit.asp?filename=trybs_form_horiz	
.has-feedback	Adds feedback icons for inputs (checkmark, warning and error signs)	Try it (tryit.asp?filename=trybs_form_horiz	
.has-success	Adds a green color to the label and a green border to the input, as well as a checkmark icon inside the input (used together with .has-feedback)	Try it (tryit.asp?filename=trybs_form_horiz	
.has-warning	Adds a yellow/orange color to the label and a yellow/orange border to the input, as well as a checkmark icon inside the input (used together with .has-feedback)	Try it (tryit.asp?filename=trybs_form_horiz	
.help-block	A block of help text that breaks onto a new line and may extend beyond one line.	Try it (tryit.asp?filename=trybs_input_help-	

Class 	Description	Example
HTML (html/default.asp)		CSS (css/default.asp) ▼
<code>.hidden</code>	Forces an element to be hidden (<code>display:none</code>)	Try it (tryit.asp?filename=trybs_ref_hlp_hid
<code>.hidden-*</code>	Hides content depending on screen size	Try it (tryit.asp?filename=trybs_ref_hlp_tex
<code>.hide</code>	Deprecated. Use <code>.hidden</code> instead	Try it (tryit.asp?filename=trybs_ref_hlp_hid
<code>.h1 - .h6</code>	Makes an element look like a heading of the chosen class (h1-h6)	Try it (tryit.asp?filename=trybs_ref_txt_hn8
<code>.icon-bar</code>	Used in the navbar to create a hamburger menu (three horizontal bars)	Try it (tryit.asp?filename=trybs_navbar_coll
<code>.icon-next</code>	Unicode icon (arrow pointing right), used in carousels. This is often replaced with a glyphicon	Try it (tryit.asp?filename=trybs_carousel_ic
<code>.icon-prev</code>	Unicode icon (arrow pointing left), used in carousels. This is often replaced with a glyphicon	Try it (tryit.asp?filename=trybs_carousel_ic
<code>.img-circle</code>	Shapes an image to a circle (not supported in IE8 and earlier)	Try it (tryit.asp?filename=trybs_img_circle&
<code>.img-responsive</code>	Makes an image responsive	Try it (tryit.asp?filename=trybs_img_respon
<code>.img-rounded</code>	Adds rounded corners to an image	Try it (tryit.asp?filename=trybs_img_rounde
<code>.img-thumbnail</code>	Shapes an image to a thumbnail (borders)	Try it (tryit.asp?filename=trybs_img_thumb
<code>.in</code>	Fades in tabs	Try it (tryit.asp?filename=trybs_tabs_dynan


Class 	Description	Example 
<code>.info</code>	Adds a light-blue background to the table row (<code><tr></code>) or table cell (<code><td></code>). Indicates a neutral informative change or action	Try it (tryit.asp?filename=trybs_table_conte
<code>.initialism</code>	Displays the text inside an <code><abbr></code> element in a slightly smaller font size	Try it (tryit.asp?filename=trybs_ref_txt_abb
<code>.input-group</code>	Container to enhance an input by adding an icon, text or a button in front or behind it as a "help text"	Try it (tryit.asp?filename=trybs_form_input
<code>.input-group-lg</code>	Large input group	Try it (tryit.asp?filename=trybs_form_input
<code>.input-group-sm</code>	Small input group	Try it (tryit.asp?filename=trybs_form_input
<code>.input-group-addon</code>	Together with the <code>.input-group</code> class, this class makes it possible to add an icon or help text next to the input field	Try it (tryit.asp?filename=trybs_form_input
<code>.input-group-btn</code>	Together with the <code>.input-group</code> class, this class attaches a button next to an input. Often used as a search bar	Try it (tryit.asp?filename=trybs_form_input
<code>.input-lg</code>	Large input field	Try it (tryit.asp?filename=trybs_input_heigh
<code>.input-sm</code>	Small input field	Try it (tryit.asp?filename=trybs_input_heigh


Class 	Description	Example	
<code>.invisible</code>	Makes an element invisible (<code>visibility:hidden</code>). Note: Even though the element is invisible, it will take up space on the page	Try it (tryit.asp?filename=trybs_ref_hlp_hid	
<code>.item</code>	Class added to each carousel item. May be text or images	Try it (tryit.asp?filename=trybs_carousel&st	
<code>.jumbotron</code>	Creates a padded grey box with rounded corners that enlarges the font sizes of the text inside it. Creates a big box for calling extra attention to some special content or information	Try it (tryit.asp?filename=trybs_jumbotron8	
<code>.label</code>	Adds a grey rounded box to an element. Provides additional information about something (e.g. "New")	Try it (tryit.asp?filename=trybs_labels&stac	
<code>.label-danger</code>	Red label	Try it (tryit.asp?filename=trybs_labels2&sta	
<code>.label-info</code>	Light-blue label	Try it (tryit.asp?filename=trybs_labels2&sta	
<code>.label-success</code>	Green label	Try it (tryit.asp?filename=trybs_labels2&sta	
<code>.label-warning</code>	Yellow label	Try it (tryit.asp?filename=trybs_labels2&sta	
<code>.lead</code>	Increase the font size and line height of a paragraph	Try it (tryit.asp?filename=trybs_ref_txt_lea	
<code>.left</code>	Used to identify the left carousel control	Try it (tryit.asp?filename=trybs_carousel&st	


Class	HTML (tryit.asp)	Description	CSS (tryit.asp)	Example
<code>.list-group</code>		Creates a bordered list group for <code></code> elements		Try it (tryit.asp?filename=trybs_list_group&css=trybs_list_group)
<code>.list-group-item</code>		Added to each <code></code> element in the list group		Try it (tryit.asp?filename=trybs_list_group&css=trybs_list_group)
<code>.list-group-item-heading</code>		Creates a list group heading (used on other elements besides <code></code>)		Try it (tryit.asp?filename=trybs_list_group&css=trybs_list_group)
<code>.list-group-item-text</code>		Used for item text inside the list group (used on other elements besides <code></code>)		Try it (tryit.asp?filename=trybs_list_group&css=trybs_list_group)
<code>.list-group-item-danger</code>		Red background color for a list item in a list group		Try it (tryit.asp?filename=trybs_list_group&css=trybs_list_group)
<code>.list-group-item-info</code>		Light-blue background color for a list item in a list group		Try it (tryit.asp?filename=trybs_list_group&css=trybs_list_group)
<code>.list-group-item-success</code>		Green background color for a list item in a list group		Try it (tryit.asp?filename=trybs_list_group&css=trybs_list_group)
<code>.list-group-item-warning</code>		Yellow background color for a list item in a list group		Try it (tryit.asp?filename=trybs_list_group&css=trybs_list_group)
<code>.list-inline</code>		Places all list items on a single line (horizontal menu)		Try it (tryit.asp?filename=trybs_menu_list-inline)
<code>.list-unstyled</code>		Removes all default list-style (bullets, left margin, etc.) styling from a <code></code> or <code></code> list		Try it (tryit.asp?filename=trybs_ref_txt_list-unstyled)
<code>.mark</code>		Highlights text: Highlighted text		Try it (tryit.asp?filename=trybs_ref_txt_mark)


Class	HTML (tryit.html/default.asp)	Description	Example (tryit.css/default.asp)
<code>.media</code>		Aligns media objects (like images or videos - often used for comments in a blog post etc)	Try it (tryit.asp?filename=trybs_media_left_
<code>.media-body</code>		Text that should appear next to a media object	Try it (tryit.asp?filename=trybs_media_left_
<code>.media-heading</code>		Creates a heading inside the media object	Try it (tryit.asp?filename=trybs_media_left_
<code>.media-list</code>		Nested media lists	Try it (tryit.asp?filename=trybs_media_list)
<code>.media-object</code>		Indicates a media object (image or video)	Try it (tryit.asp?filename=trybs_media_left_
<code>.modal</code>		Identifies the content as a modal and brings focus to it	Try it (tryit.asp?filename=trybs_modal&stac
<code>.modal-body</code>		Defines the style for the body of the modal. Add any HTML markup here (p, img, etc)	Try it (tryit.asp?filename=trybs_modal&stac
<code>.modal-content</code>		Styles the modal (border, background-color, etc). Inside this, add the modal's header, body and footer, if needed	Try it (tryit.asp?filename=trybs_modal&stac
<code>.modal-dialog</code>		Sets the proper width and margin of the modal	Try it (tryit.asp?filename=trybs_modal&stac
<code>.modal-footer</code>		The footer of the modal (often contains an action button and a close button)	Try it (tryit.asp?filename=trybs_modal&stac
<code>.modal-header</code>		The header of the modal (often contains a title and a close button)	Try it (tryit.asp?filename=trybs_modal&stac




Class	HTML (tryit.html/default.asp)	Description	Example (tryit.css/default.asp)
.modal-lg		Large modal (wider than default)	Try it (tryit.asp?filename=trybs_modal_lg&stacked=1)
.modal-open		Used on the <body> element to prevent page scrolling (overflow:hidden)	Try it (tryit.asp?filename=trybs_modal&stacked=1)
.modal-sm		Small modal (less width)	Try it (tryit.asp?filename=trybs_modal_sm&stacked=1)
.modal-title		The title of the modal	Try it (tryit.asp?filename=trybs_modal&stacked=1)
.nav nav-tabs		Indicates a tabbed menu	Try it (tryit.asp?filename=trybs_ref_comp_r&stacked=1)
.nav nav-pills		Indicates a pill menu	Try it (tryit.asp?filename=trybs_pills&stacked=1)
.nav .navbar-nav		Used on a container that contains the list items with links inside a navigation bar	Try it (tryit.asp?filename=trybs_navbar&stacked=1)
.nav-justified		Centers tabs/pills. Note that on screens smaller than 768px the items are stacked (content will remain centered)	Try it (tryit.asp?filename=trybs_ref_comp_r&stacked=1)
.nav-stacked		Vertically stack tabs or pills	Try it (tryit.asp?filename=trybs_pills_vertical&stacked=1)
.nav-tabs		Creates a tabbed menu	Try it (tryit.asp?filename=trybs_tabs_dynamic&stacked=1)
.navbar		Creates a navigation bar	Try it (tryit.asp?filename=trybs_navbar&stacked=1)
.navbar-brand		Added to a link or a header element inside the navbar to represent a logo or a header	Try it (tryit.asp?filename=trybs_navbar&stacked=1)




Class 	Description	Example
HTML (tryit.asp)	CSS (tryit.asp)	▼
<code>.navbar-btn</code>	Vertically aligns a button inside a navbar	Try it (tryit.asp?filename=trybs_navbar_btn)
<code>.navbar-collapse</code>	Collapses the navbar (hidden and replaced with a menu/hamburger icon on mobile phones and small tablets)	Try it (tryit.asp?filename=trybs_navbar_coll)
<code>.navbar-default</code>	Creates a default navigation bar (light-grey background color)	Try it (tryit.asp?filename=trybs_navbar&sta)
<code>.navbar-fixed-bottom</code>	Makes the navbar stay at the bottom of the screen (sticky/fixed)	Try it (tryit.asp?filename=trybs_navbar_fixe)
<code>.navbar-fixed-top</code>	Makes the navbar stay at the top of the screen (sticky/fixed)	Try it (tryit.asp?filename=trybs_navbar_fixe)
<code>.navbar-form</code>	Added to form elements inside the navbar to vertically center them (proper padding)	Try it (tryit.asp?filename=trybs_navbar_for)
<code>.navbar-header</code>	Added to a container element that contains the link/element that represent a logo or a header	Try it (tryit.asp?filename=trybs_navbar&sta)
<code>.navbar-inverse</code>	Creates a black navigation bar (instead of light-grey)	Try it (tryit.asp?filename=trybs_navbar_inve)
<code>.navbar-left</code>	Aligns nav links, forms, buttons, or text, in the navbar to the left	Try it (tryit.asp?filename=trybs_navbar_for)

Class 	Description	Example	
<code>.navbar-link</code>	Styles an element to look like a link inside the navbar (anchors get proper padding and an underline on hover, while other elements like <code>p</code> or <code>span</code> gets a default hover effect - white color in an inversed navbar and a black color in a default navbar)	Try it (tryit.asp?filename=trybs_navbar_link)	
<code>.navbar-nav</code>	Used on a <code></code> container that contains the list items with links inside a navigation bar	Try it (tryit.asp?filename=trybs_navbar&sta)	
<code>.navbar-right</code>	Aligns nav links, forms, buttons, or text in the navbar to the right.	Try it (tryit.asp?filename=trybs_navbar_righ)	
<code>.navbar-static-top</code>	Removes left, top and right borders (rounded corners) from the navbar (default navbar has a gray border and a 4px border-radius by default)	Try it (tryit.asp?filename=trybs_navbar_stai)	
<code>.navbar-text</code>	Vertical align any elements inside the navbar that are not links (ensures proper padding)	Try it (tryit.asp?filename=trybs_navbar_tex)	
<code>.navbar-toggle</code>	Styles the button that should open the navbar on small screens. Often used together with three <code>.icon-bar</code> classes to indicate a toggleable menu icon (hamburger/bars)	Try it (tryit.asp?filename=trybs_navbar_coll)	

Class 	Description	Example	
.next	Used in the carousel control to identity the next control	Try it (tryit.asp?filename=trybs_carousel&st	
.next	Used to align pager buttons to the right side of the page (next button)	Try it (tryit.asp?filename=trybs_pager_prev	
.page-header	Adds a horizontal line under the heading (+ adds some extra space around the element)	Try it (tryit.asp?filename=trybs_page-head	
.pager	Creates previous/next buttons (used on elements)	Try it (tryit.asp?filename=trybs_pager&stac	
.pagination	Creates a pagination (Useful when you have a web site with lots of pages. Used on elements)	Try it (tryit.asp?filename=trybs_pagination8	
.pagination-lg	Large pagination (each pagination link gets a font-size of 18px. Default is 14px)	Try it (tryit.asp?filename=trybs_pagination_	
.pagination-sm	Small pagination (each pagination link gets a font-size of 12px. Default is 14px)	Try it (tryit.asp?filename=trybs_pagination_	
.panel	Creates a bordered box with some padding around its content	Try it (tryit.asp?filename=trybs_panels&stac	
.panel-body	Container for content inside the panel	Try it (tryit.asp?filename=trybs_panels_he	
.panel-collapse	Collapsible panel (toggle between hiding and showing panel(s))	Try it (tryit.asp?filename=trybs_collapsible_	


Class 	Description	Example	
<code>.panel-danger</code>	Red panel. Indicates danger	Try it (tryit.asp?filename=trybs_panels_conflict)	
<code>.panel-info</code>	Light-blue panel. Indicates information	Try it (tryit.asp?filename=trybs_panels_conflict)	
<code>.panel-success</code>	Green panel. Indicates success	Try it (tryit.asp?filename=trybs_panels_conflict)	
<code>.panel-warning</code>	Yellow panel. Indicates warning	Try it (tryit.asp?filename=trybs_panels_conflict)	
<code>.panel-footer</code>	Creates a panel footer (light background color)	Try it (tryit.asp?filename=trybs_panels_footer)	
<code>.panel-group</code>	Used to group many panels together. This removes the bottom margin below each panel	Try it (tryit.asp?filename=trybs_panels_group)	
<code>.panel-heading</code>	Creates a panel header (light background color)	Try it (tryit.asp?filename=trybs_panels_footer)	
<code>.panel-title</code>	Used inside a <code>.panel-heading</code> to adjust the styling of the text (removes margins and adds a font-size of 16px)	Try it (tryit.asp?filename=trybs_panels_title)	
<code>.popover</code>	Popup-box that appears when the user clicks on an element	Try it (tryit.asp?filename=trybs_popover&st)	
<code>.pre-scrollable</code>	Makes a <code><pre></code> element scrollable (max-height of 350px and provide a y-axis scrollbar)	Try it (tryit.asp?filename=trybs_ref_txt_pre)	
<code>.prev</code>	Used in carousels to indicate a "previous" link	Try it (tryit.asp?filename=trybs_carousel&st)	

Class 	HTML 	Description	Example 	
<code>.previous</code>	<code><button type="button" class="previous">Previous</button></code>	Used to align pager buttons to the left side of the page (previous button)	Try it (tryit.asp?filename=trybs_pager&stacked=1)	
<code>.progress</code>	<code><div class="progress"></div></code>	Container for progress bars	Try it (tryit.asp?filename=trybs_progressbar)	
<code>.progress-bar</code>	<code><div class="progress-bar"></div></code>	Creates a progress bar	Try it (tryit.asp?filename=trybs_progressbar)	
<code>.progress-bar-danger</code>	<code><div class="progress-bar-danger"></div></code>	Red progress bar. Indicates danger	Try it (tryit.asp?filename=trybs_progressbar)	
<code>.progress-bar-info</code>	<code><div class="progress-bar-info"></div></code>	Light-blue progress bar. Indicates information	Try it (tryit.asp?filename=trybs_progressbar)	
<code>.progress-bar-striped</code>	<code><div class="progress-bar-striped"></div></code>	Creates a striped progress bar	Try it (tryit.asp?filename=trybs_progressbar)	
<code>.progress-bar-success</code>	<code><div class="progress-bar-success"></div></code>	Green progress bar. Indicates success	Try it (tryit.asp?filename=trybs_progressbar)	
<code>.progress-bar-warning</code>	<code><div class="progress-bar-warning"></div></code>	Yellow progress bar. Indicates warning	Try it (tryit.asp?filename=trybs_progressbar)	
<code>.pull-left</code>	<code><div class="pull-left"></div></code>	Float an element to the left	Try it (tryit.asp?filename=trybs_ref_hlp_pull)	
<code>.pull-right</code>	<code><div class="pull-right"></div></code>	Float an element to the right	Try it (tryit.asp?filename=trybs_ref_hlp_pull)	
<code>.right</code>	<code><div class="right"></div></code>	Used to identify the right carousel control	Try it (tryit.asp?filename=trybs_carousel&stacked=1)	
<code>.row</code>	<code><div class="row"></div></code>	Container for responsive columns	Try it (tryit.asp?filename=trybs_grid_stack)	
<code>.row-no-gutters</code>	<code><div class="row-no-gutters"></div></code>	Removes the gutters from a row and its columns	Try it (tryit.asp?filename=trybs_grid_no_gutter)	
<code>.show</code>	<code><div class="show"></div></code>	Shows an element (<code>display:block</code>)	Try it (tryit.asp?filename=trybs_ref_hlp_hide)	

Class 	Description 	Example 	
<code>.small</code>	Creates a lighter, secondary text in any heading	Try it (tryit.asp?filename=trybs_ref_txt_small)	
<code>.sr-only</code>	Hides an element on all devices except for screen readers	Try it (tryit.asp?filename=trybs_ref_hlp_sr-only)	
<code>.sr-only-focusable</code>	Hides an element on all devices except for screen readers	Try it (tryit.asp?filename=trybs_ref_hlp_sr-only-focusable)	
<code>.success</code>	Adds a green background color to a table row (<code><tr></code>) or table cell (<code><td></code>). Indicates success or a positive action	Try it (tryit.asp?filename=trybs_table_content_success)	
<code>.tab-content</code>	Used together with <code>.tab-pane</code> to creates toggleable/dynamic tabs/pills	Try it (tryit.asp?filename=trybs_tabs_dynamic)	
<code>.tab-pane</code>	Used together with <code>.tab-content</code> to creates toggleable/dynamic tabs/pills	Try it (tryit.asp?filename=trybs_tabs_dynamic)	
<code>.table</code>	Adds basic styling to a table (padding, bottom borders, etc)	Try it (tryit.asp?filename=trybs_table_basic)	
<code>.table-bordered</code>	Adds borders on all sides of the table and cells	Try it (tryit.asp?filename=trybs_table_bordered)	
<code>.table-condensed</code>	Makes a table more compact by cutting cell padding in half	Try it (tryit.asp?filename=trybs_table_condensed)	
<code>.table-hover</code>	Creates a hoverable table (adds a grey background color on table rows on hover)	Try it (tryit.asp?filename=trybs_table_hover)	

Class 	HTML (html/default.asp)	Description	CSS (css/default.asp)	Example 
<code>.table-responsive</code>		Makes a table responsive (adds a horizontal scrollbar when needed)		Try it (tryit.asp?filename=trybs_ref_table-re
<code>.text-capitalize</code>		Indicates capitalized text		Try it (tryit.asp?filename=trybs_ref_text-lov
<code>.text-center</code>		Center-aligns text		Try it (tryit.asp?filename=trybs_ref_text-lef
<code>.text-danger</code>		Red text color. Indicates danger		Try it (tryit.asp?filename=trybs_txt_colors&
<code>.text-hide</code>		Hides text (helps replace an element's text content with a background image)		Try it (tryit.asp?filename=trybs_ref_hlp_tex
<code>.text-info</code>		Light-blue text color. Indicates information		Try it (tryit.asp?filename=trybs_txt_colors&
<code>.text-justify</code>		Indicates justified text		Try it (tryit.asp?filename=trybs_ref_text-lef
<code>.text-left</code>		Aligns the text to the left		Try it (tryit.asp?filename=trybs_ref_text-lef
<code>.text-lowercase</code>		Changes text to lowercase		Try it (tryit.asp?filename=trybs_ref_text-lov
<code>.text-muted</code>		Grey text color		Try it (tryit.asp?filename=trybs_txt_colors&
<code>.text-nowrap</code>		Prevents the text from wrapping		Try it (tryit.asp?filename=trybs_ref_text-lef
<code>.text-primary</code>		Blue text color		Try it (tryit.asp?filename=trybs_txt_colors&
<code>.text-right</code>		Aligns text to the right		Try it (tryit.asp?filename=trybs_ref_text-lef
<code>.text-success</code>		Green text color. Indicates success		Try it (tryit.asp?filename=trybs_txt_colors&

Class 	Description	Example
HTML (tryit.asp?filename=trybs_ref_text-lov)	CSS (tryit.asp?filename=trybs_ref_text-lov)	
<code>.text-uppercase</code>	Makes text uppercase	Try it (tryit.asp?filename=trybs_ref_text-lov)
<code>.text-warning</code>	Yellow/orange text color. Indicates warning	Try it (tryit.asp?filename=trybs_txt_colors&stac)
<code>.thumbnail</code>	Adds a border around an element (often images or videos) to make it look like a thumbnail	Try it (tryit.asp?filename=trybs_img_thumb)
<code>.tooltip</code>	Popup-box that appears when the user moves the mouse pointer over an element	Try it (tryit.asp?filename=trybs_tooltip&stac)
<code>.visible-*</code>	Deprecated as of v3.2.0. Used to show and/or hide content by device. Note: Use <code>.hidden-*</code> instead	Try it (tryit.asp?filename=trybs_ref_hlp_tex)
<code>.visible-print-block</code>	Displays the element (<code>display:block</code>) in print (pre)view	
<code>.visible-print-inline</code>	Displays the element (<code>display:inline</code>) in print (pre)view	
<code>.visible-print-inline-block</code>	Displays the element (<code>display:inline-block</code>) in print (pre)view	
<code>.hidden-print</code>	Hides the element (<code>display:none</code>) in print (pre)view	
<code>.warning</code>	Adds a yellow background color to the table row (<code><tr></code> or table cell (<code><td></code>). Indicates a warning	Try it (tryit.asp?filename=trybs_table_conte)

Class 	Description	Example	
.well	Adds a rounded border around an element with a gray background color and some padding	Try it (tryit.asp?filename=trybs_well&stacke	
.well-lg	Large well (more padding)	Try it (tryit.asp?filename=trybs_well_size&s	
.well-sm	Small well (less padding)	Try it (tryit.asp?filename=trybs_well_size&s	



Tip: To see the full list of all **Bootstrap 4** classes, go to our [All Bootstrap 4 CSS Classes Reference \(/bootstrap4/bootstrap_ref_all_classes.asp\)](/bootstrap4/bootstrap_ref_all_classes.asp).

◀ Previous (bootstrap_exam.asp)

Next ▶ (bootstrap_ref_css_text.asp)