

Base URL

<https://360techportfolio.com/projects/laravel-app/>

All endpoints are prefixed with `/api`.

Headers

All requests should include:

Header	Value
Accept	application/json
Content-Type	application/json (for POST, PATCH, PUT with body)

For protected routes:

Header	Value
Authorization	Bearer {token}

Standard Error Responses

Validation Error (422):

```
{
  "message": "Validation failed.",
  "errors": {
    "email": ["Email is required."],
    "password": ["Password is required."]
  }
}
```

Invalid JSON (400):

```
{
  "message": "Invalid JSON in request body.",
  "errors": {
    "body": ["The request body is not valid JSON."]
  }
}
```

Unauthorized (401): Missing/invalid token. **Forbidden (403):** e.g., admin registration disabled. **Not Found (404):** Resource does not exist. **Too Many Requests (429):** Rate limit exceeded.

Authentication Overview

- Type: **Bearer token** (Laravel Sanctum)
- Only admin users can access protected routes.
- Public visitors can submit contact queries without logging in.

Admin Flow: 1. POST `/api/admin/register` (optional first admin or with secret) 2. POST `/api/admin/login` * save token 3. Use `Authorization: Bearer {token}` for protected calls

Endpoints

Admin

1. Login

POST `/api/admin/login`

Body:

```
{
  "email": "admin@example.com",
  "password": "your-password"
}
```

Response (200):

```
{
  "token": "1|plainTextTokenHere",
  "token_type": "Bearer",
  "user": {
    "id": 1,
    "name": "Admin User",
    "email": "admin@example.com"
  }
}
```

2. Register

POST `/api/admin/register`

Body:

```
{
  "name": "Admin User",
  "email": "admin@example.com",
  "password": "SecurePassword123!",
  "password_confirmation": "SecurePassword123!",
  "registration_secret": "123456789"
}
```

Response (201): Same as login.

3. Get Current Admin

GET `/api/admin/me` **Auth:** Bearer token

Response (200): User object.

Queries (Contact Form)

4. Submit Query (Public)

POST `/api/queries`

Body:

```
{
  "name": "John Doe",
  "email": "john@example.com",
  "phone_number": "+1234567890",
  "service": "Web Development",
  "description": "I need a new company website."
}
```

Response (201):

```
{
  "message": "Query submitted successfully.",
  "query": { ... }
}
```

5. List All Queries (Admin)

GET `/api/queries` **Auth:** Bearer token

6. Get Query by ID (Admin)

GET `/api/queries/{id}` **Auth:** Bearer token

7. Mark Query Done (Admin)

PATCH `/api/queries/{id}/done` **Auth:** Bearer token

Response (200):

```
{
  "message": "Query marked as done.",
  "query": { ... }
}
```
