

1. Create the following directory structure:

linux_practice/

├─ day1/

|

├─ files/

|

└─ backup/

```
ubuntu@ip-172-31-31-42: ~/linux_practice/day1
ubuntu@ip-172-31-31-42:~$ pwd
/home/ubuntu
ubuntu@ip-172-31-31-42:~$ mkdir linux_practice
ubuntu@ip-172-31-31-42:~$ pwd
/home/ubuntu
ubuntu@ip-172-31-31-42:~$ cd linux_practice
ubuntu@ip-172-31-31-42:~/linux_practice$ mkdir day1
ubuntu@ip-172-31-31-42:~/linux_practice$ cd day1
ubuntu@ip-172-31-31-42:~/linux_practice/day1$ pwd
/home/ubuntu/linux_practice/day1
ubuntu@ip-172-31-31-42:~/linux_practice/day1$ mkdir files
ubuntu@ip-172-31-31-42:~/linux_practice/day1$ ls
files
ubuntu@ip-172-31-31-42:~/linux_practice/day1$ mkdir backup
ubuntu@ip-172-31-31-42:~/linux_practice/day1$ ls
backup files
ubuntu@ip-172-31-31-42:~/linux_practice/day1$ s
```

2.

2. Inside files/:

- Create 3 text files
- Write content using both > and >>
- Display content using cat, less, head, tail

```
ubuntu@ip-172-31-31-42:~/linux_practice/day1$ cd files
ubuntu@ip-172-31-31-42:~/linux_practice/day1/files$ pwd
/home/ubuntu/linux_practice/day1/files
ubuntu@ip-172-31-31-42:~/linux_practice/day1/files$ touch abc.txt def.txt xyz.txt
ubuntu@ip-172-31-31-42:~/linux_practice/day1/files$ ls
abc.txt  def.txt  xyz.txt
ubuntu@ip-172-31-31-42:~/linux_practice/day1/files$ echo "Hello ABC" > abc.txt
ubuntu@ip-172-31-31-42:~/linux_practice/day1/files$ cat abc.txt
Hello ABC
ubuntu@ip-172-31-31-42:~/linux_practice/day1/files$ echo "Hello DEF" > def.txt
ubuntu@ip-172-31-31-42:~/linux_practice/day1/files$ cat def.txt
Hello DEF
ubuntu@ip-172-31-31-42:~/linux_practice/day1/files$ echo "Hello XYZ" > xyz.txt
ubuntu@ip-172-31-31-42:~/linux_practice/day1/files$ cat xyz.txt
Hello XYZ
ubuntu@ip-172-31-31-42:~/linux_practice/day1/files$ echo "Good morning ABC">>abc.txt
ubuntu@ip-172-31-31-42:~/linux_practice/day1/files$ cat abc.txt
Hello ABC
Good morning ABC
ubuntu@ip-172-31-31-42:~/linux_practice/day1/files$
```

```
ubuntu@ip-172-31-31-42:~/linux_practice/day1/files$ echo "Good morning DEF">def.txt
ubuntu@ip-172-31-31-42:~/linux_practice/day1/files$ cat def.txt
Good morning DEF
ubuntu@ip-172-31-31-42:~/linux_practice/day1/files$
ubuntu@ip-172-31-31-42:~/linux_practice/day1/files$
```

```
ubuntu@ip-172-31-31-42:~/linux_practice/day1/files$ echo "Good morning XYZ">>xyz.txt
ubuntu@ip-172-31-31-42:~/linux_practice/day1/files$ cat xyz.txt
Hello XYZ
Good morning XYZ
ubuntu@ip-172-31-31-42:~/linux_practice/day1/files$ echo "XYZ">xyz.txt
ubuntu@ip-172-31-31-42:~/linux_practice/day1/files$ cat xyz.txt
XYZ
```

```
ubuntu@ip-172-31-31-42:~/linux_practice/day1/files$ head abc.txt
Hello ABC
Good morning ABC
ubuntu@ip-172-31-31-42:~/linux_practice/day1/files$ tail -n 1 abc.txt
Good morning ABC
ubuntu@ip-172-31-31-42:~/linux_practice/day1/files$ less def.txt
ubuntu@ip-172-31-31-42:~/linux_practice/day1/files$
```

```
Good morning DEF
def.txt (END)
```

3. Copy one file to backup/ and rename it.

```
ubuntu@ip-172-31-31-42:~/linux_practice/day1/files$ cp abc.txt ../backup/abc_backup.txt
ubuntu@ip-172-31-31-42:~/linux_practice/day1/files$ cd -
/home/ubuntu/linux_practice/day1
ubuntu@ip-172-31-31-42:~/linux_practice/day1$ cd backup
ubuntu@ip-172-31-31-42:~/linux_practice/day1/backup$ ls
abc_backup.txt
ubuntu@ip-172-31-31-42:~/linux_practice/day1/backup$ cat abc_backup.txt
Hello ABC
Good morning ABC
ubuntu@ip-172-31-31-42:~/linux_practice/day1/backup$
```

4. Search for a specific word across all files using grep.

```
ubuntu@ip-172-31-31-42:~/linux_practice/day1/backup$ grep -ri "hello"
abc_backup.txt:Hello ABC
ubuntu@ip-172-31-31-42:~/linux_practice/day1/backup$ cd -
/home/ubuntu/linux_practice/day1
ubuntu@ip-172-31-31-42:~/linux_practice/day1$ cd files
ubuntu@ip-172-31-31-42:~/linux_practice/day1/files$ grep -ri "def"
def.txt:Good morning DEF
ubuntu@ip-172-31-31-42:~/linux_practice/day1/files$
```

5. Use find to locate:

Files created today

```
ubuntu@ip-172-31-31-42:~/linux_practice/day1/files$ find . -type f -daystart
./abc.txt
./def.txt
./xyz.txt
ubuntu@ip-172-31-31-42:~/linux_practice/day1/files$
```

Files larger than 1 KB

```
ubuntu@ip-172-31-31-42:~/linux_practice/day1/files$ find . -type f -size +1k
ubuntu@ip-172-31-31-42:~/linux_practice/day1/files$ ls -lh
total 12K
-rw-rw-r-- 1 ubuntu ubuntu 27 Jan 13 09:56 abc.txt
-rw-rw-r-- 1 ubuntu ubuntu 17 Jan 13 09:57 def.txt
-rw-rw-r-- 1 ubuntu ubuntu  4 Jan 13 09:59 xyz.txt
ubuntu@ip-172-31-31-42:~/linux_practice/day1/files$
```