
## Program-7

Construct a bayesian network using medical dataset. Use this model to demonstrate the diagnosis of heart patient using standard heart disease data.

	Brogram - 7
	imbot bandas as ba
	LOUT CAN
	from Jamby estimators import Maximum the thood Folimber from Jamby models import Bayesian Model From Jamby inference import White ble Flimination
	lines = list(csv, seeador of ohen data + names.csv, 90))
	attaibutes = lines []
4	hoador Disease = Id red cov (' doto 7 heart cov', nemes = others ('2', nf. nen)
(	laint ters examples from the data sol son quen the
UN S	fourt (heart Discase head ())
	model = Bayesian Model ([ ('age', treatlifes'), ('age', 'floo'), ('sex', 'treatlifes'), ('examples'), ('breatlifes'), ('breatlifes'), ('land dispose'),
	('fly', (heard livere), ('heart diserse', 'sort erg'), ('heart diserse'), ('heart dis
? (con	WIRLAND, SAME ENGLISH IN PROPERTY OF
	import networks as use
	flt. show()
	model brak independencies (best les)
5	model brak independencies (best lfs) model local independencies (age) model get independencies()
	faint model get cfds ('age')
Hali	



1000	0.040	Date: / /
	: 1 = 0.006097	The state of the s
	Row with chol(211) & hoost disc. 4 = 0.02439	20(0)=4
	164 = 0.02439	
	764	D. 14) W.

## <u>OUTPUT</u>

