KNN Program

	KNN Program
	Date: / /
JK1	NN Brogani All All All All All All All All All Al
	N. Carlo
Do-	100 and another 1: 1 of 1: 00 and
720	in skleam movel solution unpost train test solit
300	m sklearn model selection import train last split
1	m sklearn model solection import train last split om sklearn neighbors import KNeighbors Closifier com sklearn notrics import classification soport
N. N. N.	confusion mains
190	in sklearer infort datasets
U	36
ivi	s = laterety, load isis ()
Da:	s = States load isis ()
Jone	negotia)
	1 A ·· OA
	I dela = 1945, dela
ion	s labels = iris. target 180 = = = < 1 000
Dou	s labels = iris target 880 = 1
Vou	intions later and a second
J.	brain, or lost, y brain, y tast = train last split (iris data, iris labels, last size=0
10-	Je state, of the sing of the sing of
	(sun Nota , sun xaiocco, tax sige = 0
cla	sifier = KNeighbors Clastifier n. neighbors = 5)
clas	silion. It (2 train, y train)
u (Lood = Marilos landict & tast
10-1	sifior = KNeighbors Classifion neighbors = 5) sifior . fit (2 train, y train) band = classifior . foredict (2 tool)
1100000	
Joran.	ut (confusion matrix (y last, y fred))
Bu	ut/conferen matrix (y test, 4 prox))
V	
Davis	of "Accuracy metrics")
Davi	Alarilication school y last y bood)
Dorug	and the state of t
	0 0 0 0 0
Cutto	it justification
1	
-	
-	
	0 15 1
100	0 2 14)
_	

	201000 octual
1	Bacoll = cossolly classified/total satual
38	Label 0 → 13 = 1
	lobel 1 -> 45 = 0.94
	Lobel 2 → 14 = 0.88
	Procision = cosectly predicted / total foodicted
	Palel 0 > 13 = 1
	Palel 1 -> 15 = 0.88
	NAME OF THE PROPERTY OF THE PR
the s	falel 2 -> 14 = 0.93
0.0/2	2 22 July will in the line
	Accusacy = cossect frediction/octual value
A Comment	CONTROL HOUSE BANK BASSER ON A A SUDAMA
San San St.	Lold 0 -> = 13+15+14
	13+15+14+1+2
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	45
	(Louis Conferent moter (a feet)



