Objective: Learn to discover open ports on devices in your local network to understand network exposure.



DEVANSH SAVLA TASK-1 Scan Your Local Network for Open Ports

```
ubuntu@ubuntu: ~                                                    En   5:47 AM
ubuntu@ubuntu:~$ sudo ip addr show
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group defaul
t qlen 1
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
       valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host
       valid_lft forever preferred_lft forever
2: enp0s3: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc pfifo_fast state UP
group default qlen 1000
    link/ether 08:00:27:6a:81:f3 brd ff:ff:ff:ff:ff:ff
    inet 10.0.2.15/24 brd 10.0.2.255 scope global dynamic enp0s3
       valid_lft 86220sec preferred_lft 86220sec
    inet6 fe80::82c4:f76f:4612:26e3/64 scope link
       valid_lft forever preferred_lft forever
ubuntu@ubuntu:~$ sudo ifconfig
enp0s3    Link encap:Ethernet  HWaddr 08:00:27:6a:81:f3
          inet addr:10.0.2.15  Bcast:10.0.2.255  Mask:255.255.255.0
          inet6 addr: fe80::82c4:f76f:4612:26e3/64 Scope:Link
          UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
          RX packets:43 errors:0 dropped:0 overruns:0 frame:0
          TX packets:114 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:1000
          RX bytes:6805 (6.8 KB)  TX bytes:12052 (12.0 KB)

lo        Link encap:Local Loopback
          inet addr:127.0.0.1  Mask:255.0.0.0
          inet6 addr: ::1/128 Scope:Host
          UP LOOPBACK RUNNING  MTU:65536  Metric:1
          RX packets:217 errors:0 dropped:0 overruns:0 frame:0
          TX packets:217 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:1
          RX bytes:16419 (16.4 KB)  TX bytes:16419 (16.4 KB)
```

```
2222/tcp  open  EtherNetIP-1
3268/tcp  open  globalcatLDAP
3269/tcp  open  globalcatLDAPssl
3306/tcp  open  mysql
3389/tcp  open  ms-wbt-server
8009/tcp  open  ajp13
8080/tcp  open  http-proxy
49152/tcp open  unknown
49153/tcp open  unknown
49154/tcp open  unknown
49155/tcp open  unknown
49157/tcp open  unknown
49158/tcp open  unknown

Nmap done: 256 IP addresses (2 hosts up) scanned in 4.37 seconds
sakec@pc02:~/tes$ cat > ip.txt
sakec@pc02:~/tes$ nmap -iL ip.txt
Starting Nmap 7.95 ( https://nmap.org ) at 2024-08-05 16:01 IST
WARNING: No targets were specified, so 0 hosts scanned.
Nmap done: 0 IP addresses (0 hosts up) scanned in 0.03 seconds
sakec@pc02:~/tes$ nmap -v
Starting Nmap 7.95 ( https://nmap.org ) at 2024-08-05 16:01 IST
Read data files from: /home/linuxbrew/.linuxbrew/Cellar/nmap/7.95/bin/../share/nmap
WARNING: No targets were specified, so 0 hosts scanned.
Nmap done: 0 IP addresses (0 hosts up) scanned in 0.03 seconds
sakec@pc02:~/tes$ nmap -p 3000 172.16.60.102
Starting Nmap 7.95 ( https://nmap.org ) at 2024-08-05 16:01 IST
Nmap scan report for pc02 (172.16.60.102)
Host is up (0.000068s latency).

PORT     STATE  SERVICE
3000/tcp closed ppp

Nmap done: 1 IP address (1 host up) scanned in 0.03 seconds
sakec@pc02:~/tes$ nmap -p
nmap: option requires an argument -- 'p'
See the output of nmap -h for a summary of options.
sakec@pc02:~/tes$ S
```

DEVANSH SAVLA TASK-1 Scan Your Local Network for Open Ports

```
PORT   STATE SERVICE
21/tcp open  ftp
23/tcp open  telnet

Nmap done: 3 IP addresses (1 host up) scanned in 1.25 seconds
sakec@pc02:~/te9$ nmap 192.168.0.*
Starting Nmap 7.95 ( https://nmap.org ) at 2024-08-05 16:00 IST
Nmap scan report for 192.168.0.2
Host is up (0.00090s latency).
Not shown: 973 closed tcp ports (conn-refused)
PORT      STATE SERVICE
21/tcp    open  ftp
53/tcp    open  domain
88/tcp    open  kerberos-sec
135/tcp   open  msrpc
139/tcp   open  netbios-ssn
389/tcp   open  ldap
445/tcp   open  microsoft-ds
464/tcp   open  kpasswd5
593/tcp   open  http-rpc-epmap
636/tcp   open  ldapssl
990/tcp   open  ftps
3268/tcp  open  globalcatLDAP
3269/tcp  open  globalcatLDAPssl
3333/tcp  open  dec-notes
3389/tcp  open  ms-wbt-server
5432/tcp  open  postgresql
5500/tcp  open  hotline
5901/tcp  open  vnc-1
7001/tcp  open  afs3-callback
7070/tcp  open  realserver
9099/tcp  open  unknown
49152/tcp open  unknown
49153/tcp open  unknown
49154/tcp open  unknown
49155/tcp open  unknown
49157/tcp open  unknown
49158/tcp open  unknown
```

```
2222/tcp  open  EtherNetIP-1
3268/tcp  open  globalcatLDAP
3269/tcp  open  globalcatLDAPssl
3306/tcp  open  mysql
3389/tcp  open  ms-wbt-server
8009/tcp  open  ajp13
8080/tcp  open  http-proxy
49152/tcp open  unknown
49153/tcp open  unknown
49154/tcp open  unknown
49155/tcp open  unknown
49157/tcp open  unknown
49158/tcp open  unknown

Nmap done: 256 IP addresses (2 hosts up) scanned in 4.37 seconds
sakec@pc02:~/te9$ cat > ip.txt
sakec@pc02:~/te9$ nmap -iL ip.txt
Starting Nmap 7.95 ( https://nmap.org ) at 2024-08-05 16:01 IST
WARNING: No targets were specified, so 0 hosts scanned.
Nmap done: 0 IP addresses (0 hosts up) scanned in 0.03 seconds
sakec@pc02:~/te9$ nmap -v
Starting Nmap 7.95 ( https://nmap.org ) at 2024-08-05 16:01 IST
Read data files from: /home/linuxbrew/.linuxbrew/Cellar/nmap/7.95/bin/../share/nmap
WARNING: No targets were specified, so 0 hosts scanned.
Nmap done: 0 IP addresses (0 hosts up) scanned in 0.03 seconds
sakec@pc02:~/te9$ nmap -p 3000 172.16.60.102
Starting Nmap 7.95 ( https://nmap.org ) at 2024-08-05 16:01 IST
Nmap scan report for pc02 (172.16.60.102)
Host is up (0.000068s latency).

PORT     STATE  SERVICE
3000/tcp closed ppp

Nmap done: 1 IP address (1 host up) scanned in 0.03 seconds
sakec@pc02:~/te9$ nmap -p
nmap: option requires an argument -- 'p'
See the output of nmap -h for a summary of options.
sakec@pc02:~/te9$ S
```