


ASP.NET과의 찰떡궁합 jQuery + jQuery-UI 활용법



AGENDA

- jQuery
- jQuery-UI
- jQuery Structure
- Microsoft Support jQuery
- Client Data Binding
- Using ASP.NET Services
- Ajax History
- Demo
- Summary





jQuery



● Javascript와 HTML 사이의 상호작용을 강조하는 경량화된 웹 애플리케이션 프레임워크

- Write less, do more!
- Jone Resig
- 700line Sizzle Selector Engine
 - O http://sizzlejs.com/




Sizzle

jQuery

- **2**006-06-30 1.0a
- **2007-09-10** 1.2
- **2008-05-24** 1.2.6
- 2009-01-14 1.3 Sizzle Selector Engine
- **2**009-02-20 1.3.2
- **2010-01-14** 1.4
- **2010-01-25** 1.4.1
- 2010-02-19 1.4.2 Last Release


Delegation Filtering Performance

.offset() Performance




Selector Performance


Element Insertion Performance



Selector Performance

(All times in milliseconds.)





jQuery

- 스크립트 간소화
- O Ajax 단순화
- HTML 애니메이션
- 강력한 DOM조작 및 이벤트 핸들링
- OCSS, XPath 선택자를 이용한 DOM 선택
- 플러그인 확장
- Ocross Brower 지원

jQuery

- Document
 - O http://api.jquery.com/
- Download
 - D http://docs.jquery.com/Downloading_jQuery

jQuery-UI




● jQuery를 기반으로 한 다이나믹한 User Interface 플러그인

● 풍부한 고급 효과와 유용한 UI 위젯


● 높은 수준의 Theme 제공

http://jquerycom






Tabs



Dialog

□ Open Dialog

Overlay and Shadow Classes



Button

A button e	lement	
Choice 1	Choice 2	Choice 3


Autocomplete

Slider			
		_	

Datepicker



Progressbar



http://jqtiefywicom



Mauris mauris ante, blandit et, ultrices a, suscipit eget, quam. Integer ut neque. Vivamus nisi metus, molestie vel, gravida in, condimentum sit amet, nunc. Nam a nibh. Donec suscipit eros. Nam mi. Proin viverra leo ut odio. Curabitur malesuada. Vestibulum a velit eu ante scelerisque vulputate.

Tabs

Section 2

Section 3

First Second Third

Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat.

Dialog

□ Open Dialog

Overlay and Shadow Classes

Lorem ipsum dolor sit amet. Nulla nec tortor. Donec id elit quis purus conse Lorem ipsum dolor sit amet, consectetur Nam d adipisicing elit, sed do eiusmod tempor venen incididunt ut labore et dolore magna aliqua. sceler Ut enim ad minim veniam, quis nostrud vulputa exercitation ullamco laboris nisi ut aliquip ex ea commodo conseguat. Nulla Nam r .orem ipsum risus. commodo vitae, priaretra monis, posuere eu, pede, ivulia nec fortor.

Donec id elit quis purus consectetur consequat.

Button

A button element

Choice 1 Choice 2 Choice 3

Autocomplete

Slider



Datepicker

0	May 2010						
Su	Мо	Tu	We	Th	Fr	Sa	
						- 1	
2	3	-4	- 5	- 6	- 7	8	
9	10	11	12	13	14	15	
16	17	18	19	20	21	22	
23	24	25	26	27	28	29	
30	31						

Progressbar

Highlight / Error

 Hey! Sample ui-state-highlight style.

A Alert: Sample ui-state-error style.



Selector \$("#id, .class, tagname").css("color", "red");

Factory

```
$("<div/>", { id: "id", css: { color: "red" }
    click: function(){
        $(this).css("color", "blue");
    }
}).appendTo("#target");
```



● jQuery 동작원리 □ 묵시적인 반복 수행

● 그렇다면, jQuery Object는 배열?


[jQuery, jQuery, jQuery, ... jQuery]

```
Method: function(){},
Method: function(){},
Method: function(){},
Length: 3,
0:[Element],
1:[Element],
2:[Element]
```




- obj.data(key); obj.data(key, value);
- \$.data(target, key, value);






Microsoft Support jQuery

- Visual Studio 2010에서 웹폼 및 MVC 템플릿에 jQuery Library 포함 및 인텔리센스 지원
 - D jQuery-1.4.1.js
 - □ jQuery-14.1.min.js
 - O jQuery-1.4.1-vsdoc.js
- jQuery 플러그인 개발/협력/지원
 - O jQuery.tmpl.js
 - O jQuery.datalink.js



Microsoft Support jQuery

- Ajax Control Toolkit
 - D http://www.asp.net/ajaxlibrary/Download.ashx
- Microsoft Ajax Library CDN
 - O http://www.asp.net/ajaxlibrary/CDN.ashx
 - O jQuery
 - O jQuery Validation
 - O Ajax Control Toolkit
 - O ASP.NET Ajax
 - O ASP.NET MVC JavaScript Files



Client Data Binding

HTML Rander

var html = "" + obj.Key + ";
elem.innerHTML = html;

Client Data Binding



Templating

```
<script id="template" type="text/html">

     {t key }}

    <script>
```

\$("#template").render(obj).appendTo("#result");

Client Data Binding

My Plug-in (Jinsu Han)


```
        #key#
```

\$("#list").DataBinding(obj);




Using ASP.NET Services

- aspx Web Form
- ashx Generic Handler
- .asmx Web Services
- WCF Services
- Page Methods



Using ASP.NET Services

- Client JSON Helper scripts
 - O Json2.js(http://www.json.org/js.html)
 - D JSON.parse(jsonText);
 - O JSON.stringify(json);
- Server JSON Helper class
 - DataContractJsonSerializer
 - D JSON.Parse<T>(jsonText);
 - D JSON.Stringify(T);



Ajax History



기록지점을 만들어 브라우저 기록스텍에 추가하면 되는데..

● 브라우저 기록은 어떻게?

● 상태유지는 어떻게?

Ajax History

- ASP.NET AJAX History Server
 - O ScriptManager
 - O AddHistoryPoint(key, value, title)
 - O onnavigate event handler

Ajax History

- ASP.NET AJAX History Client
 - O Sys.Applcation
 - D addHistoryPoint({ key:value }, title)
 - O add_navigate(handler)

jQuery-UI


Client Data Binding

Using ASP.NET Services

Ajax History

SUMMARY

- jQuery
- jQuery-UI
- jQuery Structure
- Microsoft Support jQuery
- Client Data Binding
- Using ASP.NET Services
- Ajax History



Microsoft®

© 2010 Microsoft Corporation. All rights reserved. Microsoft, Windows, Windows Vista and other product names are or may be registered trademarks and/or trademarks in the U.S. and/or other countries. The information herein is for informational purposes only and represents the current view of Microsoft Corporation as of the date of this presentation. Because Microsoft must respond to changing market conditions