

4

3

2

1

NOTES:

1. APPLICABLE STANDARDS/SPECIFICATIONS:

A. ASME Y14.100-2004

B. ASME Y14.5M-1994

C. IPC-2221 AND IPC-2222

2. UNLESS OTHERWISE SPECIFIED:

TOLERANCE ON IMPLIED 90 DEGREE ANGLES TO BE +/- 2 DEGREES

3

COPPER CLAD LAMINATES AND PREPREG MATERIALS SHALL BE FR4 PER IPC-41401E. TOTAL THICKNESS AND LAYER ARRANGEMENT SHALL BE IN ACCORDANCE WITH THE STACKUP LEGEND

4

COPPER CLAD LAMINATES AND PREPREG MATERIALS SHALL CONFORM TO IPC-4101E REQUIREMENTS, RESPECTIVELY, CLASS C - BOW AND TWIST, GRADE A - PITS AND DENTS

5

FINISHED COPPER SHALL MAINTAIN 1 OUNCE PER SQUARE FOOT OUNCE PER SQUARE FOOT IN ACCORDANCE WITH SECTION A-A. COPPER FOIL SHALL BE PER IPC-4562.

6. FABRICATION AND INSPECTION OF THE BOARD SHALL BE IN ACCORDANCE WITH MIL-PRF-31032/1, TYPE 3. PROCESSING ALLOWANCES ARE SPECIFIED AS FOLLOWS:

MINIMUM ANNULAR RING - VIA = IPC-6012, CLASS 2.

7. PLATING SHALL BE ENIG PER IPC-4552

8. FOR REFERENCE ARTWORK MASTER USER GERBER FILE PROVIDED

9. FINISH: COAT BOTH SIDES OF BOARD USING MATERIAL PER IPC-SM-840, CLASS H, GREEN. APPLY SOLDER MASK OVER BARE COPPER.

10. MARK PRINTED CIRCUIT BOARD USING CONTRASTING COLORING. MARKING METHOD OPTIONAL.

11. MARK ASSEMBLY SERIAL NUMBER USING SILKSCREEN. CHARACTERS SHALL BE HUMAN READABLE WITHOUT MAGNIFICATION.

12. NO BOARD MANUFACTURER MARKINGS ON THE BOARD

13. VIAS SHALL NOT BE FILLED.

REV STATUS

REV

SH

X.1

X.1

INITIAL RELEASE

26JUN06

XXX

X.0

1

X.2

X.2

FILL IN DESCRIPTION

TBD

XXX

X.0

2

X.2

X.3

FILL IN DESCRIPTION

TBD

XXX

REVISIONS

DESCRIPTION

DATE(YEAR-MO-DA)

APPROVED

Layer

Thickness

Gerber

Weight

Material

Top Overlay

GTO

Top Solder

0.00040in

GTS

Surface Material

Top Layer

0.00140in

GTL

1oz

Copper

0.05900in

370HR FR4

Bottom Layer

0.00140in

GBL

1oz

Copper

Bottom Solder

0.00040in

GBS

Surface Material

Bottom Overlay

GBO

SECTION A-A

DWG NO

PB-F-0230

SH 1

DISTRIBUTION STATEMENT A. APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

THIS DRAWING IS CAD MAINTAINED.
CHANGES SHALL BE INCORPORATED BY THE DESIGN ACTIVITY

PART NO.

PB-F-0230

THE UNITED STATES GOVERNMENT HAS UNLIMITED RIGHTS IN THE TECHNICAL DATA IN THIS DOCUMENT. ANY COPY OR MODIFICATION OF THIS DOCUMENT, OR ANY DERIVATIVE WORK CREATED THEREFROM, IN WHOLE OR IN PART, MUST INCLUDE THIS LEDGEND. ANY CLAIM BY ANOTHER TO THE RIGHTS OF THE UNITED STATES GOVERNMENT IN THIS DATA IS A VIOLATION OF FEDERAL LAWS AND REGULATIONS.

12345678

ABCDEF

12345678

ABCDEF

=CCA_Drawing_Number

ABCDEF

NEXT ASSY

USED ON

APPLICATION

DO NOT SCALE DRAWING
UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES

TOLERANCES ON ANGLES ±
2 PLACE DECIMAL ±
3 PLACE DECIMAL ±

THIRD ANGLE PROJECTION

MATL ENGR

MODELED BY

ABC

ABC

CONTRACT NUMBER

CONTRACTOR

DRAWN BY
ABC

DATE (YEAR-MO-DA)
M. SARGENT

CHECKER
ABC

ENGINEER
B. PELTZER

ENGINEER
ABC

QUALITY ENGINEER
M. SEMTAK

DRAWING APPROVAL

ABC1900-01-01

DESIGN APPROVAL

ABC1900-01-01

DESIGN ACTIVITY

US ARMY
COMBAT CAPABILITIES DEVELOPMENT COMMAND ARMAMENTS
CENTER

SUPI
PAYLOAD

SIZE

C

CAGE CODE

19200

DWG. NO.

PB-F-0230

SCALE:

1:1

UNIT WT.

SHEET

1 OF 3

4


3

2

1

REVISIONS				
MODEL REV	DRAWING REV	DESCRIPTION	DATE(YEAR-MO-DA)	APPROVED
X.1	X.1	INITIAL RELEASE	26JUN06	XXX
X.2	X.2	FILL IN DESCRIPTION	TBD	XXX
X.2	X.3	FILL IN DESCRIPTION	TBD	XXX

SIZE	QTY	SYM	PLATED	TOL	FEATURE CONTROL
0.010in	34	◇	Plated	+/-0.003in	
0.032in	9	□	Plated	+/-0.003in	
0.057in	2	○	Non-Plated	+/-0.003in	
0.087in	2	▽	Plated	+/-0.003in	
	47 Total				




PART NO. PB-F-0230

DESIGN ACTIVITY		US ARMY	
COMBAT CAPABILITIES DEVELOPMENT COMMAND ARMAMENTS CENTER			
SUPI PAYLOAD			
SIZE C	CAGE CODE 19200	DWG. NO. PB-F-0230	
SCALE: 1:1		UNIT WT.	SHEET 2 OF 3


FOR REFERENCE ONLY

REVISIONS				
MODEL REV	DRAWING REV	DESCRIPTION	DATE(YEAR-MO-DA)	APPROVED
X.1	X.1	INITIAL RELEASE	26JUN06	XXX
X.2	X.2	FILL IN DESCRIPTION	TBD	XXX
X.2	X.3	FILL IN DESCRIPTION	TBD	XXX

Top Layer (Scale 4:1)



Bottom Layer (Scale 4:1)



PART NO. PB-F-0230

DESIGN ACTIVITY		US ARMY	
COMBAT CAPABILITIES DEVELOPMENT COMMAND ARMAMENTS CENTER			
SUPI PAYLOAD			
SIZE C	CAGE CODE 19200	DWG. NO. PB-F-0230	
SCALE: 1:1		UNIT WT.	SHEET 3 OF 3