Human Rights Watch

Children's Rights

https://www.hrw.org/report/2017/07/25/i-want-be-nature-made-me/medically-unnecessary-surgeries-intersex-children-us

Policy Isssue Resources

Help us continue to fight human rights abuses. Please give now to support our work

Share this via Facebook Share this via Twitter Share this via WhatsApp Share this via Email

Other ways to share Share this via LinkedIn

Share this via Reddit Share this via Telegram Share this via Printer

Download the full report

Download the appendices

Tlcharger le rsum et les recommandations - (Download the summary and recommendations in French)

- (Download the summary and recommendations in Russian)

Descargue el resumen y las recomendaciones - (Download the summary and recommendations in Spanish)

- (Download the summary and recommendations in Chinese)

Video

Download the full report

Download the appendices

Tlcharger le rsum et les recommandations - (Download the summary and recommendations in French)

- (Download the summary and recommendations in Russian)

Descargue el resumen y las recomendaciones - (Download the summary and recommendations in Spanish)

- (Download the summary and recommendations in Chinese)

Medically Unnecessary Surgeries on Intersex Children in the US

Doctors in the United States continue to perform medically unnecessary surgeries that can inflict permanent harm on intersex children. Despite decades of controversy over the procedures, doctors operate on childrens gonads, internal sex organs, and genitals when they are too young to participate in the decision, even though the surgeries could be safely deferred.

Based on a medical theory popularized in the 1960s, doctors perform surgery on intersex children often in infancy with the stated aim of making it easier for them to grow up normal. The results are often catastrophic, the supposed benefits are largely unproven, and there are rarely urgent health considerations requiring immediate, irreversible intervention.

A father plays with his daughter, who was born with atypical sex characteristics. Despite pressure from doctors, the parents chose not to elect medically unnecessary surgeries on their child. 2017 Human Rights Watch

Doctors in the United States continue to perform medically unnecessary surgeries that can inflict permanent harm on intersex children. Despite decades of controversy over the procedures, doctors operate on childrens gonads, internal sex organs, and genitals when they are too young to participate in the decision, even though the surgeries could be safely deferred.

Based on a medical theory popularized in the 1960s, doctors perform surgery on intersex children often in infancy with the stated aim of making it easier for them to grow up normal. The results are often catastrophic, the supposed benefits are largely unproven, and there are rarely urgent health considerations requiring immediate, irreversible intervention.

Reader Advisory: This report contains graphic descriptions of traumatic experiences, often affecting children.

Intersex people in the United States are subjected to medical practices that can inflict irreversible physical and psychological harm on them starting in infancy, harms that can last throughout their lives. Many of these procedures are done with the stated aim of making it easier for

children to grow up normal and integrate more easily into society by helping them conform to a particular sex assignment. The results are often catastrophic, the supposed benefits are largely unproven, and there are generally no urgent health considerations at stake. Procedures that could be delayed until intersex children are old enough to decide whether they want them are instead performed on infants who then have to live with the consequences for a lifetime.

Intersex people are not rare, but they are widely misunderstood. Biology classes often oversimplify a fundamental reality. We are taught that sex is dimorphic: simply male or female. But sex, in reality, is a spectrumwith the majority of humans appearing to exist at one end or the other. In fact, as many as 1.7 percent of babies are different from what is typically called a boy or a girl. The chromosomes, gonads, internal or external genitalia in these childrenintersex childrendiffer from social expectations. Around 1 in 2,000 babies is different enough that doctors may recommend surgical intervention to make the body appear more in line with those expectations.

Until the 1960s, when intersex children were born, the people around themparents and doctorsmade their best guess and assigned the child a sex. Parents then reared them per social gender norms. Sometimes the intersex people experienced harassment and discrimination as a result of their atypical traits but many lived well-adjusted lives as adults. During the 1960s, however, and based largely on the unproven recommendations of a single prominent psychologist, medical norms in the US changed dramatically. Doctors began recommending surgical solutions to the supposed problem of intersex traits.

In this report, based on interviews with intersex adults, parents of intersex children, and medical practitioners working with intersex people, interACT and Human Rights Watch document the fall-out from that medical paradigm, and the failure of the medical community to regulate itself effectively. As detailed below, there have been changes in practice in recent years, with many doctors now advising against surgery on infants and young children. But even so, surgery continues to be practiced on children with atypical sex characteristics too young to participate in the decision, when those procedures both carry a meaningful risk of harm and can be safely deferred.

Some intersex traitssuch as atypical external genitaliaare apparent at birth. Otherssuch as gonads or chromosomes that do not match the expectations of the assigned sexmanifest later in life, such as around puberty. Information about intersex traits can be overwhelming. Whether parents are alerted to their childs intersex traits at birth, puberty, or another point in life, they can struggle with confusing information and advice.

Healthcare providers are an important source of information and comfort amidst such confusion. But in recent decades, many doctors have defaulted to advising early irreversible surgery on intersex children. These operations include clitoral reduction surgeriesprocedures that reduce the size of the clitoris for cosmetic reasons. Such surgery carries the risk of pain, nerve damage, and scarring. Other operations include gonadectomies, or the removal of gonads, which result in the child being forced onto lifelong hormone replacement therapy.

This history of surgery was also a history of shame and stigmatization. In some cases, doctors instructed parents to conceal the diagnosis and treatment from the child, instilling feelings of shame in parents and children both. Many intersex people did not learn about their conditions until they accessed their medical files as adultssometimes as late as in their 50s.

Finding Out the Truth

Ruth, now 60, spent much of her youth questioning the constant medical attention, including surgeries, she received in her early childhood in the 1960s. Doctors always deflected my questions and stonewalled me when I asked why I had so many appointments, she said. I developed PTSD and dissociative states to protect myself while they treated me like a lab rat, semi-annually putting me in a room full of white-coated male doctors, some of whom took photos of me when I was naked.

Ruth attended a private university, started a lucrative career, and got married to a man. Then, one night when she was 32, she hemorrhaged while having sex, so she rushed to the hospital. Ruth told Human Rights Watch: After my vaginal repair surgery, I had my first encounter with a truly compassionate and candid doctor. He told me Im not sure what you have, but if I can see your medical records I can explain it to you.

Ruth drove to the office of the endocrinologist who had treated her throughout her childhood and requested her records. He said no, so she waited in the parking lot until he left that night, broke in, and stole them.

I just sat in the parking lot and didnt even read them at first J just put them in date order, Ruth said. Then I took a breath and started reading and the first thing I saw on the first page was Male pseudo-hermaphrodite, complete female phenotype. Patient does not know Dx (diagnosis). Thoughts rushed through her head:

Ruth confronted her endocrinologist the next day. He said her mother had asked him not to tell Ruth, and that he was just following the standards of care. Ruth said: That was when I realized that this way I was treated was never about meit was about my doctor and my parents and everyone feeling uncomfortable with how my body was. But I want to be like nature made me.

Over time and with support and pressure from advocates, some medical norms have evolved. Today, intersex children and their families often consult a team of specialists, and not just a surgeon. The medical community has evolved in its approach to intersex caseswhich doctors often categorize as Differences of Sex Development or DSDby establishing DSD teams. These teams convene multiple healthcare specialists, including mental health providers, to advise on and treat intersex patients. Disclosure of a childs intersex traits to the child is widely recommended and commonly conducted. During this evolution in care, cosmetic surgeries on intersex childrens genitals have become highly controversial within the medical community.

Most medical practitioners now acknowledge that in some cases parents may prefer to leave their childs body intact as a way of preserving the persons health, sexual function, fertility options, autonomy, and dignity. Consensus among specialists in intersex health has evolved to acknowledge data gaps and controversiesnamely that there has never been sufficient research to show either that these surgeries benefit patients or that there is any harm from growing up with atypical genitals. A growing number of doctors are opposed to doing unnecessary early surgery under such conditions. Practitioners also increasingly recognize the suffering of intersex patients who underwent the operations without their consent.

However, despite these promising developments in care for intersex people, the field remains fraught with uneven, inadequate, and piecemeal standards of careand broad disagreements among practitioners over the human rights of their intersex patients. While there are

certain surgical interventions on intersex children that are undisputedly medically necessary, some surgeons in the US continue to perform medically unnecessary, cosmetic surgeries on children, often before they are one year of age.

Some practitioners believe they or their colleagues are conducting surgeries on intersex children only in extreme cases. However, they often include socio-cultural factors in that analysis, including parents stated desire to give the child a chance to grow up normal. Such analysis indicates that the paradigm remains one of unreasonable haste to embrace a surgical solution to a social problem, without waiting until the wishes of the patient can be the deciding factor. It also sets up the false dichotomy of child autonomy versus giving the child a normal lifewhen there is no evidence that these surgeries deliver on that promise.

In a 2013 report, the United Nations special rapporteur on torture noted:

In July 2017, three former US Surgeons-General, wrote that they believed there is insufficient evidence that growing up with atypical genitalia leads to psychosocial distress, and while there is little evidence that cosmetic infant genitoplasty is necessary to reduce psychological damage, evidence does show that the surgery itself can cause severe and irreversible physical harm and emotional distress. They said: These surgeries violate an individuals right to personal autonomy over their own future. The three doctors concluded:

Some proponents of surgery claim that techniques have improved, and they express confidence in their ability to secure better outcomes; however, they admit, evidence to support that confidence is lacking. Some adults interviewed for this report who had undergone surgery talked about traumatizing results even from nerve-sparing surgeries.

Two common goals of these cosmetic normalizing surgeries on childrens genitals are to enable heterosexual penetrative intercourse, and to help the child conform to gender and sexual norms and expectations. For example, doctors cite the need for boys to be able to stand while urinating as a reason for conducting hypospadias surgery. Surgeries intended to make a body conform to rigid gender stereotypes before the individual can express their sexual orientation or gender identity greatly undermine the right to free expression as the child develops into an adult with a surgically-modified body intended to fit social norms and not the individuals sense of self. These surgeries also undermine many intersex childrens rights to bodily integrity and health.

Assigning a sex of rearing to a child never requires surgery. Genital or gonadal surgeries on intersex children too young to declare their gender identity carry the risk of surgically assigning the wrong sex. Depending on the condition, this risk can be between as high as 40 percentmeaning that many children will grow up to reject the sex that has been irreversibly surgically assigned to them. This means that for conditions where it is not possible to predict gender identity outcomes with confidence, doctors are conducting sex assignment surgeries based on guesswork.

But assigning the wrong sex is not the only risk. Removal of gonads can end options for fertility and will lead to lifelong need for hormone therapy. The genital surgeries done on intersex children can result in loss of sexual sensation and ongoing pain. The procedures are irreversible, in that tissue or organs that are removed cannot be replaced, nerves that are severed cannot be regrown, and scar tissue can limit options for future surgery.

For intersex children, their experiences with treatment interventions including surgeries and repeat examinations can harm them for life. Pejorative or stigmatizing language from doctors, repeated genital examinations and photography, and exposure of their bodies to multiple practitioners can be traumatizing. The impact of their negative experiences receiving medical care extends beyond the physical outcomes or desires to be socially normal. Intersex people interviewed for this report described the feelings of dread and horrordecades after unwanted or damaging surgeries, genital exams, insensitive disclosure of diagnosis, and other experiences when attempting to access healthcare. For some, this has led them to avoid healthcare as adults.

As documented in this report, despite evolving standards of care, the establishment of multi-disciplinary DSD teams, distaste for discrimination, and an increasingly visible public debate over informed consent and medical necessity, many doctors continue to misinform parents of intersex children and pressure them into choosing unnecessary cosmetic surgeries on their children. Nearly every parent interviewed for this report said they were presented with medically unnecessary surgery as an urgent need at least once during their pursuit of care for their child.

Proud Parents

Jackie, a mother of a 6-year-old in California, told Human Rights Watch her pregnancy was uneventful, and she was excited to have a daughter join the family. We started saying she even before we got pregnant, she said. The baby was born a month early and then immediately, Jackie remembers: They cleared the room and said, we need to talk to you. They said the doctor who did the initial exam felt what he thought were gonads and they wanted to put her in the NICU because she might not survive the night.

The baby was taken to a regional intensive care unit by ambulance; Jackie and her husband joined a few hours later. The endocrinologist we met there was very kind, had good bedside manner, she said. But immediately we started hearing stories from her about [a celebrity who is rumored to be intersex]. They asked if my husband and I were related. They said they needed to test whether our child had male or female chromosomes. That same day, a urologist arrived to consult on the case. He askedand this was within hours of me having given birthwhether I had told anyone that we werent sure if our baby was a boy or a girl. Jackie said yes, and that she had posted it on Facebook. Then he shrugged and rolled his eyes and said, Oh great, parents these days, Jackie said.

The doctors told Jackie and her husband that they needed to test the child for some conditions which could be life threatening, including one that could cause salt wasting. The tests could take up to a week, they were told, so they stayed nearby so they could see their child daily. They gave all the other babies Its a boy, or Its a girl tags on their little cribs, and our daughter had nothing, Jackie said. I talked to the social worker and demanded they give us that I needed that. I was ok with it changing and I knew we were going to get more information, but I needed that.

While they waited for test results, the urologist returned for several consultations. Within a few days he was telling us he could do genital surgery on our kid, Jackie said. He would say things like Well its easier to subtract than it is to add. One day he came to see the child with one of his interns. They said they wanted to take a look at my child, Jackie said. I said no. She wasnt for their studies. He responded: In that case, you may never see me again, so I told him goodbye.

Medical settings can be intense for anyone. Pressure to conduct surgeries on children to make them conform to socially typical understandings of male and female bodies can be overwhelming. Incomplete or improper counseling can leave parents ill-equipped for the future in which their childs body will develop differently from their peers. Parents of young intersex children interviewed for this report recounted how medical staff pressured them to undertake irreversible procedures, including surgery, and, they said, made them feel they were being unreasonable when they resisted or asked questions.

Some doctors cited surgical risk and outcome statistics that, when queried by parents, the practitioners could not substantiate with medical research literature. Other parents heard from doctors that the surgeries were necessary to avoid future bullying and humiliationand, as noted above, to allow their boy children to stand to pee. Parents interviewed for this report talked about their isolation, confusion, and distress; their desire for information and support; and the comfort they found in meeting other parents of intersex children, and learning their child was healthy and would be ablewith support olive a happy and fulfilling life.

Parents interviewed for this report who elected cosmetic surgeries on their children expressed mixed views. Some said they felt they made the decision without complete information and under pressure from doctors to accept surgery urgently, with the strong implicationor in some cases explicit explanationthat surgery was required as part of making a sex assignment on their newborn. Others said they would have elected cosmetic surgery on their childrens genitals no matter what risk types or rates the surgeons had cited to themthey wanted their children to look normal.

Bullying and social stigma are real concerns that are bound to cause parents worrybut the surgeries do not actually remove the possibility of those harms, and the concerns, while valid, do not justify the far greater lifelong harms that irreversible surgeries often inflict upon intersex children. And those fears are by no means certain to materialize. We interviewed parents who rejected early surgery and said their children had not faced unusual amounts of bullying or harassment because of their intersex traits. The children were able to go to school, develop friendships, and access healthcare like other children. Parents often credited the peer support and information they received from parent support groups for making this possible. The point parents have to understand is that where [they] think the problem is overits not the end, said an intersex woman in New York. We have to deal with it for the rest of our livesand [parents] shouldnt be making decisions based on really early concerns because those are not the biggest problems.

For more than 50 years, the medical community in the United States has often defaulted to treating intersex children by conducting irreversible and unnecessary surgeriesand no clinic has firmly instituted a moratorium on such operations. Even after two decades of controversy and debate, there remains no research showing that early, medically unnecessary surgery is helpful to the intersex child. The evidence is overwhelming that these procedures carry great risk of catastrophic harm. And while increasing numbers of doctors believe it is wrong to conduct these procedures, recent medical journal articles and some data sets cited in this report demonstrate that many clinics continue to do so. International human rights bodies have recognized the practice as implicating and potentially violating a range of fundamental rights, including freedom from torture, the right to health, and autonomy and integrity.

While most of the practitioners interviewed for this report said they thought medically unnecessary surgeries were becoming less common, none said their clinic had stopped doing them altogether.

None of the healthcare practitioners interviewed for this report shared exact data about surgery rates during their interviews. However, the report documents the trends they observed in their clinics and in the field of treating intersex people more broadly. There was considerable disagreement and divergence among practitioners, which in part reflects conflicting and inadequate standards of care.

The lack of standards limiting the discretion of doctors to recommend and conduct medically unnecessary surgeries represents a failure of the government as well as medical governance bodies to live up to human rights standards.

At present, too many medical practitioners advise surgery or conduct surgeries on intersex infants and young children, citing lack of data on the outcomes for children who do not undergo surgery. Human Rights Watch and interACT believe that this approach has it exactly backwards: the experience of those who have undergone the surgery and principles of medical ethics suggest that unless and until there is outcome data establishing that the medical benefits of specific surgical procedures on infants and young children outweigh the potential harms, they should not be used.

Accordingly, Human Rights Watch and interACT are urging a moratorium on all surgical procedures that seek to alter the gonads, genitals, or internal sex organs of children with atypical sex characteristics too young to participate in the decision, when those procedures both carry a meaningful risk of harm and can be safely deferred.

This report is the result of a partnership between interACT and Human Rights Watch. A Human Rights Watch researcher and a research consultant who is a practicing physician in California conducted the interviews cited in the report. The report is based on in-depth interviews with 30 intersex adults, 2 intersex children, 17 parents of intersex children, and 21 healthcare practitioners including gynecologists, endocrinologists, urologists, psychologists, and other mental health providers who work with intersex people. Human Rights Watch also interviewed eight people who reached out to us following a campaign run by a support group for people with Congenital Adrenal Hyperplasia (CAH) and parents of children with CAH. This group included six parents of children with CAH, and three individuals with CAH. These interviewees all expressed a desire to not be labeled, or to have their children categorized, as intersex. We include the data collected from those interviews in this report. As the discussion on terminology in the glossary of this report explains, we use intersex as an umbrella term that can sometimes include individuals with CAH. In all instances where interviewees expressed a desire to not be associated with the term intersex, we note the testimony accordingly.

Founded in 2006, interACT is an organization in the United States focused on advocating for the human rights of children born with intersex traits. They do this by raising intersex visibility, empowering young intersex advocates, and promoting laws and policies that protect intersex children and youth.

All interviews were conducted in English. Most interviews were conducted in person, with some additional interviews taking place over the phone. Intersex people from California, New York, Massachusetts, Texas, Florida, Maryland, Illinois, Wisconsin, and New Jersey were interviewed. Parents of intersex children from California, Florida, Texas, Iowa, Wisconsin, Massachusetts, and New York were interviewed. Providers from seven states were interviewed; the locations have been redacted at their request for anonymity.

Interview participants were recruited through support group networks, online networking groups for intersex people, and formal outreach

letters to clinicians from Human Rights Watch. At the conclusion of the interviews, all interviewees were informed that they could share Human Rights Watchs contact information with other people they thought were relevant to the project. Some interviewees came to us that way.

Human Rights Watch wrote letters requesting interviews to 218 relevant health practitionerseither because they were publicly affiliated with a DSD team (a team of specialist healthcare providers who treat patients with intersex traits, or as they are sometimes called in medicine, differences of sex developmentDSD), or because their name appeared on a published article about intersex medical care. Letters were sent by mail, and followed up by email (see Appendixes Iand II). In some cases, Human Rights Watch called specific practitioners offices to follow up. We interviewed all practitioners who responded to our request; in addition, we interviewed some practitioners who came recommended by other practitioners we had interviewed. Two months after sending the initial letter, Human Rights Watch sent a follow-up letter by mail and email to all practitioners who had not responded to our original request for an interview (see Appendix II). We received several written responses declining to be interviewed. 195 practitioners contacted by Human Rights Watch never responded. All practitioners are identified in the report only by their specialty. All references to practitioners or researchers relevant to intersex medical care that are cited by name are derived from published articles and statements.

In both the initial letter and the follow-up letter to healthcare practitioners, Human Rights Watch explained that we sought a wide range of views. Understanding that providers would not be able to share patient contact information with us, we requested that providers invite their patients and networks to participate in our research. We specifically mentioned that we were eager to interview people who had undergone early surgical interventions and were pleased with the outcomes. Approximately half of the providers we interviewed said they would invite their patients to participate. We received one response based on this request.

All interviews contained a discussion and agreement on informed consent, and interviewees were informed of how the information they shared would be used in Human Rights Watch publications and advocacy.

At the outset of the project, the research design was reviewed by members of Human Rights Watchs childrens rights division, health and human rights program, LGBT rights program, womens rights division, disability rights division, and legal department; as well as interACTs legal director and executive director. Mauro Cabral Grinspan, a member of the Human Rights Watch LGBT program advisory committee and executive director of GATE, reviewed the research plan. Dr. Susan Stred, MD, professor of pediatrics at SUNY-Upstate Medical School reviewed and commented on the report. The project met interACTs programmatic standards. [1] The research team undertook the Physicians for Human Rights Ethical Review Board process in September 2016, before the research began.

All names of interviewees in the report, except where noted, are pseudonyms. In some cases, additional personal details have been altered or obscured to protect an individuals privacy. During interviews with some intersex people, their medical records were reviewed for verification purposes. No medical advice was given during the interviews. Interviewees did not receive any compensation for participating in interviews, but were reimbursed for any transportation costs to and from the interview.

On February 23, 2017, as Human Rights Watchs research for this report was ongoing, a support group for parents of children with Congenital Adrenal Hyperplasia (CAH), The CARES Foundation, launched a Call To Action that featured instructions to contact Human Rights Watch. The notification read: Human Rights Watch is actively fighting parents' rights to make decisions regarding early surgical intervention comparing it to female genital mutilation, a horrendous practice by religious sects to disfigure and disable external genitalia. These entities have not asked how CAH patients and their families feel about these issues and they need to hear from you.[2]At that time, Human Rights Watch had taken no public position on surgeries nor had we made a comparison to female genital mutilation. We had, contrary to the campaigns claim, been in the process of interviewing people with CAH and parents of children with CAH.

As a result of this campaign, Human Rights Watch was contacted by 16 people with expressions of concern. We attempted to contact each of the people who called us, and arranged to interview those we were able to reach and scheduleeight people in total, including six parents of children with CAH and three adults with CAH. In those interviews, we followed the same methodology as we did with each of the other interviews, and explained that as this was Human Rights Watchs first report dedicated to intersex issues, we had not taken a position on any related item. Some of these interviews are identified in the report as resulting from the calling campaign. Prior to this campaign, Human Rights Watch had interviewed parents of children with CAH and adults with CAH whom we had contacted through our other outreach methods. Similarly, we asked each interviewee how they would like themselves or their children identified in the report, and we have followed through accordingly.

On May 3, 2017, Human Rights Watch met with the leadership from CARES as well as Dr. Dix Poppas, chief of pediatric urology at Cornell-Weil Medical Center in New York City, and an affiliate of CARES. During the meeting, the two organizations exchanged information and views on a range of topics. Following that meeting, Human Rights Watch wrote to CARES and Dr. Poppas to clarify some outstanding questions so that we could accurately and fairly reflect their views. That correspondence can be found in Appendices 3 and 4 to this report. CARES responded on June 8. That correspondence can be found in Appendix V of this report. Dr. Poppas responded on June 21. That correspondence can be found in Appendix VIof this report.

In an effort to be inclusive, accurate, and efficient, this report uses intersex to describe people with anatomies that are considered atypical for either male or female bodies. Human Rights Watch and interACT recognize and respect that some people may feel alienated by this definition, some people may disagree with the definition, or some people may object to the use of labels to describe their identities, conditions, or experiences. During each interview, researchers asked interviewees to explain which terms they preferred and identified with. In cases where Human Rights Watch interviewed individuals who specifically rejected the label of intersex either for themselves or for their children, they are referred to by their preferred terminology in this report.

Throughout this report, we reference **medically unnecessary intersex surgeries.** By this we mean: All surgical procedures that seek to alter the gonads, genitals, or internal sex organs of children with atypical sex characteristics too young to participate in the decision, when those procedures both carry a meaningful risk of harm and can be safely deferred.

17-Beta hydroxysteroid dehydrogenase 3 (17-B-HSD3) deficiency

A condition caused by a change in the enzyme 17-Beta hydroxysteroid dehydrogenase 3, which is necessary to produce the male-typical amount of testosterone. Since testosterone has a critical role in male-typical development, 17-B-HSD3 deficiency affects the formation of the external sex organs before birth in children with XY chromosomes. (Children with XX chromosomes and 17-B-HSD3 deficiency seem to be

unaffected.) Those with 17-B-HSD3 deficiency and XY chromosomes have internal testes and are generally infertile, and most are born with external genitalia that appear typically female. In some cases, the external genitalia do not look typically male or clearly female. Still other affected infants have genitalia that appear predominantly male, often with a micropenis and/or hypospadias. Children with17-B-HSD3 deficiency and XY chromosomes are often raised as girls, but they will masculinize at puberty (unless natural hormone production is altered). About half of these individuals adopt a male gender role in adolescence or early adulthood.

5 alpha reductase-3 deficiency (5 ARD)

A condition caused by a change in the enzyme 5-alpha reductase, which converts testosterone to dihydrotestosterone (DHT). Children with 5-ARD have XY chromosomes and internal testes, and many are born with external genitalia that appear typically female. In other cases, the external genitalia do not look typically male or female. Still other affected infants have genitalia that appear predominantly male, often with a micropenis and/or hypospadias. Individuals with 5-ARD will undergo a masculinizing puberty (unless natural hormone production is altered). In many cases, 5-ARD may not be identified until puberty, but individuals whose close relatives also have 5-ARD may be identified early and raised as boys all along.

Androgen

Hormones such as testosterone, dihydrotestosterone (DHT), and androstenedione that drive the development of male-typical sex characteristics.

Androgen Insensitivity Syndrome (AIS)

A difference in the androgen receptor causing an individual with XY chromosomes and internal testes to be completely or partially unable to respond to androgens (e.g., testosterone). Androgens produced by the internal testes are converted into estrogen by a process known as aromatization. An individual with complete AIS (CAIS) will develop typically female external genitalia and undergo a feminizing puberty, while partial AIS (PAIS) will result in external genitalia that can appear more typically female, more typically male, or somewhere between, and a range of typically masculine or typically feminine secondary sex characteristics may develop at puberty.

Androgenized/Virilized

The effects of the exposure of sensitive tissues to androgens, such as the development of typically male genitals and/or secondary sex characteristics.

Chordee

A curvature of the penis.

Clitoral Reduction/ Clitoroplasty

A cosmetic surgical procedure for reducing the size of a clitoris that may be subjectively considered to be excessively large. The procedure generally involves removal of all or part of the erectile bodies of the clitoris. When the removal is total, the procedure may be called a clitorectomy.

Congenital Adrenal Hyperplasia (CAH)

A group of conditions caused by a genetic difference affecting the adrenal glands. Classical CAH is usually detected in infancy through early childhood, while the milder and more common form, Non-classical CAH, may cause symptoms at any time from infancy through adulthood. Salt-wasting CAH, which impacts chemicals needed by the adrenal gland to make cholesterol into cortisol, aldosterone, and androgen, can be life-threatening. Salt-wasting CAH may result in the adrenal glands making too little cortisol and/or aldosterone, which can cause the affected individual to become dehydrated and lose blood pressure if not treated urgently. The adrenal glands will also produce more androgen than usual, causing high levels of androgen exposure in utero. While CAH can occur in both 46,XX and 46,XY individuals, it only affects the genitals of XX children, some of whom are born with androgenized genitals as a result. Genitals in these cases may appear more typically female, more typically male, or anything on the spectrum between.

Differences of Sex Development (DSD)

A medical term used to refer to conditions that cause intersex traits, DSD is often used by medical practitioners (sometimes styled as Disorders of Sex Development), but it is seen as stigmatizing by many intersex people. It became a key term in the 2006 Consensus Statement process, during which some intersex community groups agreed to use it because it was an effective way to communicate with medical providers.

Gender (Gender Identity)

Social and cultural codes used to distinguish what a society considers masculine and feminine conduct and/or characteristics. Gender is also an identity and refers to a persons internal, deeply felt sense of being female, male, both, or something other than female or male. It does not necessarily correspond to the sex assigned or presumed at birth.

Gonad

A gland that produces sex hormones (estrogen and testosterone) and gametes (eggs, sperm, or neither). This is a generic term that encompasses ovaries, testes, ovotestes, or undifferentiated streak gonads. Ovaries generally make estrogen, a small amount of testosterone, and eggs; testes generally make testosterone, a small amount of estrogen, and sperm.

Gonadal Dysgenesis

A condition in which the gonads do not develop into testes or ovaries but instead become undifferentiated streak gonads. Streak gonads do not produce hormones or gametes.

Hermaphrodite

A term once commonly used to refer to individuals with intersex traits. It is now considered pejorative and outdated, although a small number of intersex people have reclaimed the term.

Hypospadias

A condition in which the urethral opening is located somewhere other than the tip of the penis, such as the underside of the glans, the shaft of the penis, or the base of the penis.

Intersex

An umbrella term that refers to a range of traits and conditions that cause individuals to be born with chromosomes, gonads, and/or genitals that vary from what is considered typical for female or male bodies. A former medical term, intersex has been reclaimed by some as a personal and political identity. Intersex is not the same as transgender, which describes individuals whose gender differs from the sex they were assigned or presumed at birth.

Mayer-Rokitansky-Kster-Hauser Syndrome (MRKH)

Atypical development of the vagina, the uterus, and/or the Fallopian tubes in combination with typical 46,XX chromosomes and ovaries. MRKH sometimes also involves differences in development of the skeleton, internal ears, and in rarer cases, the heart, fingers, and toes.

Swyer Syndrome

A condition in which testes do not develop in a child with XY chromosomes (also called 46, XY complete gonadal dysgenesis). Typical female external genitalia and a small uterus develop before birth. The underdeveloped gonads become fibrous tissue called streaks (neither testes nor ovaries). Puberty will not begin without exogenous hormones, which are also necessary for bone strength.

Vaginoplasty

A surgical procedure that results in the construction or reconstruction of the vagina. This procedure is frequently followed up with vaginal dilation the repeated insertion of solid objects to maintain the size of the vagina which is carried out by parents when the patient is a child.

Intersex people are often surgically assigned a sex and then life is supposed to follow from that. Our lives highlight the problem that sex is really about powerit doesnt matter how many sexes there are, the number doesnt matter. Its about power. And as a result of how that power is inflicted on our bodies, trauma is a huge part of intersex lives.

Intersex man, California, October 29, 2016.

Around the world when babies are born, one of the first questions every parent and healthcare provider hears is: is it a boy or a girl? Usually, a response is simply one or the otherand we have come to understand that such a binary is true, rooted in an absolute biology: boy, girl; male, female; one, or the other. However, that narrative obscures a far more complicated truth. As many as 1.7 percent of babies are different from what is typically called a boy or a girl. Around 1 in 2,000 babies is different enough that doctors may recommend surgical intervention.[3] The chromosomes, gonads, and internal or external genitalia in these children are atypical, in ways that are often at odds with social norms and expectations. This is what we mean by intersex children.

The discovery of intersex traits can occur in several different ways. Sometimes, doctors and nurses notice atypical genitals soon after birth, and inform parents then. In other cases, medical conditions such as hernias can trigger examinations that reveal gonads different from what is expected. Some intersex children discover their traits when they hit puberty. Others, due to layers of stigma, shame, and secrecy, only discover their intersex condition later in life when they access their medical records.

For parents and the doctors charged with helping them, this information can be jarring. As a veteran intersex activist explained: Doctors are confronted with parents who are devastatedbecause its not just that your baby has a problem, its that they didnt know it was possible for humans to be something in between male or female, and then they dont want to think about their babys sex life.[4]

Intersex people have existed throughout history and across cultures.[5] In the United States, it was in the 1960s when the modern paradigm of caresurgically assigning intersex babies a male or female sexrose to prominence.[6]

In 1966, a psychologist at Johns Hopkins University named John Money advised on a surgical intervention that would influence the default standards of care for intersex babies through to today. Dr. Money achieved academic fame for his assertions that a persons sense of gender was malleable in infancy, and therefore argued that babies exhibiting ambiguous genitalia could have their sex assigned surgically as infants without negative consequences.[7] In 1966, the parents of twin boys brought them to a hospital for circumcisions. One of the operations was botched, and completely destroyed the boys penis. Concerned about their childs future sexual function and identity, the parents visited Johns Hopkins to consult with Money, a well-known expert in sexology at the time. Money convinced the parents to approve a sex-reassignment surgery and then raise their childrenamed Brenda Reimeras a girl. Money published a number of papers reporting that the reassignment was successful; he continued to see Reimer for regular check-ups for a decade. For years, the case was well known in medical literature as the John/Joan case, and Moneys prolific publications on the case greatly influenced the spread of early genital surgery on intersex children.

But the reassignment was not a success. By the time he was 15, Reimer had transitioned to living as male. In 1997, Milton Diamond, a sexologist at the University of Hawaii, and Dr. Keith Sigmundson, a Canadian psychiatrist who had seen Reimer as a patient, published a paper based on Reimers outcomes that denounced early genital surgery on intersex children. They wrote:

We suggest referring the parents and child to appropriate and periodic long-term counseling rather than to immediate surgery and sex reassignment, which seems a simple and immediate solution to a complicated problem.[8]

That same year, Reimer disclosed his story publicly in a feature article in *Rolling Stone*, and denounced Moneys theory and genital surgeries on infants. [9] The 2000 book *As Nature Made Him: The Boy Who Was Raised as a Girl*, authored by the Rolling Stone journalist, documents

Reimers full story.[10] When he was 38, in 2004, Reimer committed suicide.

Medical professionals would not countenance this kind of brutal surgical intervention today. Yet Moneys work helped spur the emergence of a dominant medical paradigm that favors surgical interventions on intersex children, including procedures intended to surgically assign a sex to children born with atypical sex characteristics. These procedures remain common in the United States, despite decades of activism by intersex people, and controversy within the medical community rooted in an increasingly wide understanding of the harms these procedures can cause.[11]

Intersex, sometimes called Disorders or Differences of Sex Development (DSD) in medical literature and by practitioners, encompasses around 30 different health conditions that affect chromosomes, gonads, and internal and external genitalia. In many cases, a significant factor motivating surgical interventionand often the primary rationale for itis the fact that these conditions cause childrens genitalia to differ from what is socially expected of mens and womens bodies. Surgical techniques have evolved over the years. Some medical practitioners claim (they admit, without strong evidence) that surgical procedures to fix intersex bodies have improved in recent years. Healthcare providers on specialized DSD teams say they observe trends toward delaying surgical interventions until children are old enough to consent themselves. Yet the practice continues, and the ways it transgresses the fundamental rights of intersex children remains fundamentally unchanged.

In a 2006 interview, Cheryl Chase (now Bo Laurent), the founder of the Intersex Society of North America, the first US intersex advocacy group, explained that what intersex people were asking for was in no way a radical departurejust fundamental rights: intersex people have not been subjected to such an intense and harmful medicalization for very long. The ways intersex people are treated by doctorswith shame and secrecy and unwanted genital surgeriesonly became widespread in the 1960s.[12]

Many intersex people first learn about themselves in a medical setting. For some, this occurs with the delivery of a diagnosis; for others, it is through experiencing repeated examinations without adequate explanation. For example, an intersex person in California who experienced repeated pelvic exams every time they visited the hospital for unrelated medical issues, told Human Rights Watch: I came to understand that my genitals looked different because apparently, everyone at every hospital visit needed to see them.[13] Still others, as they notice that their bodies differ from those of their peers and from social expectations, began to ascribe that differenceand the misleading medical solutions offered for itto other aspects of their life. An intersex man in Illinois said: I thought the reason that I really needed the surgeries was that would make me straight. I didn't feel like I could be accepted by men or women. I knew I had tendencies towards men and I thought it was because my dick didnt look normal. [14]

Of the more than 30 medical conditions that can cause intersex traits, some cause anatomical atypicality that, on rare occasion, requires surgery out of medical necessity. These necessary surgeries include removal of obstruction of the urinary tract or repair of bladder exstrophy (when a child is born with internal organs exposed). Undescended testes in boys, which is a minor atypicality of the sex organs, requires a simple procedure

in early childhood to prevent future infertility. Some intersex traits may heighten the risk of gonadal cancer. Of course, if cancer is present, treatment is medically necessary. However, when the risk is low, hypothetical, or will not arise for years to come, removal can safely be delayed until after puberty.

Intersex bodies much more often present traits that are atypical, but medically benign. These include a phallus that is larger than a typical clitoris but smaller than a typical penis; or a vagina that has a smaller-than-typical opening or a depth that is more shallow than usual; or a penis with a urethral opening that appears somewhere other than the tip of the shaft (hypospadias). These traits are not life-threatening or medical emergencies. Surgery to treat these traits does not improve necessary bodily functions. The operations are cosmeticand in some cases, they are performed to address a perceived atypicality when there is no medical consensus regarding how much variation is too much. For example, there is no agreed-upon point at which a clitoris is declared too large or a penis too small.

Operations aimed at normalizing these differences include clitoral reduction surgeries procedures that cut and remove sensitive, erectile tissue in order to reduce the size of the clitoris for cosmetic reasons. Such surgery carries the risk of pain, nerve damage, and scarring, and yields no medical benefit. Gonadectomies, or the removal of gonads, are sterilizing if the gonads had the potential for fertility, and end natural hormone production, requiring lifelong hormone replacement therapy. Procedures to address hypospadias can result in intense scarring, pain, and infections, and often require multiple re-operations that increase exposure to these risks.

A History of Intersex Activism and Evolution of Medical Protocol

1993: Cheryl Chase founds the Intersex Society of North America to end shame, secrecy, and unwanted genital surgeries for people born with an anatomy that someone decided is not standard for male or female. [15]

1996: Intersex activists protest treatment of intersex children at AAP national conference in Boston, MA. That date (October 26th) has since been deemed International Intersex Awareness Day. [16]

1996: In response to the activists, the American Academy of Pediatrics publishes a statement saying: The Academy is deeply concerned about the emotional, cognitive, and body image development of intersexuals, and believes that successful early genital surgery minimizes these issues.[17]

1997: Milton Diamond and Keith Sigmundson publish a paper denouncing early genital surgery on intersex children, based on David Reimers outcomes. They write: We suggest referring the parents and child to appropriate and periodic long-term counseling rather than to immediate surgery and sex reassignment, which seems a simple and immediate solution to a complicated problem.[18]

1997: David Reimer, who was surgically assigned female after a circumcision accident by Dr. John Money at Johns Hopkins, and whose case bolstered the rationale for early genital surgery, publicly renounces Dr. Moneys experiment. [19]

1998: The Gay and Lesbian Medical Association (now GLMA: Health Professionals Advancing LGBT Equality) passes a policy resolution calling for research on outcomes of genital-normalizing surgery, and full disclosure of risks and alternatives by physicians to parents of intersex children considering surgery. [20]

2000: The American Academy of Pediatrics issues a statement referring to the birth of an intersex child as a social emergency and urging

early surgery, while recognizing that few studies have been done that address the social, psychological, and sexual outcomes[21]

2004: The National Institute of Diabetes & Digestive & Kidney Diseases publishes a Research Progress Report and Strategic Plan for Pediatric Urology, recognizing: [t]here is currently a crisis in clinical management of children with disorders of sexual differentiation, and it has received considerable public attention. It stems from two issues. First, for some of these disorders, there are insufficient data to guide the clinician and family in sex assignment. Second, the optimal application of surgery and its timing remain unclear. [22]

2006: The Consensus Statement on the Management of Intersex Disorders acknowledges the lack of meaningful research and calls for further studies, while still allowing for genitoplasty, including clitoral reduction. This statement is adopted as a position statement of the AAP.[23]

2010: Thirty-two academicians write to the Office of Human Research Protections (OHRP) and the US Food and Drug Administration (FDA) calling for an investigation into alleged human research violations involving intersex fetuses and children. [24]

2010: The AAP publishes a position statement opposing all forms of female genital cutting, with no explicit exception for girls with intersex traits.[25]

2011: The first International Intersex Forum is held in Brussels, convening 24 activists representing 17 intersex organizations from all continents. [26]

2011: The National Institutes of Health gives a founding grant to form the DSD Translational Research Network (DSD-TRN) to: Assess and respond to the specific needs of DSD patients by: developing psychosocial assessment tools specific to the needs of DSD families; developing tools to minimize the need for genital photography; assessing efficacy of and compliance to standards-of-care; discovering new genes causing DSDs.[27]

2011: The World Professional Association for Transgender Health (WPATH) releases a revised Standards of Care that includes a section calling for careful staging of medical interventions for transgender children and youth, and the delay of irreversible procedures. However, the policy allows for early surgical interventions on intersex children.[28]

2011: The United Nations Committee Against Torture for the first time expresses concerns about cases where gonads have been removed and cosmetic surgeries on reproductive organs without effective, informed consent of the concerned individuals or their legal guardians[29]

2012: Activists convene the second International Intersex Forum in Stockholm, and write an open letter to the UN High Commissioner for Human Rights highlighting the human rights issues intersex people face.[30]

2012: A paper in the *Journal of Pediatric Urology* concerning the [t]iming and nature of reconstructive surgery for disorders of sex development explains The ideal timing and nature of surgical reconstruction in individuals withDSD is highly controversial evidence-based recommendations still cannot be made, and recognizes that clitoroplasty is essentially a cosmetic proceduresurgery carries the risk of disruption of the nerve supply of the clitoris.[31]

2013: Activists assembled for the third International Intersex Forum in Malta publish the Malta Declaration, which calls for an end to mutilating and normalising practices such as genital surgeries, psychological and other medical treatments through legislative and other means.[32]

2013: The American Academy of Pediatrics advocates psychological care prior to any desired, gender-affirming surgical intervention in the case of transgender youth, but does not address similar procedures on intersex children too young to express an opinion.[33]

2013: The United Nations special rapporteur on torture classifies nonconsensual genital normalizing surgery on intersex children as a form of ill-treatment, and says that such surgeries often arguably meet the criteria for torture, and they are always prohibited by international law.[34]

2013: The World Health Organization publicly opposes early genital or sterilizing surgeries on intersex youth in its report, Eliminating forced, coercive and otherwise involuntary sterilization.[35]

2014: The provisional section on Lesbian, Gay, Bisexual, and Transgender Health and Wellness of the American Academy of Pediatrics publishes Explaining Disorders of Sex Development & Intersexuality, which states: If it is not medically necessary, any irreversible procedure can be postponed until the child is old enough to agree to the procedure (e.g. genital surgery).[36]

2015: The European Unions Fundamental Rights Agency issues a report on intersex human rights issues, advising Member States should avoid nonconsensual sex-normalising medical treatments on intersex people.[37]

2015: Malta becomes the first country in the world to legally ban non-consensual medically unnecessary surgeries on intersex children.[38]

2015: Twelve United Nations agencies release a joint statement referencing unnecessary surgery and treatment on intersex children without their consent.[39]

2015: Patient advocates and ethicists publicly resign from Disorders of Sex Development-Translational Research Network (DSD-TRN), a National Institutes of Health-funded multi-site academic consortium, citing frustration with the ongoing use of medically unnecessary surgeries on intersex children, use of genital photography of children in research, and, as one member put it in her resignation: Being asked to be a sort of absolving priest of the medical establishment in intersex care.[40]

2015: UN High Commissioner for Human Rights Zeid Raad Al Hussein makes the following statement at the Human Rights Council: Far too few of us are aware of the specific human rights violations faced by millions of intersex people. Because their bodies dont comply with typical definitions of male or female, intersex children and adults are frequently subjected to forced sterilization and irreversible surgery, and suffer discrimination in schools, workplaces and other settings.[41]

2016: The American College of Obstetricians and Gynecologists issues a committee opinion cautioning that genital surgery may not be appropriate for every adolescent with abnormalities and that counseling is recommended prior to surgery.[42]

2016: Physicians publish Global Disorders of Sex Development Update since 2006, stating: [t]here is no evidence regarding the impact of surgically treated or non-treated DSDs during childhood for the individual, the parents, society or the risk of stigmatization[t]here is still no consensual attitude regarding indications, timing, procedure and evaluation of outcome of DSD surgery.[43]

2016: The Gay and Lesbian Medical Association takes an official position recommending delay of all medically unnecessary surgery on intersex children until the child can participate in decisions regarding their body.

2016: The American Medical Association board of trustees issues a report recognizing that DSD communities and a growing number of health care professionals have condemned genital normalizing, arguing that except in the rare cases in which DSD presents as life-threatening anomalies, genital modification should be postponed until the patient can meaningfully participate in decision making and recommending adoption of a resolution supporting treatment that, except when life-threatening circumstances require emergency intervention, defers medical or surgical intervention until the child is able to participate in decision making.[44]

2016: In its final rule issued for the Affordable Care Act, the Office for Civil Rights (OCR) of the Department of Health and Human Services states that the prohibition on sex discrimination extends to discrimination on the basis of intersex traits or atypical sex characteristics. OCR intends to apply its definition of on the basis of sex to discrimination on these cases.[45]

2017: Intersex activists from Australia and New Zealand issue the Darlington Statement, which calls for: The immediate prohibition as a criminal act of deferrable medical interventions, including surgical and hormonal interventions, that alter the sex characteristics of infants and children without personal consent. We call for freely-given and fully informed consent by individuals, with individuals and families having mandatory independent access to funded counselling and peer support.[46]

2017: European intersex activists issue the Vienna Statement, which notes that, until this day more than 50 times UN bodies, regional and national human rights bodies have called on governments, policy makers and stakeholders to put an end to human rights violations faced by intersex people including taking the necessary legislative, administrative and other measures to guarantee respect for the physical integrity and autonomy of intersex persons and to ensure that no one is subjected during infancy or childhood to non-urgent medical or surgical procedures intended to decide the sex of the child.[47]

2017: Activists convene the fourth annual International Intersex Forum in Amsterdam, and discuss infanticide, intersex genital mutilation and other harmful medical practices, lack of appropriate and consented health care as well as discrimination in access to education, other services and employment. [48]

2017: Three former US Surgeons-General issue a statement calling for a moratorium on medically unnecessary surgeries on intersex children too young to participate in the decision, noting that Those whose oath or conscience says do no harm should heed the simple fact that, to date, research does not support the practice of cosmetic infant genitoplasty. [49]

They didnt tell my parents. My parents didnt know that they had deemed me a pseudo-hermaphrodite. My mother was kept under sedation for three days when I was born until they could tell her what I was. They just didnt want her to wake up and she was going to say, is it a girl or a boy. Thats what it wasif they couldnt tell the mother what sex her kid was they kept her under for a while.

60-year-old intersex woman in New York.

In the past, the doctors and the patients felt like you just needed to keep this a secret. I dont think anybody feels that way anymore. Its kind of like when the kid asks you Where do babies come from? They dont need the full scientific explanation when theyre five-years-old that they need later on.

A gynecologist on a DSD team.

Medical protocols and practitioner behavior have historically driven stigmatization and marginalization of intersex people. In the past, some doctors deliberately did not disclose information to intersex people about their traits or diagnoses. Patterns of non-disclosureincluding pressure on parents not to disclose to their childrenhave instilled shame and secrecy, negatively impacting intersex peoples lives as well as the lives of their families. As documented in this report, intersex people Human Rights Watch interviewed who discovered their traits and the truth about the medical history later in life were often able to eventually come to terms with the decisions made about their physical treatment. However, they continued to struggle with the trauma of knowing they had been deceived their entire lives. Bo Laurent, founder of the Intersex Society of North America, wrote in a 1999 essay: The primary source of harm described by former patients is not surgery per se, but the underlying attitude that intersexuality is so shameful that it must be erased before the child can have any say in what will be done to his or her body. [50]

Many intersex people were told by their doctors that they withheld information and their medical records from them in order to protect them from the truth. The experience of Ruth, described in a text box in the summary of this report above, is one such case, but she is not alone. [51] For example, after multiple efforts to obtain her medical records via mail and over the phone, Rebecca, a 56-year-old intersex woman who was 25 years old at the time, flew from Arizona, where she was living, to New York, where she had been operated on as a teenager, and confronted her doctor in person. He said they were afraid I couldnt handle itthat Id commit suicide. I said thats the furthest thing from the truth. I told him: In my records, you wrote I was stable and well-adjusted and you still justified not telling me? Back in Arizona, she asked her doctor to help her understand what the records said. The doctor told me she wasnt sure if I should get the informationif I could handle it, Rebecca recounted. I let them do all this stuff and I get lied to? Why! [52]

Susan, a 60-year-old intersex woman in California said that in 1976 when she was 19 and trying to understand what had been done to her bodyincluding a large abdominal scarshe asked her child psychiatrist for her medical records. She said you dont need them and asked if I had a boyfriend, and told me that clitoral orgasms were juvenile, Susan said. Later that year, she was able to obtain her medical records from a hospital. The doctor there told her: It seems like your parents were really confused whether you were a boy or a girl when you were born, handed her the records and she walked out. I found out later that the doctor immediately wrote a letter to the doctors who did the surgery telling them I turned out OK. I had walked out of that office suicidal, Susan said. Several years later, when she decided to read the medical

records herself, Susan said:

A 30-year-old intersex person who called obtaining their records in 2008 an ordeal told Human Rights Watch that when they finally did read them: So much of the stuff written in there was bullshitand so inappropriate. I read the doctors message suggesting that I should have surgery [in the early 1990s] in order to have a normal marriage and a normal sex life. [54]

An intersex person in Illinois who underwent gonad removal surgery in the mid-1980s, clitoral reduction in 1990, and a vaginoplasty in 1997 told Human Rights Watch that they accosted the medical records clerk in 2006 at the hospital where their surgeries were conducted, demanded their records, and received them on the spot. They were a university student at the time, and first opened the file in their dorm room:

As the person read through their file, they learned that they had undergone a gonadectomy at age one, and then a clitoral recession and resection at age three that left them with an apparently absent clitoris. In the medical records, the surgeon emphasized that care was taken to preserve the nerves. The name of the procedure as recorded suggests that the intention was to leave some clitoris, which came as a surprise to this person: So that was brand new to me too, like thats something you cant just find out on the internet because you feel differentthats person-specific. [56] They told Human Rights Watch they later visited a gynecologist who attempted to point to an organ and indicate it represented a clitoris, but given the lack of sensation and their previous sexual encounters with women who had intact genitals, the person was not convinced.

An intersex woman who, on the advice of some support network members, asked her mental health provider to read her medical records with her in 2015, recounted:

And even for those who were able to obtain their medical records and learn the truth, that information did not inoculate against the pain of the deceit. For example, Ruth, who stole her medical records and confronted her doctor, said:

A 20-year-old woman with CAH who underwent, in her words, one surgery for function and one for cosmetic reasons when she was an infant and said she was grateful for her parents decision told Human Rights Watch: I had more of an issue with the lack of communication growing up rather than what actually happened [in the surgery].[59]

Even for those who find out their intersex condition at a younger age, the process through which they gain the information can be traumatizing. For example, when Cathy, now 22, was 13 years old in 2008, she went to her annual endocrinology appointment. The nurse asked my mom if I had diabetes, and she said no, I had AIS. So after that I looked up what AIS was and I found out and I was really crushed and confused mostly because it hadnt been explained to me fully, she said. It felt like something that had to be really secretive, something that was wrong, something that was shameful. Cathy said she was not comfortable speaking with her parents or doctors about the issue because they had both played a part in keeping the information from her.[60]

Parents of intersex children and practitioners told Human Rights Watch they felt strongly that it was important to disclose their childrens intersex traits, as well as the truth about healthcare decisions parents made on their behalf, to them as they grew up. Parents can struggle with disclosureboth on a practical and emotional level. For example, one mother explained that in order to present the information to caregivers in a coherent manner, she emphasizes that, It is a medical condition, and would need to be explained as much as any other medical conditionlike if [my son] had diabetes, I would say hes got diabetes you may have to check his blood sugar. And this is sort of like: He has a DSD condition, he has to pee sitting down.[61]

Another mother recounted that although providing care for her 6-year-old daughter in her early life consumed significant time and energy, she felt she needed to protect her childs privacy by not disclosing her condition even to close friends. Even my best friend doesnt know I struggle with that. Its not my business to tell her. Its my kids condition and identity, she said. A lot of my grief and struggle is that I dont want my kid to look back and say we didnt do the right thing. I want her to see that I tried to be as respectful and caring and nurturing as possibleand that I fought away people who didnt want to care for her. [62]

Weve been super open with her about how everyone is different, every vagina is different, said a mother of a 10-year-old intersex girl. Its not a thing that we do only because of her, but we know its helpful for her. [63] A 46-year-old intersex woman explained how similar exposure to information influenced her. She said that until she came across a book with images of a range of genitalia, I just thought that everybody else had the health class diagram except for me. [64]

A father of a 3-year-old said: There's nothing to be ashamed of an intersex child and we're not ashamed of [our child] and it's fairly obvious and clear. He and his wife consulted a sociologist who specializes in intersex issues to seek advice on how they should navigate disclosing their daughters intersex status publiclyanother common concern among parents, who attempt to strike a balance between upholding privacy and not contributing to shame. The sociologist counseled them that, if this was a different type of medical conditionone not related to gendernobody would ever think about concealing her condition. So the parents wrote a letter to their daughter, explaining why they chose to speak to the media about their experience raising an intersex child. The father told Human Rights Watch:

Truth-Telling and a Childs Right to Know

An endocrinologist who works on a DSD team recounted for Human Rights Watch the case of a 10-year-old patient she works with. While the patient had not been able to consent to the operation to remove her gonads, the parents were taking steps to ensure that their daughter was fully informed of her medical history and her health needs. The doctor said:

Some practitioners told Human Rights Watch they had encountered parents who requested they not disclose a childs status to them. [67] Other providers cautioned against overwhelming parents with too much information.

Providers Human Rights Watch interviewed observed a trend that DSD teams and specialists increasingly encourage disclosure of medical information. However, some doctors expressed during interviews with Human Rights Watch that they hesitate to be completely honest.

Practitioners who believe delivering complicated information about intersex conditions to parents is beyond their expertise should solicit other specialistsmental health providers and intersex support groupsto provide counseling. The 2016 Consensus Statement update notes that routine incorporation of peer support into clinical care at the earliest possible time can ease what can be a bewildering experience for

parents.[68]

A mental health provider on a DSD team explained: What we talk with parents about ... from early on [is] open and age appropriate communication, so educating their kids about when they were born their penis was a little different, their vagina was a little different, she said. Its just really working with families to engage in being comfortable talking with their kids about sexual development and sexual differentiation.[69]

Others said they still find delivering information about intersex conditions daunting, and hesitated to advocate for full disclosure. A gynecologist who works on a DSD team explained: Im a believer in honesty and truth but I dont know that some of these patients are ready to deal with it and thats whats really difficult. She described disclosure of intersex conditions to patients and parents as an interesting balance between answering their questions and not necessarily giving them too much information that they dont want to hear. [70] A mental health provider on a different DSD team said: Sometimes we feel like we give the families almost too much information, and weve had families say, well just tell us what to do ... the information can be overwhelming. [71]

A mental health provider on another DSD team told Human Rights Watch: Nothing goodonly bad comes from secrets ... and that there's never a question of whether you tell. Its how, when, and what you tellbut it cannot be disinformation, it cannot be a lie ... it has to be developmentally appropriate and it has to start early. However, this provider noted, he believes providers continue to play a role in lying to patients: Are [providers] complicit with allowing parents to lie? Yes sure. You know it's a free for all. But nobody would openly advocate for lying. And so I see that there is progress.[72]

According to an endocrinologist who works on a DSD team, it's a tricky thing to figure out what information the parents or the children are ready to receive. He acknowledged that disclosure practices have changed over time, explaining: When I was in training many years ago we had patients that had forms of Adrenal Hyperplasia where it was kept a secret to the patient you know what their diagnosis wasthe parents did not want them to know. The medical community has made progress, he said. Today, he said: We try to empower the children themselves in a developmentally appropriate way to understand what's going on so that when they have questions when they notice that, most often when we don't intervene, that their genitalia look different. [73]

Practitioners, parents, and intersex adults told Human Rights Watch that the internet has revolutionized disclosure and information-seeking. Regardless of providers and parents comfort levels, however, the internet ultimately makes it impossible to keep information away from intersex people. Families are very good about getting on the internet as soon as I present the initial conversation [about the diagnosis], an endocrinologist said. [74]

A 31-year-old intersex person in Illinois said they first learned about their diagnosis in fragments of words they could not understand, but the internet made a difference. Once I heard some terms, I went on Google. And I search Androgen Insensitivity Syndrome and I find out basic stuff you can find out about AIS. Im so thankful for the internet, they said. [75] Carmen S., a 32-year-old intersex woman, said she found not only technical information but empowering connections with other people online:

Beginning with the founding of the Intersex Society of North America (ISNA) in 1993, decades of public advocacy chiseled at the medical dogma supporting early non-consensual cosmetic surgeries on intersex children. Meanwhile, more and more intersex adults came forward to say they had been harmed by such surgery. However despite significant publicity *The New York Times* and *Newsweek* ran major stories in 1997[77] and controversy within the medical community, surgeries remain common. Healthcare providers say their attitudes have changed over time, crediting the stories of intersex lives irreparably harmed by early surgeries.

A practitioner told Human Rights Watch: Were listening to the adult patients who are telling us that they feel they were mistreated and mutilated and thats a very powerful thing. She said, When somebody tells you what they went through at the hands of well-intentioned physicians and they feel like their rights were not respected, you cant just blow that off.[78] Another practitioner said: And a lot of advocacy work from patients to speak with the physicians at medical conferences and talk about their experience just made a huge difference! think that's certainly a big part of where I learned about it and got a better understanding of what the outcomes are really like and what the repercussions are for the patients as adults. You know, because as a pediatrician, it's hard to know what happened to them 25 years down the road.[79]

The impact has been tangible for some practitioners. An endocrinologist explained: Many years ago, we thought we were doing the best thing for these patients. And then we started listening to the patients themselves. Now, he said, We've evolved our approach. We used to think that we had to make a decision immediately. We know that that's not the case and there's time for families to sort this out. [80]

Doctors and researchers have spoken out against medically unnecessary non-consensual surgeries on intersex children. For example, in 2004, a group of researchers and physicians convened by the Hastings Center in New York released an article in which they said none of the appearance-altering surgeries need to be performed quickly. [81] In 2006, a consortium of patient advocates, parents, and medical providers published a set of clinical guidelines that urged delay [of] elective surgical and hormonal treatments until the patient can actively participate in decision-making about how his or her own body will look, feel, and function, promoted psychosocial support for families, and offered tools for professionals to support parents without unnecessary surgery. [82]

Perhaps the most significant change in care has been to establish DSD teams in hospitals around the country. Establishing multi-disciplinary teams to advise and provide care has changed practices considerably. However, it has not addressed the fundamental human rights issues of genuine informed consent and bodily autonomy. As documented in this report, some members of DSD teams we spoke with said that the teams remain hierarchical, with urological surgeons opinions overriding those of their colleagues.

One DSD team member, a gynecologist, explained: I think the advocates have had a big influence on the surgical counseling that people are getting, and [today the team members] are all involved in different fields, so we all have slightly different perspectives. [83] Another practitioner, a psychologist, called the pre-DSD team era of care quite a 10 ring circus, explaining that it has been a very useful thing to have these centers of excellence where you get a lot of experience seeing cases, and attributing the development to advocacy: thats probably come about because of the pressure from the parents groups, activist groups. [84] However, while the establishment of multi-disciplinary teams may reflect advocates influences and address some of their concerns, it falls short of providing care that fully respects the rights of intersex children.

A urologist on a DSD team, for example, told Human Rights Watch that some surgeries such as the vaginoplasty should be delayed until a

woman can consent that she wants it done. A lot of women can have sexual function without ever having vaginoplasty so there's no reason to do it early on, he said, adding that the surgery itself can require things like dilation afterward which if you are an 18-year-old girl who wants to be sexually active then dilating your vagina every day after it has been surgically created for you, thats fine.

The urologist specifically referenced the trauma that can be caused by dilating girlsa practice that is no longer commonly recommended. He said:

Some practitioners cited the inertia they faced when attempting to establish DSD teams. For example, a urologist explained that his hospital was almost certainly losing money on DSD cases, calling the process of holding extensive and repeated consultations with families horribly inefficient. [86] Another practitioner said the medical system presents only disincentives to working in a team because thats not how our services are paid for. [87] But in terms of the quality of care offered to patients, all providers Human Rights Watch interviewed agreed that DSD teams added value. Or, as a psychologist who treats intersex children at a hospital without at DSD team explained: Its hard for clinics where theres not already a multidisciplinary team, because [mental health providers] have to wait for medical doctors to request us. [88]

As has been recognized for at least the past 10 years, a typical DSD team should ideally include specialistspediatric subspecialists wherever possible in endocrinology, surgery, and/or urology, psychology/psychiatry, gynecology, genetics, neonatology, and, if available, social work, nursing, and medical ethics. [89]

But the establishment of DSD teams, while a positive development in that it has de-centralized decision making, has not addressed the roots of the problemthat parents are not getting full information and unbiased advice about surgical procedures, and that medically unnecessary surgical procedures that carry significant risk of harm continue to be presented as legitimate options.

One of the main problems within DSD teams, some practitioners told Human Rights Watch, was the divergent views from different disciplines of medicine, and the power structures that privileged surgeons opinions and advice to parents. While DSD team members interviewed repeatedly cited psychosocial reasons for performing genital surgeries on infants, and reported that mental health services were made available to parents as part of their decision-making process, some mental health providers emphasized that their input was rarely valued or utilized.

Part of my job on the DSD team is to convince the other team members that theres a crucial role for mental health, a mental health practitioner on a DSD team on the East Coast explained. In my first year on the team I was accidentally forwarded an email thread in which a few of the surgeons questioned why we even needed a mental health specialist. [90] An endocrinologist on a DSD team said that while she had in the past three years advised all parents of intersex children (approximately 80 per year) to delay medically unnecessary surgeries until the child was old enough to have input, not a single family had taken her advice. This decision is made in the end with our surgeons, she explained. And, you know, they're surgeons. If a family wants a surgery, [the surgeons are] much less likely than non-surgeons to say, no we're not going to do that. [91] She said: I'm probably one of the most open people about telling families not to do surgery and I've never had anyone not do surgeryexcept for girls with AIS; [on my advice, parents have delayed] gonadectomy. She gave the following example:

A veteran mental health provider on a DSD team said: It's not as if we haven't experienced progress. But it doesn't seem right that patients have to wait for the team to idiosyncratically get to the point that they function well.[93]

Alice Dreger, a medical ethicist who has written two landmark academic books on intersex issues, wrote a blog post on November 21, 2015, announcing her resignation from the Differences of Sex Development Translational Research Network (DSD-TRN), a multi-university consortium funded by the National Institutes of Health beginning in 2011. In her resignation announcement, titled Rejecting the Tranquilizing Drug of Gradualism in Intersex Care, Dreger wrote:

Dreger called for a change of mindset about gender: We should try to fix our troubled minds, not childrens healthy bodies. She wrote that she was increasingly encouraged by the parents she met:

Dreger highlighted that throughout her career, While many clinicians have privately shared my outrage about these activities, in public, the great majority have remained essentially silent. She wrote: Working from within was a major goal of our early intersex workto get in the halls of medicine and change it from within, but I cant continue to help develop conversations around shared decision making that allow decisions to be made that I believe violate the most basic rights of these children. [96]

Some TRN participants told Human Rights Watch they were blindsided and bewildered by the departure of Dreger and others (including Devore, who posted his own resignation letter on Dregers blog[97]). A DSD team member who is also part of the TRN said:

In a 2017 article published in the *Journal of Pediatric and Adolescent Gynecology*, Wiebren Tjalma, a surgeon in Belgium, documented a case of genital surgery on an adult woman with Congenital Adrenal Hyperplasia (CAH). Dr. Tjalma argued that Genital correction surgery for CAH at an older age was easier, could be done in 1 step, and enabled the preservation of orgasm.[99] Her results were challenged by two other doctors in a letter to the editor, in which they asserted that the surgeries should be conducted much earlier in an effort to prevent discomfort.[100] In a response letter, Tjalma explains: Current practice is like a ritual and not on the basis of any evidence. Dare to change your thoughts about the preservation of erectile bodies. Women should not have mutilating surgery if there is no evidence. The quality of our sex life is important.[101]

Bo Laurent, formerly known as Cheryl Chase, the founder of the Intersex Society of North America (ISNA) and a veteran intersex rights activist told Human Rights Watch:

Even if you find some people who had it who are happy, that doesnt mean its safe or necessary. There are probably happy people, but there are a lot of very unhappy peopleruined people. And no one has proven that the interventions are necessary. [102]

Ive gone to a number of the AIS-DSD Continuing Medical Education days, and if you're in a group [with] physicians and you say who would do surgery on this child?, no one raises their hand. And then if you look at [the data] surgery is happening on almost 100 percent of these kids. But when you go to meetings no one says it. I think no one's reporting what's actually happening in the United States and I think it's really important to get an accurate representation of what's actually going on because... depending on who you're talking to you're getting a very different view. [103]

Endocrinologist on DSD team

Nationwide data on how prevalent surgeries are on intersex children do not exist. However, available data sources show that doctors continue to perform medically unnecessary cosmetic surgical procedures on children with atypical sex characteristics in the USoften before they are one year of age. US government data compiled from several voluntary-reporting databases, for example, show that in 2014the most recent year for which data are availablehypospadias surgery was reported on children 505 times, and clitoral surgery was reported 70 times. Many hospitals do not participate in these databases. [104]

Other recent medical literature demonstrates that doctors are continuing to conduct medically unnecessary surgeries on intersex children. A 2016 paper in the *Journal of Steroid Biochemistry and Molecular Biology* that conducted a literature review of genital surgeries performed on intersex children between 2005-2012; the average age was 11.2 months. [105] In a 2016 paper published in the *Journal of Pediatric Urology*, doctors examined a cohort of 37 pediatric patients with atypical genitalia from childrens hospitals across the country. Of the 37 cases, 35 opted for cosmetic surgery on their children and two did not. [106] A 2017 paper in *The Journal of Urology*, documented that 25 of 26 intersex babies whose parents were recruited for the study from 10 DSD centers of excellence across the country, were subjected to genital surgeries. [107]

While published data show that medically unnecessary surgeries are being conducted on intersex children, practitioners interviewed for this report often reported that they observed general trends towards doing fewer surgeries (though they did not always specify which procedures). While some said they insisted on multiple counseling sessions with parents who were considering medically unnecessary surgeries, none of the healthcare providers Human Rights Watch interviewed said their clinic had instituted a moratorium on all medically unnecessary procedures. As examined later in this report, many practitioners described the information they shared with parents as based on hypotheticals about what it would be like to raise an intact child, and clinical expertise, not data on medical outcomes. This pattern is also reflected in a 2016 update to the 2006 DSD Consensus Statement, which includes a survey of 32 expertsmostly surgeonson guidelines for surgeries. The document notes: There is still no consensual attitude regarding indications, timing, procedure and evaluation of outcome of DSD surgery. The levels of evidence of responses given by the experts are low, while most are supported by team expertise. [108]

Human Rights Watch interviewed 21 healthcare practitioners in the course of researching this report. While none shared exact data about surgery rates with us, we asked each interviewee to comment on trends they observed in their clinic, and in the practice of treating intersex people more broadly. We documented considerable disagreement and divergence on the issue of surgery, which in part reflects continuing conflict over appropriate standards of care.

Nearly every practitioner Human Rights Watch interviewed cited the establishment of DSD teams as having impact on their philosophy of care, and the number of surgeries their clinic conducted. Most practitioners interviewed by Human Rights Watch said they observed a general decrease in surgeries on intersex infantsa trend they linked both to changes in societal attitudes and changes in medical practice. Explained an endocrinologist: We used to have this paternalistic attitude that we have to make a decision for them and that's the only way that they're going to be healthy and not be traumatized. [109]

For example, one surgeon explained:

I am seeing fewer clitoral reduction surgeries over timea definite decrease, another practitioner said. She attributed the decline to a shift in attitudes about urgency and medical necessity:

Another practitioner said that her clinic had not performed any clitoral reduction surgeries in the past three years. The clitoral surgery has been sort of less emphasized has been my sense, she told Human Rights Watch. I think people are being much more cautious about not presenting surgery as an option when theres something very mild going on, and this is even presented to [parents] who advocate for surgery. I think that there is a lot more shared decision making of saying, these are the risk-benefits. [112]

A urologist told Human Rights Watch her clinic sets a strict six month minimum age for medically unnecessary surgeries, which they communicate to parents of intersex children immediately. We just explain that we really don't do any elective surgery for babies for six months, period. We reassure them that there is not going to be anything bad that happens to the child waiting for six months. [113] This urologist said: We're doing very, very few feminizing surgeries in general. Since I've been here we've only done a few and I've been here three years. So I think we're being very cautious about anything that removes tissue.

An endocrinologist said he observes a general trend of if in doubt don't do anything. He said: We try to emphasize that while we're sorting things out it's best to leave things alone. If there's no urgency from a medical standpoint it's best to leave things as they are and what we have we're finding as time goes on that many of the patients are very comfortable with that. He linked that to medical ethics: That's an adage in medicineabove all do no harm. He added: I don't think you're going to find anybody that runs a DSD clinic that would argue with the fact that outcomes are better when you delay intervention in general.[114]

A DSD team practitioner told Human Rights Watch his advice to parents is: Probably less is more. If you don't absolutely need to do surgery, don't do it. He said: My voice is always in that direction and I would say the rest of my team is moving in that direction. However, he said: There are surgeries being done all around the country. [115]

Another provider observed:

A gynecologist told Human Rights Watch: We really dont do vaginoplasties with AIS and MRKHwere waiting. And were not doing gonadectomies in AIS girls until theyre really old enough to speak for themselves. Girls who are candidates for vaginoplasty are encouraged towards non-surgical options when they are ready. She attributes this decrease in surgical interventions to parents who understand non-surgical care options and become open to other ways of caring for their children. In cases of children who are candidates for gonadectomies, she said her team advises parents to wait until their child is older and capable of making a decision. She explained: We tell them: this is not a decision to take the testes out, this is a decision to take life-long hormone replacement therapy. [117]

However, an endocrinologist on a DSD team at a regional referral hospital said that while she observed many of her peers in DSD care speaking publicly about a decrease in medically unnecessary surgeries on intersex children: Most patients at our center have cosmetic surgery to their external genitalia. She said: The main two groups that don't are the kids who are being raised female who have very mild virilization, and then the more developmentally delayed kids. [118] This doctor also reported reviewing unpublished data indicating that

medically unnecessary surgeries remain more widespread that many doctors acknowledge.

As documented in this report, doctors at different facilities across the US have observed markedly different rates of surgeries being performed. The result of this varied and non-standardized situation suggests that whether an intersex child undergoes irreversible cosmetic surgery or not depends on which hospitalor which doctorthey and their parents end up visiting. The lack of rights-based standards of care, combined with misinformation and intense societal pressure, means decisions often are being made on behalf of children based on prejudice, assumptions, and chance.

Despite evolution in care for intersex children and more than two decades of debate and controversy, the US paradigm of treatment for children with intersex traits remains grounded in the practice of early cosmetic genital surgery. And the paradigm continues to have global resonance.

In January 2017, the Council of Europes Committee on Bioethics published a sweeping report titled The Rights of Children in Biomedicine: Challenges Posed by Scientific Advances and Uncertainties. In a chapter on treatment for intersex children, the report paints a damning picture of the historical and contemporary practices that emanated from and continue to be implemented in the US. The report, written by Stockholm University professors, states:

The authors note that, Despite clinical attempts to find data supporting these practices, repeated systematic reviews of evidence have found no quality data confirming their safety and benefits for each affected child. The authors emphasize that reports by intersex people include evidence of genital dysfunction, scarring, loss of sexual feeling, loss of fertility, chronic pain, and the wrong gender assignment with irreversible excision of genital and gonadal tissues. [120]

For intersex people, the trauma of this treatment paradigm can last a lifetime. As a 65-year-old intersex man in California said: In many ways, the trauma of how I was treated as a kidI havent worked through it. Its still with me, in ways I dont always recognize. Meeting other intersex people has helped me more than anything. [121]

Whether parents are alerted to their childs intersex traits at birth, puberty, or another point in life, they can struggle with an onslaught of confusing information. Communication from doctors may instill feelings of shame. Pressure to conduct surgeries on the children to make them conform to socially typical understandings of male and female bodies can be overwhelming. Parents Human Rights Watch interviewed talked about their confusion and distress; their desire for information and support; and the comfort they found in knowing their child was healthy and would be able to, with support, live a happy and fulfilling life.

Like Jackie, the mother of the 6-year-old whose story appears in the summary of this report, some parents Human Rights Watch interviewed felt bewildered by what they perceived at the time to be insensitive behavior by their doctors once the childs sex came into question; others said they felt bullied by the physicians charged with caring for them.

Clinicians and parents alike refer to the period after the birth of an infant for whom gender assignment is unclear as a nightmare, wrote Katrina Karkazis, a medical ethicist at Stanford University. Not only does a child with no sex occupy a legal and social limbo, but surprise, fear, and confusion often rupture the parents anticipated joy at the birth of their child. [122]

Ava, a mother of a 10-year-old, told Human Rights Watch that when she began realizing her daughter looked different a few months into her life, she took her to the pediatrician. I told the doctor she was swollen in her groin and asked him to take a look, she said. Then another doctor came in, and another, and I started getting suspicious. Later that night, while she waited for the doctor to call with his assessment, she told her husband: As long as its not hermaphroditism, I can deal with anything. A week later at a follow-up appointment with a urologist, the doctors told Ava they werent seeing a uterus on the ultrasound. I asked them what that meantI kept saying: what does that mean?but no one would answer me. I just wish they had pulled me aside at that point and said it was going to be okay. [123]

Margy K., a mother in California, told Human Rights Watch she knew from pre-natal testing that she was having a boy, but the delivery nurse congratulated her on her beautiful daughter, making her confused. I said to the nurse: No, we had an amnio, its a boy, Margy said. And then everyone sort of went crazy. It was so stressful. They started calling in all these other doctors. They did all the tests and she was perfectshe was totally fine, but they still said there was a good chance she might expire overnight. Steve, Margys husband, said, We were like deer in the headlights. And then a gynecologist came in on the second day and told us: You are quite the celebrities around the hospitala boy named Sue. [124]

During the past 50 years, the medical paradigm in the US has held that appropriate adjustment to the gender assigned at birth would be dependent upon the external genitalia appearing entirely typical for that gender. There is, in fact, little to support this rationale for surgery in infancy: an intersex child can be raised as a boy or a girl without surgical intervention. [125] Despite the fact that children do not need sexual function in infancy and childhood, [126] doctors often recommend surgical procedures during childhood on the premise of making the genitalia functional for future heterosexual penetration in adult lifeeven if such surgery actually results in diminished sexual responsiveness.

Incomplete or improper counseling can leave parents ill-equipped for the future in which their childs body will develop differently from their peers. This can result in shame and trauma. For example, an intersex person in Texas said: The doctors and my parents decided that I should be female, so thats what they made me legally on my birth certificate. But I was never really female enough for them, which led to a childhood of abuse.[127]

Medical settings can be intense for anyone. For intersex children, their experiences of examinations, exposure, and treatment interventions can scar them for life. Pejorative or stigmatizing language from doctors, repeated genital examinations and photographs, and exposure of their bodies to multiple practitioners and students can be traumatizing.

An endocrinologist on a DSD team told Human Rights Watch:

Such signals from doctors can be powerful. A mental health provider who works on a DSD team told Human Rights Watch that the team hosts a monthly lecture series. In the fall of 2016, a urologist spoke about the difference between function and appearance in surgical outcomes. She said: Every parent wants their child to be normal, so we do these surgeries because parents are asking for them. The mental health provider responded during the session. Parents are going to ask you, and its your job to present to them that theres a spectrum of options, she said. If youre uncomfortable with an atypical child, then the parents are going to be uncomfortable with an atypical child, and

theyre going to choose surgery.[129]

A mother whose 17-year-old son was assigned female at birth through a surgical procedure said: I think my child deserves an Academy Award because I know I would not have the strength to hold such a life together. She raised the child as a girl and only in the past year, the child has decided to transition to being male. The mother said her message to doctors was: When you cut, and you slap a label on somebodythats irreversible for that person. My child tried so hard to be a girl because thats what the doctors told my child he was.[130]

Genital or gonadal surgeries on intersex children too young to declare their gender identity always carry the risk of surgically assigning the wrong sex. Depending on the condition, this risk can be between five and 40 percent. [131] But assigning the wrong sex is not the only risk. Removal of gonads is sterilization if those gonads had the potential for fertility, and will lead to lifelong need for hormone therapy. The genital surgeries done on intersex children can result in loss of sexual sensation and ongoing pain. The procedures are irreversible, in that tissue or organs that are removed cannot be replaced, nerves that are severed cannot be regrown, and scar tissue can limit options for future surgery. While proponents of surgery claim that techniques have improved and they hope for better outcomes, they admit that evidence to support these hopes is lacking. [132]

Mark was born in 1983. I had what they called ambiguous genitalia and they couldnt figure out whether I had AIS or gonadal dysgenesis. Doctors told his mother to raise him as female. My parentswanted to preserve my body as it was, so they chose not to do surgery and took me home, he said.

When Mark was 5 years old, an anonymous caller told Child Protective Services that Marks mother was raising a little boy as a girl. Mark remembers that CPS intervened, but he does not remember whether he went to court or not. My mom was afraid of losing me so she consented to the clitorectomy and the gonadectomy, he said. I remember waking up in a hospital. I lifted the sheet and I could see a red X and I could smell blood, iron ... rust? Thats when it kind of hit me that something happened.

When Mark was 12, he remembers traveling to another city for a medical appointment. The doctor said he could create me a viable vagina so my husband could have sex with me, Mark remembers. But he said he didnt recommend it right away because it didnt seem like I was ready. For Mark, that was a high pointa doctor that decided not to do surgery. Mark transitioned to being male in 2015, and his previous encounters with medicine have left him skeptical of doctors. As an adult, I havent had a doctor demand to see my junk so thats pretty goodthats the bar Ive set for being comfortable. [133]

A 55-year-old intersex woman in a Midwestern state told Human Rights Watch she had at least six operations when she was a child. There was one operation when I was 16. The doctor told me the reason they were going to do it was so that I could become sexually active and also so that the opening of the urethra and vagina was more distinctive. She said neither the doctors nor her parents told her any additional details or asked her whether she wanted the operation. So the surgery was done so that some guy could enjoy himself. And really, I never ended upwith all the surgeriesever having sexual gratification because basically all nerves were cut away, she said. These butchers cut off every nerve known to man ... these are supposed to be doctors that first do no harm.[134]

A 31-year-old intersex person in Illinois who had both nerve-sparing clitoral surgery and vaginal surgery as a child said that the surgeon explained that the operation was intended to make them able to have sex with [their] husband. The person experienced intense physical pain and psychological trauma as a result of the surgery. Speaking of sex with a long-term male partner, the person said:

However, the impact of the surgeries can extend far beyond the physical outcomes or desires to be socially normal. Intersex people Human Rights Watch interviewed described the feelings of dread and horror they feeldecades after unwanted or damaging surgeries, genital exams, insensitive disclosure of diagnosis, and other experienceswhen attempting to access healthcare. For some, this has led them to avoid careincluding in emergencies.

I always think someone's lying. I always think theyre up to something. The trust thing. I don't trust anybody, an intersex person in Illinois said. So thats why it's hard to trust somebody with my vulnerability or my emotions. Because not only the doctors have done this, but my family, they said. For health care in general I just try not to go unless its an emergency. [136]

Ive had doctors write ambiguous genitalia on the front of all of my charts, said Neha, an intersex woman in California. So when I get checked in or even go get my blood drawn, thats the first thing everyone sees, and it determines how I get treated. They giggle at me, and Ive had one person refuse to draw my blood before. [137]

An intersex 23-year-old in New York said they got sepsis in 2014 after hesitating to seek care for symptoms that were, according to them, very painful and clearly a UTI. They stayed in bed for four days until finally deciding to call their doctor. He rushed me to urgent care ... he did some blood work and said you might have died if you came in any later. I was in the hospital for a week and a half.[138]

Nearly all of the intersex adults Human Rights Watch interviewed said they loathe to seek medical care. Some even said they avoid medical care altogether until friends or family members, afraid they might die otherwise, take them to the hospitalfor example, one had symptoms of breathing failure, [139] another viral meningitis. [140] Some of those who did not avoid healthcare still saw the experience of going to a hospital or clinic as traumatizing. An intersex activist who voluntarily participates in endocrine studies at her primary care facility explained: I choose this care for myself, which is very different from what was happening to me as a kid. And even though I choose to go there, I still experience PTSD when I walk ineven though cognitively I know I really want to be there. She said: This is the legacy that has been handed to me by the serial deception. [141]

Carmen, an intersex Ph.D. student on the east coast, explained: What parents and doctors dont understand is that after surgeries, after procedures and treatmentssometimes the impacts of the treatments we received negatively affect us throughout our lives. She said the common refrain from doctors and parents about making sure intersex people feel comfortable with how they look naked in a locker room is eclipsed by other concerns. Screw the locker roomthats not the big problem here. The problem is Im 30 and when I touch people on the subway by accident I internally have a meltdown because I freak out when people touch me. And that is very much because of the medical treatment that I received, she said.

Carmen said it was not until she was years into attending regular therapy sessions that she was able to begin addressing her trauma responses and working through her past. It was just too much and too terrible and too shaming that I just thought, my conscious brain isnt going to deal with this, she said. [142] The point parents have to understand is that where [they] think the problem is overits not the end. We have to deal

with it for the rest of our livesand [parents] shouldnt be making decisions based on really early concerns because those are not the biggest problems.[143]

In 1969, when Stella was 12 years old and at summer camp, she started having stomach pains and asked to be taken to a doctor. The doctor thought she had diarrhea, so he prescribed her enemas and suppositories. But the pain did not subside, so the doctor told her: You may be starting your period but your hymen is blocking it, and I can do surgery to help release that. During the operation, he identified some other traits that he told Stellas parents about. All I was told was that I wouldn't be able to have children, but that they could fix my little problem in a few years, Stella, now 60, told Human Rights Watch.

And thats what we started calling itmy little problem, Stella said. My mother took me periodically [to the hospital]. I would sit outside while she went in and talked to the doctors, then she would emerge really angry and take me out to a fancy lunch, she said. Later she told me those appointments were set up so medical students could examine me for their trainingand because she always refused to let me become a test subject, the hospital refused to treat me.

Three years later in 1972, when Stella was 15, she came home from the last day of school and her mother said: Were going to the hospital for your surgeryto fix your little problem. According to Stella, the operation: Took all the skin off of one cheek of my behind, wrapped it around a cord, shoved it inside of me, and sewed it closed--and then I laid there for 17 days. She said: There were people in the middle of the night who would come in, lift up my sheet, and say oh shes the one! and then remark about my genitals. 17 days later they took the mold out, gave Stella a prescription for dilators to maintain the vagina that had been created without her permission, and sent her home. No one ever told her the diagnosis for her condition, or the details of the surgeries performed on her, just that she did not have a uterus. My parents were very concerned that I turn out heterosexual, toothat was really all they ever mentioned, she said.

For Stella, the experience launched decades of trauma and anxiety. I had been having orgasms since I was really young and then all of the sudden doctors are telling me I have a sexual dysfunction and doing surgery on me, Stella said. That really messed with my concept of sexuality. I started learning that sex was about how I please men, how my body lived up to the expectations of men.

It was not until her 40s that Stella pursued her medical records to learn about the treatment she had received. She also avoided necessary medical care out of fear of doctors and hospitals. For 15 years, I didnt go to a doctor. In my 30s, I lost teeth because I refused to see a dentist. If I got sick, Id figure it out or Id ask a friend to write me a prescription, she said.

After several attempts to obtain her medical records, Stella finally was able to read them. The files had MRKH [Mayer Rokitansky Kster Hauser syndrome] written all over themeveryone knew except for me, she said. The shame Ive never gotten overI still have moments when I just cry.

Still, she forgives her parents for the choice they made. My parents perpetuated it, but they werent responsible for itthe lies, the doctors told them to lie, she said. And my mother was completely isolated, she never talked to anyone about it. And despite doctors attempts to fix Stella, she says: I do not have a gender identity and I do feel like that was taken from me. I had very distinct memories of feeling like a little girl. Upon discovery of what went down in the surgeries, I felt like nothingand most of the time I still do.[144]

These procedures look very different today but are no less irreversible. Indeed the procedures being conducted today may seem just as primitive and abhorrent 10 years from now as Stellas does to a reader todaybut there will not be any way to fix it.

Parents who do opt for normalizing procedures, such as surgery, are often faced with traumatizing results for them and the child both. For example, vaginal dilation is generally recommended after any of these procedures in adults in an attempt to prevent the requirement for reoperation. The procedure involves enlarging the vagina by placing a dilator, or device selected for its appropriate size, into the vaginal canal at regular intervals. In childrens cases, parents have carried out the dilation. It can be experienced by the child as sexual violence. In the past, doctors recommended dilation for children; this is no longer the case in contemporary practice.

Intersex people Human Rights Watch interviewed spoke of the trauma they and their parents suffered from dilation. [145] Lina, a 24-year-old intersex woman who underwent a vaginoplasty, gonadectomy, and clitoral surgery at a hospital in Massachusetts in 1994 when she was 18 months old, told Human Rights Watch: Until I was 10, my parents did vaginal dilation to me. I never even knew why because I didn't even hear the words Androgen Insensitivity Syndrome till I was 14. So that was definitely very traumatizing.

Lina says her parents explained they thought they were doing the right thing because doctors warned them that, without dilation, her vagina would close up and become infected. She continues to suffer the mental and physical health consequences of both the surgery and the dilation, and despite these procedures being conducted, her vagina is not functional for penetrative intercourse. I want to have penetrative sex now and I cant without more surgery, she said. [146]

Genital examinations of children with atypical sex characteristics may sometimes be clinically necessaryand surgery may lead to more exams, especially when there are complications and the need for follow-up surgeries. However, in the pastand sometimes in the presentdoctors have used intersex patients as teaching tools and conducted repeated genital exams that were not necessary for medical management. [147] The 2006 Consensus Statement addressed the issue by saying: Repeated examination of the genitalia, including medical photography, may be experienced as deeply shaming. While the medical community has in many cases improved its practices by conducting genital exams only when clinically necessary, doctors still sometimes subject intersex children to repeated and unnecessary genital exams. Some bring in teams to observe the procedure; some exams feature non-consensual photography of genitals and naked children.

While data are limited, research has shown that repeated genital exams on children, [148] as well as medical photography of children while they are naked, [149] can be experienced as sexual violence and trigger trauma responses. In a 1987 article, Dr. John Money acknowledged that children could perceive genital examinations as sexual abuse. [150] A 2015 study published in the *Journal of Pediatric Psychology* found that women with CAH with varying degrees of genital atypicality,

Dierdre, a 55-year-old intersex woman who had surgery at least six times between 1970 and 1978, told Human Rights Watch she was always in hospitals since the first day of my childhood I can remember. She said: I basically recall pain and hurtdown therein the genital area. I sure didnt want [the doctors] touching me down there. Like many other intersex people, Dierdre experienced these exams as sexual abuse: Its like having doctors sexually abuse you, she said. [152] Every time [the doctors touched me], I'd scream and asked to not be touched down there and the pain that was happening over and over and over again. Dierdre has been working with a mental health provider for Post-Traumatic

Stress Disorder (PTSD) for several years. She said she still has frequent vivid recalls of one episode in particular:

A 40-year-old intersex adult who grew up in the 1980s in a southwestern state recalled: There was a sense of glee from the doctors who got to see me because I was a juicy specimendifferent in all the ways they were interested in. She said, after repeated examinations, I think they lost touch that I was actually a person. It was terrifyingI was always seen with my mom, and she was complacent to the exams. I had many pelvic exams as a very young child, and a CAT scan with a metal tampon inside of me. Asked whether she resisted the treatment and examinations, she said: I just did it because I was a kid and thats what youre supposed to do when you have a disease and you think youre going to die.[154]

Another intersex adult recounted experiences they had during the 1990s: I remember being tied down with my legs open, for doctors and nurses to come through and look and poke and prod and take pictures. [155] An intersex woman who grew up in New Jersey in the 1960s and 1970s said: There was nude photographyI always questioned what they told me and why they said they were doing it, but never got an answer. [156] An intersex person in Illinois said of their surgery in 1997:

An intersex woman in California told Human Rights Watch: All of these exams on my body as a kid sent a strong message that I was freakish, and that I had something wrong with me that had to do with my sex.[158]

As noted above, the 2006 Consensus Statement stated that Repeated examination of the genitalia, including medical photography, may be experienced as deeply shaming.[159] Follow-up studies on people with intersex traits who underwent exams have documented the impact[160] and such studies have influenced some doctors thinking about genital exams. One urologist Human Rights Watch interviewed echoed this data, explaining a case in which he conducted cosmetic genital surgery on a young child and then told the parents: Don't come back and see me until she hits puberty because there's also pretty clear data to show that the more [kids are] constantly being examined and having multiple people come in and poke and prod them really doesn't help things.[161]

However, that view is not universally upheld in practice. A mother of an intersex child told Human Rights Watch that when her daughter was 15 years old in 2016, the gynecologist insisted on three people being in the room. She agreed because the doctor guaranteed her daughter she would not touch her, just look. Then she dove right in, the mother recalled. She not only touched, she pulled and prodded. And my daughter was screaming and telling her to stop and she wouldnt stop. And finally I gathered the strength to say you need to stop and she pulled away.[162]

If you want to fuck somebody up psychologically, start calling a part of their body deformed and then see how that works out. The whole idea of disease and even the message the surgery sent is that there was something wrong that we had to fix.[163]

Parent of a 2-year-old intersex child, December 6, 2016.

Seth and Christine delivered their first child in 2015 at a small hospitala girl they named Sally. The morning following the birth, doctors told them Sally probably did not have a uterus, had testes instead of ovaries, and would be taken to a larger hospital in an ambulance in 15 minutes for urgent tests.

They told us the ambulance and the oxygen mask were just a protocol, and that she was OK, but it was a lot of information and no explanation, Christine said. I was crying and nervous. The parents followed their baby to a regional hospital. For a day and a half we had a girl, and then they automatically went to calling her baby and it at the big hospitaland for me, it was too much to handle, she said. Seth and Christine asked their pastor to join them at the hospital to help them navigate the emotional turbulence of the Neonatal Intensive Care Unit. Before the doctors even explained to us what the medical situation was, they saw us with our pastor and made assumptions about us and told us we would need to be open minded about our kidthe baby they had just all been calling it while I asked them to call her by her name, Christine said. [164]

For some parents, the initial interactions with the doctors who deliver such news can change their approach to healthcare for their child for years to come. Karkazis, the ethicist at Stanford, wrote: The heightened emotion and lack of clear communication can affect the relationship between parents and physicians, and this may inadvertently influence the gender assignment. [165]

The endocrinologist we were sent to was very insensitive. He had the door wide open, other staff came in and out while he was telling us about private health information, a mother in a southwestern state recounted. There was no counseling given to us at all What we needed was someone to come alongside us and say they were going to figure it out with us. That would have made a doctor a hero, she said. But the experience left the family scarred: For 12 years from that day we didnt take our child to the doctor. [166]

When Ariel, now 24, was 17, she visited her pediatrician for her final check-up before transitioning to an adult practitioner. She wanted to ask him about her conditionthe messed up ovaries her parents had always told her about. I asked him that question and he wrote something on a piece of paper and slid it towards me, then got up and walked out, she said. The paper read hermaphroditism. It was 2010. At first, Ariel thought he was lying. I sort of buried it in the back of my mind. I guess I knew there was something different, I knew there was more than that. But I never had any real confirmation until I got my medical records and started learning for myself. Ariel obtained her medical records from her mother four years later when she wanted to schedule an appointment with an adult gynecologist. When I found out what was done to me, there was a lot of anger and a lot of, I just feltbitterness, I felt betrayed. I felt like a freak, she said.

Patty, a 57-year-old intersex woman in California who underwent surgery when she was 15 to remove her gonads and reduce the size of her clitoris, said her parents and doctors told her the procedure was supposed to address cancer. It was clear to me that there was a lot of lying, but it made no sense to me, Patty explained. If there were pre-cancerous cells in there, you take them out. Whats the rest of this secretive behavior? The endocrinologist treating Patty at the hospital during her surgery explained to her that she would need medical supervision for the rest of her life. Then she told me to be careful, Patty said, and that unless I was seeing a specialist, not to tell them anything about this procedurethey wont understand. Patty was baffled. Im sitting there thinking: the doctors wont understand cancer? Why would a doctor not understand cancer? So there were a lot of these messages that something was horrifically wrong with me that we shouldnt talk about. [167]

An intersex person in Texas told Human Rights Watch that in 2008 when they found out their formal diagnosis, that was the first time they

heard the terms DSD and intersex. Before that, it was only hermaphrodite. But even though the doctors were kind and helpful in seeking out testing, when they tried to explain it to me, in this attempt to explain it in terms that I understand, they told me about mythological creatures and aliens. The impact of this messaging was devastating: If they were trying to make me feel better, they did the exact oppositeI felt like a complete freak.[168]

The trauma caused by such abrasive and stigmatizing care can stay with people for the rest of their lives. A 40-year-old intersex woman in California explained: I knew people were working really hard to fix me, but thats all I was problem that needed to be fixed. I thought of myself as a problem that needed to be fixedthats rammed in my psyche. As a result, she said, I have enormous trust issues. Its a huge thing to think that youre not worthy of real care at all.[169]

The Impact of Affirmative Care

Sam, a 30-year-old intersex person who was diagnosed with 46 XY 46 XX mosaicism, underwent repeated genital exams as a child. Sam told Human Rights Watch that as an adult, they chose to have an orchiectomy and a hysterectomy:

Then I got a referral from a transgender friend of mine to a different OBGYN and I called and was starting my whole speech about who I am and she stopped me and said: Do you have this part, do you have this part ... OK you have these parts, and those are parts that I work with so yes, I will schedule you. She talked to her front desk staff and everything, and even called the pelvic ultrasound technicians to tell them about how to talk about my body. She went out of her way to make sure they were completely prepared. Then during the exam, she asked me to move one part out of the way, saying: I dont work with that part and I dont touch parts I dont work with.

And because I had spent my life being poked by doctors, it had never occurred to me until then that doctors didnt have the right to manipulate any part of my body they wanted to.[170]

A 57-year-old intersex man who had undergone dozens of surgeries by the time he started seeing a mental health provider as a teenager said he started defending his doctors as a way of convincing himself the operations were necessary. The more they would hurt me, the more Id protect themsay to myself, Well, thats my doctor. It really became a twisted relationship, 1711

Every intersex person Human Rights Watch interviewed, including people who asked not to be identified as intersex but rather as people living with a condition such as CAH, said speaking with people with their same traits changed their lives in positive ways. A woman in New York, for example, described how internet chat groups allowed her to meet other people and learn to not be ashamed of herself:

Some practitioners emphasized that managing parents emotional reactions to their childs intersex traits is a crucial part of the discussion. Two practitioners Human Rights Watch interviewed specifically said they try to reinforce with parents that their child is healthy. For example, one urologist said:

I think the whole process of caring for our intersex patients is more medicalized than transgender care provided by the same doctors.

An endocrinologist on a DSD team, February 23, 2017.

Doctors are trained to fix problems with the tools that they have. They think of genitals as something that mark whether a baby is a boy or a girl and not anything more than that. Surgeons kept telling us: well you cant expect us to do nothing.

A veteran intersex activist, October 25, 2016.

The doctor's job is not to make a decision, coerce a decision, manipulate a decision, or intimidate a decision. The doctor's job is to present information and to maybe provide a recommendation. That's where I feel like the most egregious action came from is that we weren't given the material necessary to make informed consent.

A parent of an intersex child, December 6, 2016.

Judy and Carl knew their third child was going to be a girl after a sonogram six months into Judys pregnancy; they had chosen to name her Julia. After a planned C-section, Judy asked the doctor: Hows my Julia? A nurse responded: Oh, we need to take another look at her. Judy recalled: I noticedafter having had two boysthat she wasnt exactly how it was supposed to look. Not quite a penis, and not quite a vaginathat was clear visually. After four days of receiving confusing and contradictory informationand being told they needed more tests to determine the diagnosis Judy and Carl left the hospital with their child, now legally named Jack and assigned male. They still had no diagnosis for the childs condition. [174]

Two weeks later, Judy and Carl took their baby to a regional hospital to meet with an endocrinologist and a urologist. They sent us for blood work, and a battery of other tests. They measured the phallusthere was no urethra in the little nub, Carl said. A week later they went back and the endocrinologist told them there were no androgen issues, it probably wasnt AIS. All other tests were inconclusive so the doctors recommended testosterone. Lets fix the mechanics anyway, the urologist told them. Your son can have any size penis he wants!

Judy and Carl agreed to the surgery when their child was 11 months old.

In the first operation, in April 2010, according to Carl: the doctor made a shaft and cathetered the hole. They scraped her thigh and got more meat to build up on what they could free up inside of her. Then she still peed out of the original hole after that. [175] They scheduled a follow-up surgery for nine months later.

The second operation was to construct a phallus. They wrapped everything around the catheter, Carl remembers, there was a lot of gauze and blood and bandages. The family was back in the hospital after two days, as well as at the one-week and two-week marks to have the bandages changed. Jack got infections twice. They did x-rays and sonograms and wanted to replace the catheter. Theyre holding [him] down spread eagleand hes screaming bloody murder, Judy said.

Two days after they were released from post-operative infection care, a letter arrived in the mail telling them Jack had tested positive for Partial Androgen Insensitivity Syndrome (PAIS). This meant his future gender identity was uncertain and his body would not respond like most boys to testosterone. Judy told Human Rights Watch: After weve now gone through two surgeries and we had no idea of what to think

of for the next 20 years ... whats damaged or whats not ... the whole spectrum of horror.

The parents went back to the hospital where Jacks surgeries had been conducted and met with the doctors. We said to them: You need to explain PAIS. [The surgeon] is done giving Jack any sized penis he can ... so what is PAIS?, Judy said. She told the doctors that she had been scouring the internet for information. So their response was well theres nothing wrong, hes a perfectly healthy little boyhe can be raised as a boy that was our first goalto make sure that Jack is Jack. Carl said.

The experience left the parents devastated, and feeling betrayed. Their child, now 8, ultimately developed a female gender identity. She lives as a girl at home and school, and family and friends call her Jackey. The social transition from Jack to Jackey was smooth, but the effects of surgery will not be so easily undone.

Judy and Carl wish they had been given the chance to talk to other parents and intersex people before making this decision. There should be a hotline or a referral serviceat least we would have had an entry point. If we had had that, we wouldnt have agreed to mutilate our child, Judy said. We are smart enough to rationalize things and think through the outcomes.

Its frustrating, were angry, said Carl. We beat ourselves up about thisthere are other situations where people need support. Its not just intersex, its autism and Downs and other conditions. Judy explained: I want to give [the doctors] the benefit of the doubt. I cant definitively say that they didnt think the surgery was the right thing to do. But they certainly did not have the information they neededeven a diagnosisand nobody interjected to slow everything down.

Carl explained: The doctors told us it was important to have the surgery right away because it would be traumatic for our child to grow up looking different. Whats more traumatic? This sort of operation or growing up a little different?

In 2004, Wendy gave birth to twins and planned to name them Susan and Sylvie. Then a doctor came into my hospital room in the middle of the night after I gave birth and woke me up and said: Don't name the baby Susan. And I said: Why not? And she said: Because we don't know if it's a girl or boy. [176]

Within a week, when blood tests had come back indicating that one of the babies had XY chromosomes, the tone from the healthcare providers had shifted. According to Wendy, a doctor told her: Well you can raise a baby as a girl if you want. When she asked why, and what that would entail, he replied: Well we would probably suggest that you get surgery to turn the baby into a girl and raise it as a girl.

Wendy was overwhelmed. We were still waiting to see is the baby going to survive in the NICU and they're talking about well you can turn this baby into a girl and it will be a lot easier, she said. She told Human Rights Watch: The pediatric urologist actually had the gall to say to me, if you ever want your child to be a real man and stand up and pee, youre out of luck.

When Wendy left the hospital with her babies, she was still eager to learn more about the various care options for the child she now named Stephen. She attended a DSD surgery conference to gather more information and meet surgeons. I approached one surgeon told him about Stephen. I asked him which technique he would use on a child like mine, she said. The urologist responded: Actually I would decide once I get your baby on the table which technique I would use.

Wendy opted to not have surgery performed on Stephen, now 13. I decided I'm against it because...I don't know how he's going to feel if he's to identify as male for the duration or maybe it could change. I don't want to do something that can't be undone. Throughout Stephens childhood, Wendy felt pressured by doctors, family members, and friends to have surgery on her son. I thought it's better that we don't because you know there's a lot of complications usually. So yes, he sits down to pee. Who cares? Wendy and Stephen both told Human Rights Watch that he has never experienced bullying or harassment from peers as a result of his intersex condition.

But the constant pressure to do surgery has led Wendy to avoid seeking routine health check-ups for Stephen. I avoid any kind of medical appointment unless its an emergencyits too intense, and it will mean people start talking about surgery, she said. Stephens health has been good, she says, and different from what the doctors had originally warned about after his birth. I was told early on in infancy this pediatric urologist told me he's going to have chronic urinary tract infections and hes had only one UTI ever, Wendy said. [177]

Seth and Christine, who endured having nurses call their daughter it at her birth hospital, met with a urologist to discuss surgery. The urologist was the nicest person we had met so far, he had the best bedside manner, Christine said. He told them: My team will likely say you should keep the testes in, I would say remove them and let her have a normal life. They scheduled the surgery for a several months later. Soon after they made the decision to operate, a fellow church member brought them dinner. To date, they had only disclosed to their friends and family that their daughter had a hernia issuethe diagnosis for her intersex traits remained unconfirmed, and providers at the birth hospital told them there was no support group so they had not met any other parents.

The woman from church asked some questions about the babys health, and then said offhandedly: That sounds like AIStheir daughters preliminary diagnosis. Christine wept, and asked her for more information. Within weeks they were connected to a counselor and a support group, and began to hear from other parents that surgery was not necessarily required or recommended. While visiting relatives in another part of the US, they sought a second opinion at a regional hospital there. The doctors at [the second hospital] were very sensitive, Seth said. They didnt tell us point blank that they suggest not having surgery, they just said they wouldnt do it. Christine recalled: Even the social worker affirmed that our feelings were normal and we were doing things rightwhereas before, the social worker [at the birth hospital] made me feel weird about being upset, made me feel like I was being a bad mom.

The endocrinologist at the second hospital explained to Seth and Christine that, with their daughters condition, her genitalia may start to grow in atypical ways at puberty. She also told them about hormone blockers they could prescribe at that time. Christine said: This sort of reversible intervention made us feel like we could have a real conversation with [our daughter] about her body before making decisions, so we decided not to have the surgery. Seth said: We were still not completely sure what to do, but we basically wanted time to think about it.

When they called the urologist to cancel the appointment he responded: I would really suggest that you do it. I need to have you in my office and I need to talk with you. They immediately started engaging with support groups. We had spent so much time feeling alone and now we had people to talk to. Someone from the support group told us wed have to advocate for what we want. We asked for the panel of tests, which they hadnt done yet, Christine said.

They went ahead with the hernia operation as scheduled, repeatedly reminding the surgeon not to do anything else. The urologist was still suggesting removing the testes up until the day of the operation, Christine said. And then the anesthesiologist called [our daughter] he and we corrected her. Then she did it again, and we corrected her again. And she replied: oh right he has XY chromosomes but you call him a she. [178]

Other parents and intersex people Human Rights Watch interviewed recounted how medical staff pressured them to undertake irreversible procedures, including surgery, and, they said, made them feel they were being unreasonable when they resisted or asked questions.

Carmen, an intersex graduate student, told Human Rights Watch she found the care she received for her intersex condition bewildering and bizarre at the time. When she was 15 years old, in 2000, her parents took her to a specialist team at a hospital for a consultation. She recounted:

Carmens experience echoed how other intersex people experienced their doctors as salespeople. An intersex man who has undergone more than 30 genital surgeries to repair complications from his first one described the interaction he had with the surgeon who first operated on him: That doctor was a total salesman, there wasnt even a question of whether I had the right to say yes or no. Or whether I was told that there was anything that could possibly go wrong.[180]

Others were pressured at crucial moments. Rebecca said that the day before her surgery, doctors did an ultrasound, and were excited because they thought they saw what was the tip of a uterus. They gave me 5 minutes to decide whether I wanted to keep it or not, Rebecca said. And how they presented it was: if you keep your uterus, we may be able to make you have a period, and if you have a period, you will feel more feminine. [181]

An intersex person in Illinois told Human Rights Watch that in 1997 when they were 11 years old they were taken in for a surgery to correct urinary leakage issues. They said:

A 40-year-old intersex woman in California who is raising a child explained: A surgical solution to a social problem doesnt actually make sensebut in the chaos of all the new information, it can seem like a logical move. She said: Framing the issue as a disaster sets parents on a chaotic course when really: your kid can have a happy, healthy life; your kid is going to be finethey just have to figure out how to help their body develop in a healthy way like any other kid. [183]

Neha told Human Rights Watch: Doctors think theyre offering comfort by saying we can fix this but thats not helpful[care for an intersex child] is a multi-faceted decision. She said: This is not concentrated on a couple of body parts and a few surgeries, its going to be a much broader thing and accepting that this is something life-long is part of it, people do that all the time.[184]

Tracey, whose daughter has CAH, said that when her daughter was born in 2015, doctors pressured her and her husband to operate on the child. There was also a lot of pressure time-wise, Tracey said. Because we kept getting told everyone gets the surgery done before age one ... so there seemed like there was a time crunch to make a decision.[185]

Medical Bullying

Molly is a mother of three in a southern state. When she was pregnant with her first child, who is now 17 years old, she had an ultrasound to learn the sex. I had prayed for a girl my entire life, she said. When my child was born, she came out and they said its a girl. But even as ignorant as they were, they said: well your childs got ambiguous genitalia ... your child was born with a really puffy labia and a very enlarged clitoris. So Im a first-time mom, and its emotionally shocking and exhausting anyway. I knew something was wrong because there were lots of doctors in the room, lots of whispering. They did an ultrasound, and they called in an endocrinologist and a geneticist. And all these doctors were talking to us, and I didnt have a clue what they were saying so I was really scared and confused. And I just remember them saying that she had no ovaries, no uterus. And they thought at the time that she needed to be on some sort of hormone so they sent us home on that so we were scared our child was going to die. Three weeks later, we had a meeting with a urologist that the doctors scheduled for us, and then at four months of age they scheduled surgery to remove the undescended testes. And I didnt know anything about this and I remember begging the doctor: Cant we wait until our child is older? Not even knowing what I know nowI didnt want it done. But the medical community was all hush hush, rush rush, slap a diagnosis on so we can sign papers and go home. It was forced sterilization. I feel like my childs rights were violated, I feel like my rights were violated. It was medical bullying. [186]

Even parents who are conscious of and equipped to manage the challenges of raising an intersex child told Human Rights Watch they struggled with pressures from doctors. Said Kate, the mother of more than one adopted intersex child: We adopted intersex kids sort of knowing what the medical management part of it would be like, but we didnt really understand the extent to which there would be pressure to get surgeries and other normalizing interventions. With one of her children, who was diagnosed with hypospadias and chordee, she said: There was a sense from the doctors that we were being bad parents. Every time we went to [the hospital], they suggested we get corrective surgery. After the seventh time he suggested it, Kate asked the doctor what surgery would entail. He said it would be three summers for three surgeries, with a week of catheterization and pain meds after each operation, she said. So I said, Im glad you told meI cant imagine putting my son through thattaking away the next three summers from him, even if the outcome was a known thing. [187]

Ellen, a mother who took her 15-year-old to 46 medical appointments over the course of one year to get a diagnosis for her intersex traits told Human Rights Watch: When the doctors found out I was researching, they said, Oh another one of you parents. I tried to explain to them that I have a science background but they were not interested in engaging with me on that. [188]

Parents told Human Rights Watch they felt pressured beyond the clinic as wellwhen family members and peers encouraged them to operate on their children. For example, one mother who has a 13-year-old and has chosen not to do surgery, said: Everybody wants to know if you're getting surgery. My friends, my sistereverybody has told me that I need to do this. She said: I think they think they're doing you a favor or doing your child a favor because it's going to be hard to navigate through life be[ing] different.[189]

A mental health provider on a DSD team said she observes among her colleagues that, Theres a dichotomous idealyoure a boy or youre a girlso once we decide that surgically, youre fine, its over. [190] A father of an intersex child said: What changed everything for us was when an endocrinologist sort of inoculated us against some of the stuff we would need to decide. She said: You don't just take the recommendation.

Do your own research and have lots of questions.[191]

Everyone Human Rights Watch interviewedparents, providers, and intersex peopleacknowledged that the situation for new parents was fraught and stressful. Even parents of intersex children who take a strong position against surgery explained how they remain sympathetic to all other parents in the position of making such a decision. For example, one mother who is a member of a parents support group said: Unless completely medically necessary, surgery should not even be a conversation topic. Parents are too vulnerable. Describing her interactions with parents who approach the support group with questions about surgery, she said: Parents are scared of a lot of different things, and doctors are powerful. [192]

We are doing the best that we can and we're doing what we think is best but there's not a lot of data to guide our decision making and recommendations.

A urologist, February 6, 2017.

Data to guide intersex medical care are limited. There is no central mandatory reporting database on surgeries in the US, so the most reliable sources are a voluntary-reporting database, which is incomplete, or medical journal articles, which give a significantalbeit limitedsnapshot of current practice. In addition to there being limited data about surgical procedure instantiation, studies that examine surgical outcomes (and are used by practitioners when advising parents) often fail to ask important questions regarding whether the patients were ever given the option to not have surgery, or what the patients think about their lives had they not been operated on.

There is also a lack of data regarding outcomes among individuals who did not undergo surgeriesa gap that practitioners frequently cited in interviews with Human Rights Watch as a reason they felt they could not advise parents to forego medically unnecessary surgery. Unfortunately, after over 20 years of debate, the research community has failed to produce many significant studies of outcomes among the intersex people who have avoided genital surgery.

In a 2003 study in the United Kingdom, researchers found that, The 18 women who had undergone clitoral surgery had higher rates of non-sensuality (78%) and of inability to achieve orgasm (39%) than did the ten who had not had surgery. [193] In a 2012 study by a group of doctors in the Netherlands and Belgium that featured 33 intersex participants who had not undergone surgeries, the authors explained that:

One of the most comprehensive studies was Dr. John Moneys 1954 Ph.D. thesis, in which he concluded that intersex people living without surgery were overall psychologically healthy. [195]

Practitioners Human Rights Watch interviewed expressed a range of views on which data should inform decisions about surgical interventions, and which data was missing from the debate. When asked whether they could support a ban on medically unnecessary surgeries on intersex children, they nearly universally cited a lack of information with regards to non-surgical outcomes as a reason they could not. Their explanations of what this lack of data means for the debate over medically unnecessary surgeriesas well as clinical decision-makingranged from a belief that they could not ethically advise parents to opt out of surgery until there was scientific data that demonstrated an intact body could survive social stigma, to a narrow focus on gender identity outcomes as the principal determinant of an interventions success.

The issue with the DSD is that there is no hard data, explained a practitioner. So all we have is unfortunately a very uninformed debate. And in that setting, unfortunately, you have to make a decision. You either do surgery at a younger age or you postpone surgery, he said, explaining: In a situation where you have to make a decision you make the best decision you can based on the data that you have, which is pretty limited.[196]

A gynecologist on a DSD team argued: I really think that we dont have great data on if we dont do surgery, is it better than if we do surgery. [197] A urologist echoed her, saying: I really don't think we know whether doing early surgery or not doing surgery is best. She explained: I certainly appreciate that there are individuals that are incredibly scarred from their early experiences, and I think that somewhat has to do with [the quality of the] early surgery [and] with lack of disclosure, adding: The trouble that I have is that we do not have data to tell you what's best. The urologist told Human Rights Watch that she, therefore, is taking a moral position that if we don't have clear data either way we have to present all the options. In these conditionsit becomes much less clear if you're trying to improve both sort of functional and psychosocial outcomes. [198]

A mental health provider on a DSD team explained: It's not great evidence but where we have a reasonable amount of evidenceit is from people who have received surgery.[199]

However, a lack of data on outcomes for intact children does not support defaulting to conducting irreversible and medically unnecessary surgeries that carry the potential for harm. Indeed, the available medical evidence points overwhelmingly in the opposite direction: that the well-documented harms of these operations should be a primary factor in doctors recommendation to defer them until the patient can understand and consent to the procedure. Or, as the former US surgeons-general argued in their 2017 article, our review of the available evidence has persuaded us that cosmetic infant genitoplasty is not justified absent a need to ensure physical function, explaining that the belief that surgery can lead to better psycho-social outcomes is based on untested assumptions rather than medical research.[200]

A urologist on a DSD team told Human Rights Watch: In terms of medical necessityI think drawing a hard line without hard data might just alienate many [practitioners]. She said: Our program is very progressive compared with others. And even thiswhat I see as a hard line without dataputs me on the defensive. She suggested instead some sort of guideline in terms of presenting all options to families, including about all surgical options[201] Another urologist said: I think that we don't have enough data to have universal guidelines.[202]

Many practitioners Human Rights Watch interviewed articulated a hypothetical study which, they argue, would provide sufficient medical evidence to settle the question over whether early surgery is effective or not. In the words of one practitioner, the study is both complex due to the size of the intersex population, and impossible due to the necessity of randomly assigning babies to surgery:

In her book, *Fixing Sex*, Katrina Karkazis, a medical ethicist at Stanford University, highlights the logical acrobatics at play in the debate over data. When [the data] debate first erupted, surgeons frequently dismissed the complaints of adults with intersex diagnoses as those of the disgruntled [and vocal] minority, she wrote. She explained:

Given this lack of data, the real question is whether it is ethical to proceed with medically unnecessary surgery on children when there is documented evidence of harm, and the supposed benefits are unproven. As detailed in this report, many human rights bodies that have considered the question have concluded it is not.

We had to fight really hard emotionally, and just do a lot of work on our own to be able to make informed decisions regarding care for our daughter. Doctors provided us with [claims] that are not backed up in the literature. It's stuff that has just always been done in medicine. It's based on certain hetero-normative values, which may be [our daughters values] or they could not beand we have no way of knowing until she comes of age.

Father of a 2-year-old child with CAH, December 6, 2016.

I think there's an issue of consent. There are surgeries that you need to do prior to a child being able to consent for them. But sexual function certainly isn't one of them.

A urologist on a DSD team, February 15, 2017.

Informed consent is a fundamental aspect of medical ethicsprotected by international human rights law, and enshrined in American medical standards. The Universal Declaration on Bioethics and Human Rights, issued by UNESCO in 2005, outlines ethical issues related to medicine and the life sciences, and provides a framework of principles and procedures to guide states when they formulate policies in the field of bioethics. It states: Any preventive, diagnostic and therapeutic medical intervention is only to be carried out with the prior, free and informed consent of the person concerned, based on adequate information.[205]

In a 2009 report to the United Nations General Assembly, the Special Rapporteur on the right to Health stated: Guaranteeing informed consent is fundamental to achieving the enjoyment of the right to health, emphasizing that governments are required to ensure that information is fully available, acceptable, accessible and of good quality, and that information should be imparted and comprehended by means of supportive and protective measures such as counselling and involvement of community networks. [206] However, the special rapporteur observed that:

With regard to surgical procedures on children, the special rapporteur called on providers to strive to postpone non-emergency invasive and irreversible interventions until the child is sufficiently mature to provide informed consent, arguing that such interventions are particularly problematic in the case of intersex genital surgery, which is a painful and high-risk procedure with no proven medical benefits. [208]

Depending on the procedure, the negative consequences of surgery on a childs genitals or internal reproductive organs can include:

In the United States, the process and the information that clinics share with families remains piecemeal and highly variable; the care families receive depends on which clinic or practitioner they visit.

Providers Human Rights Watch interviewed acknowledged a lack of centralized standards in their care for intersex patients. All practitioners Human Rights Watch interviewed said they were providing all relevant scientific information to the families they worked with; every clinic claimed they referred parents either to support groups, their own network of parents of intersex children, or both. Providers at two clinics said they even share United Nations human rights statements on intersex surgeries with parents as part of the informed-consent process. Such claims contrast, however, with the accounts of many parents (including parents whose children were treated in recent years) of inadequate or inaccurate information and failure to refer them to peer support at other clinics.

Parents told Human Rights Watch that as they managed the deluge of often bewildering information from various sources, the most difficult relationship to navigate was that with their childrens healthcare providers. Some parents spoke of doctors who were kind, patient, helpful, and informativebut dismissive when the parents decided to opt out of surgery. Some described difficulty in obtaining accurate information about surgical procedures and their potential outcomes. Some parents and individuals who opted for surgery told Human Rights Watch that their doctors had not provided them with a complete picture of the risks and alternatives, or had even provided misleading informationin other words, they were never given the opportunity to exercise meaningful informed consent. Nearly every parent Human Rights Watch interviewed said they were presented with medically unnecessary surgery as an urgent need at least once during their pursuit of care for their child.

A 14-year-old intersex girl whose parents opted to do gonadal surgery when she was four months old told Human Rights Watch that while she was not unhappy with the outcome of her surgery, and she understood her parents were only trying to do the best thing for her, she remained upset that her parents were left with no alternative but to act based on limited information and without contact with intersex support groups. Parents should know that if they do this, the kid never has a chance to decide for themselves whether they want it or not, she said.[209]

One father whose 2-year-old daughter has salt-wasting CAH, a condition with chronic life-threatening elements, described a year-long struggle to obtain reliable data about the medical necessity of surgery on his daughter. He said he grew increasingly frustrated with how advice was presented as absolute fact: [I understand] if knowledge is limitedwhat I get upset about is when knowledge is presented as a guarantee or as a certainty when that's not true, he said. I'm perfectly comfortable with limitations; every field has them. But when those limitations are glossed over or just not presented, then we're unable to make decisions for our daughter.[210]

A mother in California said that she and her husband felt rushed into a decision to agree to surgery on their daughter by the three medical teams they consulted with. Once they found the diagnosis of Swyers, they said she had to have a gonadectomythey said it has to happen as soon as possible, the mother recounted. Her husband said: What we didnt have was the help of the community like we do nowwe would have had a broader perspective. We understand they needed to come out, but we didnt need it to happen right away. The parents elected to have surgery when their daughter was four months old. It was the hardest thing of my life, said the mother. Shes just a baby and it was a war zone in thereso stressful. I just wish someone had said: shes OK, shes perfectly healthy, theres nothing wrong with her, surgery can happen later and here are some people who have been through your situation. [211]

Some practitioners explained that surgery decisions should correspond with how the individuals want to use their bodies. For example, one surgeon who called genital surgery an emotionally charged issue, said:

Thomas, a clinician and the father of a 2-year-old girl with CAH questioned a urologists claim that leaving his daughters genitals intact would put her at 75 percent risk for a UTI. Thomas said: Doctors provided us with [information] that's not backed up in the literature. It's stuff that has just always been done in medicine. [213] He continued:

Thomas told Human Rights Watch he and his wife, Tracey, who were open to the idea of doing surgery on their daughter, sought out a specialist physician who could explain the risks, benefits, and medical necessity of the operation, but never received information that corresponded with the medical literature they had read.

As Thomas explained, the urologist asserted there was a 75 percent risk of UTI, but could not say where that number came from:

Thomas was upset. It's not 75 percent because if that's out there somewhere it is well-hidden. I have scoured every database that I could find.

Thomas and Tracey echoed what Human Rights Watch heard from other parentsthat the tone of the consultations suggested the doctors thought they, in rejecting surgery, were being bad parents. Tracey said: The doctor said she would come to us begging for the surgery. Our five-month-old daughterhe could just tell that she would come to him for surgery. [215] Meanwhile, Thomas said: Nobody told us about the effects, the potential effects of the anesthesia on a child under the age of two years let alone a six-month-old, or the possibility of frequent revision surgeries which is really the professional advice we wanted to get. [216]

A doctor recommended surgery [that would require] sedation, and it made us uncomfortable. We asked him: Can you give us a medical reason for the surgery? He couldnt.

A mother of a 10-year-old intersex child, January 9, 2017.

Despite limited data on outcomes and significant evidence of the harms early surgeries can inflict on intersex people for the rest of their lives, some doctors and parents continue to justify conducting the operations. Doctors give different reasons given for the continuation of the practice, notably the frequent belief that normalizing surgery will ease childrens socialization throughout childhood and life as adults. But there is no clinical definition of normal, which leaves considerable discretion to the individual doctors to advise parents. As documented in this chapter, some doctors include social norms in their analysis of medical necessity. Meanwhile, there is little evidence that these surgeries result in genitals that look or feel normal, or that they can produce normal lives for the children affected.

A common goal of medically unnecessary surgeries on intersex children who are too young to consent is to help them conform to gender and sexual norms and expectations, thereby easing psycho-social stresses through childhood and adolescence. [217] Genital surgery is not necessary for (legal or social) gender assignment; while some intersex conditions are associated with health risks (and in some cases these risks are first identified because doctors notice a childs atypical genitals), atypical genitals are not themselves a health issue. [218] There is no evidence that childhood surgery has anything to do with gender identity outcomes, even though it was assumed so for a long time.

There are sometimes health issues among children with intersex conditions that do, indisputably, require surgical intervention, such as the removal of cancerous gonads. All intersex advocacy groupsincluding The Intersex Society of North America, The Accord Alliance, interACT, AIS-DSD, The CARES Foundation, and OIIbelieve that such surgeries should be conducted.

Individuals with certain intersex traits may be exposed to an increased risk of gonadal cancer over time [219] Medical evidence regarding both cancer rates and cancer risks for specific intersex conditions, however, is sparsein part due to the rareness of the conditions, in part due to the common default to infant gonadectomies, and in part due to the conflation of cancer risk assessments with other aspects of DSD care management in some of the most thorough and prominent medical literature. [220] Gonadectomies are recommended for conditions other than those that cause intersex traits. However, evidence suggests that gonadectomy, even when it results in sterilization, can be recommended for very young intersex children on the basis of weaker clinical data than would prompt the same recommendation for non-intersex children, and in situations where irreversible interventions could be safely delayed. [221]

Practitioners Human Rights Watch interviewed expressed a range of views on what medical necessity might mean, and where thresholds should be set. Some said that even though they could draw a clear line between when surgeries were medically necessary and not medically necessary, they wanted to retain flexibility to advise on a case-by-case basis. As discussed in this report, many cited a lack of data regarding outcomes among people who did not undergo surgery as a limitation on their ability to advise parents to opt out of

surgery. However, none cited a similar hesitance to advise surgery based on the lack of outcome data showing any benefits from surgery.

Some studies as well as doctors Human Rights Watch interviewedlink the perceived necessity of genital surgery on intersex children with questions about how the family or society might react to a child who does not undergo normalizing surgery. The 2016 update to the DSD Consensus Statement acknowledges that:

In a 2017 commentary published by the Palm Center, Dr. M. Joycelyn Elders, Dr. David Satcher, and Dr. Richard Carmona, all former US Surgeons General, wrote that they believed there is insufficient evidence that growing up with atypical genitalia leads to psychosocial distress, and while there is little evidence that cosmetic infant genitoplasty is necessary to reduce psychological damage, evidence does show that the surgery itself can cause severe and irreversible physical harm and emotional distress. They said: These surgeries violate an individuals right to personal autonomy over their own future. The three doctors concluded:

For some providers Human Rights Watch interviewed, gender identity outcomes were the primary concernthat is, they wanted surgical success to be judged on whether the adults gender identity corresponded with the surgically-assigned sex. Others asserted that there was a need to establish functional genitals for childrenand included assumptions of a desire for heterosexual penetrative sexual intercourse in their evaluation of proper function. Others argued that it was necessary to include psycho-social outcomesincluding hypotheticalsin the analysis of whether to conduct otherwise medically unnecessary surgeries, thus blurring the lines of medical necessity. One urologist, who advises families on surgeries and conducts surgeries, told Human Rights Watch that despite it being part of his medical practice, he did not feel qualified to weigh in on the difficult questions about when to do surgery: I am not a lawyer I am not a political philosopher and so I don't really feel like I have the ability to comment in an intelligent manner on who gets to make the right call.[224]

Many of the practitioners Human Rights Watch interviewed struggled to cite clear justifications for performing such controversial surgery on a child, or expressed reservations or discomfort. For example, an endocrinologist on a DSD team, describing her reservations with how the

medical community continues to manage intersex cases, said: When were trying to force people into cultural normative, hetero-normative situations, theres a high chance that were going to make some major mistakes and harm people irreparably. [225]

In contrast, a surgeon on another team said:

One argument many practitioners put forward during interviews with Human Rights Watch is that the public debate over intersex surgeries was too often lopsided to favor the voices of those who were unhappy with their surgeries. For example, a surgeon said:

Over the years, patient advocates, journalists, human rights bodies, and scholars have sought (with almost no success) to document the experiences of intersex people who were happy with their early cosmetic surgeries and felt these practices should continue. [228]

Two intersex people Human Rights Watch interviewed expressed that they were happy with the outcomes of their early genital surgeries. One of those, a man who had undergone surgery for hypospadias, said he felt that his surgery was done technically well and at the right time (in infancy) for him. However, he said, I feel like I dodged a bullet. He strongly opposed exposing children with hypospadias to the risks of surgery. [229] The other, a 20-year-old woman with CAH, said she was glad her parents made her look like all the other girls her age when she was growing up, and she had never thought about sensation issues because she felt awkward discussing her genitalia with her peers. She strongly supported parents conducting similar operations on other girls with CAH, and said that people with CAH, their parents, and their healthcare providers, should accept a 20 percent risk of negative physical outcomes from the operation. [230]

Some providers Human Rights Watch interviewed said they believed psycho-social outcomes needed to be considered in the surgery decision-making processreflecting the hypothesis that body differences associated with DSDs may harm well-being mentioned in the 2016 Consensus Statement update. [231]

This narrative construing early cosmetic surgery on genitals as a preventative measure to avoid presumed psychosocial issues rests on a superficial analysis of cultural and social pressures rather than data. When put forward by surgeons, as opposed to mental health professionals, it is advanced by individuals who are not necessarily informed about sexuality, stigma, childhood peer relations, and bullying, and whose professional training does not necessarily enable them to account for these factors. When presented to a parent trying to make a confusing decision about genital surgery, such perspectives can deliver messages of shame and stigma.

The weakness of the underlying assumptions is reflected in researchers continuing to call for data collection regarding the impact of the intact intersex body on families and society. For example, an article co-authored by 30 DSD healthcare providers reflecting on genital surgeries published in the *Journal of Pediatric Urology* in 2015 stated:

Human Rights Watch asked providers to describe the information they share during consultations, as well as their methods of analysis and communications with parents of intersex children.

How do we know that not doing surgery doesnt cause harm? one practitioner asked. She argued that certain outcomessuch as being able to stand while urinating could be important enough to justify the risks and loss of autonomy caused by surgery. She articulated:

Other practitioners linked the decision to do surgery on an intersex child or not with assumptions about gender identity and mental health outcomes such as suicide attempts. For example, one doctor explained: The best data that's out there right now would suggest that gender dysphoria is present in roughly 3 percent of adults who have undergone DSD surgery. He said: That by definition means that 97 percent of peoplethey may not be perfect but they are at least doing OK.[234] Reported rates of gender assignment rejection among intersex people in the medical literature, however, surpass this quoted figure of three percentfor almost every intersex condition for which there are data.[235]

This practitioner, a urologist who performs genital surgeries on intersex children, equated choosing not to do surgery on intersex children with setting them up for extremely negative psychological outcomes. He relied on an assumption that a child with intact atypical genitalia would experience similar stigma and negative mental health outcomes as a transgender child. He then cited data about transgender suicide attempt rates to make his argument. He said that if he were to abstain from surgery for sex assignment, it would result in 97 percent of [his patients having] gender dysphoria. He explained how this puts him in a difficult position:

He said the decision-making process should be based on information about psychological outcomes for both child and parent: What is utterly lacking here is the psychological cost on both the parent and the patient of growing up ambiguous. And I guarantee you that there are some areas [in the US] where [the child is] going to have a hellaciously bad childhood if [the parents] even think about it.[237]

Another urologist argued that cosmetic surgeries on external genitalia can play a socially protective role. He explained:

He, like the other urologist, referenced transgender suicide data as a parallel:

This doctor called these types of decisions a gray area and acknowledged that there were societal pressures at play. But, he cautioned:

There are two fundamental elements that these arguments omit. First, while the fear of bullying and harassment of their children is a legitimate and palpable experience for parents of intersex children, the proposed surgical operations have never been demonstrated to prevent bullying or other ill-treatment. The 2016 update to the Consensus Statement acknowledges that It has been hypothesized that body differences associated with DSDs may harm well-being, but provided no evidence. [241] A 2017 paper published in the *Journal of Pediatric Urology* documented in follow-up with seven girls with CAH up to age eight who did not have surgery that girls and their parents have not expressed significant concerns regarding genital ambiguity. The authors conclude: With these encouraging data at hand, we propose to formally address levels of anxiety, adaptation and quality of life during childhood, with an ultimate goal to assess long- term satisfaction and effects on sexuality through deferring genital surgery. [242]

Second, regardless of these fears, children should have the right to negotiate these complex social dynamics for themselves as they grow, and decide when and whether to have surgery, instead of having these decisions forced upon them by others.

A father who opted out of surgery for his daughter with CAH said: The world can be a hard place for people who are different and I am not naive to the fact that this could create some social difficulties for my daughter. However, I don't think the solution is to subject her to anesthesia and perform a surgery without her consent that's irreversible. [243]

A mother of two intersex children argued that, Parents are very suggestableand when we feel like we have a situation we dont know how to navigate, were going to do what the doctor says. She explained that part of the complexity rests in that, We arent inclined to think about our kids as humans who are going to be adults one day. We are consumed with protecting our child. As a result, she said, if a doctor says your child is going to have a really hard time growing up with genitals that look different and I can do this surgery that will make everything fine and they wont remember it, youre going to say OK.[244]

On the other hand, one mother, whose 13-year-old son did not have surgery, said the child had never experienced any adverse treatmenteven in situations when he had to disclose, such as when he wanted to opt out of physical education classes. [245] Another parent said a friend of her intersex son (who also did not have surgery) once asked her why her son looked different down there than other children. I just said thats the way he was born, and his friend shrugged and went back to playing in the pool with him, she said. [246]

Over the last 15 years, US lawmakers and school administrators have increasingly recognized that sexual and gender minority youth are a vulnerable population in school settings, and many have implemented policies designed to ensure all students feel safe and welcome at school. Currently 19 states and the District of Columbia had enacted laws prohibiting bullying on the basis of gender identity statewide. [247] While this is suboptimal coverage, it correctly identifies the government and school administrators as those who bear the responsibility to enact and uphold such protection. The Americans with Disabilities Act and other laws provide further protection from bullying in schools to intersex children in all 50 states.

Surgery to change atypical genitalia, by definition, changes the body to fit socially constructed norms of appearance. [248] Advice from doctors based on avoidance of bullying amounts to recommending a surgical solution for a social problem. [249] Some intersex people Human Rights Watch interviewed said a discussion of normalityincluding future sexual behavior that was expected of themwas part of the surgery and post-operative treatment they received. An intersex woman in her 60s in New York described how her doctors discussing how to be normal with her put her in full buy-in mode. She described it as thinking: If I can have sex with men Im normal, if I can get married Im normal, if I can have kids Im normal. [250]

An intersex woman in California who confronted her doctors when she was 40 in 2000 about genital surgery they had conducted when she was 15 said the doctors initial response was: But youre fine. You look like a normal female. She said: They refused to listen to whether I had any sexual function or pleasurethey werent interested. They shrugged, said they didnt see the point of discussing it because I looked normal. [251]

Some practitioners told Human Rights Watch they draw on parallels to and principles from transgender care to inform how they counsel parents of intersex children.

A urologist whose clinic sees both transgender and intersex patients, said: My clinic does not see a roleand I agree with thisfor us performing surgery on transgender child patients. He explained that he would not even take a referral from a young transgender person for surgery until they had a note from a psychiatrist who'd been with them for a while and lived two years as their target gender with appropriate hormonal therapy from an endocrinologist.[252]

An endocrinologist told Human Rights Watch:

She explained: No one can predict how you're going to identify when you grow upand when the literature says it is unpredictable or even more likely you have to emphasize that a lot.[253]

Asked whether it would make clinical sense to apply the principles of the transgender youth standards of care to intersex children, this endocrinologist said: Yes, and surgeons will give you all kinds of reasons why its impossible but you know I think none of them are based on actual evidence. [254]

Care Principles for Transgender Children

The World Professional Association for Transgender Health (WPATH) establishes Standards of Care (SoC) for transgender people, and the document includes a special section on children and youth. In the SoC, WPATH recommends stages of appropriate interventions for youth, namely: First, fully reversible interventions; second, partially reversible interventions; and third, irreversible interventions. The stages are spread over a long period of time, and the intention of the policy is to avoid making irreversible mistakeseven though that may present temporary difficulties for some children and parents.

Examples of these interventions as WPATH recommends them are as follows:

Fully reversible: puberty suppressing hormones, for which adolescents may be eligible as soon as pubertal changes have begun. WPATH notes: Two goals justify intervention with puberty suppressing hormones: (i)their use gives adolescents more time to explore their gender nonconformity and other developmental issues; and (ii)their use may facilitate transition by preventing the development of sex characteristics that are difficult or impossible to reverse if adolescents continue on to pursue sex reassignment. Puberty suppression may continue for a few years, at which time a decision is made to either discontinue all hormone therapy or transition to a feminizing/masculinizing hormone regimen; it does not inevitably lead to social transition or to sex reassignment.

Partially reversible: Adolescents may be eligible to begin feminizing/masculinizing hormone therapy, preferably with parental consent. In many countries, 16-year-olds are legal adults for medical decision-making and do not require parental consent. Ideally, treatment decisions should be made among the adolescent, the family, and the treatment team.

Irreversible: Genital surgery should not be carried out until (i)patients reach the legal age of majority in a given country, and (ii)patients have lived continuously for at least 12 months in the gender role that is congruent with their gender identity. The age threshold should be seen as a minimum criterion and not an indication in and of itself for active intervention.[255]

However, the WPATH Standards of Care for transgender youth make an exception for intersex children, noting that, Clinicians assisting [DSD] patients with treatment options to alleviate gender dysphoria may profit from the insights gained from providing care to patients without a DSD. However, certain criteria for treatment (e.g., age, duration of experience with living in the desired gender role) are usually not routinely applied to people with a DSD. WPATH offers a problematic justification for the distinction: One reason for these treatment

differences is that genital surgery in individuals with a DSD is quite common in infancy and adolescence. [256]

As discussed in this report, even after two decades of controversy and debate, there remains no research showing that early, medically unnecessary genital surgery is helpful to the intersex child. Nor is there data to predict gender identity outcomes with confidence in many intersex conditionsmeaning that doctors are sometimes conducting sex assignment surgeries that the children will later reject. [257] As documented in this report, this can mean doctors give parents information about gender identity, surgical risks, and the reversibility of certain procedures that have no basis in medical literature.

Practitioners Human Rights Watch interviewed were aware of the particularly egregious cases that became bellwethers of the early intersex rights movement, and the larger controversies related to medically unnecessary procedures. For example, an endocrinologist on a DSD team told Human Rights Watch: One of the surgeries that I think makes people very angry is the clitoroplasty, because its just an enlarged clitoris and theres no function that youre serving by making it smalleryoure just treating the eye of the beholder. She said: Some of the patients who had clitoroplasties in the 80s have almost no clitoris. Its almost like a female circumcision where theyve taken the clitoris outIve seen some of those.[258]

However, while most of the practitioners Human Rights Watch interviewed acknowledge such procedures and their outcomes in the past have been horrific, many believe that surgical techniques have improved substantially, and continue to believe that the physician and parent has the right to enact similar procedures on children today.

For example, some surgeons Human Rights Watch interviewed focused intenselyif not exclusivelyon cosmetic outcomes of their intervention, even while acknowledging that cosmetic outcomes are frequently unsatisfactory. Explained a surgeon: Cosmetically it is a real challenge to do a good surgery on those kids and have something that parents and kid are going to be happy with 30 years from now ... none of them are easy.[259]

One practitioner explained that while she thinks there's probably rare if any situations where surgery is absolutely necessary, decisions about surgery are complex enough that there needs to be some flexibility. She explained: I think that the better approach than having a ban [on medically unnecessary surgeries] would be to have clear guidelines, clear practice standards. I would favor general principles of care and make it very clear that the emerging data is in favor of not intervening. [260]

Some practitioners explanations of why recommendations against surgery were problematic revealed limited understandings of gender. For example, an endocrinologist assumed that any intersex child who did not undergo surgery would need to be raised as gender-neutral. She explained:

This statement reveals a lack of understanding of what it means to delay genital surgery. Intersex children can be raisedand are being raisedas boys or girls without irreversible surgery. [262] Both doctors and intersex advocacy groups who oppose early surgery propose assigning a gender at birth (with the understanding that this may change) and postponing irreversible interventions until the child is old enough to participate in the decision. [263] None of the parents interviewed for this report who had chosen to delay surgery reported raising a genderneutral child.

Discussions surrounding the irreversibility of procedures also produce disagreements among practitioners. For example, one urologist told Human Rights Watch that in his discussions of surgical reversibility with patients, he explained that clitoroplasties were not irreversible with regards to being able to transition to male later in life. He said:

This surgeons analysis, however, is flawed. His narrow focus on gender identity does not address the fact that a clitoroplasty can cause irreversible nerve damage and scarring, as well as psychological damage. Furthermore, contrary to this surgeons claim, clitoroplasties and other feminizing surgeries are widely recognized in the medical literature to be irreversible. [265]

To suggest that they are reversible is misleading for multiple reasons. Because nerves and tissue that have been cut away by these procedures cannot be put back, reversing the procedure through later surgery is not possible. Additionally, for clitoroplasty patients who do grow up to reject their sex assignment, available techniques for phalloplasty (as chosen by some transgender men) can have significant complications and cannot fully replace what is removed in a feminizing surgeryand these techniques may not work as well on a person who had clitoroplasty as a child as they will on a transsexual man who never had such surgery.

Parents who contacted Human Rights Watch as part of the CARES Foundation campaign explained their decision to conduct clitoral surgeries on their daughters.

For example, a mother with CAH who has two children with CAH said she opted for genital surgeryincluding operations to reduce the size of the clitorison both of her daughters. She emphasized that the surgery was not for vanity, but rather just about making sure we keep these children healthy mentally and physically and making their life easier. She said she feared her daughters enlarged clitorises could interfere with urination and cause UTIs, interfere with sexual function later in life, or be the trigger for bullying. In her own experience, her parents had not elected to conduct genital surgery on her. She said she was unaware whether her genitals appeared to be atypical because she had never seen another womans genitals. However, she felt humiliated and faced teasing because of body hair and enlarged handstwo traits unrelated to her genitalia. [266]

With regards to the operations on her daughters being reversible or not, this mother said her only consideration about irreversible operations was whether her child grew up to identify as male. She explained: My only fear when deciding [about surgery] for my children was: what if my child grows up to be transgender? But I knew the statistics were in favor of that. And I have two very girly girls. She said the urologist who performed the surgeries told her an enlarged clitoris could cause problems during potty training, and conducted both operations when the girls were 18 and 26 months old, respectively. Asked if the doctors discussed how gender identity developed, she told Human Rights Watch: Theres no way shes going to be transgender. They spoke statisticsThere's no proof that there is a higher transgender population amongst our community than there is amongst the general population. She said: Anyway, there is no penis on a little girl.[267]

A mother who elected genital surgery on her daughter with CAH in 2011 in New York told Human Rights Watch the urologist explained to her that there were controversies surrounding the operation, but that all surgeries carried risks. She had a large clitoris that was reduced, but I dont know what else was done, she said, explaining she and her husband consented to a set of surgeries she could not recall. For me and my husband there was no question. It was a birth defect, and we would fix it. I would have a mole removed as well, she said. She said the

surgeon told her there were risks in not doing surgery, including UTIs, and that the potential complications the surgeons discussed focused on fertility and whether her menstruation would flow normally, but there was no mention of other possible issues. If my daughter had a huge goiter on her face, I would have it surgically removed, the mother said. She definitely never had a penis. She couldnt pee through it. I guess if she wanted to identify as male later, Id be supportive, and they could do a skin graft to give her one. [268]

These parents seem to have made their decisions based on inaccurate information. There is no reliable evidence that genital surgery will reduce rates of UTIs in children with CAHin fact, surgery may increase UTI risk. [269] According to the most recent data in the US, the rate of children between 13 and 17 who identify as transgender is one in 137. [270] Studies have shown that among children with CAH, gender dysphoria occurs in one out of every 10-20 children raised as girls. [271] For female-assigned children with CAH who undergo clitoral reductions and later identify as male, surgery to construct a phallus, should it be desired, becomes significantly more complicated than if the clitoris had remained intact. [272] And as documented in this report and other literature, surgically assigning a sex carries with it significant ramifications that extend beyond an individuals satisfaction with how their genitals match their gender identity.

Another point of disagreement among practitioners Human Rights Watch interviewed was that of hypospadias surgery. Hypospadias can cause the urethral opening to be somewhere other than the tip of the penis, such as further down on the glans, shaft, or close to the scrotum. Surgery to treat hypospadias attempts to move the urethral opening to the tip of the penis, and it is often justified for social or cosmetic reasonsfor example, so a boy can urinate standing up. One practitioner Human Rights Watch interviewed said of hypospadias surgery: Since its so commonits better to do it.[273] Another noted that there are very high complication rates.[274] Another practitioner said: Is that an urgent surgery? Perhaps not. But it's a relatively benign procedure.[275] In fact, a hypospadias surgery sometimes requires several additional surgeries throughout childhood and adulthood, to continually manage the scar tissue and other effects created by the initial surgery.[276]

Parents come in stressedtheyre not letting grandparents change diapers because they dont want them to know. Its a flaw not only in how we approach parents, but its a flaw in our culture.

A gynecologist, March 7, 2017.

Its sort of shocking and surprising to have the child look different than what they expect. It's just the initial instinctjust, like, fix it.

A urologist, February 6, 2017.

Practitioners Human Rights Watch interviewed recounted the deep concerns parents of intersex children express upon discovery of intersex traits at birth, or referral to their clinic. Some practitioners cited broad parental concerns about how the child would grow upranging from gender identity outcomes to fears of homosexuality. For example, a gynecologist explained: We have families who are very concerned that their child is gender non-conforming or has homosexual traction because its not OK in their community. [277] But, she said, the majority of parental concerns are more immediate and practical: We have families who are terrified of having their daughters diaper changed at church or by a babysitter. [278]

An endocrinologist who works with a DSD team told Human Rights Watch parents fears about their childrens genitalia often drive the decision to select surgery. The phrase middle school locker room gets tossed around quite a bit, he said.[279] As noted in this report, parents who found their way to peer support groups often found their fears greatly relieved when they talked to more experienced parents, and learned useful strategies for dealing with the situations they dreaded.

Another endocrinologist on a different DSD team said the most common fears she hears from parents with children who have atypical external genitalia relate to diaper changes, bathing suits, and, for boys, being able to stand to pee. A lot of people just will not let anybody else change their child's diaper or put their child in daycare or preschool until they've had surgery, she said.[280] This endocrinologist said such families tend to focus on the intersex traits thinking this is a medical problem, we just need to fix a medical problem, an observation we heard from other practitioners as well. She explained: I think that they're very reluctant to acknowledge things beyond the medical side of it. Our endocrinologists and psychologistswere not reluctant to bring those [non-medical] things up with families. However, I really do think most parents of infants still see surgery as a quick fix option no matter what we say. She said her experience with intersex teenagers draws a sharp contrast to her cases of intersex infants:

Many practitioners said that they empathize with parents distress, and some found ways to help them understand that surgery was not a guaranteed solution. We certainly have parents that really really really really just want it, said another endocrinologist, talking about cosmetic surgeries. She described her teams methodology for engaging parents on the issue: You have to start really slowly and help parents imagine what it would be like to go through without having surgery and then talk about the disadvantages of surgeryand they have to make their own decision, she said. [282] First, parents have to understand risk-benefita lot of times people don't understand that kind of thing. What's the risk of surgery? It's pretty high. So you're going to end up probably doing a surgery like that which is optional orthat's not the right wordbut you know, it's not medically necessary. She said she tries to emphasize to parents: And if all the [body parts] work, you know, the kids not going to be necessarily showing their parts to anybody else. [283]

One urologist Human Rights Watch interviewed offered an example of a case in which he convinced parents to not opt for genital surgery. The patient was an 8-year-old with CAH whose genitals were, according to the doctor, amazingly virilized. According to the doctor, in talking with this kid, they very clearly did not fall into one gender role or another. So my very strong recommendation to them actually was we should really think about putting in a hormone blocker in her and just [give] her some time. The doctor explained to Human Rights Watch:

The doctor reported that, after following the advice, kid and parents are both very happy with that decision. [285]

Other practitioners spoke of cases when they felt they needed to reject parents demands for surgery. One endocrinologist explained that while such instances were rare, Sometimes we have to say: I'm sorry. We're not going to do that here. You can go to another surgeon if you would like to do that but we don't think that it's the right thing for your child at this time. [286]

The Desire for a Normal Life

A gynecologist who works on a DSD team recounted a case to Human Rights Watch in which an infant came to her clinic in 2015. The child had XX chromosomes and atypical genitalia; genetic tests had revealed the child carried an SRY gene, which is typically associated with

male sex determination.

The mom really wanted to know is this a boy or is this a girl?, the doctor recounted. There was a real emphasis that she had been told this is a boy because of the SRY gene and because there was some testosterone production. During the first visit, the mother asked to meet a surgeon. But they told me it was a boy, she said to us. And our whole team was just not prepared to deal with this. And then she asked, When are you doing my surgery? When am I gonna meet the surgeon? The doctors told her she would need to wait, per the teams policy, until the child was six months old, for surgery. They referred her to a support group for parents, and she persisted to find a urologist who was willing to do the surgery immediatelyoperating on hypospadias and removing the childs gonads.

The gynecologist told Human Rights Watch:

The gynecologist explained: As a physician, I felt like this family was making really informed decisions. This was not a family like in the old days where the doctor would say this is what we need to do and then they would do it. She said: They had seen and heard the alternate arguments against surgery, and had taken everything into consideration and made this decision with a lot of angst. [287]

An endocrinologist told Human Rights Watch: I understand the impulse for a parent to create something that looks normalor at least normal according to a surgeonat birth before the kid knows anything about it. I follow the logic pattern, but you have to run it against risks. [288] He said: Its important to be clear that a certain percentage of the time, something does go wrong and you have to do a re-op, and theres a loss of sensitivity. So then the do no harm becomes: dont do anything. What problem were you solving with surgery anyway? [289]

Other practitioners gauged their own ability to interact with parents based on the parents socio-economic and cultural backgrounds. Explained one urologist:

It is difficult to reconcile such views with human rights law and principles of medical ethics suggesting that the socio-economic, education, or religious background of parents should not be a deciding factor in whether a surgeon listens to them or counsels them one way or anotheror whether a child is cut or not.

Another urologist said that in her experience, parents advocating strongly for surgery was rare. I would say the majority of the time people aren't really pushing, she said. [291] Some parents, she explained, do not understand the function of surgeryso providing detailed information about all aspects of the condition is crucial. [Some parents] think that making the anatomy look more typical would improve fertility, she said. [292] A mental health provider on a DSD team told Human Rights Watch: Particularly in the last decade of this work, I feel like families in recent years say: OK, we get this, we understand how this could happen, we just want our baby to be happy productive human being, were comfortable with a wait and see ... most of the families that we deal with deal very well with the info. [293]

Practitioners told Human Rights Watch they observed a general trend of parents being better informed about intersex issues, and their childs possible options for healthcare. Still, when it came to providing parents with information, some expressed trepidation about parents being overwhelmed by too much information, or persuaded by various arguments they read on the internet. One urologist told Human Rights Watch: Sometimes parents will come in and say, I read that you guys were genital mutilators.[294]

An endocrinologist said: I definitely think there's a higher level of knowledge in most parents than before. I think we have a lot more parents reading about what all this means and really coming to us with the stickier questions. But, she noted, there remains a gap: It's kind of hard for people who have no idea about gender and gender identityif they've never even heard those conceptsto get to that point it takes several sessions of sitting down and talking with family.[295]

One urologist told Human Rights Watch about a case in which, in his view, fully-informed parents persisted with their demand for surgery on their child:

Its a really well-educated family and very much gets the issues involved and very strongly wanted to go ahead with a clitoroplasty, vaginoplasty, labioplasty. And so after three or four times meeting with them and going through everything with them and doing exhaustive consultations it was clear and apparent that they had a well-thought out rationale. They were acting in what they felt were the best interests of their child. And again, those are surgeries that are reasonable options per current standards of care. So we did the vaginoplasty ... and she did great, and I explained to them that there is a at least a 25 percent chance she will have a long-term complication when she hits puberty. They are aware of that. They understand that, they are looking out for that. [296]

A mental health provider emphasized how DSD teams should consider the immediate challenges parents face, by [helping] them to develop strategies on how they can communicate with other people in their inner circle, and how they can speak to extended family about their child. He warned: Unless we do, that pressure to fix what is observable is very powerful. [297] He explained that he counsels families through their fears, attempting to parse out that which is realistic from that which is not. But there will be families for whom their realitynot only in their head but in their communities such that unless something is done they will not be able to parent this child, he said. The practitioner cited the middle school locker room fear as an example, saying he asks parents whether they actually showered naked in front of their peers or know that it is mandatory in their local schools. There was a time [when that was common] perhaps but it is much less so now. And certainly children can avoid having to do that for so many reasons that do not draw attention to themselves, he said. [298] Indeed this is a commonly-cited fear [299] though not necessarily one based in reality [300]

Practitioners Human Rights Watch interviewed believed they played a crucial role in providing information and counseling to parents who were deciding whether to pursue surgery on their children or not. As one urologist put it: There's no such thing as a value-free consultation. It can't be done. And there's no question that at the end of the day we [doctors] are not the ones that make the surgery decision. But I would also argue that we're critical to it.[301]

Practitioners expressed mixed views regarding how to balance a childs rights to make decisions about their own body with parents rights to make decisions for their children. You have to be careful with the parents wishes or it may not be in the child's best interests, an endocrinologist on a DSD team told Human Rights Watch. He said:

We have parents that really strongly advocate one approach, and they're well-meaning most often but they're coming at it from a goal that they have and the key is it should be focused on the childand it is going to be many years before [the child is] able to put their two cents in there.[302]

This endocrinologist told Human Rights Watch he thinks there's general agreement that if it is possible to defer things until the child can participate in that decisionthat is the best and desired goal, and reiterated, when we can defer it to that point in time, that's what should be done. I think that could be easily put into a statement of policy that would be supported and it wouldn't really be very controversial. [303]

Others, however, disagreed.

A practitioner on a DSD team said: My feeling is that these are decisions that need to be made by the families with all the information that they can have, including the information about people possibly having nerve damage and possibly having future anger.[304] Another practitioner said: Different parents and different patients are coming at this from a variety of different cultural and belief angles, so I don't think you can make a one size fits all policy that will cover everyone.[305] He said doctors are responsible for informing parents, but parents retain the right to choose surgery based on their beliefs: The onus becomes on the provider to make sure that we really lay out all the options and make it abundantly clear that we're not rushing into anything and that you take the time that you need to make the right choice for your kid.[306]

Some practitioners Human Rights Watch interviewed about their informed consent practices focused on the procedural elements of how they counsel parents.

For example, a urologist at a DSD clinic explained that he tries to meet families on their own terms and that he treats families for whom, he said, clearly not doing surgery is not an option for [them].[307] In such cases he proceeds to discuss what the surgery entails so that you know what you're getting into and what you're getting your child into. And once you have that knowledge other than just fix my baby and realize that this is going to be a lifelong issue.[308]

A mental health provider, referring to parents frequent desire to have seamless lifelong positive outcomes, said: The surgeons I work with make no promises and they point out that there are risks.[309] A urologist on a different DSD team said they try to steer the parents narrative away from Hey, can you fix this? She said: I don't think that for anything elective it makes any sense to make an immediate decision. We try to explain that there is no urgency. So the first step is just letting that sink in with the family because I don't think it occurs to most of them that not having surgery is even an option. Her clinic presents surgery as an option by giving examples: We say: Here are some of the reasons people choose surgery. Here are some of the reasons people choose not to. However, she observes: I don't think there's any way that we can be totally non-biased because we're medical people and we talk in a certain way.[310]

A mental health practitioner on a DSD team in New England explained her intervention in a case where she assessed that a child who had CAH could not assent to surgery, but rather only understand that her parents wanted it for her. She said: I told the surgeon that the kid could not possibly understand what was going on. The father was particularly concerned about his daughter being vulnerable to sexual assault because of an intellectual disability, and that assault risk being magnified by her atypical genitalia. The DSD team eventually convinced the parents to postpone surgery and work on self-defense and assault-prevention skills. But, the mental health provider said: The team was just going to go along with it unless I intervened.[311]

The same mental health provider also assessed a 20-year-old woman with CAH. She wanted to have penetrative sex, and I talked to her extensively and I feel comfortable that she can move forward and consent.[312] The problem, she explained to Human Rights Watch, is that some providers believe they are providing sufficientand sufficiently clearinformation, while parents fail to comprehend what is happening. She said:

Ive seen surgeons present to families in a way they couldnt possibly understand, and then not present doing nothing as a viable option...and then think that they went through a full informed consent process. And clearly, they had not. They presented it basically as: You can medically neglect your child, or you can do surgery and used words that I didnt even understand, then gave them a form to sign and they want to do it because he has a white coat on and theyre scared.[313]

One gynecologist who works on a DSD team told Human Rights Watch about how her team manages cases of patients with CAH: Previously the dogma with CAH was a feminizing genitoplasty to minimize the clitoris, she said. Now for families, it dependswe go through the entire range of issues and try to get the parents to not focus on the clitoris. The doctor explained:

But the discussion of human rights issues during the decision-making process is not standardized across clinics and practitioners. An endocrinologist on another DSD team said: In general, we could do a better job. The kids autonomy does not come up as much as it should. She explained:

Of the practitioners Human Rights Watch interviewed, there was considerable disagreement about whether it is doctors or parents who drive the decision about surgery.

An endocrinologist who treats intersex adults said:

He said that it was important not to use surgical operations to address social issuesand that doctors could use their influence over parents to encourage them to think differently. The pediatricians are in a position of power. And if its an issue of parents being scared, that is the problem that has to get solved, he said. Its not really a matter of if you do surgerythat doesnt make any sense, thats not solving anything, he said. There are no data that its solving anything, and theres ample evidence that people who underwent the surgery overwhelmingly think that it shouldnt be done. The doctor insisted: If the issue is that parents want their kids to conform, they have to take a step back and relax. And whos supposed to say that to them? The pediatricians. Who else is going to have the credibility to do it?[317]

Others disagreed. For example, one gynecologist argued:

I understand the human rights principle of a child choosing I also understand that parents choose a lot of things for children to help raise them in the best way that they can. And this woman who had the baby with very ambiguous genitalia who told me I want him to have as normal a life as possible in high school, you know, I want him to hang out with his friends and have a penis and all this I get that. And I think until we have more evidence, we cant tell people they cant do that. [318]

This approach fails to draw a distinction between the kinds of decisions parents routinely make for their children, and decisions about a controversial surgery that has irreversible lifelong consequences.[319]

International consensus statements since 2006 have recommended putting parents of intersex children in touch with peer support groups. [320] The World Health Organization recognizes that treatment involves more than routine medical diagnosis, hospitalized care, or even the prescription of drugs, it also involves support from family members, peers and fellow patients. [321] However, despite the wide availability of support groups for nearly every condition, it can be difficult for people with certain stigmatized conditions to learn about and reach out to these groupsincluding people with conditions that cause intersex traits. Typically, parents access to support groups depends largely on individual practitioners networks and opinions.

I know there are so many other girls out there with my DSD and I feel likeits not their fault, its the doctors, a 14-year-old intersex girl told Human Rights Watch. Theyre supposedly experts in this field, they should know the resources and the support groups.[322]

Providers Human Rights Watch interviewed reported that they referred parents to support services albeit in a range of formats. Some referred to established support groups such as the CARES Foundation[323], AIS-DSD Support Group[324], or the Accord Alliance.[325] Others preferred to refer new parents to other parents within their own clinics network; some clinics have parent volunteers participate in the consultation process on all intersex cases automatically. Some providers told Human Rights Watch they could not recall any of the names of the support groups they refer to, but that they routinely refer parents to websites such as www.sickkids.ca, a website run by the hospital at the University of Toronto, or www.dsdfamilies.org.[326]

A practitioner on a DSD team told Human Rights Watch: Sometimes it's helpful to have parents be able to identify with other parents of similar children because there's a component of a shared journeythat they have the same types of questions.[327] A mental health provider on a DSD team explained that he discusses peer support in very general terms with parents. He explained: I really try wherever I can to draw similarities between this condition and other conditions with the hope that the parents are picking up that they are not alone.[328]

Peer support can have emotional and practical dividends for parents and children. A mother who described herself as a very conservative Christian told Human Rights Watch that, One gift is that because of this child, Ive had to become more accepting. She said she was raised to understand the world as black and white and now Im not willing to accept that as true anymore. She said it has been the transgender community in her city and other parents of intersex children who have helped her, guiding me to the right counselors, the right doctors, the right medicine, and all I can say is thank you. She said: Jesus was here to love people. And a surgeon should not play God with a baby. [329] Said a father of an intersex infant: For us, its really only our faith that makes us OK with everything that is happening. Because we know that God created [our daughter] and we know that he has a purpose for her and that he knew this was going to happen.[330]

However, despite such reported rates of referral from doctors, many parents told Human Rights Watch that some of the doctors they visited did not help them find support resources. Parents recounted a range of experiences with regard to how they found support groups relevant to their child. While some were referred to resources as part of the care and advice they received for their childs condition, others were told bluntly that no such resources existed.

The parents of a 1-year-old intersex girl in New England said they asked repeatedly over the course of several months for connections to counseling and community groups: As we were processing this news, we asked are there other people who have kids like this, or adults like this? Can we talk to somebody, the mother said. The doctors said yeah yeah, and week by week we asked for resources but they only sent us medical journals, and the social worker finally pointed us to the sickkids website. [331]

The parents of a teenager with an intersex condition on the west coast told Human Rights Watch that while their daughters diagnosis was delivered within weeks of her birth, and they decidedon the advice of three separate medical teamsto go forward with gonadal surgery at 4 months, they were never referred to support groups or other parents of a child with the same traits. It took them nearly a decade to identify a support network for themselves and their daughter. This is a very urban, liberal placeyou wouldnt think it would have taken 9 years for us to get hooked up with a support group, but it did, the mother said. And the only way we got hooked up was because a woman with the same condition had an article about her in the newspaper and I occasionally Googled our daughters diagnosis. [332]

A mother on the east coast said that when she asked the mental health provider on her daughters DSD team for parental support resources, the provider responded: I dont know why you would want anything like that. This isnt cancerthis isnt something youre going to have to deal with forever. A year later the mother found a support group on the internet. I knew that this was a situation where people would have found each other. This may not be very common, but there are certainly others out there. [333] Others felt marginalized by their choice to not elect for surgery on their children. I realize that we are in the minority of parents who decided not to do the surgery, said one father, but instead of the doctors just saying: OK well good luck, it would have been nice to know like there are other families out there. [334]

Regardless of how parents made their way to support services, those Human Rights Watch interviewed universally cited the experience as life-affirming and helpful for both them and their children.

Its amazing to know youre not alone, said one mother. Its amazing to be in a room full of people ... to be able to hear and learn so much from other peoples experiences.[335] Another mother explained:

And for others, peer support from other parents made a practical difference in how they advocated for their children during ongoing medical carea crucial tool in helping prevent trauma and feelings of shame in their children. One mother said: It was because of the support group that I knew I could limit the people in the room for genital exams. I knew how to advocate and ask the purpose of each person and limit it.[337] A mother of a 6-year-old in California said: I asked the parents group whether I should tell her daycare providers about her condition, and they advised only if they need to know. She said: She looks pretty typically female to a non-medical eye so I didnt tell them.[338] Another parent said she found reassurance that there was a network of adults who could offer practical advice: Im a little more worried about biology class in junior highespecially when they do the class activity of skin scraping for chromosomes. But the parents group has advice on how to talk to teachers about it.[339]

A 40-year-old intersex woman in California who works as a mental health provider said: Most parents fear that their child will not be loved. That future partners wont come along if they dont do something now to make them look a certain way. She explained: Parents need to know that thats not truethese people will be loved. She said she believed her parents tried to help her when she was a child, but they were operating out of fear and shame. I felt like I was being treated like I was on fire, and they were going to throw water on me because I was on fire, she said. But all that time, they didnt realize I was drowning.[340]

A 36-year-old intersex adult in Texas who discovered her condition when she was 17, said: The one thing I am grateful for is the support

group. I looked them up because on one doctor visit I remember hearing the word androgensand I went home and looked it up online. Of her first experience at an annual national gathering of intersex people, she said:

Another intersex adult described a similar bond among participants despite the group including people with a range of traits and diagnoses: We have this connectivity because we were made to feel ashamed and alone.[342] For others, the catharsis moved them away from focusing solely on the medicalized condition. It took going to two support group conferences for me to realize its not about what your condition is. Everyone is born with weird conditions that they may never know about, or genetic abnormalities, an intersex woman in New York said.[343]

Intersex adults said accessing support networks was a crucial part of their gaining confidence, combatting shame and stigma, and accessing information. Asked what the cohesive element of the group was, an intersex adult told Human Rights Watch: It was shared feelings of isolation, of feeling like youre the only one, and realizing that doctors have been lying to you and youre not the only one![344]

A mother of an intersex teenager said that the fact that it took her several years after her daughters diagnosis to receive a referral from a practitioner to a support group indicated to her that, Theres a perpetuation of the shame through discouraging a mom like me from getting together with other moms and talking about thisit sends the message that I should be more ashamed of this than I am.[345]

Parents told Human Rights Watch that while there are the struggles in raising children with atypical and complicated bodies, peer support and accurate information helped them.

I feel like my mind has been stretched by this, said the mother of a 6-year-old. Its great to look at the world this way. I had no clue this existedI knew girls were XX and boys were XY and thats what happened for everyone. And now I know thats not true. She said: You have to look at it as the blessing that it istheres not a set path, and I think just realizing that really opens you up to what mattersthat your kid is happy and healthy. Enjoy them. [346]

Human rights standards regarding the rights of intersex people have evolved rapidly in recent years, with UN human rights authorities for the first time taking up the issue in country and thematic reviews.

In 2013, the World Health Organization (WHO) publicly opposed early genital surgeries on intersex children in its report, Eliminating forced, coercive and otherwise involuntary sterilization, stating: Intersex persons, in particular, have been subjected to cosmetic and other nonmedically necessary surgery in infancy, leading to sterility, without informed consent of either the person in question or their parents or guardians. [347] In 2015, 12 United Nations agencies, including WHO, released a joint statement condemning unnecessary surgery and treatment on intersex children without their consent. [348]

In 2015, Malta became the first country in the world to legally ban non-consensual medically unnecessary surgeries on intersex children. Under the heading of the Right to bodily integrity and physical autonomy, Maltas law states:

The law specifies that it is illegal to perform a medical intervention which is driven by social factors without the consent of the minor and that in cases where the child requests surgical procedures, the government must ensure that the best interests of the child as expressed in the Convention on the Rights of the Child be the paramount consideration. [349] In addition to the surgeries being a violation of rights to bodily integrity and health, they deprive children of their right to form their own identity as they develop into adults.

The United Nations Committee Against Torture, the monitoring body for the Convention Against Torture (CAT) has condemned medically unnecessary non-consensual surgeries on intersex infants six times. [350] The United States ratified the treaty in 1994, and is under CAT review in 2017-18.

The committees critiques ranged from concerns over cases where gonads have been removed and cosmetic surgeries on reproductive organs have been performed that entail lifelong hormonal medication without effective, informed consent of the concerned individuals or their legal guardians, to cases in which intersex children are subjected to unnecessary and irreversible surgery to determine their sex at an early stage. In a 2013 report, the UN Special Rapporteur on Torture noted:

The World Health Organization in 2014 also opposed medically unnecessary non-consensual surgeries in a statement joined by six other UN agencies.[352]

Practitioners in the United States interviewed by Human Rights Watch expressed mixed views on whether medically unnecessary non-consensual surgeries on intersex children could in some situations amount to torture or ill-treatment.

One endocrinologist on a DSD team said the fact that so many UN bodies had come out against medically unnecessary surgeries was a sigh of relief for me because I find it helpful to say: Look, I have some backing for what I say to parents. She said: Its a really powerful tool when you're talking about surgical decision making. I don't know whether many physicians would ever say that to a familyprobably not the surgeons. [353]

Others were more conflicted.

I think that for the most part the UN is trying to do the right thing, said an endocrinologist on another DSD team. But, she said:

Others described how they analyzed torture standards that differed from the definitions used in international human rights law. When asked whether he agreed that medically unnecessary surgeries can be construed as torture, one mental health provider who works on a DSD team replied:

This practitioner expanded his analysis to critique the interpretation of medically unnecessary non-consensual surgeries as torture by suggesting that in order to meet the threshold for being torture, an act must be conducted with intent to cause harm. He argued: When there are statements equating surgery to torturenow torture is an interesting word there has to be intention. There's the intention to harm somebody. I mean if someone had to prove in a court of law that the intention of doctors was to torture children it just doesn't hold up. [356]

In contrast to this practitioners assertion, in a 2013 report, Juan E. Mndez, the UN Special Rapporteur on torture and other cruel, inhuman or

degrading treatment or punishment, explained:

Medical treatments of an intrusive and irreversible nature, if they lack a therapeutic purpose, constitute torture or ill-treatment when enforced or administered without the free and informed consent of the person concerned. This is particularly the case when intrusive and irreversible, non-consensual treatments are performed on patients from marginalized groups notwithstanding claims of good intentions or medical necessity.[357]

Others said they felt morally compelled to conduct surgery rather than allowing patients to seek other, less skilled, providers

One urologist told Human Rights Watch: If I say to a parent: Look, the UN said I couldn't do any surgery on your kidthat could be a problem. I'm really against that. [358] Another urologist explained that he, as a specialized surgeon, felt he was providing better care if he offered medically unnecessary surgeries that the parents wanted, rather than turning them down and risking them seeking out another provider. He said:

A gynecologist explained: I think that the issue on tortureI think our feeling has been that until we have data to show that ones better than the other, thats a very harsh statement. [360] She said she worried that human rights bodies did not understand the different types of surgeries under consideration, and that patient autonomy and caution should be considerations. However, she did not support a moratorium on medically unnecessary surgeries that the patient themselves did not consent to:

Every international human rights mechanism that has condemned surgeries on intersex infants has distinguished t least broadlybetween medically necessary operations and unnecessary ones.

For example, in its 2011 review of Germany, the Committee Against Torture (CAT) noted concern about cases where gonads have been removed and cosmetic surgeries on reproductive organs without effective, informed consent of the concerned individuals or their legal guardians.... The committee recommended that the government:

In its 2016 review of Austria, CAT called on the government to:

In its 2016 review of Hong Kong, CAT raised concern about unnecessary and irreversible surgery on intersex children at an early age as well as the long-term physical and psychological suffering caused by such practices. In addition to recommendations similar to those it made to Germany and Austria, CAT called on the government to:

In his 2013 report, the UN Special Rapporteur on Torture noted that members of sexual minorities are disproportionately subjected to torture and other forms of ill-treatment because they fail to conform to socially constructed gender expectations. He specifically mentioned that:

The US is the only UN member state that has not ratified the Convention on the Rights of the Child (CRC), the primary instrument under international law that elaborates the rights of children. However, the Convention is an authoritative and useful tool for understanding the human rights issues children face, and the measures needed to effectively address them. The American Academy of Pediatrics has twice endorsed the CRC.[366]

The Committee on the Rights of the Child, which monitors the convention, has condemned surgery on intersex children nine times, including in reviews of New Zealand, [367] South Africa, [368] Switzerland, [369] Chile, [370] France, [371] Ireland, [372] the UK, [373] and Nepal. [374]

With regard to intersex childrens rights, the CRC has called on governments to guarantee, the rights of children to bodily integrity, autonomy and self-determination, and provide families with intersex children with adequate counselling and support. In its country reviews, the CRC repeatedly references a 2014 joint General Comment with the Committee on the Elimination of all forms of Discrimination Against Women, which calls on states parties to: ensure that no-one is subjected to unnecessary medical or surgical treatment during infancy or childhood, guarantee bodily integrity, autonomy and self-determination to children concerned, and provide families with intersex children with adequate counselling and support.[375]

The United States signed the Convention on the Elimination of all Forms of Discrimination Against Women in 1980, but has not ratified the convention.

In its 2016 review of the Netherlands, the CEDAW committee, the committee that monitors states compliance with the Convention on the Elimination of all Forms of Discrimination Against Women, raised concern about, Medically irreversible sex-assignment surgery and other treatments are performed on intersex children and recommended that the government [d]evelop and implement a rights-based health-care protocol for intersex children which ensures that children and their parents are properly informed of all options and that children are, to the greatest extent possible, involved in decision-making about medical interventions and that their choices are fully respected.[376]

It its 2016 review of Switzerland, the CEDAW committee cited insufficient support for intersex people who have survived involuntary and medically unnecessary surgeries referring to the surgeries as disfiguring surgical procedures when they were babies and children. The committee also condemned [t]he pressure placed on parents of intersex children by medical professionals, the media and society at large, often forces them to give their consent for so called medical procedures justified by psychosocial indications and said that aggrieved intersex persons access to legal remedies is extremely limited by a short statute of limitations that expires by the time they become adults. The committee called Switzerlands current practice a failure to consult with those directly affected by these procedures in decisions that affect their lives. The committee called on the Swiss government to ensure that no child is subjected to unnecessary medical treatment, intersex people are provided are provided effective legal regress, and medical professionals receive training on the harmful impact of unnecessary surgical interventions for intersex children. [377]

Referencing CRC[378] and CAT[379] reports on France, the CEDAW Committee noted with concern that, Medically unnecessary and irreversible surgery and other treatment is routinely performed on intersex children.[380]

The Committee on the Rights of Persons with Disabilities (CRPD) has commented three times on medically unnecessary surgeries on intersex children as a violation of the integrity of the person (article 17). In its 2015 review of Germany, CRPD criticized the lack of implementation of the 2011 recommendations of the Committee against Torture[381] regarding upholding the bodily integrity of intersex

children.[382] In its 2016 review of Chile, CRPD urged the government to ensure free and informed consent especially those of an invasive nature and whose effects are irreversible, such as sterilization and procedures on intersex children.[383] In its 2016 review of Italy, CRPD, citing article 17, expressed concern that children are subjected to irreversible surgery for intersex variation and other medical treatments without their free and informed consent and called on the government to guarantee bodily integrity, autonomy and self-determination to the children concerned, and provide families with intersex children with adequate counselling and support.[384] The United States is not a party to the CRPD.

In Human Rights Watchs view, medically unnecessary surgeries on intersex children cause harm to children that interferes with the right to the highest attainable standard of health. While procedures may have evolved and improvedincluding to be nerve sparingin recent years, there remains no evidence that these surgeries are necessary or that the ostensible medical benefits outweigh the harms.

In a 2009 report, the UN Special Rapporteur on the Right to Health said that, Health-care providers should strive to postpone non-emergency invasive and irreversible interventions until the child is sufficiently mature to provide informed consent, noting that, This is particularly problematic in the case of intersex genital surgery, which is a painful and high-risk procedure with no proven medical benefits. [385] The Special Rapporteur noted that special attention should be paid to the rights to information and consent for vulnerable groups, and referenced principles 17 and 18 of the Yogyakarta Principles to highlight the importance of safeguarding informed consent of sexual minorities.

The Yogyakarta Principles, which interpret international human rights standards as they apply to sexual orientation and gender identity, do not specifically mention sex characteristics but can be applied to intersex people. Principle 18, on protection from medical abuses, applies to surgeries discussed in this report. It calls on states to

Dr. Deanna Adkins, who is Fellowship Program Director of Pediatric Endocrinology at Duke University School of Medicine and the Director of the Duke Center for Child and Adolescent Gender Care, made similar recommendations in testimony she provided in a 2016 case at the US District Court for the Middle District of North Carolina. Dr. Adkins expert declaration was submitted to oppose HB2, a sweeping statewide law repealing non-discrimination ordinances protecting lesbian, gay, bisexual, and transgender (LGBT) people and barring transgender people from shared facilities. In her statement, referring to intersex children, Dr. Adkins argues:

The Committee on Economic, Social and Cultural Rights (CESCR) has indicated that the International Covenant on Economic, Social and Cultural Rights (ICESCR) proscribes any discrimination in access to health-care and the underlying determinants of health, as well as to means and entitlements for their procurement, on the grounds of sexual orientation and gender identity. The US is not a party to the ICESCR but the covenant, along with the work of expert bodies to interpret it, is a useful guide to the scope and nature of the fundamental human rights it elaborates. The CESCR committee emphasized in its General Comment 14 that:

In its 2017 review of Australia, the CECSR committee said it was concerned that children born with intersex variations are subject to early surgeries and medical interventions before they are able to provide full and informed consent, and cited CECSR article 12 (the right to health).[389] The committee called on the government to implement the 2013 Australian Senate Community Affairs References Committee report titled Involuntary or coerced sterilization of intersex people in Australia.[390] In its 2017 review of the Netherlands, the committee expressed concern over the Practice of early surgeries and medical interventions on intersex children, that are not necessary for physical health and alters their sex characteristics, do not respect their right to free, prior and informed consent.[391]

US health bodies positions have evolved over time. In 2004, the National Institute of Diabetes & Digestive & Kidney Diseases published its Research Progress Report and Strategic Plan for Pediatric Urology, which stated:

The 2006 Consensus Statement on the Management of Intersex Disorders acknowledged the lack of meaningful research and called for further studies, while still allowing for genitoplasty, including clitoral reduction. This statement was adopted as a position statement of the American Academy of Pediatrics. [393] The 2016 update to the Consensus Statement reads: There is no evidence regarding the impact of surgically treated or non-treated DSDs during childhood for the individual, the parents, society or the risk of stigmatization [t]here is still no consensual attitude regarding indications, timing, procedure and evaluation of outcome of DSD surgery. [394]

However in 2010, the AAP published a position statement opposing all forms of female genital cutting, and it made no explicit exception for girls with intersex traits. [395] Then in 2013, the AAP began advocating for psychological care prior to any surgical intervention in the case of transgender youth. [396] And in 2014, the AAP published a provisional section on Lesbian, Gay, Bisexual, and Transgender Health and Wellness which included a section titled Explaining Disorders of Sex Development & Intersexuality, stating: If it is not medically necessary, any irreversible procedure can be postponed until the child is old enough to agree to the procedure (e.g. genital surgery). [397]

In 2016, the American College of Obstetricians and Gynecologists issued a committee opinion cautioning that genital surgery may not be appropriate for every adolescent with abnormalities and that counseling is recommended prior to surgery. [398]

In 2016, the US Department of State issued a statement on Intersex Awareness Day acknowledging that: Intersex persons routinely face forced medical surgeries that are conducted at a young age without free or informed consent. These interventions jeopardize their physical integrity and ability to live free. [399] US laws do not specifically protect children against such abusive operations, but several areas of law prohibit conduct that could be interpreted to include medically unnecessary intersex surgeries.

When surgeries that reduce or eliminate reproductive capacitysuch as the removal of testes from female-assigned children with Partial Androgen Insensitivity Syndromeare performed before the patient can give informed consent to the procedure, prohibitions on involuntary sterilization are implicated. Once common in the United States, non-consensual sterilization is now recognized as a violation of the fundamental right to reproductive freedom. [400]

Several stumbling blocks may impede doctors conceptualization of these procedures as sterilizations when they are carried out on intersex children. First, reproductive capacity may not be perceived as fertility if the mode of potential reproduction seems incongruent with the childs assigned sex. For example, one medical journal article notes that fertility is challenging, but not impossible, for individuals with [Partial Androgen Insensitivity Syndrome] raised male. In contrast, fertility is not possible for individuals raised female. [401] If a child with Partial Androgen Insensitivity Syndrome possesses functional testes, their fertility does not depend upon their gender assignment. However, as the passage just quoted shows, medical professionals may fail to see sperm production as a viable mode of reproduction for a child being raised as a girland, therefore, may not consider it a sterilizing procedure if her testes are removed. [402] This represents a narrow view of fertility and the right to preserve it, and may not be in accord with the legal understanding of the right to reproductive freedom, which is quite

broad.

Second, doctors may not consider a procedure to be sterilization if its primary purpose is something other than terminating reproductive capacity. Where the procedure is medically unnecessary, however, and the benefits are not significant enough to outweigh the cost of lost fertility, the right to reproductive freedom is still implicated.

Gonadectomies on intersex children are frequently rationalized as necessary to address a risk of cancer [403] or to prevent the later development of secondary sex characteristics that are not typically associated with the assigned sex. [404] While individuals with certain intersex traits may be exposed to a heightened risk of gonadal cancer, [405] there is evidence that gonadectomy is recommended for intersex children on the basis of much weaker evidence than would prompt the same recommendation for non-intersex children and in situations where irreversible interventions could be safely delayed. [406] Additionally, changes such as the onset of menstruation or the growth of facial hair can be stalled with puberty blockers if and when it becomes clear that those changes are undesired. [407] In any case, and regardless of how medical providers view the procedures, all medically unnecessary surgeries on intersex children that compromise fertility also compromise their fundamental right to reproductive freedom.

Although parents and guardians have broad authority to make many medical decisions for children incapable of consent, courts and legislatures around the US have repeatedly found that this authority does not extend to medically unnecessary sterilization, due to its permanent impact on the exercise of fundamental rights. [408] Sterilization is an irreversible medical procedure with profound physical and psychological effects.

Court oversight can provide a meaningful layer of protection. For example, several US states have well-developed procedural tests designed to protect childrens rights while still ensuring they can receive treatment that is in their best interest in the rare cases where sterilizing procedures are recommended by doctors. One example is California, where the law prescribes a court oversight process that must be followed prior to any sterilizing procedure on an individual with a developmental disability. [409] In order to authorize the sterilization, the court must find that the patient will not become able to make the decision for themselves in the future, and that less invasive alternatives are unworkable. [410]

Such tests could be adapted for cases where parents and doctors believe genital or gonadal surgery could benefit an intersex child. [411] The court considering whether the surgery is in the childs best interest might be required to issue findings including (1) to what extent the short- and long-term benefits, both physical and psychological, outweigh the short- and long-term risks; (2) to what extent the procedure limits the childs future options for fertility, for development or construction of female-typical or male-typical characteristics as may be desired, and for the preservation of the individuals natural body characteristics; and (3) whether it has been established by clear and convincing evidence that any such limitation is justified by an urgent need for the procedure, including a determination that the proposed procedure cannot be safely delayed until the individual can make the decision on their own.

While published data are limited, doctors have used state sterilization laws that require court oversight in advising parents on surgeries for their intersex children. In a case documented in a 2017 medical article, a child with 5-R2D, a condition that causes intersex traits, doctors were considering conducting a gonadectomy at age two because The family strongly desired gonadectomy to reinforce their decision on sex of rearing, prevent virilization at puberty, and to alleviate the distress the parents felt due to the presence of the gonads and the ambiguity they represented. However, due to how Seattle Childrens Hospital interprets Washington states sterilization law, they advised parents to defer the medically unnecessary operation:

The World Health Organization (WHO) defines Female Genital Mutilation (FGM) as "all procedures involving partial or total removal of the external female genitalia or injury to the female genital organs for non-medical reasons." There are four types of FGM classified by WHO:

US federal criminal law punishes with fines and up to 5 years imprisonment any person who knowingly circumcises, excises, or infibulates the whole or any part of the labia majora or labia minora or clitoris of another person who has not attained the age of 18 years, unless the procedure is necessary to the health of the person on whom it is performed.[413]

There is no reason to believe that legislators even contemplated the possibility that the anti-FGM law could be applied to surgeries on children with intersex traits, let alone intended to allow for such a possibility. On the other hand, the plain language of the federal statute seems broad enough to quite easily encompass a feminizing genitoplasty that reduces or removes clitoral tissue and is not medically necessary. Intersex activists, as well as scholars and doctors, have argued that these laws should be read as prohibiting and criminalizing the conduct of many intersex surgeries in the United States. [414]

Approximately half of the states have enacted their own female genital mutilation statutes as well. Some, such as New Yorks, [415] closely resemble the federal law. A small number of state laws, however, do contain language likely intended to except surgeries performed on female-assigned intersex children. North Dakota [416] and Wisconsin [417] exempt from their FGM statutes any procedure intended to correct an anatomical abnormality, and Oklahoma allows otherwise prohibited procedures that are necessary [] for purposes of cosmetic surgery. [418]

Just as predominant gender norms in the US can influence intersex surgeries, socio-cultural factors are invoked by those who practice FGM around the world, including the desire of parents to have their daughters accepted in the communityeven in cases where parents personally oppose the practice. [419] In some places, common justifications for FGM are closely related to fixed gender roles and perceptions of women and girls as gatekeepers of their family's honor, which in some cases is linked to strict expectations to prevent deviant sexual behavior. Some of those who support FGM also justify it on grounds of hygiene and aesthetics, with notions that those who have not undergone the procedure are unclean. In societies where such beliefs are prevalent, a girl's chances of getting married are materially reduced if she has not undergone the procedure. FGM is often erroneously linked to religion, although the practice is not particular to any religious faith and predates Christianity and Islam.

Scholars and activists have drawn parallels between the practice of FGM elsewhere in the world and the cutting of intersex peoples genitals in the United States. For example, legal scholar Nancy Ehrenreich argued that [FGM] and intersex surgeries share substantial similarities, both in the harm they cause and in their patriarchal rationales and effects and that intersex surgery is striking evidence that the harmful cultural practice of nonconsensual genital- (and gender-) normalizing cutting continues in [the US].[420] Ehrenreich wrote:

Medical practitioners in the US have identified similar parallels. Following the April 2017 arrest under the federal FGM statute of four

surgeons in Michigan for performing FGM on two girls, urological surgeon I.W. Gregorio wrote in an op-ed:

In every state, failure to obtain informed consent for a surgical procedure may give rise to a medical malpractice action, even if the procedure is performed in a way that meets standards of care. [424] The specific elements to be disclosed to a patient may vary depending on state law jurisdiction, but a medical practitioner is generally required to describe:

Generally speaking, doctors who fail to disclose information adequate for the patient or their guardian to make an informed decision may often be held liable for any negative outcomes. This report documents several examples in which doctors may have failed to provide full information to parents, failing in particular to ensure that they understood the full scope of the relevant riskswhich, depending on the procedure, can include:

Existing informed consent standards also dictate that physicians should ensure that parents adequately understand the aims of the procedureand in particular the extent to which these are cosmetic or tied to concerns about social integration, as opposed to health-related. Finally, doctors should ensure that parents are fully aware of the extent to which surgeries could be safely delayed until a child can participate in the decision-making process.

Additionally, the American Academy of Pediatrics emphasizes the importance of fostering young patients autonomy by ensuring that children can provide assent, whenever possible, to complement the informed permission given by their parent(s) or guardian(s). [426] While this is not a legal standard, it is an important ethical standard.

The AAP explains: [d]issent by the pediatric patient should carry considerable weight when the proposed intervention is not essential and/or can be deferred without substantial risk.[427] If the patient is still too young to voice dissent, such as when genital surgeries are proposed in the first few years of life, special care should be taken to preserve the childs options when the procedure under consideration is not medically necessary.

Until use of surgical procedures in such circumstances is outlawed, the following entities and individuals should take steps to impose an effective moratorium on their use:

This report is the result of a collaboration between interACT and Human Rights Watch. The primary field research was conducted by Dr. Suegee Tamar-Mattis, an intersex person and family physician in California working as a consultant to Human Rights Watch, and Kyle Knight, a Human Rights Watch researcher based in New York. Kimberly Zieselman, executive director of interACT, and Anne Tamar-Mattis, legal director of interACT, provided outreach support and analytical guidance throughout the research process.

Rashima Kwatra, intern in the lesbian, gay, bisexual, and transgender (LGBT) rights program at Human Rights Watch conducted foundational background research that led to this project. Cristian Gonzales, intern in the LGBT rights program, provided legal research in the early stages of the project. Kyle Ranieri, LGBT program intern, helped with data searches and analysis. Aditi Shetty, program coordinator at Human Rights Watch, provided research assistance. Sylvan Fraser, staff attorney at interACT, drafted several of the legal sections of the report.

The report was edited by Anne Tamar-Mattis, Alesdair Ittelson, deputy legal director at interACT, Sylvan Fraser, and Kimberly Zieselman. Graeme Reid, director of Human Rights Watchs LGBT rights program edited the report as well. The report was reviewed by Michael Garcia Bochenek, senior childrens rights counsel, Maria McFarland Sanchez-Moreno, co-director of the US program, Amanda Klasing, senior womens rights researcher, Megan McLemore, senior health and human rights researcher, and Kriti Sharma, disability rights researcher. Mauro Cabral Grinspan, a member of the Human Rights Watch LGBT program advisory committee and executive director of GATE, reviewed the report and offered feedback.Dr. Susan Stred, MD, professor of pediatrics at SUNY-Upstate Medical School reviewed and commented on the report.

Chris Albin-Lackey, senior legal adviser, and Joseph Saunders, deputy program director, reviewed the report.

Production assistance was provided by Olivia Hunter, publications coordinator; Fitzroy Hepkins, administrative manager; and Jose Martinez, senior coordinator.

Human Rights Watch and interACT would like to thank:

All interviewees, named and unnamed, The AIS-DSD Support Group, Arlene Baratz, MD, Georgiann Davis, PhD, the interACT staff and board of directors, and Bo Laurent.

- [1] Official interACT Policy on Participation in Research, http://interactadvocates.org/interact-policy-on-participation-in-research/
- [2] CARES Foundation Call To Action, http://www.caresfoundation.org/wp-content/uploads/2017/02/1CALL-TO-ACTION-Nat-Geo.pdf
- [3] Statistics on intersex births vary, but 1 in 2,000 is one of the most commonly cited numbers globally. Melanie Blackless et al., How Sexually Dimorphic Are We? Review and Synthesis, *American Journal of Human Biology* 12 (2) (2000): 151-166, doi:10.1002/(SICI)1520-6300(200003/04)12:2<151::AID-AJHB1>3.0.CO;2-F; for a detailed analysis of the breakdown of various statistics, see this blog post by OII-Australia: https://oii.org.au/16601/intersex-numbers/
- [4] Human Rights Watch interview with Susan M., California, October 25, 2016>
- [5] Elizabeth Reis. Bodies in Doubt: An American History of Intersex. (Baltimore, Maryland: The Johns Hopkins University Press, 2009).
- [6] Alice Domurat Dreger. Hermaphrodites and the Medical Invention of Sex. (United States of America: Harvard University Press, 1998).
- [7] Reis, Bodies in Doubt: An American History of Intersex.
- [8] Milton Diamond and Keith Sigmundson, Sex Reassignment at Birth: Long-term Review and Clinical Implications, *Archives of Pediatric and Adolescent Medicine*, vol.151(3) (1997), pp.298-304.

- [9] John Colapinto. "The True Story of John/Joan". *Rolling Stone*. December 11, 1997, pp. 5497. https://web.archive.org/web/20000815095602/http://www.pfc.org.uk/news/1998/johnjoan.htm
- [10] John Colapinto, As Nature Made Him: The Boy Who Was Raised as a Girl. (New York: Harper Collins, 2000).
- [11] Peter A. Lee et al., Global Disorders of Sex Development Update Since 2006: Perceptions, Approach and Care, *Hormone Research in Pediatrics* 85(3) (2016):158-180, https://www.ncbi.nlm.nih.gov/pubmed/26820577; P. Mouriquand et al., The ESPU/SPU standpoint on the surgical management of Disorders of Sex Development (DSD), *Journal of Pediatric Urology* 10(1)(2014):9-10, http://www.jpurol.com/article/S1477-5131(13)00313-6/fulltext; The National Institutes of Health, the National Institute of Diabetes & Digestive & Kidney Diseases, Research progress Report and Strategic Plan for Pediatric Urology, 2006, https://www.niddk.nih.gov/about-niddk/strategic-plans-reports/Pages/niddk-research-progress-report-strategic-plan-pediatric-urology.aspx; In 2004, a 15-member multidisciplinary group convened by the Hastings Center concluded: None of the appearance-altering surgeries need be done urgently. Surgery to normalize appearance without the consent of the patient lacks ethical justification in most cases.Joel Frader et. al., Health Care Professionals and Intersex Conditions, The Hastings Institute, http://www.isna.org/pdf/Frader2004.pdf
- [12] Vernon Rosario. 'An Interview with Cheryl Chase. *Journal of Gay & Lesbian Psychotherapy*, 10(2) (2006): 93 104, http://vrosario.bol.ucla.edu/CV/Chase.pdf
- [13] Human Rights Watch interview with Neha K., California, October 24, 2016.
- [14] Human Rights Watch interview with John M., Illinois, February 5, 2017.
- [15] The Intersex Society of North America, http://www.isna.org/
- [16] Intersex Awareness Day, http://intersexday.org/en/intersex-awareness-day/
- [17] American Academy of Pediatrics Position on Intersexuality, *Intersex Day*, October 15, 2010, http://intersexday.org/en/aap-position-1996/
- [18] Diamond and Sigmundson, Sex Reassignment at Birth: Long-term Review and Clinical Implications, *Archives of Pediatric and Adolescent Medicine*, pp. 298-304.
- [19] Colapinto. "The True Story of John/Joan". Rolling Stone. pp. 5497.
- [20] GLMA Passes Resolution on Intersex Surgery, *International Foundation for Gender Education*, March 7, 1998. http://www.ifge.org/news/1998/march/nws3218b.htm
- [21] The American Academy of Pediatrics, Evaluation of the Newborn with Developmental Anomalies of the External Genitalia. *Pediatrics* 106(1) (2000), http://pediatrics.aappublications.org/content/106/1/138.
- [22] The National Institutes of Health, the National Institute of Diabetes & Digestive & Kidney Diseases, *Research Progress Report and Strategic Plan for Pediatric Urology* (2006).
- [23] Peter Lee, et. al., Consensus Statement on Management of Intersex Disorders, *Pediatrics* 118 (2) (2006): p. 554-563, http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2082839/
- [24] Alice Dreger et at., Prenatal Dexamethasone for Congenital Adrenal Hyperplasia: An Ethics Canary in the Modern Medical Mine. *Journal of Bioethical Inquiry* 9(3) (2012): p.277-294, https://link.springer.com/article/10.1007%2Fs11673-012-9384-9
- [25] Policy StatementRitual Genital Cutting of Female Minors, *American Academy of Pediatrics* 126(1) (2010), http://pediatrics.aappublications.org/content/pediatrics/126/1/191.full.pdf.
- [26] First ever international intersex forum, ILGA, May 22, 2013, http://ilga.org/first-ever-international-intersex-forum/
- [27] About the Disorders of Sex Development Translational Research Network, https://dsdtrn.genetics.ucla.edu/aboutdsdtrn
- [28] The World Professional Association for Transgender Health (WPATH), Standards of Care for the Health of Transsexual, Transgender, and Gender Nonconforming People Version 7, http://www.wpath.org/site_page.cfm?
 pk association webpage menu=1351&pk association webpage=3926
- [29]United Nations Committee against Torture, Consideration of Reports Submitted by States Parties under Article 19 of the Convention, CAT/C/DEU/CO/5, December 12, 2011.
- [30] Hida Viloria Chairperson, Open Letter: A Call for the Inclusion of Human Rights for Intersex People, *Organisation Intersex International*, December 10, 2012, https://www.ilga-europe.org/sites/default/files/Attachments/hrd_2012_-_intersex_forum_-un_navil_pillay_letter.pdf
- [31] Sarah Creighton, et. al., Timing and nature of reconstructive surgery for disorders of sex development, *Journal of Pediatric Urology*, 8(6) (2012): 602-610, http://www.ncbi.nlm.nih.gov/pubmed/23146296
- [32] Organisation Intersex International Europe, Malta Declaration, December 1, 2013, https://oiieurope.org/malta-declaration/.
- [33] David Levine, et al., Office-Based Care for Lesbian, Gay, Bisexual, Transgender, and Questioning Youth. *Pediatrics* 132(1) (2013), http://pediatrics.aappublications.org/content/132/1/e297
- [34] United Nations Human Rights Council, Report of the Special Rapporteur on Torture and Other Cruel, Inhuman or Degrading Treatment or Punishment, Juan E. Mndez, A/HRC/22/53, February 1, 2013.

- [35] United Nations World Health Organization, et. al., Eliminating Forced, Coercive and Otherwise Involuntary SterilizationAn Interagency Statement, *World Health Organization*, May 2014.
- [36] Explaining Disorders of Sex Development & Intersexuality, Lesbian, Gay, Bisexual, and Transgender Health and Wellness of the American Academy of Pediatrics, https://www.healthychildren.org/English/health-issues/conditions/genitourinary-tract/Pages/Explaining-Disorders-of-Sex-Development-Intersexuality.aspx
- [37] The European Union Agency for Fundamental Rights, The Fundamental Rights Situation of Intersex People, April 2015, http://fra.europa.eu/en/publication/2015/fundamental-rights-situation-intersex-people
- [38] Government of Malta, Gender Identity, Gender Expression and Sex Characteristics Act, April 2015, http://justiceservices.gov.mt/DownloadDocument.aspx?app=lp&itemid=26805&l=1 (accessed April 22, 2017).
- [39] Office of the High Commissioner for Human Rights, joint statement, United Nations entities call on States to act urgently to end violence and discrimination against lesbian, gay, bisexual, transgender and intersex (LGBTI)1 adults, adolescents and children, September 2015, http://www.ohchr.org/Documents/Issues/Discrimination/Joint_LGBTI_Statement_ENG.PDF (accessed April 22, 2017).
- [40] See Appendix VIIfor the joint resignation letter. Alice Dreger, Rejecting the Tranquilizing Drug of Gradualism in Intersex Care. Alicedreger.com, November 21, 2015, http://alicedreger.com/DSD_human_rights.
- [41] United Nations Human Rights Office of the High Commissioner, Opening Statement by UN High Commissioner for Human Rights Zeid Ra'ad Al Hussein at the 30th session of the Human Rights Council, http://www.ohchr.org/en/NewsEvents/Pages/DisplayNews.aspx? NewsID=16414&LangID=E#sthash.BWwySNIH.dpuf.
- [42] The American College of Obstetricians and Gynecologists, Committee on Adolescent Health Care, Committee Opinion, Number 686, January 2017, https://www.acog.org/Resources-And-Publications/Committee-Opinions/Committee-on-Adolescent-Health-Care/Breast-and-Labial-Surgery-in-Adolescents.
- [43] Lee et al., Global Disorders of Sex Development Update Since 2006: Perceptions, Approach and Care.
- [44] American Medical Association, American Medical Association House of Delegates (I-16), Report of Reference Committee on Amendments to Constitution and Bylaws, 2016, https://assets.ama-assn.org/sub/meeting/documents/i16-ref-comm-conby.pdf
- [45] Department of Health and Human Services, Nondiscrimination in Health Programs and Activities; Final Rule. 45 CFR Part 92, *Final Register* 81(96), May 18, 2016, https://www.gpo.gov/fdsys/pkg/FR-2016-05-18/pdf/2016-11458.pdf.
- [46] Darlington Statement: Joint consensus statement from the intersex community retreat in Darlington, March 2017, https://oii.org.au/wp-content/uploads/key/Darlington-Statement.pdf.
- [47] OII Europe, The 1st European Intersex Community EventVienna Statement, March 31, 2017, https://oiieurope.org/statement-1st-european-intersex-community-event-vienna-30st-31st-march-2017/
- [48] OII Europe, 4th International Intersex ForumMedia Statement, April 26, 2017, https://oiieurope.org/4th-international-intersex-forum-media-statement/
- [49] Palm Center, Re-Thinking Genital Surgeries on Intersex Infants, June 2017, http://www.palmcenter.org/wp-content/uploads/2017/06/Re-Thinking-Genital-Surgeries-1.pdf
- [50] Department of Health and Human Services, Nondiscrimination in Health Programs and Activities.
- [51] Human Rights Watch interview with Ruth N., Maryland, January 26, 2017.
- [52] Human Rights Watch interview with Rebecca C., California, October 27, 2016.
- [53] Human Rights Watch interview with Susan M., California, October 25, 2016.
- [54] Human Rights Watch interview with Sam I., Texas, January 7, 2017.
- [55] Human Rights Watch interview with Adrian P., Illinois, February 7, 2017.
- [56] Human Rights Watch interview with Adrian P., Illinois, February 7, 2017.
- [57] Human Rights Watch interview with Dierdre P., location withheld, February 8, 2017.
- [58] Human Rights Watch interview with Ruth N., Maryland, January 26, 2017.
- [59] Human Rights Watch interview with Clarissa B., March 2, 2017.
- [60] Human Rights Watch interview with Jamie J., New York, December 3, 2016.
- [61] Human Rights Watch interview with Stuart L., location withheld, February 5, 2017.
- [62] Human Rights Watch interview with Jackie N., California, October 25, 2016.
- [63] Human Rights Watch interview with Ava A., Texas, January 9, 2017.
- [64] Human Rights Watch interview with Kendra L., location withheld, February 24, 2017.

- [65] Human Rights Watch interview with Ethan F., Wisconsin, February 8, 2017.
- [66] Human Rights Watch interview with an endocrinologist, February 23, 2017.
- [67] Human Rights Watch interview with a urologist, February 6, 2017.
- [68] Lee et al., Global Disorders of Sex Development Update Since 2006: Perceptions, Approach and Care.
- [69] Human Rights Watch interview with a psychologist, November 21, 2016.
- [70] Human Rights Watch interview with a gynecologist, February 3, 2017.
- [71] Human Rights Watch interview with a psychologist, November 21, 2016.
- [72] Human Rights Watch interview with a psychologist, January 30, 2017.
- [73] Human Rights Watch interview with an endocrinologist, February 1, 2017.
- [74] Human Rights Watch interview with an endocrinologist, February 1, 2017.
- [75] Human Rights Watch interview with Adrian P., Illinois, February 7, 2017.
- [76] Human Rights Watch interview with Carmen S., New York, December 2, 2016.
- [77] Natalie Angier, New Debate Over Surgery on Genitals. New York Times, May 13, 1997, http://select.nytimes.com/gst/abstract.html? res=F00A1EF63B5D0C708DDDAC0894DF494D81; Geoffrey Cowley, Gender Limbo, Newsweek, May 19, 1997.
- [78] Human Rights Watch interview with a gynecologist, March 7, 2017.
- [79] Human Rights Watch interview with an endocrinologist, February 27, 2017.
- [80] Human Rights Watch interview with an endocrinologist, February 1, 2017.
- [81] Frader et. al., Health Care Professionals and Intersex Conditions.
- [82] The Consortium on Disorders of Sex Development, Clinical Guidelines for the Management of Disorders of Sex Development in Childhood and Handbook for Parents, 2006. www.dsdguidelines.org
- [83] Human Rights Watch interview with a gynecologist, February 3, 2017.
- [84] Human Rights Watch interview with a psychiatrist, January 25, 2017.
- [85] Human Rights Watch interview with a urologist, February 15, 2017.
- [86] Human Rights Watch interview with a urologist, February 15, 2017.
- [87] Human Rights Watch interview with a psychologist, January 30, 2017.
- [88] Human Rights Watch interview with a psychologist, January 2, 2017.
- [89] Lee et al., Consensus Statement on Management of Intersex Disorders.
- [90] Human Rights Watch interview with a mental health social worker, December 4, 2016.
- [91] Human Rights Watch interview with an endocrinologist, February 23, 2017.
- [92] Human Rights Watch interview with an endocrinologist, February 23, 2017.
- [93] Human Rights Watch interview with a psychologist, January 30, 2017.
- [94] Dreger, Rejecting the Tranquilizing Drug of Gradualism in Intersex Care.
- [95] Ibid.
- [96]Ibid.
- [97] Tiger DeVore, Tiger DeVores Statement, Alicedreger.com, November 21, 2015, http://alicedreger.com/Tiger_Devore
- [98] Human Rights Watch interview with a practitioner, February 3, 2017.
- [99] Wiebren A.A. Tjalma, Assembling a Functional Clitoris and Vulva from a Pseudo-Penis: A Surgical Technique for an Adult Woman with Congenital Adrenal Hyperplasia. *Journal of Pediatric and Adolescent Gynecology*. Vol. 30(3) (2017), pp. 425428.
- [100] Hisham A and Mat Zain MA, Letter to the Editor Regarding Article, Assembling a Functional Clitoris and Vulva from a Pseudo-Penis: A Surgical Technique for an Adult Woman with Congenital Adrenal Hyperplasia, *Journal of Pediatric and Adolescent Gynecology* 30(4) (2017):513, doi: 10.1016/j.jpag.2017.02.008.
- [101] Wiebren Tjalma, The Blessings of Erectile Bodies. Journal of Pediatric and Adolescent Gynecology 30(4) (2017):514-515,

http://www.jpagonline.org/article/S1083-3188(17)30262-0/abstract.

- [102] Human Rights Watch interview with Bo Laurent, California, October 25, 2016.
- [103] Human Rights Watch interview with an endocrinologist, February 23, 2017.
- [104] This data is compiled from the HCUP National (Nationwide) Inpatient Sample (NIS), the HCUP Kids' Inpatient Database (KID), or the HCUP State Inpatient Databases (SID). United States Department of Health and Human Services, Agency for Healthcare Research and Quality Healthcare Cost and Utilization Project, HCUP-net database, https://hcupnet-archive.ahrq.gov/ (accessed July 4, 2017).
- [105] Lily C. Wang and Dix P. Poppas, Surgical Outcomes and Complications of Reconstructive Surgery in the Female Congenital Adrenal Hyperplasia Patient: What Every Endocrinologist Should Know," *Journal of Steroid Biochemistry and Molecular Biology* 165(Pt A) (2016):137-144, https://www.ncbi.nlm.nih.gov/pubmed/26995108. Recently, doctors at a major conference presented information from one registry (which is currently inaccessible to patient groups) confirming the frequency of certain surgeries performed on infants. Regarding initial surgical intervention for children with CAH, they noted: 544 patients underwent feminizing genitoplasty between 2004-2014, median age at initial surgery: 9.9 months.
- [106] Natalie Nokoff et al., Prospective Assessment of Cosmesis Before and After Genital Surgery, *Journal of Pediatric Urology* 13(1) (2017): 28.e1 28.e6, http://www.jpurol.com/article/S1477-5131(16)30279-0/abstract.
- [107] Rebecca Ellens et al., Psychological Adjustment in Parents of Children Born with Atypical Genitalia One Year
- After Their Child Undergoes Genitoplasty, The Journal of Urology, May 11, 2017, 10.1016/j.juro.2017.05.035.
- [108] Lee et al., Global Disorders of Sex Development Update Since 2006: Perceptions, Approach and Care.
- [109] Human Rights Watch interview with an endocrinologist, February 1, 2017.
- [110] Human Rights Watch interview with a urologist, February 15, 2017.
- [111] Human Rights Watch interview with an endocrinologist, February 27, 2017.
- [112] Human Rights Watch interview with a gynecologist, February 3, 2017.
- [113] Human Rights Watch interview with a urologist, February 6, 2017.
- [114] Human Rights Watch interview with an endocrinologist, February 1, 2017.
- [115] Human Rights Watch interview with a psychologist, January 30, 2017.
- [116] Human Rights Watch interview with a psychiatrist, January 25, 2017.
- [117] Human Rights Watch interview with a gynecologist, March 7, 2017.
- [118] Human Rights Watch interview with an endocrinologist, February 23, 2017.
- [119] The Committee on Bioethics of the Council of Europe, The Rights of Children in Biomedicine: Challenges Posed by Scientific Advances and Uncertainties, Council of Europe, January 16, 2017, http://www.coe.int/en/web/children/-/study-on-the-rights-of-children-in-biomedicine.
- [120] Ibid.
- [121] Human Rights Watch interview with Patty P., California, October 27, 2016.
- [122] Katrina Karkazis, Fixing Sex: Intersex, Medical Authority, and Lived Experience, (Durham: Duke University Press, 2008).
- [123] Human Rights Watch interview with Ava A., Texas, January 9, 2017.
- [124] Human Rights Watch interview with Margy K., California, October 29, 2016.
- [125] The Consortium on Disorders of Sex Development, Clinical Guidelines for the Management of Disorders of Sex Development in Childhood and Handbook for Parents, 2006. www.dsdguidelines.org
- [126] Sarah Creighton et al., Timing and Nature of Reconstructive Surgery for Disorders of Sex Development Introduction, *Journal of Pediatric Urology* (2012) (noting that the vagina has no function in early childhood); Lisa Melton, New Perspectives on the Management of Intersex, *The Lancet* (2001).
- [127] Human Rights Watch interview with Sam I., Texas, January 7, 2017.
- [128] Human Rights Watch interview with an endocrinologist, February 1, 2017.
- [129] Human Rights Watch interview with a mental health social worker, December 4, 2016.
- [130] Human Rights Watch interview with Molly M., location withheld, January 10, 2017.
- [131] As explained by interACT in a submission to the UN Committee Against Torture: Egregiously, doctors who perform genital-normalizing surgery are well aware that many of their patients will reject their assigned sex. One review recognized that 10% of congenital adrenal hyperplasia (CAH) cases develop gender dysphoria, but still concluded that assigning female gender and performing premature

surgery is safe in the majority of cases. (Furtado, P. S. et al. Gender dysphoria associated with disorders of sex development, *Nat. Rev. Urol.* advance online publication 9 October 2012; doi:10.1038/nrurol.2012.182.) In other words, the authors support reducing or removing the phalloclitoris and performing irreversible feminizing genitoplasty on infants with CAH, in spite of the fact that one in 10 of those infants will grow to identify as male. These authors further recognize rates of gender dysphoria as high as 8.5-20% in intersex conditions generally, yet maintain that early surgery remains safe. (Furtado et al, 2012) An international consensus statement on treatment of intersex conditions reaches similar conclusions, even while recognizing rates of gender change as high as 40 percent in some conditions. (Hughes IA et al. Consensus statement on management of intersex disorders, Archives of Disease in Childhood 2006, 91:554-63.). The interACT submission is available at: http://tbinternet.ohchr.org/Treaties/CAT/Shared%20Documents/USA/INT_CAT_CSS_USA_18525_E.pdf

- [132] Lee et al., Consensus Statement on Management of Intersex Disorders.; Lee et al., Global Disorders of Sex Development Update Since 2006: Perceptions, Approach and Care.
- [133] Human Rights Watch interview with Mark R. Texas, January 7, 2017.
- [134] Human Rights Watch interview with Dierdre P., location withheld, February 8, 2017.
- [135] Human Rights Watch interview with Adrian P., Illinois, February 7, 2017.
- [136] Human Rights Watch interview with Adrian P., Illinois, February 7, 2017.
- [137] Human Rights Watch interview with Neha K., California, October 24, 2016.
- [138] Human Rights Watch interview with Patrick L., New York, October 29, 2017.
- [139] Human Rights Watch interview with Sam I., Texas, January 7, 2017.
- [140] Human Rights Watch interview with Neha K., California, October 24, 2016.
- [141] Human Rights Watch interview with Ruth N., Maryland, January 26, 2017.
- [142] Human Rights Watch interview with Carmen S., New York, December 2, 2016.
- [143] Human Rights Watch interview with Carmen S., New York, December 2, 2016.
- [144] Human Rights Watch interview with Stella K., Massachusetts, December 6, 2016.
- [145] One adult said: My parents were told to dilate me, and they tried but it was too weird for them...I remember them dilating me, and then they said they couldnt do it any more so they stopped.
- [146] Human Rights Watch interview with Lina T., Maryland, January 26, 2017.
- [147] Charmian Quigley, Genital examination: when and how? (What I Learned from Jodie). http://www.dsdfamilies.org/mednote/genital_examination.php
- [148] Anne Tamar-Mattis et al., Emotionally and Cognitively Informed Consent for Clinical Care for Differences of Sex Development, *Psychology &* Sexuality (2013), http://katrinakarkazis.com/kkwp/wp-content/uploads/2013/01/informed-consent-psychsex.pdf; and Karkazis, *Fixing Sex* (2008).
- [149] Creighton S1, Alderson J, Brown S, Minto CL., Medical Photography: Ethics, Consent and the Intersex Patient, *British Journal of Urology International* 89(1) (2002):67-71, https://www.ncbi.nlm.nih.gov/pubmed/11849163.
- [150] John Money, Genital Examinations and Exposure Experienced as Nonsocomial Sexual Abuse in Childhood. *The Journal of Nervous and Mental Disease* Vol. 175(12): pp.713-721.
- [151] Heino Meyer-Bahlburg et al., Stigma in Medical Settings as Reported Retrospectively by Women with Congenital Adrenal Hyperplasia (CAH) for Their Childhood and Adolescence, *Journal of Pediatric Psychology* 42(5) (2015): 18, https://academic.oup.com/jpepsy/article/42/5/496/2622419/Stigma-in-Medical-Settings-As-Reported.
- [152] Human Rights Watch interview with Dierdre P., location withheld, February 8, 2017. Other interviewees experienced their childhood exams as sexual abuse as well. For example, Carmen S. said: The way that I reacted to them and feel about them are incredibly similar to the experiences reported by kids who have been sexually abused. Human Rights Watch interview with Carmen S., New York, December 2, 2016.
- [153] Human Rights Watch interview with Dierdre P., location withheld, February 8, 2017.
- [154] Human Rights Watch interview with Neha K., California, October 24, 2016.
- [155] Human Rights Watch interview with Sam I., Texas, January 7, 2017.
- [156] Human Rights Watch interview with Ruth N., Maryland, January 26, 2017.
- [157] Human Rights Watch interview with Adrian P., Illinois, February 7, 2017.
- [158] Human Rights Watch interview with Theresa N., California, October 26, 2016.
- [159] Lee et al., Consensus Statement on Management of Intersex Disorders.
- [160] Meyer-Bahlburg et al., Stigma in Medical Settings as Reported Retrospectively by Women with Congenital Adrenal Hyperplasia

- (CAH) for Their Childhood and Adolescence.
- [161] Human Rights Watch interview with a urologist, February 23, 2017.
- [162] Human Rights Watch interview with Ellen B., location withheld, January 8, 2017.
- [163] Human Rights Watch interview with Thomas A., location withheld, December 6, 2016.
- [164] Human Rights Watch interview with Christine T., location withheld, December 5, 2016.
- [165] Karkazis, *Fixing Sex* (2008).
- [166] Human Rights Watch interview with Molly M., location withheld, January 10, 2017.
- [167] Human Rights Watch interview with Patty P., California, October 27, 2016.
- [168] Human Rights Watch interview with Sam I., Texas, January 7, 2017.
- [169] Human Rights Watch interview with Neha K., California, October 24, 2016.
- [170] Human Rights Watch interview with Sam I., Texas, January 7, 2017.
- [171] Human Rights Watch interview with John M., Illinois, February 5, 2017.
- [172] Human Rights Watch interview with Carmen S., New York, December 2, 2016.
- [173] Human Rights Watch interview with a urologist, February 6, 2017.
- [174] Human Rights Watch interview with Carl B., location withheld, January 26, 2017.
- [175] Human Rights Watch interview with Judy B., location withheld, January 26, 2017.
- [176] Human Rights Watch interview with Wendy N., location withheld, January 28, 2017.
- [177] Human Rights Watch interview with Wendy N., location withheld, January 28, 2017. In a 2016 paper published in the *Journal of Pediatric Urology*, doctors examined a cohort of 37 pediatric patients with atypical genitalia from childrens hospitals across the country. Of the 37 cases, 35 opted for cosmetic surgery on their children and two did not. None of the patients had a UTI prior to surgery; one reported a UTI within 6 months of a feminizing genitoplasty operation. Natalie Nokoff et al., Prospective Assessment of Cosmesis Before and After Genital Surgery.
- [178] Human Rights Watch interview with Christine T., location withheld, December 5, 2016.
- [179] Human Rights Watch interview with Carmen S., New York, December 2, 2016.
- [180] Human Rights Watch interview with John M., Illinois, February 5, 2017.
- [181] Human Rights Watch interview with Rebecca C., California, October 27, 2016.
- [182] Human Rights Watch interview with Adrian P., Illinois, February 7, 2017.
- [183] Human Rights Watch interview with Theresa N., California, October 26, 2016.
- [184] Human Rights Watch interview with Neha K., California, October 24, 2016.
- [185] Human Rights Watch interview with Tracey A., location withheld, December 6, 2016.
- [186] Human Rights Watch interview with Molly M., location withheld, January 10, 2017.
- [187] Human Rights Watch interview with Kate R., location withheld, December 4, 2017.
- [188] Human Rights Watch interview with Ellen B., location withheld, January 8, 2017.
- [189] Human Rights Watch interview with Wendy N., location withheld, January 28, 2017.
- [190] Human Rights Watch interview with Patricia P., location withheld, December 4, 2016.
- [191] Human Rights Watch interview with Tracey A., location withheld, December 6, 2016.
- [192] Human Rights Watch interview with Jackie N., California, October 25, 2016.
- [193] Catherine Minto, et al., The Effect of Clitoral Surgery on Sexual Outcome in Individuals Who Have Intersex Conditions with Ambiguous Genitalia: A Cross-sectional Study. *The Lancet*, April 12, 2003, https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4559568/
- [194] Nina Callens, et al. Do Surgical Interventions Influence Psychosexual and Cosmetic Outcomes in Women with Disorders of Sex Development? *ISRN Endocrinology* 2012 (2012), Article ID 276742, https://www.hindawi.com/journals/isrn/2012/276742/
- [195] Hazel Glen Beh and Milton Diamond, David Reimer's Legacy: Limiting Parental Discretion, *Cardozo Journal of Law and Gender* 12(5) (2005), https://papers.ssrn.com/sol3/papers.cfm?abstract_id=1446966.

- [196] Human Rights Watch interview with a urologist, February 23, 2017.
- [197] Human Rights Watch interview with a gynecologist, February 3, 2017.
- [198] Human Rights Watch interview with a urologist, February 6, 2017.
- [199] Human Rights Watch interview with a psychologist, January 30, 2017.
- [200] Palm Center, Re-Thinking Genital Surgeries on Intersex Infants.
- [201] Human Rights Watch interview with a urologist, February 6, 2017.
- [202] Human Rights Watch interview with a urologist, February 23, 2017.
- [203] Human Rights Watch interview with a urologist, February 6, 2017.
- [204] Karkazis, *Fixing Sex* (2008).
- [205] United Nations Education, Scientific and Cultural Organization (UNESCO), Universal Declaration on Bioethics and Human Rights, October 19, 2005, http://portal.unesco.org/en/ev.php-URL_ID=31058&URL_DO=DO_TOPIC&URL_SECTION=201.html
- [206] United Nations, Report of the Special Rapporteur on the right of everyone to the enjoyment of the highest attainable standard of physical and mental health, A/64/272, August 10, 2009, https://documents-dds-ny.un.org/doc/UNDOC/GEN/N09/450/87/PDF/N0945087.pdf?OpenElement
- [207] Ibid.
- [208] Ibid.
- [209] Human Rights Watch interview with Mariel K., age 14, October 29, 2016.
- [210] Human Rights Watch interview with Thomas A., location withheld, December 6, 2016.
- [211] Human Rights Watch interview with Margy K., California, October 29, 2016.
- [212] Human Rights Watch interview with a urologist, February 15, 2017.
- [213] Human Rights Watch interview with Thomas A., location withheld, December 6, 2016.
- [214] Human Rights Watch interview with Thomas A., location withheld, December 6, 2016.
- [215] Human Rights Watch interview with Thomas A., location withheld, December 6, 2016.
- [216] Human Rights Watch interview with Thomas A., location withheld, December 6, 2016.
- [217] For example, a 2012 joint statement by the European Society for Pediatric Urology and the Society of Pediatric Urology of the United States listed meeting parents' expectations as one of the three principal objectives of conducting genital surgery. P. Mouriquand et al., The ESPU/SPU standpoint on the surgical management of Disorders of Sex Development (DSD).; Sarah Creighton et al., Timing and Nature of Reconstructive Surgery for Disorders of Sex Development Introduction, *Journal of Pediatric Urology* 8(6) (2012):602-610, http://www.jpurol.com/article/S1477-5131(12)00236-7/abstract.
- [218] K Karkazis, A Kon & A Tamar-Mattis,; L. Genital Surgery for Disorders of Sex Development: Implementing a Shared Decision-making Approach, *Journal of Pediatric Endocrinology and Metabolism* (2010), https://www.ncbi.nlm.nih.gov/pubmed/21073122; Laura Hermer, Paradigms Revisited: Intersex Children, Bioethics, & the Law, *Annals of Health Law* 11 (2002), https://pdfs.semanticscholar.org/30c6/61cb453522904a1c860fc68f363c62670c2f.pdf.
- [219] Martine Cools et al., Managing the Risk of Germ Cell Tumourigenesis in Disorders of Sex Development Patients, *Endocrine Development* 27 (2014):185-196, https://www.ncbi.nlm.nih.gov/pubmed/25247655.
- [220] In its 2013 report, the Australian Senate Community Affairs Committee discusses in depth the controversies over how cancer risk data has been collated and presented, including in the 2006 Consensus Statement. The report is available at: Commonwealth of Australia, Senate Community Affairs References Committee, Involuntary or coerced sterilization of intersex people in Australia, October 30, 2013, http://www.aph.gov.au/~/media/Committees/Senate/committee/clac ctte/involuntary sterilisation/second report/report.ashx.
- [221] Karkazis et al., Shared Decision-Making and Children with DSD.; Anne Tamar-Mattis, Sterilization and Minors with Intersex Conditions in California Law, *California Law Review* (2012), http://www.californialawreview.org/wp-content/uploads/2014/10/Sterilization-and-Minors-with-Intersex-Conditions-in-California-L.pdf.
- [222] Lee et al., Global Disorders of Sex Development Update Since 2006: Perceptions, Approach and Care.
- [223] Palm Center, Re-Thinking Genital Surgeries on Intersex Infants.
- [224] Human Rights Watch interview with a urologist, February 23, 2017.
- [225] Human Rights Watch interview with a gynecologist, March 7, 2017.
- [226] Human Rights Watch interview with a urologist, February 23, 2017.

[227] Human Rights Watch interview with a urologist, February 23, 2017.

[228] Dreger, Intersex Rights, (2017); Anne Tamar-Mattis, Exceptions to the Rule: Curing the Laws Failure to Protect Intersex Infants, Berkeley Journal of Gender, Law, and Justice 21(1) (2006), https://interactadvocates.org/wp-content/uploads/2016/01/Exceptions-to-the-Rule-Curing-the-Laws-Failure-to-Protect-Intersex-Infants.pdf; Karkazis, Fixing Sex (2008); Interview with Tiger Devore in Videotape: XXXY (Laleh Soomekh & Porter Gale, 2000), available at: http://www.planetout.com/popcornq/db/getfilm.html?63816 (I dont know one intersexed individual who is happy with the treatment they have received from the physicians that they have consulted with over the years not one! I have spoken with people internationally, more than a thousand of them. Im eager for the medical society to present these successful cases, because I cant find one.); Marcus de Maria Arana, San Francisco Human Rights Commission, A Human Rights Investigation into the Medical Normalization of Intersex People (2005),

http://sfhrc.org/site/uploadedfiles/sfhumanrights/Committee Meetings/Lesbian Gay Bisexual Transgender/HRC%20Intersex%20Report.pdf.

[229] Human Rights Watch interview with Bruce P., Illinois, February 7, 2017.

[230] Human Rights Watch interview with Clarissa B., March 2, 2017.

The risk of complications is much higher than 20 percent. Sarah Creighton and L-M Liao, Changing Attitudes to Sex Assignment in Intersex, *BJU International* (2004), (noting one study in which greater than half of women with CAH, most of whom had had genital surgery, reported pain with intercourse and sexual anxiety); Lisandro Ariel Piaggio, Congenital Adrenal Hyperplasia: Review from a Surgeons Perspective in the Beginning of the Twenty-First Century, *Frontiers in Pediatrics* (2013) (reporting that in one study, 39 percent of women with CAH who had undergone clitoral surgery always found it impossible to have an orgasm; in another study, one-third of patients who had undergone clitoral reductions no longer had any identifiable clitoral tissue remaining; in a third study, 46 percent of women with CAH had an unsatisfactory outcome following clitoral surgery. Additionally, studies of vaginoplasty in women with CAH reported that revision surgeries were required for between 77 and 100 percent of patients.); Lee et al., Consensus Statement on Management of Intersex Disorders. (reporting rates of gender assignment rejection of approximately 10 percent for individuals with Congenital Adrenal Hyperplasia.)

[231] It has been hypothesized that body differences associated with DSDs may harm well-being although inconsistently. The high prevalence of normalizing surgery makes it impossible to separate the psychosocial impact of body differences and surgical management. Lee et al., Global Disorders of Sex Development Update Since 2006: Perceptions, Approach and Care.

[232] Pierre Mouriquand, et al., Surgery in disorders of sex development (DSD) with a gender issue: If (why), when, and how? *Journal of Pediatric Urology* 12(3) (2016), doi: 10.1016/j.jpurol.2016.04.001.

[233] Human Rights Watch interview with a gynecologist, February 3, 2017.

[234] Human Rights Watch interview with a urologist, February 23, 2017.

[235] See P.S. Furtado et al., Gender Dysphoria Associated with Disorders of Sex Development, *Nature Reviews Urology* 9 (November 2012):620-627, doi:10.1038/nrurol.2012.182, (reporting gender dysphoria in approximately 5 percent of individuals with Complete Androgen Insensitivity Syndrome, 10 percent of individuals with Congenital Adrenal Hyperplasia; 12.5 percent of individuals with Ovotesticular DSD; 20 percent of individuals with Partial Androgen Insensitivity Syndrome; 29 percent of individuals with mixed gonadal dysgenesis; 39 percent of individuals with cloacal exstrophy; 57 percent of individuals with 17-beta-hydroxysteroid dehydrogenase deficiency; and 63 percent of individuals with 5-alpha-reductase deficiency); Lee et al., Consensus Statement on Management of Intersex Disorders, (reporting rates of gender assignment rejection of approximately 10 percent for individuals with Congenital Adrenal Hyperplasia; 25 percent for individuals with Partial Androgen Insensitivity Syndrome, androgen biosynthetic defects, and incomplete gonadal dysgenesis; 35 percent for individuals with cloacal exstrophy; and 60 percent for individuals with 5-alpha-reductase deficiency).

[236] Human Rights Watch interview with a urologist, February 23, 2017.

[237] Human Rights Watch interview with a urologist, February 23, 2017. One of the few available studies looking at psychological outcomes reported marked psychological distress with rates of suicidal tendencies and self-harming behavior on a level comparable to non-DSD women with a history of physical or sexual abuse among intersex adults who had received normalizing interventions. Karsten Schtzmann et al., Psychological Distress, Self-Harming Behavior, and Suicidal Tendencies in Adults with Disorders of Sex Development, *Archives of Sexual Behavior* 38(1) (2009):1633, https://www.ncbi.nlm.nih.gov/pubmed/17943433.

[238] Human Rights Watch interview with a urologist, February 15, 2017.

[239] Human Rights Watch interview with a urologist, February 15, 2017.

[240] Human Rights Watch interview with a urologist, February 15, 2017.

[241] Lee et al., Global Disorders of Sex Development Update Since 2006: Perceptions, Approach and Care.

[242] Pierre Bougnres, Deferring Surgical Treatment of Ambiguous Genitalia into Adolescence in Girls with 21-Hydroxylase Deficiency: A Feasibility Study, *International Journal of Pediatric Endocrinology* 2017(3) (2017), DOI 10.1186/s13633-016-0040-8.

[243] Human Rights Watch interview with Thomas A., location withheld, December 6, 2016.

[244] Human Rights Watch interview with Kate R., location withheld, December 4, 2017.

[245] Human Rights Watch interview with Wendy N., location withheld, January 28, 2017.

[246] Human Rights Watch interview with Kate R., location withheld, December 4, 2017.

[247] Human Rights Watch, *Like Walking Through a Hailstorm: Discrimination Against LGBT Youth in US Schools*, December 7, 2016, https://www.hrw.org/report/2016/12/07/walking-through-hailstorm/discrimination-against-lgbt-youth-us-schools.

[248] These surgeries, however, do not always result in the normal-looking genitals they aim to create. Lisandro Ariel Piaggio, Congenital Adrenal Hyperplasia: Review from a Surgeons Perspective in the Beginning of the Twenty-First Century, *Frontiers in Pediatrics* 1(50) (2013), doi:10.3389/fped.2013.00050, (noting one study in which 46 percent of clitoral surgery patients had an unacceptable anatomical result). Human Rights Watch documented such cases as well. For example, Lina, a 24-year-old intersex woman who underwent surgery as an infant, now suffers from pelvic floor muscle failure and is required to visit a physical therapist to treat it. The first visit I had with the physical therapist, she asked me if I actually feel femalethen she looked at my genitalia and said Wow! I dont even know what Im looking at here! and that was completely triggering for me so I cant go back, Lina said.

[249] Historian Alice Dreger acknowledges that cultural attachment to the idea of a clear, simple division between (only) two sexes runs deep. However, she argues, the proposal to avoid social stigma by instead making the body conform to norms takes the cultural attachment to its logical extreme. In 20 years of researching medical care for intersex people in the US, she notes: Many physicians believe that theres nothing we can do about that cultural anchor You cant change society, they say. Alice Dreger, Intersex Rights, *aeon magazine*, April 6, 2017, https://aeon.co/essays/people-born-intersex-have-a-right-to-genital-integrity? https://aeon.co/essays/people-born-intersex-have-a-right-to-genital-integrity? https://aeon.co/essays/people-born-intersex-have-a-right-to-genital-integrity? https://aeon.co/essays/people-born-intersex-have-a-right-to-genital-integrity? https://aeon.co/essays/people-born-intersex-have-a-right-to-genital-integrity? https://aeon.co/essays/people-born-intersex-have-a-right-to-genital-integrity? https://aeon.co/essays/people-born-intersex-have-a-right-to-genital-integrity?

EMAIL CAMPAIGN 2017 04 03&utm medium=email&utm term=0 411a82e59d-a7bd262bd3-69382885.

- [250] Human Rights Watch interview with Judy G., New York November 30, 2017.
- [251] Human Rights Watch interview with Patty P., California, October 27, 2016.
- [252] Human Rights Watch interview with a urologist, February 15, 2017.
- [253] Human Rights Watch interview with an endocrinologist, February 23, 2017.
- [254] Human Rights Watch interview with an endocrinologist, February 23, 2017.
- [255] The World Professional Association for Transgender Health (WPATH), Standards of Care for the Health of Transsexual, Transgender, and Gender Nonconforming People Version 7.
- [256] Ibid.
- [257] Peter Lee, et al., Review of Recent Outcome Data of Disorders of Sex Development (DSD): Emphasis on Surgical and Sexual Outcomes, *Journal of Pediatric Urology* 8(6) (2012): 611-615 http://dx.doi.org/10.1016/j.jpurol.2012.10.017; L-M Liao et al., Determinant Factors of Gender Identity: A Commentary, *Journal of Pediatric Urology* 8(6) (2012): 597-601, http://dx.doi.org/10.1016/j.jpurol.2012.09.009.
- [258] Human Rights Watch interview with a gynecologist, February 3, 2017.; Some recently-published studies document clitorectomies that happened as recently as the late 1990s. See: Heino Meyer-Bahlburg, Syndrome-Related Stigma in the General Social Environment as Reported by Women with Classical Congenital Adrenal Hyperplasia, *Archives of Sexual Behavior* 46(2) (2017):341351, doi:10.1007/s10508-016-0862-8.
- [259] Human Rights Watch interview with a urologist, February 23, 2017.
- [260] Human Rights Watch interview with an endocrinologist, February 1, 2017.
- [261] Human Rights Watch interview with an endocrinologist, February 27, 2017.
- [262] Creighton and Liao, Changing Attitudes to Sex Assignment in Intersex.
- [263] The Consortium on Disorders of Sex Development, Clinical Guidelines for the Management of Disorders of Sex Development in Childhood and Handbook for Parents, p.25, 28; Milton Diamond and Keith Sigmundson, Management of Intersexuality: Guidelines for Dealing with Individuals with Ambiguous Genitalia, *Archives of Pediatric and Adolescent Medicine* 151 (1997):1046-1050, http://www.isna.org/library/ManagementofIntersex.pdf; Creighton and Liao, Changing Attitudes to Sex Assignment in Intersex.; Intersex Society of North America, How Can You Assign a Gender (Boy or Girl) Without Surgery?, undated, http://www.isna.org/faq/gender_assignment.
- [264] Human Rights Watch interview with a urologist, February 15, 2017.
- [265] P. Mouriquand et al., The ESPU/SPU standpoint on the surgical management of Disorders of Sex Development (DSD).; Justine Schober, Early Feminizing Genitoplasty or Watchful Waiting, *Journal of Pediatric and Adolescent Gynecology* 11(3) (1998): 154-156, http://dx.doi.org/10.1016/S1083-3188(98)70267-0; Claudia Wiesemann et al., Ethical Principles and Recommendations for the Medical Management of Differences of Sex Development (DSD)/Intersex in Children and Adolescents, *European Journal of Pediatrics* 169(6) (2009):671-679, doi:10.1007/s00431-009-1086-x; Sarah M. Creighton, Long-term Sequelae of Genital Surgery in *Paediatric and Adolescent Gynaecology: A Multidisciplinary Approach* ed. Adam H. Balen et al. (Cambridge University Press:2004).
- [266] Human Rights Watch interview with Abigail L., February 28, 2017.
- [267] Human Rights Watch interview with Abigail L., February 28, 2017.
- [268] Human Rights Watch interview with Gina K., February 28, 2017.
- [269] Wang and Poppas, Surgical Outcomes and Complications of Reconstructive Surgery in the Female Congenital Adrenal Hyperplasia Patient: What Every Endocrinologist Should Know," *Journal of Steroid Biochemistry and Molecular Biology*.; Zeina M. Nabhan, et al., Urinary Tract Infections in Children with Congenital Adrenal Hyperplasia, *Journal of Pediatric Endocrinology and Metabolism* vol. 19 (2006).
- [270] An estimated 0.7 percent of youth ages 13 to 17, or 150,000 youth, identify as transgender in the United States. Jody L. Herman,

Andrew R. Flores, Taylor N.T. Brown, Bianca D.M. Wilson, and Kerith J. Conron, Age of Individuals Who Identify as Transgender in the United States, *The Williams Institute*, January 2017, https://williamsinstitute.law.ucla.edu/research/transgender-issues/new-estimates-show-that-150000-youth-ages-13-to-17-identify-as-transgender-in-the-us/

[271] Furtado et al., Gender Dysphoria Associated with Disorders of Sex Development. (reporting a rate of eventual sex assignment rejection in up to 10 percent of individuals with CAH).

[272] For example, a leading pediatric urology textbook explains that, "...among those infants with severe virilization, the possibility of an eventual male sexual identity becoming established may mean that any irreversible feminizing procedure carried out in infancy may, in the fullness of time, be regretted." the parents should understand, and the surgical consent form should specify that the long-term outcome of feminizing genitoplasty has not been fully evaluated and that no guarantee can be given as to the ultimate gender identity of the child. Furthermore, the authors note that phallus construction surgical techniques, or Total Penile Construction are mainly used in adults who have sustained the accidental loss of their penis. The authors state that: Although the resulting peniscan be cosmetically satisfactory, complications are common. Although the availability of such formidable techniques is advantageous for adults suffering penile trauma, the complexity of the procedure, suboptimal cosmesis and function, and significant postoperative morbidity confine their potential applications among children to a few, highly selected individuals. A. Barry Belman, Lowell King, and Stephen A. Kramer, *Guide to Clinical Pediatric Urology* (Taylor and Francis, 2002).

- [273] Human Rights Watch interview with a psychologist, November 21, 2016.
- [274] Human Rights Watch interview with an endocrinologist, February 23, 2017.
- [275] Human Rights Watch interview with an endocrinologist, February 1, 2017.

[276] "Reoperations After Failed Hypospadias Repair: How Prior Surgery Impacts Risk for Additional Complications," The Societies for Pediatric Urology, 2016, http://spuonline.org/abstracts/2016/MP34.cgi; W. Snodgrass and NC Bush, "Re-operative Urethroplasty After Failed hypospadias Repair: How Prior Surgery Impacts Risk for Additional Complications," Journal of Pediatric Urology13(3) (2017):289.e1-289.e6, http://www.sciencedirect.com/science/article/pii/S1477513116303904; James R. Craig et al., "Management of Adults with Prior Failed Hypospadias Surgery," Translational Andrology and Urology3(2) (2014):196-204, https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4708161/; Yu-huan Lu et al., "Factors Associated with Reoperation in Hypospadias

Surgery--A Nationwide, Population-based Study," Asian Journal of Surgery40(2) (2017):116-122, http://www.sciencedirect.com/science/article/pii/S1015958415001153.

- [277] Human Rights Watch interview with a gynecologist, March 7, 2017.
- [278] Human Rights Watch interview with a gynecologist, March 7, 2017.
- [279] Human Rights Watch interview with a urologist, February 23, 2017.
- [280] Human Rights Watch interview with an endocrinologist, February 23, 2017.
- [281] Human Rights Watch interview with an endocrinologist, February 23, 2017.
- [282] Human Rights Watch interview with an endocrinologist, February 27, 2017.
- [283] Human Rights Watch interview with an endocrinologist, February 27, 2017.
- [284] Human Rights Watch interview with a urologist, February 23, 2017.
- [285] Human Rights Watch interview with a urologist, February 23, 2017.
- [286] Human Rights Watch interview with an endocrinologist, February 27, 2017.
- [287] Human Rights Watch interview with a gynecologist, February 3, 2017.
- [288] Human Rights Watch interview with an endocrinologist, March 3, 2017.
- [289] Human Rights Watch interview with an endocrinologist, March 3, 2017.
- [290] Human Rights Watch interview with a urologist, February 15, 2017.
- [291] Human Rights Watch interview with a urologist, February 6, 2017.
- [292] Human Rights Watch interview with a urologist, February 6, 2017.
- [293] Human Rights Watch interview with a psychologist, November 21, 2016.
- [294] Human Rights Watch interview with a urologist, February 15, 2017.
- [295] Human Rights Watch interview with an endocrinologist, February 27, 2017.
- [296] Human Rights Watch interview with a urologist, February 23, 2017.
- [297] Human Rights Watch interview with a psychologist, January 30, 2017.
- [298] Human Rights Watch interview with a psychologist, January 30, 2017.
- [299] Mireya Navarro, When Gender Isn't a Given, The New York Times, September 19, 2004,

http://www.nytimes.com/2004/09/19/fashion/when-gender-isnt-a-given.html

- [300] Anne Tamar-Mattis, What About The Locker Room?, *Healio Endocrine Today*, March 2009, http://www.healio.com/endocrinology/reproduction-androgen-disorders/news/print/endocrine-today/%7B1736e672-6bcc-4334-a558-055c690794b4%7D/what-about-the-locker-room
- [301] Human Rights Watch interview with a urologist, February 15, 2017.
- [302] Human Rights Watch interview with an endocrinologist, February 1, 2017.
- [303] Human Rights Watch interview with an endocrinologist, February 1, 2017.
- [304] Human Rights Watch interview with a gynecologist, February 3, 2017.
- [305] Human Rights Watch interview with a urologist, February 23, 2017.
- [306] Human Rights Watch interview with a urologist, February 23, 2017.
- [307] Human Rights Watch interview with a urologist, February 23, 2017.
- [308] Human Rights Watch interview with a urologist, February 23, 2017.
- [309] Human Rights Watch interview with a psychologist, January 30, 2017.
- [310] Human Rights Watch interview with a urologist, February 6, 2017.
- [311] Human Rights Watch interview with a mental health social worker., location withheld, December 4, 2016.
- [312] Human Rights Watch interview with mental health social worker, location withheld, December 4, 2016.
- [313] Human Rights Watch interview with mental health social worker, location withheld, December 4, 2016.
- [314] Human Rights Watch interview with a gynecologist, March 7, 2017.
- [315] Human Rights Watch interview with an endocrinologist, February 23, 2017.
- [316] Human Rights Watch interview with an endocrinologist, March 3, 2017.
- [317] Human Rights Watch interview with an endocrinologist, March 3, 2017.
- [318] Human Rights Watch interview with a gynecologist, February 3, 2017.
- [319] A mental health provider on a DSD team echoed this argument, drawing a parallel between choosing surgery for an intersex child and choosing to raise the child in a religion versus atheista parallel, he admitted, was imperfect. Human Rights Watch interview with a psychologist, January 30, 2017.
- [320] Lee et al., Consensus Statement on Management of Intersex Disorders.; Lee et al., Global Disorders of Sex Development Update Since 2006: Perceptions, Approach and Care.
- [321] United Nations World Health Organization (WHO), Genomic Resource Center: Patient Support Groups, http://www.who.int/genomics/public/patientsupport/en/
- [322] Human Rights Watch interview with Mariel K., October 29, 2016.
- [323] CARES Foundation, https://www.caresfoundation.org/
- [324] AIS-DSD Support Group, http://aisdsd.org/
- [325] Accord Alliance, http://www.accordalliance.org/
- [326] Human Rights Watch interview with a gynecologist, February 3, 2017.
- [327] Human Rights Watch interview with an endocrinologist, February 1, 2017.
- [328] Human Rights Watch interview with a psychologist, January 30, 2017.
- [329] Human Rights Watch interview with Molly M., location withheld, January 10, 2017.
- [330] Human Rights Watch interview with Seth T., location withheld, December 5, 2016.
- [331] Human Rights Watch interview with Christine T., location withheld, December 5, 2016.
- [332] Human Rights Watch interview with Margy K., California, October 29, 2016.
- [333] Human Rights Watch interview with Patricia P., location withheld, December 4, 2016.
- [334] Human Rights Watch interview with Thomas A., location withheld, December 6, 2016.

- [335] Human Rights Watch interview with Ava A., Texas, January 9, 2017.
- [336] Human Rights Watch interview with Kate R., location withheld, December 4, 2017.
- [337] Human Rights Watch interview with Kate R., location withheld, December 4, 2017.
- [338] Human Rights Watch interview with Jackie N., California, October 25, 2016.
- [339] Human Rights Watch interview with Jackie N., California, October 25, 2016.
- [340] Human Rights Watch interview with Neha K., California, October 24, 2016.
- [341] Human Rights Watch interview with Meredith N., Texas, January 8, 2017.
- [342] Human Rights Watch interview with Judy G., New York November 30, 2017.
- [343] Human Rights Watch interview with Jamie J., New York, December 3, 2016.
- [344] Human Rights Watch interview with Patrick L., New York, October 29, 2017.
- [345] Human Rights Watch interview with Patricia P., location withheld, December 4, 2016.
- [346] Human Rights Watch interview with Jackie N., California, October 25, 2016.
- [347] United Nations World Health Organization, et. al., Eliminating Forced, Coercive and Otherwise Involuntary SterilizationAn Interagency Statement.
- [348] Office of the High Commissioner for Human Rights, joint statement, United Nations entities call on States to act urgently to end violence and discrimination against lesbian, gay, bisexual, transgender and intersex (LGBTI)1 adults, adolescents and children, September 2015, http://www.ohchr.org/Documents/Issues/Discrimination/Joint_LGBTI_Statement_ENG.PDF (accessed April 22, 2017).
- [349] Government of Malta, Gender Identity, Gender Expression and Sex Characteristics Act.
- [350] The United Nations Committee Against Torture (CAT), which reviews state compliance with the Convention Against Torture, has referenced several of the Conventions in its analysis of intersex surgeries. These are: article 2 (legislative, administrative, judicial or other measures to prevent acts of torture), article 10 (education and information regarding the prohibition against torture included in the training ofmedical personnel), article 12 (systematic review [of] methods and practices with a view to preventing any cases of torture), article 14 (legal redress for torture) and article 16 (prevention of acts of cruel, inhuman or degrading treatment) in its analysis of intersex surgeries. Some patterns emerge in the committees critique of state practices and recommendations for action. The Committee against Torture, Concluding observations of the Committee against Torture, Germany, CAT/C/DEU/CO/5 (12 December 2011); Committee against Torture Concluding observations on the seventh periodic report of Switzerland, CAT/C/CHE/CO/7, 7 September 2015; Committee against Torture Concluding observations on the sixth periodic report of Austria, CAT/C/AUT/CO/6 (27 January 2016); Committee against Torture Concluding observations on the fifth periodic report of China with respect to Hong Kong, China, CAT/C/CHN-HKG/CO/5 (3 February 2016); Committee against Torture Concluding observations on the combined sixth and seventh periodic reports of Denmark, CAT/C/DNK/CO/6-7 (4 February 2016); Committee against Torture, Concluding observations on the seventh periodic report of France, CAT/C/FRA/CO/7 (10 June 2016).
- [351] United Nations Human Rights Council, Report of the Special Rapporteur on Torture and Other Cruel, Inhuman or Degrading Treatment or Punishment, Juan E. Mndez.
- [352] WHO, OHCHR, UN Women, UNAIDS, UNDP, UNFPA, UNICEF, Eliminating forced, coercive and otherwise involuntary sterilization: An Interagency Statement, *The World Health Organization* (2014), http://www.who.int/reproductivehealth/publications/gender_rights/eliminating-forced-sterilization/en/
- [353] Human Rights Watch interview with an endocrinologist, February 23, 2017.
- [354] Human Rights Watch interview with an endocrinologist, February 27, 2017.
- [355] Human Rights Watch interview with a psychologist, January 30, 2017.
- [356] Human Rights Watch interview with a psychologist, January 30, 2017.
- [357] The Center for Human Rights & Humanitarian Law and the Anti-Torture Initiative, Torture in Healthcare Settings: Reflections on the Special Rapporteur on Tortures 2013 Thematic Report, March 2014, http://antitorture.org/wp-content/uploads/2014/03/PDF_Torture_in_Healthcare_Publication.pdf
- [358] Human Rights Watch interview with a urologist, February 15, 2017.
- [359] Human Rights Watch interview with a urologist, February 23, 2017.
- [360] Human Rights Watch interview with a gynecologist, February 3, 2017.
- [361] Human Rights Watch interview with a gynecologist, February 3, 2017.
- [362] United Nations Committee against Torture, Consideration of Reports Submitted by States Parties under Article 19 of the Convention, CAT/C/DEU/CO/5.

[363] United Nations Committee against Torture, Concluding Observations on the Sixth Periodic Report of Austria, CAT/C/AUT/CO/6, January 27, 2016, http://tbinternet.ohchr.org/layouts/treatybodyexternal/Download.aspx?symbolno=CAT/C/AUT/CO/6&Lang=En

[364] United Nations Committee against Torture, Concluding Observations on the Fifth Periodic Report of China with Respect to Hong Kong, China, CAT/C/CHN-HKG/CO/5, February 3, 2016.

[365] United Nations Human Rights Council, Report of the Special Rapporteur on Torture and Other Cruel, Inhuman or Degrading Treatment or Punishment, Juan E. Mndez, A/HRC/22/53, February 1, 2013

[366] Trisha Korioth, AAP Reaffirms Endorsement of Convention on the Rights of the Child, AAP News, April 2, 2001, http://www.aappublications.org/content/18/4/176.full.

[367] United Nations Committee on the Rights of the Child, Concluding observations on the fifth period report of New Zealand, CRC/C/NZL/CO/5, September 30, 2016.

[368] United Nations Committee on the Rights of the Child, Concluding observations on the second periodic report of South Africa, CRC/C/ZAF/CO/2, September 30, 2016.

[369] United Nations Committee on the Rights of the Child, Concluding observations on the combined second to fourth periodic reports of Switzerland, CRC/C/CHE/CO/2-4, February 26, 2015.

[370] United Nations Committee on the Rights of the Child, Concluding observations on the combined fourth and fifth periodic reports of Chile, CRC/C/CHL/CO/4-5, October 30, 2015.

[371] United Nations Committee on the Rights of the Child, Concluding observations on the fifth periodic report of France, CRC/C/FRA/CO/5, 29 January 29, 2016.

[372] United Nations Committee on the Rights of the Child, Concluding observations on the combined third and fourth periodic reports of Ireland, CRC/C/IRL/CO/3-4, January 29, 2016.

[373] United Nations Committee on the Rights of the Child, Concluding observations on the fifth periodic report of the United Kingdom of Great Britain and Northern Ireland, CRC/C/GBR/CO/5, June 3, 2016.

[374] United Nations Committee on the Rights of the Child. Concluding observations on the third to fifth periodic reports of Nepal, CRC/C/NPL/CO/3-5, June 3, 2016.

[375] Joint general recommendation No. 31 of the United Nations Committee on the Elimination of Discrimination against Women/general comment No. 18 of the Committee on the Rights of the Child on harmful practices, CEDAW/C/GC/31-CRC/C/GC/18.

[376] United Nations Committee on the Elimination of Discrimination against Women, Concluding observations on the sixth periodic report of the Netherlands, CEDAW/C/NLD/CO/6, November 18, 2016.

[377] United Nations Committee on the Elimination of Discrimination against Women, Concluding observations on the combined fourth and fifth periodic reports of Switzerland, CEDAW/C/CHE/CO/4-5, November 18, 2016.

[378] United Nations Committee on the Rights of the Child, Concluding observations on the fifth periodic report of France, CRC/C/FRA/CO/5, para. 48.

[379] United Nations Committee against Torture, Concluding observations on the seventh periodic report of France, CAT/C/FRA/CO/7, para. 35.

[380] United Nations Committee on the Elimination of Discrimination against Women, Concluding observations on the combined seventh and eighth periodic reports of France, CEDAW/C/FRA/CO/7-8, July 22, 2016.

[381] United Nations Committee against Torture, Consideration of Reports Submitted by States Parties under Article 19 of the Convention, CAT/C/DEU/CO/5. para. 20.

[382] United Nations Committee on the Rights of Persons with Disabilities. Concluding observations on the initial report of Germany, CRPD/C/DEU/CO/1, May 13, 2015.

[383] United Nations Committee on the Rights of Persons with Disabilities. Concluding observations on the initial report of Chile, CRPD/C/CHL/CO/1, April 13, 2016.

[384] United Nations Committee on the Rights of Persons with Disabilities, Concluding observations on the initial report of Italy, CRPD/C/ITA/CO/.1, August 31, 2016.

[385] United Nations Human Rights Council, Report of the Special Rapporteur on Torture and Other Cruel, Inhuman or Degrading Treatment or Punishment, Juan E. Mndez.

[386] The Yogyakarta Principles on The Application of International Human Rights Law in relation to Sexual Orientation and Gender Identity, http://www.yogyakartaprinciples.org/.

[387] Expert Declaration of Deanna Adkins, M.D., United States District Court for the middle district of North Carolina, Carcao et al. v. McCrory, et al., https://www.aclu.org/sites/default/files/field/document/AdkinsDecl.pdf

[388] United Nations Committee on Economic, Social and Cultural Rights, General Comment No. 14: The Right to the Highest Attainable Standard of Health (Art. 12), http://www.refworld.org/pdfid/4538838d0.pdf.

[389] United Nations Committee on Economic, Social and Cultural Rights, Concluding Observations on Australia, June 23, 2017, E/C.12/AUS/CO/5.

[390] Commonwealth of Australia, Senate Community Affairs References Committee, Involuntary or coerced sterilization of intersex people in Australia, October 30, 2013,

http://www.aph.gov.au/~/media/Committee/Senate/committee/clac ctte/involuntary sterilisation/second report/report.ashx.

[391] United Nations Committee on Economic, Social and Cultural Rights, Concluding Observations on the Netherlands, June 23, 2017, E/C.12/NLD/CO/6.

[392] The National Institutes of Health, the National Institute of Diabetes & Digestive & Kidney Diseases, *Research Progress Report and Strategic Plan for Pediatric Urology* (2006).

[393] Lee et al., Consensus Statement on Management of Intersex Disorders.

[394] Lee et al., Global Disorders of Sex Development Update Since 2006: Perceptions, Approach and Care.

[395] Policy StatementRitual Genital Cutting of Female Minors, American Academy of Pediatrics 126(1) (2010).

[396] The American Academy of Pediatrics, Committee on Adolescents, Office-Based Care for Lesbian, Gay, Bisexual, Transgender, and Questioning Youth, 2013. http://pediatrics.aappublications.org/content/132/1/e297

[397] Explaining Disorders of Sex Development & Intersexuality on www.healthchildren.org, by the American Academy of Pediatrics. https://www.healthychildren.org/English/health-issues/conditions/genitourinary-tract/Pages/Explaining-Disorders-of-Sex-Development-Intersexuality.aspx

[398] American Congress of Obstetricians and Gynecologists, Breast and Labial Surgery in Adolescents, January 2017. https://www.acog.org/Resources-And-Publications/Committee-Opinions/Committee-on-Adolescent-Health-Care/Breast-and-Labial-Surgery-in-Adolescents

[399] United States Department of State, Press Statement, In Recognition of Intersex Awareness Day, October 26, 2016. https://2009-2017.state.gov/r/pa/prs/ps/2016/10/263578.htm

[400] Skinner v. Okl. ex rel Williamson, 316 U.S. 535 (1942).

[401] A. Wisniewski and T. Mazur, 46,XY DSD with Female or Ambiguous External Genitalia at Birth due to Androgen Insensitivity Syndrome, 5-Reductase-2 Deficiency, or 17-Hydroxysteroid Dehydrogenase Deficiency: A Review of Quality of Life Outcomes, *International Journal of Pediatric Endocrinology* (2009), OI:10.1155/2009/567430.

[402] Anne Tamar-Mattis, Sterilization and Minors with Intersex Conditions in California Law.

[403] Lee et al., Consensus Statement on Management of Intersex Disorders.

[404] C. Murphy et al., Ambiguous Genitalia in the Newborn: An Overview and Teaching Tool, *Journal of Pediatric Adolescent Gynecology* 24(5) (2011):236-250, http://dx.doi.org/10.1016/j.jpag.2011.02.004.

[405] Cools et al., Managing the Risk of Germ Cell Tumourigenesis in Disorders of Sex Development Patients, Endocrine Development.

[406] Anne Tamar-Mattis, Sterilization and Minors with Intersex Conditions in California Law, *California Law Review* (2012); Karkazis et al., Shared Decision-Making and Children with DSD, *Journal of Pediatric Endocrinology and Metabolism* (2010).

[407] Cohen-Kettenis, Psychosocial and Psychosexual Aspects of Disorders of Sex Development, *Best Practice & Research Clinical Endocrinology & Metabolism* (2010).

[408] In re Moe, 432 N.E.2d 712, 716-17 (Mass. 1982); In re Terwilliger, 450 A.2d 1376, 1382 (Pa. Super. Ct. 1982); In re Matter of A.W., 637 P.2d 366 (Supr.Ct.Colo. 1981); In re Grady, 85 N.J. 235, 426 A.2d 467 (1981); 34-B M.R.S. 7001-7017 (Due Process in Sterilization Act of 1982).

[411] For a fuller description of a process that would protect the rights of the intersex child see: Anne Tamar-Mattis, Sterilization and Minors with Intersex Conditions in California Law.

[412] Heather Byers, et al., Unexpected ethical dilemmas in sex assignment in 46,XY DSD due to 5-alpha reductase type 2 deficiency, *American Journal of Medical Genetics*, June 2017, 175(2):260-267, https://www.ncbi.nlm.nih.gov/pubmed/28544750# (accessed July 3, 2017).

[413] 18 U.S.C. 116.

[414] Cheryl Chase, Cultural Practice or Reconstructive Surgery? U.S. Genital Cutting, the Intersex Movement, and Medical Double-Standards, in *Genital Cutting and Transnational Sisterhood* ed. Stanlie M. James et al. (University of Illinois press, 2002), p.12;6 Kate Haas, Who Will Make Room for the Intersexed?, *American Journal of Law and medicine* 41 (2004); Sylvan Fraser, Constructing the Female Body: Using Female Genital Mutilation Law to Address Genital-Normalizing Surgery on Intersex Children in the United States, *International Journal of Human Rights in Healthcare* 52 (2016).

[415] N.Y. C.L.S. Penal 130.85.

[416] N.D. Cent. Code 12.1-36-01.

[417] Wis. Stat. Ann. 146.35.

[418] Stat. Ann. Tit. 21 760.

[419] Jo Becker, Campaigning For Children: Strategies for Advancing Childrens Rights. (Stanford University Press, 2017).

[420] Nancy Ehrenreich, Intersex Surgery, Female Genital Cutting, and the Selective Condemnation of Cultural Practices, *Harvard Civil Rights-Civil Liberties Law Review*. Vol. 40(1) (2005), http://www.law.harvard.edu/students/orgs/crcl/vol40 1/ehrenreich.pdf

[421] FGC or Female Genital Cutting is an alternative term used for FGM.

[422] Ibid.

[423] I.W. Gregorio, Should Surgeons Perform Irreversible Genital Surgery on Children? *Newsweek*, April 26, 2017, http://www.newsweek.com/should-surgeons-perform-irreversible-genital-surgery-children-589353.

[424] Edward Raab, The Parameters of Informed Consent, *Transactions of the American Ophthalmological Society*, vol.102 (2004):35-45, https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1280103/#b12-tao102pg225

[425] See, e.g., NY Pub. Health L. 2805-D; 40 PA Cons. Stat. Ann. 1303.504(b); R.C.W. 7.70.050(3).

[426] American Academy of Pediatrics Committee on Bioethics, Informed Consent in Decision-Making in Pediatric Practice, *Pediatrics* (2016).

[427] Ibid.

[428] American Medical Association, Report of the Board of Trustees: B of T Report 7-I-16: Supporting Autonomy for Patients with Differences of Sex Development (DSD) (Resolution 3-A-16), https://assets.ama-assn.org/sub/meeting/documents/i16-bot-07.pdf.

[429] Such a statement would bring AAP policy regarding children with atypical sex characteristics in line with existing AAP policy on Assent, Informed Permission and Consent, and on FGM.

[430] No Time to Waste can be found at https://www.hrw.org/report/2014/06/30/no-time-waste/evidence-based-treatment-drug-dependence-united-states-veterans

[431] Care When There Is no Cure can be found at https://features.hrw.org/features/HRW 2014 report/Mexico Care When There Is No Cure/index.html

Medically Unnecessary Operations Risk Lifelong Suffering

Such Surgeries Should be Banned for Children

Human Rights Watch defends the rights of people in 90 countries worldwide, spotlighting abuses and bringing perpetrators to justice

Human Rights Watch is a 501(C)(3)nonprofit registered in the US under EIN: 13-2875808