

```
dev@dev-VirtualBox:~$ git init git-revert-lab
Reinitialized existing Git repository in /home/dev/git-revert-lab/.git/
dev@dev-VirtualBox:~$ cd git revert lab
bash: cd: too many arguments
dev@dev-VirtualBox:~$ cd git-revert-lab
dev@dev-VirtualBox:~/git-revert-lab$ echo "line 1" > file.txt
dev@dev-VirtualBox:~/git-revert-lab$ git add file.txt
dev@dev-VirtualBox:~/git-revert-lab$ git commit -m "NEW TO COMMIT: ADD FILE.TXT with line 1"
[master (root-commit) c902c30] NEW TO COMMIT: ADD FILE.TXT with line 1
 1 file changed, 1 insertion(+)
 create mode 100644 file.txt
dev@dev-VirtualBox:~/git-revert-lab$ echo "line 2" >> file.txt
dev@dev-VirtualBox:~/git-revert-lab$ git commit -am "Add line 2 to file.txt"
[master 2baf62c] Add line 2 to file.txt
 1 file changed, 1 insertion(+)
dev@dev-VirtualBox:~/git-revert-lab$ echo "line 3" >> file.txt
dev@dev-VirtualBox:~/git-revert-lab$ git commit -am "add line 3 to file.txt"
[master c9313d3] add line 3 to file.txt
 1 file changed, 1 insertion(+)
dev@dev-VirtualBox:~/git-revert-lab$ git log --oneline
c9313d3 (HEAD -> master) add line 3 to file.txt
2baf62c Add line 2 to file.txt
c902c30 NEW TO COMMIT: ADD FILE.TXT with line 1
dev@dev-VirtualBox:~/git-revert-lab$ git revert HEAD
[master 609ca2b] Revert "add line 3 to file.txt"
 1 file changed, 1 deletion(-)
dev@dev-VirtualBox:~/git-revert-lab$ cat file.txt
line 1
line 2
dev@dev-VirtualBox:~/git-revert-lab$
```

Activities

Firefox Web Browser

Aug 19 13:01

Welcome to Firefox x Firefox Privacy Notice — x DEVVRAT-HUB/Product x

https://github.com/DEVVRAT-HUB/Product

DEVVRAT-HUB / Product

Type / to search

<> Code Issues Pull requests Actions Projects Wiki Security Insights Settings

Product

Public

Pin

Watch 0

Fork 0

Star 0



Start coding with Codespaces
Add a README file and start coding in a secure, configurable, and dedicated development environment.
[Create a codespace](#)



Add collaborators to this repository
Search for people using their GitHub username or email address.
[Invite collaborators](#)

Quick setup — if you've done this kind of thing before

HTTPS SSH

https://github.com/DEVVRAT-HUB/Product.git



Get started by [creating a new file](#) or [uploading an existing file](#). We recommend every repository include a [README](#), [LICENSE](#), and [.gitignore](#).

...or create a new repository on the command line

```
echo "# Product" >> README.md
git init
git add README.md
git commit -m "first commit"
```



dev@dev-VirtualBox: ~

```
hint: the embedded repository and will not know how to obtain it.
hint: If you meant to add a submodule, use:
hint:
hint:   git submodule add <url> Desktop/lab
hint:
hint: If you added this path by mistake, you can remove it from the
hint: index with:
hint:
hint:   git rm --cached Desktop/lab
hint:
hint: See "git help submodule" for more information.
error: 'git-revert-lab/' does not have a commit checked out
fatal: adding files failed
dev@dev-VirtualBox:~$ git branch -m master main
dev@dev-VirtualBox:~$ git push -u origin main
Username for 'https://github.com': DEVVRAT-HUB
Password for 'https://DEVVRAT-HUB@github.com':
remote: Invalid username or token. Password authentication is not supported for Git operations.
fatal: Authentication failed for 'https://github.com/DEVVRAT-HUB/lab.git/'
dev@dev-VirtualBox:~$ git push -u origin main
Username for 'https://github.com': DEVVRAT-HUB
Password for 'https://DEVVRAT-HUB@github.com':
remote: Permission to DEVVRAT-HUB/lab.git denied to DEVVRAT-HUB.
fatal: unable to access 'https://github.com/DEVVRAT-HUB/lab.git/': The requested URL returned error: 403
dev@dev-VirtualBox:~$ git push -u origin main
Username for 'https://github.com': DEVVRAT-HUB
Password for 'https://DEVVRAT-HUB@github.com':
remote: Invalid username or token. Password authentication is not supported for Git operations.
fatal: Authentication failed for 'https://github.com/DEVVRAT-HUB/lab.git/'
dev@dev-VirtualBox:~$ git push -u origin main
Username for 'https://github.com': DEVVRAT-HUB
Password for 'https://DEVVRAT-HUB@github.com':
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 222 bytes | 74.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/DEVVRAT-HUB/lab.git
 * [new branch]      main -> main
Branch 'main' set up to track remote branch 'main' from 'origin'.
dev@dev-VirtualBox:~$
```

```
dev@dev-VirtualBox:~$ git init git-revert-lab
```

```
hint: Using 'master' as the name for the initial branch. This default branch name
```

```
hint: is subject to change. To configure the initial branch name to use in all
```

```
hint: of your new repositories, which will suppress this warning, call:
```

```
hint:
```

```
hint:   git config --global init.defaultBranch <name>
```

```
hint:
```

```
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
```

```
hint: 'development'. The just-created branch can be renamed via this command:
```

```
hint:
```

```
hint:   git branch -m <name>
```

```
Initialized empty Git repository in /home/dev/git-revert-lab/.git/
```

```
dev@dev-VirtualBox:~$ cd git-revert-lab
```

```
dev@dev-VirtualBox:~/git-revert-lab$
```



```
dev@dev-VirtualBox:~$ git --version
git version 2.34.1
dev@dev-VirtualBox:~$ echo "#devsecops" >>readme.md
dev@dev-VirtualBox:~$ git init
hint: Using 'master' as the name for the initial branch. This default branch name
hint: is subject to change. To configure the initial branch name to use in all
hint: of your new repositories, which will suppress this warning, call:
hint:
hint:     git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:     git branch -m <name>
Initialized empty Git repository in /home/dev/.git/
dev@dev-VirtualBox:~$ git add README.MD
fatal: pathspec 'README.MD' did not match any files
dev@dev-VirtualBox:~$ git add readme.md
dev@dev-VirtualBox:~$ git commit -m"first commit"
[master (root-commit) 71122f1] first commit
1 file changed, 1 insertion(+)
 create mode 100644 readme.md
dev@dev-VirtualBox:~$ git remote add origin ^[[200~https://github.com/DEVVRAT-HUB/lab.git~
dev@dev-VirtualBox:~$ git push -u origin main
error: src refspec main does not match any
error: failed to push some refs to '^[200~https://github.com/DEVVRAT-HUB/lab.git~'
dev@dev-VirtualBox:~$ git push -u origin main
error: src refspec main does not match any
error: failed to push some refs to '^[200~https://github.com/DEVVRAT-HUB/lab.git~'
dev@dev-VirtualBox:~$ git remote add origin https://github.com/DEVVRAT-HUB/lab.git
error: remote origin already exists.
dev@dev-VirtualBox:~$ git remote remove origin
dev@dev-VirtualBox:~$ git remote add origin https://github.com/DEVVRAT-HUB/lab.git
dev@dev-VirtualBox:~$ git push -u origin main
error: src refspec main does not match any
error: failed to push some refs to 'https://github.com/DEVVRAT-HUB/lab.git'
dev@dev-VirtualBox:~$ git remote -v
origin https://github.com/DEVVRAT-HUB/lab.git (fetch)
origin https://github.com/DEVVRAT-HUB/lab.git (push)
dev@dev-VirtualBox:~$ git push -u origin main
```



Create a new repository [Preview](#) [Switch back to classic experience](#)

Repositories contain a project's files and version history. Have a project elsewhere? [Import a repository](#).

Required fields are marked with an asterisk (*).

1 General

Owner *



DEVVRAT-HUB



Repository name *

Great repository names are short and memorable. How about [super-duper-octo-telegram](#)?

Description

0 / 350 characters

2 Configuration

Choose visibility *

Choose who can see and commit to this repository



Public



Add README

READMEs can be used as longer descriptions. [About READMEs](#)

Off



Add .gitignore

.gitignore tells git which files not to track. [About ignoring files](#)

No .gitignore



dev@dev-VirtualBox: ~/git-revert-lab



dev@dev-VirtualBox: ~/git-revert-lab



dev@dev-VirtualBox: ~/git-revert-lab



git-reset-lab/

```
dev@dev-VirtualBox:~/git-revert-lab$ git reset --hard HEAD~1
HEAD is now at 2baf62c Add line 2 to file.txt
dev@dev-VirtualBox:~/git-revert-lab$ git log -oOnline
fatal: unrecognized argument: -oOnline
dev@dev-VirtualBox:~/git-revert-lab$ git log --oneline
2baf62c (HEAD -> master) Add line 2 to file.txt
c902c30 NEW TO COMMIT: ADD FILE.TXT with line 1
dev@dev-VirtualBox:~/git-revert-lab$ cat file.txt
line 1
line 2
dev@dev-VirtualBox:~/git-revert-lab$ echo line-2 >>file.txt
dev@dev-VirtualBox:~/git-revert-lab$ git commit -am "Add line 2"
[master 4779d4a] Add line 2
1 file changed, 1 insertion(+)
dev@dev-VirtualBox:~/git-revert-lab$ echo "line 3" >>file.txt
dev@dev-VirtualBox:~/git-revert-lab$ git commit -am "add line 3"
[master 1da64f8] add line 3
1 file changed, 1 insertion(+)
dev@dev-VirtualBox:~/git-revert-lab$ git log --oneline
1da64f8 (HEAD -> master) add line 3
4779d4a Add line 2
2baf62c Add line 2 to file.txt
c902c30 NEW TO COMMIT: ADD FILE.TXT with line 1
dev@dev-VirtualBox:~/git-revert-lab$ git reset --hard<commit-hash>
bash: syntax error near unexpected token `newline'
dev@dev-VirtualBox:~/git-revert-lab$ git reset --hard<EWW>
bash: syntax error near unexpected token `newline'
dev@dev-VirtualBox:~/git-revert-lab$ ^[[200~git reset --hard <commit-hash>
bash: syntax error near unexpected token `newline'
dev@dev-VirtualBox:~/git-revert-lab$ ~git reset --hard <commit-hash>
bash: syntax error near unexpected token `newline'
dev@dev-VirtualBox:~/git-revert-lab$ git reset --hard 4779d4a
HEAD is now at 4779d4a Add line 2
dev@dev-VirtualBox:~/git-revert-lab$ ^[[200~git log --oneline
git: command not found
dev@dev-VirtualBox:~/git-revert-lab$ ~git log --oneline
```

dev@dev-VirtualBox: ~/git-revert-lab



GNU nano 6.2 /home/dev/git-revert-lab/.git/COMMIT_EDITMSG

Revert "add line 3 to file.txt"

This reverts commit c9313d32a6b6cb39f034b67b0488c670864a4671.

Please enter the commit message for your changes. Lines starting
with '#' will be ignored, and an empty message aborts the commit.

#

On branch master

Changes to be committed:

modified: file.txt

#

[Read 11 lines]

 ^G Help
^X Exit^O Write Out
^R Read File^W Where Is
^_ Replace^K Cut
^U Paste^T Execute
^J Justify^C Location
^_ Go To LineM-U Undo
M-E RedoM-A Set Mark
M-6 Copy

Activities

Firefox Web Browser

Aug 19 13:02

Welcome to Firefox × Firefox Privacy Notice — × DEVVRAT-HUB/lab ×

← → ↻ 🔒 https://github.com/DEVVRAT-HUB/lab ☆ 📧 🌐 🏠 ☰

☰ DEVVRAT-HUB / lab 🔍 Type / to search 🏠 + 🕒 🔗 📧 🌐

<> Code ⌚ Issues 🔗 Pull requests ⌚ Actions 📁 Projects 📖 Wiki ⚠ Security 📈 Insights ⚙ Settings

🌐 lab Public 🔖 Pin 👁 Watch 🍴 Fork 0 ⌵ ☆ Star 0 ⌵

💻

Start coding with Codespaces

Add a README file and start coding in a secure, configurable, and dedicated development environment.

Create a codespace

👤+

Add collaborators to this repository

Search for people using their GitHub username or email address.

Invite collaborators

Quick setup — if you've done this kind of thing before

HTTPS SSH https://github.com/DEVVRAT-HUB/lab.git 📋

Get started by [creating a new file](#) or [uploading an existing file](#). We recommend every repository include a [README](#), [LICENSE](#), and [.gitignore](#).

...or create a new repository on the command line

```
echo "# lab" >> README.md
git init
git add README.md
git commit -m "first commit"
```

📋

dev@dev-VirtualBox: ~

Desktop/
Pictures/
git-revert-lab/
snap/

nothing added to commit but untracked files present (use "git add" to track)

dev@dev-VirtualBox:~\$ git add .

warning: adding embedded git repository: Desktop/lab

hint: You've added another git repository inside your current repository.

hint: Clones of the outer repository will not contain the contents of

hint: the embedded repository and will not know how to obtain it.

hint: If you meant to add a submodule, use:

hint:

hint: git submodule add <url> Desktop/lab

hint:

hint: If you added this path by mistake, you can remove it from the

hint: index with:

hint:

hint: git rm --cached Desktop/lab

hint:

hint: See "git help submodule" for more information.

error: 'git-revert-lab/' does not have a commit checked out

fatal: adding files failed

dev@dev-VirtualBox:~\$ git branch -m master main

dev@dev-VirtualBox:~\$ git push -u origin main

Username for 'https://github.com': DEVVRAT-HUB

Password for 'https://DEVVRAT-HUB@github.com':

remote: Invalid username or token. Password authentication is not supported for Git operations.

fatal: Authentication failed for 'https://github.com/DEVVRAT-HUB/lab.git/'

dev@dev-VirtualBox:~\$ git push -u origin main

Username for 'https://github.com': DEVVRAT-HUB

Password for 'https://DEVVRAT-HUB@github.com':

remote: Permission to DEVVRAT-HUB/lab.git denied to DEVVRAT-HUB.

fatal: unable to access 'https://github.com/DEVVRAT-HUB/lab.git/': The requested URL returned error: 403

dev@dev-VirtualBox:~\$ git push -u origin main

Username for 'https://github.com': DEVVRAT-HUB

Password for 'https://DEVVRAT-HUB@github.com':

remote: Invalid username or token. Password authentication is not supported for Git operations.

fatal: Authentication failed for 'https://github.com/DEVVRAT-HUB/lab.git/'

dev@dev-VirtualBox:~\$ git push -u origin main

```
dev@dev-VirtualBox:~$ git remote -v
origin https://github.com/DEVVRAT-HUB/lab.git (fetch)
origin https://github.com/DEVVRAT-HUB/lab.git (push)
dev@dev-VirtualBox:~$ git push -u origin main
error: src refspec main does not match any
error: failed to push some refs to 'https://github.com/DEVVRAT-HUB/lab.git'
dev@dev-VirtualBox:~$ git add .
warning: adding embedded git repository: Desktop/lab
hint: You've added another git repository inside your current repository.
hint: Clones of the outer repository will not contain the contents of
hint: the embedded repository and will not know how to obtain it.
hint: If you meant to add a submodule, use:
hint:
hint:   git submodule add <url> Desktop/lab
hint:
hint: If you added this path by mistake, you can remove it from the
hint: index with:
hint:
hint:   git rm --cached Desktop/lab
hint:
hint: See "git help submodule" for more information.
error: 'git-revert-lab/' does not have a commit checked out
fatal: adding files failed
dev@dev-VirtualBox:~$ git commit -m "initial commit"
On branch master
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    .bash_history
    .bash_logout
    .bashrc
    .cache/
    .config/
    .gitconfig
    .local/
    .profile
    .sudo_as_admin_successful
    Desktop/
    Pictures/
    git-revert-lab/
    snap/
```