Exp:3
23/07/26

Study of Packet Tracer
Tool Installation & User Interface

Aim:

To study the packet tracer tool installation and user ~~In~~ ~~of~~ interface overview.

To understand the environment of CISCO PACKET TRACER to design simple network.

Introduction:

A simulator, as the name suggests, simulates network devices and its environment.

i) It allows you to model complex systems without the need for dedicated equipment.

ii) It is available for both the Linux and Windows desktop environments.

iii) Protocols in Packet Tracer are coded to work and behave in the same way as they would on real hardware.

User Interface Overview :

i) Menu Bar : This is a common menu found in all applications.

ii) Main Toolbar : This bar provides shortcut to the commonly used menu options.

iii) Logical / Physical Workspace Tabs : These tabs allows you to Toggle between Logical & Physical work area.

iv) Workspace : This area where topologies are created and simulations are displayed.

v) Common Toolbar : This toolbar provides control for manipulating topologies.

vi) Real-time / Simulations Tabs : These tabs are used for toggle between ~~Logical~~ real and simulation modes.

vii) Component box : Contains all of the network and end to end devices available with Packet Tracer.

Analyse the behaviour of network devices

i) From the network component box, select drag-and-drop the below components.

a) 4 Generic PCs and One HUB

b) 4 Generic PCs and One switch

ii) Click on connections:

a) Click on Copper Straight-Through Cable.

b) Select one PC and connect it to the hub.


c) Similarly connect 4 PCs to the switch.


iii) Click on the PCs connected to the hub, and add IP address for each of the PCs.

iv) Click on the PDU, drag and drop on one PC and then drop it on another PC. Observe the PDU.

v) Repeat step 3 to step 5 for the connected switch.

vi) Observe how the switch and HUB are forwarding the PDU.





PC0

Physical | Config | Desktop | Custom Interface

IP Configuration

IP Configuration

○ DHCP ◉ Static

IP Address	10.1.1.1
Subnet Mask	255.0.0.0
Default Gateway	
DNS Server	

IPv6 Configuration

○ DHCP ○ Auto Config ◉ Static

IPv6 Address	
Link Local Address	FE80::2D0:97FF:FED5:2EB5
IPv6 Gateway	
IPv6 DNS Server	

Result:

Packet Tracer tool installation and User Interface overview have been studied.