

MySQL Workbench

File Edit View Query Database Server Tools Scripting Help

Navigator: unconnected x Dta x

SCHEMAS

Filter objects

- bookhub
 - Tables
 - Views
 - Stored Procedures
 - Functions
- collage
- emp_rec
- sakila
- sys
- temp
- users
- world

Administration Schemas

Information

No object selected

Query 1

```
1 • use bookhub
2
3
4 -- Retrieve the total number of books sold for each genre:
5 Select b.genre, sum(o.quantity) as total_book_sold
6 from orders o
7 join books b
8 on b.book_id = o.book_id
9 group by b.genre order by total_book_sold desc
```

Limit to 1000 rows

Result Grid

genre	total_book_sold
Mystery	504
Science Fiction	447
Fantasy	446
Romance	439
Non-Fiction	351
Biography	285
Fiction	225

Result 1

Output

Action Output

Read Only

Navigation

Schemas

Filter objects

bookhub

- Tables
 - books
 - customers
 - orders
- Views
- Stored Procedures
- Functions

collage

emp_rec

sakila

sys

temp

users

world

Administration

Schemas

Information

No object selected

Object Info

Session

Online_Book_Store

Limit to 1000 rows

113 -- 5) Identify the most expensive book in each genre :
114 With RankedBooks AS (
115 Select
116 book_id, title, genre, price,
117 dense_rank() OVER(partition by genre order by price desc) as price_rank -- using window function
118 From books
119)
120 Select
121 genre, title, price
122 From RankedBooks
123 Where price_rank = 1;
124

Result Grid

Filter Rows:

Export:

Wrap Cell Contents:

genre	title	price
Biography	Function-based heuristic analyzer	49.53
Fantasy	Stand-alone content-based hub	49.90
Fiction	Synchrnized client-server service-desk	49.89
Mystery	Proactive system-worthy orchestration	49.98
Non-Fiction	Profound tertiary encoding	49.34
Romance	Switchable modular moratorium	49.88

Result: 83

Output

Action Output

#	Time	Action	Message	Duration / Fetch
123	17:11:22	select o.customer_id, o.c_name, sum(o.total_amount) as total_spent from orders o join customers...	1 row(s) returned	0.015 sec / 0.000 sec
124	17:30:10	SELECT b.book_id, b.title, b.stock, COALESCE(SUM(o.quantity),0) AS Order_quantity, b.stock...	500 row(s) returned	0.141 sec / 0.000 sec
125	17:51:18	With RankedBooks AS (Select book_id, title, genre, price, dense_rank() OVER(par...	7 row(s) returned	0.204 sec / 0.000 sec

Online_Book_Store

Navigation: Online_Book_Store

Schemas

Filter objects

bookhub

- Tables
 - books
 - customers
 - orders
- Views
- Stored Procedures
- Functions

collage

emp_rec

sakila

sys

temp

users

world

Administration Schemas

Information

No object selected

Object Info Session

Output

```
85 -- Advance queries :
86 -- Retrieve the total number of books sold for each genre:
87 select b.genre, sum(o.quantity) as total_book_sold
88 from orders o
89 join books b
90 on b.book_id = o.book_id
91 group by b.genre order by total_book_sold desc
92
93 -- 2) Find the average price of books in the "Science fiction" genre:
94
95 select avg(price) as average
96 from books where genre = 'science fiction'
97
98 -- 3) List customers who have placed at least 2 orders:
99 select o.customer_id, c.c_name, count(o.order_id) as ordercount
100 from orders o
101 join customers c on o.customer_id = c.customer_id
102 group by customer_id
103 having count(order_id) >= 2
104
105 -- 4) Find the most frequently ordered books:
106 SELECT o.Book_id, b.title, COUNT(o.order_id) AS ORDER_COUNT
107 FROM orders o
108 JOIN books b ON o.book_id=b.book_id
109 GROUP BY o.book_id, b.title
110 having COUNT(o.order_id) > 3 -- max oder count is 4 so value filtered out greater then 3
111 ORDER BY ORDER_COUNT DESC
```

FileEditViewQueryDatabaseServerToolsScriptingHelp

Limit to 1000 rows

137

-- 8) Find the customer who spent the most on orders:

138

~~SELECT~~ o.customer_id, c.c_name, sum(o.total_amount) as total_spent

139

from orders o

140

join customers c on c.customer_id = o.customer_id

141

group by c.customer_id, c.c_name

142

order by total_spent desc

143

limit 1

144

-- 9) Calculate the stock remaining after fulfilling all orders:

145

SELECT b.book_id, b.title, b.stock, COALESCE(SUM(o.quantity),0) AS Order_quantity,

146

b.stock - COALESCE(SUM(o.quantity),0) AS Remaining_quantity

147

FROM books b

148

LEFT JOIN orders o ON b.book_id=o.book_id

149

GROUP BY b.book_id ORDER BY b.book_id;

150

151

Navigation

Online_Book_Store

Limit to 1000 rows

137

-- 8) Find the customer who spent the most on orders:

138

~~SELECT~~ o.customer_id, c.c_name, sum(o.total_amount) as total_spent

139

from orders o

140

join customers c on c.customer_id = o.customer_id

141

group by c.customer_id, c.c_name

142

order by total_spent desc

143

limit 1

144

-- 9) Calculate the stock remaining after fulfilling all orders:

145

SELECT b.book_id, b.title, b.stock, COALESCE(SUM(o.quantity),0) AS Order_quantity,

146

b.stock - COALESCE(SUM(o.quantity),0) AS Remaining_quantity

147

FROM books b

148

LEFT JOIN orders o ON b.book_id=o.book_id

149

GROUP BY b.book_id ORDER BY b.book_id;

150

151

AdministrationSchemas

Information

No object selected

Result Grid

Filter Rows:

Export:

Wrap Cell Content: 1A

book_id	title	stock	Order_quantity	Remaining_Quantity
1	Configurable modular throughput	100	3	97
2	Persevering reciprocal knowledge user	19	0	19
3	Streamlined coherent initiative	27	5	22
4	Customizable 24hour product	8	0	8
5	Adaptive 5thgeneration encoding	16	8	8
6	Advanced encompassing implementation	2	0	2
7	Open-architected exuding structure	95	5	90
8	Persistent local encoding	84	3	81

Result 34 x

Read Only