



# Tectora Dakmeting

User Manual (English)

Manual for measuring, quoting, planning and following up flat roofs in Odoo

Prepared by Data Forge for Tectora  
Version 19.0.3.7 — September 2026

Odoo 19 · tectora\_roof, tectora\_roof\_planning, tectora\_products, tectora\_boms

# Contents

|                                                   |          |
|---------------------------------------------------|----------|
| <b>User Manual (English)</b>                      | <b>3</b> |
| 1. Introduction . . . . .                         | 3        |
| 2. Getting started . . . . .                      | 3        |
| 3. Creating a roof project . . . . .              | 4        |
| 4. Two ways of working . . . . .                  | 5        |
| 5. The drawing . . . . .                          | 6        |
| 6. Assigning products on the drawing . . . . .    | 6        |
| 7. Chapter tabs and quotation lines . . . . .     | 7        |
| 8. Quotation and sales order . . . . .            | 7        |
| 9. Site preparation and printing . . . . .        | 8        |
| 10. Confirmation: project and dashboard . . . . . | 8        |
| 11. Teams and planning . . . . .                  | 9        |
| 12. Material list and post-calculation . . . . .  | 9        |
| 13. Frequently asked questions . . . . .          | 10       |

# User Manual (English)

Manual for measuring, quoting, planning and following up flat roofs in Odoo

## 1. Introduction

Tectora Dakmeting is an Odoo 19 extension for measuring flat roofs on a satellite photo or plan, assigning products to the measured surfaces, edges, corners and seams, and turning that into a quotation in one click. Customers, products, quotations, invoicing and VAT stay in the standard Odoo apps; Dakmeting only adds the roofing part.

The app consists of four modules that work together:

- **Dakmeting** (tectora\_roof): drawing, measurement, roof projects, quotations, site preparation and the project dashboard.
- **Dakmeting — Planning** (tectora\_roof\_planning): bridges the work blocks of a roof project to the Planning app, so every team member gets a shift.
- **Product catalogue** (tectora\_products): the supplier catalogue, pricelists (Renovatie, Nieuwbouw, Industrie) and twenty quotation templates.
- **Bills of materials** (tectora\_boms): the bills of materials of the works items, from which the material list is built on confirmation.

### The thread

One **roof project** always stands against one **quotation/order**. What you measure on the drawing appears on the quotation; what you add on the quotation appears on the roof project.

**Confirming** the order creates a plannable **project** with a dashboard where revenue, costs, deliveries, tasks and planning come together.

| Step             | Where                               | Result                                                        |
|------------------|-------------------------------------|---------------------------------------------------------------|
| 1. Measure       | Roof project → Tekening tab         | Roof sections, roof objects and seams with area and perimeter |
| 2. Pick products | Labels on the drawing, chapter tabs | Product lines with quantities from the measurement            |
| 3. Quote         | Offerte maken / Sales               | A quotation that follows the measurement                      |
| 4. Confirm       | Sales order                         | Project, material list, status Order bevestigd                |
| 5. Execute       | Project dashboard, Planning         | Team planning, deliveries, timesheets, post-calculation       |

## 2. Getting started

### Settings

- Go to **Settings → Tectora Dakmeting** and enter a **Google Maps API key** (Geocoding + Static Maps) or a **Mapbox token**. Without a key you can still draw on an uploaded plan.

- For Belgian VAT install the Belgian localisation (l10n\_be) and use a fiscal position for the 6% renovation rate.
- Under **Sales → Products → Product Categories** check the field **Kan gebruikt worden voor:** it decides which categories the drawing offers for roof objects, edges, surfaces, corners and seams.

## Menus

- **Dakmeting:** Dakprojecten, Projecten (dashboards), Werkblokken, Dakobjecten, Materiaalbehoefte, Producten, Instellingen.
- **Sales:** every quotation carries a roof project; the smart buttons Dakproject and Projectdashboard sit at the top.
- **Project:** clicking a project opens its dashboard.
- **Employees → Configuration → Ploegen:** the teams; the team itself is set on the employee form.

## Access rights

Salespeople (Sales group) can create and edit roof projects; other internal users can read them. Project users see the dashboards, project managers the profitability.

# 3. Creating a roof project

There are three starting points. All three lead to the same pair of roof project + quotation.

- **From CRM:** on an opportunity click **Dakproject maken**. Customer and address are taken over. A quotation made later on that opportunity links itself to this roof project.
- **From Sales:** create a quotation as usual (with a quotation template if you like). On save a roof project is created automatically with the customer, the delivery address as site address, the salesperson as project manager and the project type from the pricelist.
- **From Dakmeting:** **Dakprojecten → New**. Pick customer, project type and site address, draw and click **Offerte maken**.

## Fields on the roof project

| Field                 | Meaning                                                           |
|-----------------------|-------------------------------------------------------------------|
| Customer, opportunity | Synchronised with the quotation                                   |
| Project type          | Renovatie / Nieuwbouw / Industrie; sets the quotation's pricelist |
| Site address          | Address geocoded for the satellite image                          |
| Team, Planned         | Team and period; together they create a work block automatically  |
| Offerte / Order       | The one order of this roof project (history via the smart button) |
| Project               | The plannable project, created on confirmation                    |

The status follows the work: Concept → Opgemeten → Offerte gemaakt → Order bevestigd → Afgerond.

**Tip** — Save a new roof project before drawing: the sections are created on the server and need the project.

## 4. Two ways of working

Tectora works in two ways. Both end in the same project with the same planning; the difference is whether the quotation comes from a template or from the drawing.

### Flow 1 — CRM → Quotation → Order → Project → Planning

For quick quotations without a drawing, such as a repair or a roof with known dimensions.

- 1 **CRM**: create or open the opportunity. Fill in customer and site address.
- 2 **Quotation**: click **New quotation** on the opportunity and pick a **quotation template** (Renovatie or Nieuwbouw). On save the roof project is created automatically; the template lines appear in the chapter tabs. Adjust quantities on the quotation or on the roof project: counted products follow what you enter.
- 3 **Order**: send the quotation, have it signed and click **Confirm**. The roof project moves to Order bevestigd and the material list is built.
- 4 **Project**: the plannable project is created automatically (customer — municipality). Open the dashboard through the **Projectdashboard** smart button.
- 5 **Planning**: on the roof project pick the team and the planned period. The work block and the team members' shifts appear in the Planning app.

### Flow 2 — CRM → Roof plan → Quotation/Order → Project → Planning

For sites you measure: the drawing feeds the quotation and every change to the plan follows through to the order.

- 1 **CRM**: on the opportunity click **Dakproject maken**. Customer and address are taken over.
- 2 **Roof plan**: save the roof project, fetch the satellite image, trace the roof and scale it (see the best practice below). Assign products through the labels; tick the general works and safety measures.
- 3 **Quotation/Order**: click **Offerte maken**. The quotation gets a header per roof section with the measured quantities. If the plan still changes, the quotation follows automatically; **Offerte bijwerken uit meting** forces it. Confirm the order.
- 4 **Project**: the project is created on confirmation; the dashboard shows the measurement on the Dakmeting tab.
- 5 **Planning**: team and period on the roof project → work block → shifts in the Planning app.

### Best practice: load the satellite image, trace the roof and scale on one side

- 1 Fill in the **site address** completely (street, number, postcode, municipality) and save the roof project.
- 2 On the Tekening tab click the **globe icon → Satellietbeeld ophalen**. The photo appears as background and the scale is derived from the map projection.
- 3 Set the transparency so the roof edges are clearly visible and zoom in on the roof (scroll, or F for full screen).
- 4 **Trace the roof**: use Polygon and click every corner of the roof surface on the photo; close with a double-click. Draw each separate roof surface as its own section and put a **seam** where two surfaces meet.
- 5 **Measure one side on site** that is easy to recognise, preferably the longest. Right-click the length label of that side on the drawing and enter the measured length.
- 6 The drawing is **rescaled automatically**: all other sides, areas and perimeters are recomputed and the quotation quantities follow. Check a second side as a spot check.

- 7 Add chimneys and domes with a right-click, set edge width and upstand per side and assign the products.

**Tip** — Without a satellite image the same method works with an uploaded plan or photo: trace, measure one side, right-click, done.

## 5. The drawing

### Background

The globe icon in the toolbar gathers everything about the background: **Satellietbeeld ophalen** (the site address is geocoded, the scale follows from the map projection), **Eigen plan uploaden**, show/hide, transparency and **Achtergrond verwijderen**.

### Drawing sections

- **Rechthoek**: drag a rectangle. **Polygoon**: click the corners and close with a double-click, Enter or a click on the first point.
- **Selecteer**: click to select, drag a selected shape to move it, drag a corner to reshape, double-click to rename, Delete to remove.
- **Pan** and scroll to navigate; **F** for full screen, **Raster** for a measuring grid.

### Roof objects

Right-click the drawing to add a chimney, dome or other roof object (rectangle or circle). A section can also be converted into a chimney or dome from the Daksecties tab.

### Seams

A **seam** (naad) marks that two roof surfaces are separate. Pick the **Naad** tool, click the points and finish with a double-click or Enter. The seam shows as a dotted line; its label carries the length and opens the product picker with the categories ticked for **Naden**.

### Calibrating the scale

Right-click a length label and enter the real measured length. The drawing does not move, the scale is recomputed. This is also how you bring an uploaded plan to scale.

### Edges and upstands

In the panel on the right you set an **edge width** and an **upstand height** per side (button **Overall** for all sides). The inner measurement and the upstand surface are computed and shown as a dotted inner outline.

### Updating the measurement

The measurement is updated automatically on every change. The button **Meting bijwerken uit tekening** does the same by hand. Sections and objects are recognised by their canvas id, so assigned products survive.

## 6. Assigning products on the drawing

Click a label to assign products. Each label type has its own product categories (field **Kan gebruikt worden voor** on the category):

| Label                                  | Use          | Quantity                 |
|----------------------------------------|--------------|--------------------------|
| Name of the section                    | Surface      | Area in m <sup>2</sup>   |
| Length on a side                       | Edges        | Length of that side in m |
| Corner (white = outer, orange = inner) | Corners      | 1 piece                  |
| Name of a roof object                  | Roof objects | Area or 1                |
| Label on a seam                        | Seams        | Length of the seam in m  |

- **Several at once:** hold Ctrl and click several sides, surfaces or corners of the same type; release Ctrl and the picker opens once for all of them.
- The panel on the right lists the lines of the selected shape with a total; a line is removed with the bin icon.
- Quantities follow the measurement: change the shape and the quantities and the quotation change with it.

## 7. Chapter tabs and quotation lines

Below the drawing sit the chapters of the quotation. They mirror the quotation lines that do not come from the drawing.

- **Algemene werken** and **Veiligheid:** a checklist of all products of the chapter; ticking puts the product on the quotation.
- **Afbraak, Opbouw** and **Overige:** only the products that are on the quotation, with an **Add a line** offering the products of that chapter only.

The quantity follows the unit of the product: an **m<sup>2</sup>** product takes the total roof area, an **m** product the total perimeter, a counted product (pieces, lump sum, days) the number you enter. A product the drawing prices itself (on a section or object) disappears from the chapter tabs, so nothing is counted twice.

**Tip** — Add a line on the quotation and it appears in the tab of its category. Remove it here and it disappears from the quotation, and vice versa.

## 8. Quotation and sales order

### One to one

Every roof project has one quotation/order and every order one roof project. The smart buttons **Offerte / Order** (on the roof project) and **Dakproject** (on the order) are always there; if the counterpart is missing they create it.

### Creating and refreshing the quotation

- **Offerte maken** on the roof project creates the quotation with a header per roof section and roof object, the chapter lines under their chapter and the pricelist of the project type.
- **Offerte bijwerken uit meting** aligns an open quotation with the measurement; manual lines stay.
- A **confirmed** order is never changed. A **cancelled** order stays in the history and makes room for a new one.

## Quotation templates

Pick a template in Sales (e.g. Renovatie plat dak, PIR 12 cm, EPDM). The template lines become chapter lines on the roof project; the m<sup>2</sup> and m quantities are replaced at once by the measured area and perimeter.

## Synchronised fields

| Quotation     | Roof project    |
|---------------|-----------------|
| Customer      | Customer        |
| Opportunity   | Opportunity     |
| Salesperson   | Project manager |
| Delivery date | Deadline        |
| Pricelist     | Project type    |

What you change on one side appears on the other. Customer and pricelist are only changed on an open quotation.

**Note** — The measurement sheet is added automatically as an extra page in the quotation PDF.

## 9. Site preparation and printing

The **Werf** tab holds the site sheet: project management and site contact, preparation (Checkin@work, asbestos, height, substrate), access for material and site, transport and waste, extras (scaffolding, aerial lift, concrete drilling, HVAC, precautions), on-site facilities, roof edges and the EPDM sheets with their total area.

The yes/no questions are checkboxes: ticked means **Ja**.

### Printing

- **Meetblad dakmeting**: the drawing with measurements and the product lines per section.
- **Projectinformatie werfblad**: the completed site sheet for the team.

## 10. Confirmation: project and dashboard

**Confirming** the order does the following automatically:

- A plannable **project** is created (Odoo Project), named after the customer and the municipality of the site, with its own analytic account. Order and project point at each other.
- The **material list** is built from the bills of materials of the sold products.
- The roof project moves to **Order bevestigd**.

### The dashboard

Clicking a project (Project app or Dakmeting → Projecten) opens the dashboard. Every card opens the records behind it:

| Card  | Content                                | Opens         |
|-------|----------------------------------------|---------------|
| Omzet | Order excl. VAT, invoiced / to invoice | Profitability |



| Card          | Content                                               | Opens           |
|---------------|-------------------------------------------------------|-----------------|
| Kosten        | All costs on the analytic account (booked / expected) | Profitability   |
| Marge         | Revenue minus costs, in € and %                       | Profitability   |
| Materiaalkost | Bill of materials × cost price                        | Material list   |
| Inkoop        | Purchase orders on the project                        | Purchase orders |
| Urenstaten    | Hours and labour cost                                 | Timesheets      |
| Facturen      | Count and amount due                                  | Invoices        |
| Leveringen    | To deliver / partial / delivered                      | Deliveries      |
| Taken         | Open and closed tasks                                 | Tasks           |
| Planning      | Next working day, team, planned hours, employees      | Planning        |

The smart buttons **Offerte / Order** and **Dakproject** are always available. The **Dakmeting** tab shows the measurement (drawing, area, perimeter, sections); the **Planning**, **Taken** and **Materiaallijst** tabs the details. **Projectinstellingen** opens the standard project form.

## 11. Teams and planning

### Teams

A team (ploeg) is a fixed group of employees with a team leader. The team is set on the **employee form** (Work tab → Ploeg); the teams themselves are managed under **Employees → Configuration → Ploegen**. The Employees app opens per team: drag an employee to another column to change their team.

### Planning

- On the roof project pick a **team** and the **planned start and end**. A **work block** with all team members is created automatically.
- Splits per dag** turns a multi-day block into one block per day; each block can get its own employees.
- With the Planning app every employee becomes a real **shift**. In the **Per ploeg** planner you pick a roof project and a team on one shift and the whole team is planned.
- The dates of the roof project and the project follow each other; the dashboard shows the next working day and the planned employees.

## 12. Material list and post-calculation

On confirmation every sold product is exploded through its **bill of materials** (nested kits included) into materials; goods without a bill are the material themselves, a service without one is labour. Manual lines are kept; lines from an earlier confirmation of the same order are replaced.

The post-calculation runs on the project's analytic account: customer invoices, vendor bills, purchase orders, stock moves and timesheets come together there. The dashboard shows revenue, costs and margin; the card opens Odoo's detailed profitability analysis.

## 13. Frequently asked questions

### The satellite image is not fetched

Check the API key in Settings → Tectora Dakmeting and the site address. Without a key you can upload your own plan and calibrate the scale by right-clicking a side length.

### I cannot assign products

The roof project must be saved. If the picker is empty, no product category has the use of that label (surface, edges, corners, roof objects, seams) ticked.

### The quotation no longer matches the drawing

Click **Offerte bijwerken uit meting**. A confirmed order is not changed: cancel it and make a new quotation, or edit the order itself.

### No project appears after confirmation

Click **Projectdashboard** on the order: a confirmed order without a project gets one. On an error message, check the server log.

### An employee is missing from the planning

Check that the employee has a team (employee form, Work tab) and a resource (Planning app). The team leader is always included.