

Check Performance Data: admin user guide

Version 1.0, 29 September 2026. Describes the service as it worked on that date.

About this guide

This guide is for Department for Education (DfE) staff who use the admin area of the Check Performance Data service. That includes service owners, window administrators, content editors and the people who run data egress.

It covers every group on the Administration page, in the order the page shows them: Dashboard, CMS administration, System administration, Messages, Window administration, Data egress, Audit log and Danger zone. For each screen, it says what the screen is for, what you can see and what you can do.

This guide does not cover:

- what schools and colleges see and do in the service
- caseworking in Zendesk

The source of this guide is a Markdown file kept with the service's code, alongside the screenshots. If something in the guide is wrong or out of date, ask the development team to correct it.

Contents

- 1. Getting access to the admin area
- 2. Finding your way around
- 3. Dashboard
- 4. CMS administration
- 5. System administration
- 6. Messages
- 7. Window administration
- 8. Data egress
- 9. Audit log
- 10. Danger zone
- Appendix A: Actions that cannot be undone
- Appendix B: Admin sections a role can be granted
- Appendix C: System settings reference
- Appendix D: Getting help

1. Getting access to the admin area

Signing in

You sign in with your DfE Sign-In account. Choose your organisation when DfE Sign-In asks you to.

Once you are signed in, an **Admin** link appears in the header of the service. It appears only if you have an admin role. If you cannot see the link, you do not have one.

Roles

Your access depends on the role DfE Sign-In gives you. There are 2 admin roles:

Role	Who it is for	What it can see by default
<code>cypmd_admin</code>	Administrators	Every section. This role always has full access and you cannot reduce it.
<code>cypmd_content_access_user</code>	Content editors	Pages, Content blocks, Deleted pages, Seed sample CMS pages and Content staging import/export.

You assign roles in DfE Sign-In, not in this service. An administrator can change which sections a role can see. Chapter 5 explains how, under Role settings.

Access is given to roles, not to named people. The service has no list of admin users.

If you cannot see a page

If you type the address of an admin page that your role has not been given, the service shows the *Page not found* screen. It does not tell you that you are not allowed in. This is deliberate: it keeps the admin area hidden from people who should not use it.

If you think you should have access to a page, ask an administrator to give your role that section. Chapter 5 explains how.

Environments

The service runs in 4 environments. Each one uses a matching DfE Sign-In environment.


Environment	Address	DfE Sign-In environment
Development	https://check-performance-data-development.test.teacherservices.cloud/	Test
QA	https://check-performance-data-qa.test.teacherservices.cloud/	Test
Preproduction	https://preproduction.check-performance-data.education.gov.uk/	Preproduction
Production	https://check-performance-data.education.gov.uk/	Production

Some screens exist only outside production. This guide says so wherever it applies.

2. Finding your way around

The Administration page

Select **Admin** in the header to open the *Administration* page. It shows one section for each group you have access to.




The top of the Administration page. The side menu lists all eight groups. In the main area, each group has a heading, a description and links to its screens.

The groups are:

- **Dashboard:** figures on school engagement and amendment requests.
- **CMS administration:** pages, content blocks, deleted pages, content staging and search analytics.
- **System administration:** the rules engine, system settings, logs, site CSS and JavaScript, role settings and test data.
- **Messages:** search feedback and the dead-letter queue.
- **Window administration:** creating and managing checking windows.
- **Data egress:** pulling approved decisions and sending them to the Learning Data Service (LDS).
- **Audit log:** a record of administrative activity.
- **Danger zone:** actions that permanently delete data, and the blob storage browser.

The side menu and the Messages badge

Every admin page has the same menu on the left. It shows the same groups as the Administration page. The page you are on is highlighted. Select the plus or minus button next to a group to open or close it. Select the arrow button above the menu to hide or show the whole menu.



The side menu, with the Messages group open. The count beside Messages in the header is the Messages badge.

The Pages entry opens out into the live page tree of the site. Under the menu, **Leave admin and go to the home page** takes you back to the public service.

The **Messages** badge in the header counts 2 things added together: search feedback messages you have not read, and messages in the dead-letter queue. The count is red while the dead-letter queue has any messages in it.

Conventions used in this guide

- You **select** links and buttons. The guide writes their names in bold, exactly as they appear on screen. Screen names and page titles are in italics.
- A **Warning** box marks an action that cannot be undone.
- Checking window and exercise dates and times are UK time. Other times are in UTC unless the screen says otherwise. UTC is the same as Greenwich Mean Time, and is one hour behind British Summer Time.

3. Dashboard

School engagement and amendment request figures

Use the *Dashboard* to see how many schools have engaged with a checking window and how many amendment requests they have made.

Check Performance Data: Administration
Messages 169
Sign out (impersonating CMS administrator)

Administration

Dashboard

+ CMS administration
+ System administration
+ Messages
+ Window administration
+ Data egress

Audit log
Danger zone

Leave admin and go to the home page

Dashboard

Overview of schools and their amendment requests.

Checking window

Key Stage 4 June
View

Last refreshed at 11:37 UTC on 29 September 2026. Figures refresh every 15 minutes.

Stop automatic refresh

School engagement

5

Eligible schools

0

Logged in

5

Not logged in

0

Submitted amendments

0

Logged in (not submitted)

Amendment requests

6

Total individual pupil amendment requests

0

Auto-approved

0

Auto-rejected

0

Requests requiring scrutiny

All content is available under the [Open Government Licence v3.0](#), except where otherwise stated

© Crown copyright

The Dashboard for the Key Stage 4 June window.

The dashboard lists open checking windows only. To see another window:

1. Choose a window from **Checking window**.
2. Select **View**.

The page shows when the figures were last refreshed. They refresh by themselves every 15 minutes. To stop this, select **Stop automatic refresh**. The page then says *Automatic refresh is off. Reload the page to see newer figures*. Automatic refresh needs JavaScript. Without it, reload the page to see new figures.

The dashboard has 9 tiles:

Group	Tile	What it counts
School engagement	Eligible schools	Schools that have a pupil data file in the window.
School engagement	Logged in	Eligible schools that signed in during the window's dates.
School engagement	Not logged in	Eligible schools that have not signed in.
School engagement	Submitted amendments	Eligible schools that have submitted at least one amendment request.
School engagement	Logged in (not submitted)	Schools that signed in but have not submitted a request.
Amendment requests	Total individual pupil amendment requests	Requests that schools have submitted. Drafts and withdrawn requests are not counted.
Amendment requests	Auto-approved	Submitted requests that the rules engine approved.
Amendment requests	Auto-rejected	Submitted requests that the rules engine rejected.
Amendment requests	Requests requiring scrutiny	Submitted requests that the rules engine sent to a caseworker.

Some things to know when you read the figures:

- All 5 school engagement tiles count the same group of schools: the eligible schools.
- The Logged in figure counts sign-ins the service has recorded since it started recording them. Sign-ins from before then are not included.
- A submitted request that the rules engine has not yet decided counts in the total only. It does not count as approved, rejected or scrutiny.

4. CMS administration

The content management system (CMS) is where every public page of the service is written and published. This group holds the tools for managing it.

This guide covers what each screen does. For step-by-step help with writing and editing pages, use the in-app guide *How to use the CMS*, which is under Help in the public service.

Pages

Use *Pages* to find, create, edit, move, copy and delete pages.

The screenshot shows the GOV.UK CMS administration interface. At the top, there's a dark header with the GOV.UK logo, a navigation bar with 'Check Performance Data: Administration', 'Messages 169', and 'Sign out (impersonating CMS administrator)'. The main content area is divided into a left sidebar and a main panel. The sidebar has a 'Administration' section with a 'Pages' link highlighted. The main panel shows the 'Pages' section with a search bar and a table of pages. The table has columns for 'Title', 'Path', and 'Actions'. The rows list 'Support (content)', 'Wiki (content)', 'Help (content)', 'Guidance (content)', and 'Development testing (folder)'. Each row has a set of action icons. At the bottom of the page, there's a footer with the Open Government Licence v3.0 and the Crown copyright logo.

Administration

- Dashboard
- CMS administration**
 - Pages**
 - Support
 - Wiki
 - Help
 - Guidance
 - Development testing
 - Content blocks
 - Deleted pages
 - Content staging import/export
 - Search analytics
- System administration
- Messages
- Window administration
- Data egress
- Audit log
- Danger zone
 - Leave admin and go to the home page

Pages

Search pages in this section

Title	Path	Actions
Support (content)	support	
Wiki (content)	wiki	
Help (content)	help	
Guidance (content)	guidance	
Development testing (folder)	development-testing	

All content is available under the [Open Government Licence v3.0](#), except where otherwise stated

© Crown copyright

The Pages screen, showing the top level of the site.

The screen lists the pages at one level of the site tree. Each row shows the page title, its path and the type of page: content, wiki or folder. Select a page title to open the pages below it.

Each row has icon buttons. Their names are:

Button	What it does
Edit	Opens the page editor in a new tab.
Versions	Opens the page editor on its version history.
Add child page	Creates a page below this one.
Move up and Move down	Changes the order of the page among the pages at the same level.
Copy	Makes a copy of the page.
Delete	Opens the delete confirmation for the page.
View	Opens the live page in a new tab.

To search below the level you are looking at, enter words in **Search pages in this section** and select **Search**.

In the side menu, you can also press the right mouse button on a page to see the same actions: New child page, Edit, Versions, Move up, Move down, Copy page, Delete and View. You can move a page by dragging it in the side menu. Both need JavaScript.

Creating a page

1. To create a page at the top level, select the plus icon under the **Pages** heading. Its name is **Create a top-level page**. To create a page below another, select **Add child page** on its row.
2. Choose the **Page type**: Content, Wiki or Folder.
3. Enter the **URL segment**. Use lowercase letters, digits and hyphens only. For example, `my-page`.
4. Enter the **Title**.
5. Select **Create page**.

The service creates the page as a draft and opens it in the page editor. A new page is not live until you publish it.

Editing a page

Select **Edit** on a page to open the page editor. It has 3 tabs: Content, Properties and Versions. Above the tabs, a tag shows whether the page is published or a draft, and which version.

[Check Performance Data](#)
[Guidance](#)
[Admin](#)
[Sign out \(impersonating CMS administrator\)](#)

Beta This is a new service - your [feedback \(opens in new tab\)](#) will help us to improve it.

Content page editor

Page not found

[View page \(opens in new tab\)](#)

Published — version 1

Content
Properties
Versions

↑
↓

Rich text

Sorry, the page you were looking for cannot be found. It may have been moved or removed. Use the search box or the links above to find what you need.

Edit rich text

+ Add content here

Save
Publish draft
Unpublish

Support and guidance

If you have a question, or you're having a problem using this service, you can [send us a message](#) or call us on 0300 131 2762

[Privacy](#)
[Cookies](#)
[Accessibility statement](#)
[Guidance](#)

OGL
All content is available under the [Open Government Licence v3.0](#), except where otherwise stated

© Crown copyright

The page editor. This page has one Rich text widget on the Content tab.

On the **Content** tab you build the page from regions and widgets:

- A region sets the layout. The layouts are Single, Halves, Thirds, Quarters, OneThirdTwoThirds and TwoThirdsOneThird.
- A widget holds the content. The widgets are Card, Divider, Heading, Page navigation, Published callout, Rich text, Search, Search results and Summary list.

To add content, select **Add content here**. Choose a region layout and select **Add region**, or choose a widget and select **Add widget**. Widgets go inside a region. Each item has buttons to move it up or down and to delete it.

The buttons under the content are:

Button	What it does
Save	Saves your changes as a draft. The live page does not change.
Publish draft	Makes the draft live. The tag above the tabs changes from <i>Draft</i> to <i>Published</i> .
Unpublish	Takes the live page offline. This button shows only while the page is published.

On the **Properties** tab you can change the Title, Subtitle, Page name, URL segment, Show in menu, Appear in search and Search keywords. Select **Save details** to save them. The service confirms with a *Page details* message that says *Saved*. Changing the URL segment changes the address of the page and of every page below it. The service asks you to confirm with *Change page URL?*, and warns that existing links and bookmarks will stop working.

The **Versions** tab lists every saved version with its status, when it was changed and who changed it.

Publishing, scheduling and restoring versions

On the **Versions** tab, each version has **Publish from** and **Publish to** date and time fields, and these buttons:

- **Save** saves the dates. A version with a Publish from date in the future goes live at that time. A version with a Publish to date stops being live at that time.
- **Publish** makes that version live now.
- **Unpublish** takes the live version offline.
- **View** previews the version.

To go back to an earlier version of a page, select **Publish** on that version.

Deleting a page

1. Select **Delete** on the page's row.
2. Check the page name, then select **Delete page**.

You cannot delete a page that has pages below it. The screen tells you to remove or move the child pages first.

Warning The delete screen says *This action cannot be undone*. In practice, the page moves to *Deleted pages*, where you can restore it. Do not rely on this: treat a delete as final.

Content blocks


Use *Content blocks* to edit pieces of text that appear on several pages, such as the footer, without opening each page.

3. Select **Save**, or select **Cancel** to leave the block as it was.

Each block keeps a version history. Select **Version history** in the block's edit form to see it. The *Content block versions* screen lists each version with its date, and previews the content when you select one. You can revert to an earlier version. The service asks you to confirm: *Are you sure you want to revert to version...?* It warns that this replaces the current published content, and adds the current version to the history.

Deleted pages

Use *Deleted pages* to bring back a page that someone deleted.



The Deleted pages screen when no page has been deleted.

Each deleted page is listed with its path, type, when it was deleted and who deleted it. Select **Restore** to put the page and its content back in the live tree. The service shows *Page restored*.

Content staging import/export

Use *Content staging import/export* to move pages and content blocks from one environment to another. For example, to copy content you have tested in QA to production.



Check Performance Data: Administration Messages 169 Sign out (impersonating CMS administrator)

Administration

Dashboard

CMS administration

Pages

Content blocks

Deleted pages

Content staging import/export

Search analytics

System administration

Messages

Window administration

Data egress

Audit log

Danger zone

Leave admin and go to the home page

< Back to administration

Content staging import/export

Move pages and content blocks between environments. Export produces a zipped bundle of the current content; import replays that bundle through the application, so the normal validation, sanitisation and version history all apply.

Export

Download pages and content blocks from this environment as a `cpd-content-v2` bundle. Each page brings its most recent 5 versions, plus whichever version is currently live.

☐ Include full version history

Exports every saved version of every page. Only needed when migrating an environment wholesale — it can make the bundle many times larger.

Export everything Choose what to export

Import

Upload a bundle to preview it first: you'll see exactly what will be added and which items already exist, and can choose what to do with each collision before anything changes.

Content bundle file

Select the `.zip` bundle exported from another environment. Bundles exported as `.json` by earlier releases still work, zipped or not.

Choose File No file chosen

Preview import

All content is available under the [Open Government Licence v3.0](#), except where otherwise stated


© Crown copyright

The Content staging import/export screen.

Exporting content

- Select **Export everything** to download every page and content block as a zip file.
- Select **Choose what to export** to pick items. Tick the pages and content blocks you want, then select **Export selected**. When you pick a page, its parent pages are always included, so the site structure stays intact.

Each page is exported with its 5 most recent versions and its live version. Tick **Include full version history** to export every saved version. Only do this when you are moving a whole environment, because it makes the file much larger.

Importing content

Importing has 2 steps. The first step changes nothing.

1. Under **Content bundle file**, choose the zip file you exported from another environment.
2. Select **Preview import**.
3. Read the *Review import* screen. It says how many items are new, how many are already in this environment and how many cannot be imported. Nothing changes until you confirm.
4. Choose what to do with the items:
 - **Default for new items:** **Include** adds them. **Skip** leaves them out.
 - **Default for items already in this environment:** **Skip** keeps what is there. **Overwrite** replaces it. **Fail** stops the import.
 - Each item also has its own choice, with **Use default** as the starting point. Use it to override the default for one item.
5. Select **Confirm import**. To leave without importing, select **Cancel**. When the import finishes, the service shows a summary such as *Import complete. Pages: 1 added, 11 updated, 0 skipped. Content blocks: 0 added, 0 updated, 0 skipped.*

Some items cannot be imported. The service lists them under *These items cannot be imported*. This happens when an item's parent page is not in this environment or in the file. The service skips these items, and does not create a blank parent for them.

An import applies the normal checks and keeps version history, as if someone had typed the content in. Every import is recorded in the audit log.

Warning In development environments only, and only if the `CMS:ShowDeleteAllButton` system setting is turned on, this screen also shows a **Clear all CMS content** button. The service asks you to confirm with *Clear all CMS content?* It deletes every page and content block in the environment and cannot be undone. Only use it to reset a test environment. It is never available in production, QA or preproduction, whatever the setting says.

Search analytics

Use *Search analytics* to see what people search for, whether they find results and where the content has gaps. The figures cover a time window you choose.

The screenshot shows the 'Search analytics' page in the GOV.UK CMS administration interface. The top navigation bar includes the GOV.UK logo, a breadcrumb 'Check Performance Data: Administration', a 'Messages' count of 169, and a 'Sign out (impersonating CMS administrator)' link. The left sidebar contains a menu with 'Administration' (Dashboard, CMS administration, Pages, Content blocks, Deleted pages, Content staging import/export, Search analytics), 'System administration', 'Messages', 'Window administration', 'Data egress', and 'Danger zone'. The main content area is titled 'Search analytics' and includes a back button. Below the title is a description: 'See what people are searching for, whether they find results, and where the content gaps are. Figures cover the selected time window.' The 'Time window' section has radio buttons for 'Last 24 hours', 'Last 7 days' (selected), 'Last 30 days', 'Last 90 days', and 'Custom range'. The 'Custom range' section has 'From (UTC)' and 'To (UTC)' date pickers. The 'Chart bucket size' section has radio buttons for '15 minutes', '1 hour', '1 day' (selected), '1 week', and '1 month'. There is a checkbox for 'Aggregate to a typical week'. The 'Search surface' section has a description: 'Leave all ticked to count every search. Two of these are instant search — the typeahead — and they are recorded separately because searching a whole section of the site and searching the page you are reading are different acts.'

The *Search analytics* screen.

The filters at the top are:

- **Time window:** Last 24 hours, Last 7 days, Last 30 days, Last 90 days or Custom range. For a custom range, enter **From (UTC)** and **To (UTC)**.
- **Chart bucket size:** 15 minutes, 1 hour, 1 day, 1 week or 1 month.
- **Aggregate to a typical week:** tick this to combine all the weeks in the window into one typical week.
- **Search surface:** choose which kinds of search to count. *Submitted* is someone pressing the search button. *Instant, the whole site or a section* is the search-as-you-type suggestions. *Instant, this page only* is the search box that searches the page it sits on. The last 2 are recorded separately because they are different kinds of search.

Select **Apply filters** to update the screen. Select **Reset to last 7 days** to go back to the default.

Below the filters you will find:

- **4 summary figures:** Searches, Unique users, Zero-result rate and P95 latency. P95 latency is the time within which 95 out of 100 searches finished. Each figure shows how it compares

with the previous period.

- **Search volume over time:** a chart of searches and unique sessions. Select **View volume data table** for the same figures as a table.
- **When people search:** a chart of searches by weekday and hour. Darker cells mean more searches. Select a cell to see the sessions behind it.
- **Zero-result outcomes:** what happened after a search that found nothing. People either refined their search, sent feedback, or gave up without telling you.
- **Top queries, Top zero-result queries, Top pages** and **Top content blocks**.
- **Single-page search:** searches made with the search box on a single page.

Zero-result queries are the list of what to write next. If people keep searching for something and find nothing, that is a content gap.

Administration

Dashboard

CMS administration

Pages

Content blocks

Deleted pages

Content staging import/export

Search analytics

System administration

Messages

Window administration

Data egress

Audit log

Danger zone

Leave admin and go to the home page

< Back to search analytics

Top queries

Every distinct search normalised query in the selected window, ordered by search volume.

Showing 1 to 20 of 30 queries.

Filter loaded rows

Instant filter, no server round-trip.

Query	Searches	Zero-result count
role settings	99	0
admin nav	95	0
pupil premium	95	0
dead letter queue	91	0
sixth form	90	0
editor role	89	0
provisional results	89	0
absence code guidance	88	0
widget setup	87	0
amendment request	85	0
school census	85	0
dsi role	82	0
rules engine	82	0
content block	81	0
how to edit a page	81	0
post-16	80	0
publish schedule	80	0
ks4 exam entry	79	0
wiki page	77	0
checking window	74	0

1 2 Next

All content is available under the [Open Government Licence v3.0](#), except where otherwise stated



© Crown copyright

The Top queries screen. Select **View all top queries** on the main screen to open it.

Each list has a link to a full screen, such as **View all top queries** and **View all zero-result queries**. On the full screens you can filter the rows and move between pages. Select a query to run that search on the live site.

A session screen shows every search one visitor made, with the time, query, scope, number of results and how long each search took. The session screen also lets you delete that visitor's data.

Warning Select **Delete this session's data** to permanently delete every search event and support message from that session. The service asks you to confirm with *Delete this session's data?* This cannot be undone. The deletion is recorded in the audit log.

5. System administration

This group holds the tools that keep the service running: the rules engine, system settings, logs, site CSS and JavaScript, and role settings.

Rules Engine: what it does

When a school submits a change request, the rules engine decides what should happen to it. It gives each request one of 3 outcomes:

- **Auto-approved:** the request clearly meets the conditions to be accepted.
- **Auto-rejected:** the request clearly does not qualify.
- **Scrutiny:** the request goes to a caseworker for a decision.

The engine takes routine, clear-cut requests off caseworkers' desks. If it has any doubt, it chooses Scrutiny. A missing answer, an unreadable value, a reason it does not recognise or an unexpected error all lead to Scrutiny. The engine never approves or rejects a request when it is unsure.

After the engine decides, the service creates a Zendesk ticket for the request. The Department controls the rules the engine follows. You can view and change them in *Rules Engine configuration*, later in this chapter.

Pipeline dashboard

Use the *Pipeline dashboard* to see whether requests are moving through the service, and how quickly.

[Print or save as PDF](#)


● Overall: Flowing ● Rules engine queue: Flowing ● Zendesk queue: Flowing

All systems healthy. 0 requests processed today; a typical request reaches Zendesk in 2 seconds.

Processed today

Average end-to-end

Current depths (all queues)



Submit

Submit	—
Rules-queue	0 waiting
Rules engine	—
Zendesk-queue	0 waiting
Zendesk ticket	—

- Request DEIV-194cb3723461, at RulesEvaluated, decision Security, 2185.9822ms
- Request DEIV-c63b3744e5, at RulesEvaluated, decision AutoRejected, 2271.3579ms
- Request DEIV-6f6e8646cb26, at RulesEvaluated, decision Security, 2363.6804ms
- Request DEIV-6c90ba6dfb7, at RulesEvaluated, decision AutoRejected, 2473.7863ms
- Request DEIV-1aa0e03a3095, at RulesEvaluated, decision AutoApproved, 2571.2042ms
- Request DEIV-194cb3723461, at Submitted, 0ms
- Request DEIV-c63b3744e5, at Submitted, 0ms
- Request DEIV-6f6e8646cb26, at Submitted, 0ms
- Request DEIV-6c90ba6dfb7, at Submitted, 0ms
- Request DEIV-1aa0e03a3095, at Submitted, 0ms

[View all transactions —](#)[Replay submissions through the stages →](#)

► Demo


Time range

Time range

Granularity

[Update charts](#)

Throughput (last 24 hours, per hour)



► [View throughput data table](#)

Decision mix (last 24 hours)



► [View decision mix data table](#)

Decision mix over time (last 24 hours, per hour)



■ AutoApproved ■ AutoRejected ■ Scrutiny

► [View decision mix over time data table](#)

Time at each stage (last 24 hours)



► [View stage wait data table](#)

What the decision colours mean

■ Auto-approved ■ Auto-rejected ■ Pending review

Refreshed at 2026-09-29 11:39:11Z

The Pipeline dashboard, after 5 test requests had gone through the rules engine.

The screen shows:

- **A health strip** with 3 indicators: *Overall*, *Rules engine queue* and *Zendesk queue*. Each says whether messages are flowing, or whether a queue is backing up or stalled. The thresholds for amber and red are system settings (see Appendix C).
- **A status sentence**, such as *All systems healthy*, with how many requests have been processed today and how long a typical request takes to reach Zendesk.
- **3 figures**: Processed today, Average end-to-end and Current depths (all queues).
- **The live board**, a picture of the pipeline. Requests move from Submit to Rules-queue, to Rules engine, to Zendesk-queue and to Zendesk ticket. Below them are the 3 outcomes and the dead-letter queue. Select **Pause** to freeze the moving requests while you read the board. Select **Resume** to start them again.
- **Pipeline state** and **Recent transitions**: how many messages are waiting at each stage, and the latest steps taken by recent requests.
- **Charts**: Throughput, Decision mix, Decision mix over time and Time at each stage. Choose a **Time range** (Last hour, Last 6 hours, Last 24 hours or Last 7 days) and a **Granularity**, then select **Update charts**. Each chart has a link to view its data as a table.

Select **Export this view (CSV)** to download the figures. Select **Print or save as PDF** to print the page.

Outside production, a **Demo** panel is also available. It lets testers send test requests through the pipeline. It does not appear in production.

Transactions

Transactions lists every message recorded passing through the queues, newest first.

GOV.UK

Check Performance Data: AdministrationMessages169Sign out (impersonating CMS administrator)

Administration

Dashboard

CMS administration

System administration

Rules Engine

Pipeline dashboard

Transactions

Replay

Queues

Rules Engine configuration

System settings

View logs

Role settings

Test data

Messages

Window administration

Data egress

Audit log

Danger zone

Leave admin and go to the home page

< Back to pipeline dashboard

Transactions

Every message recorded passing through the queues, newest first. Open a reference to inspect its journey through the pipeline stages.

Search by reference

Find all transactions for a reference. Matches the start of the reference, case-insensitive.

From (UTC)

dd/mm/yyyy --:--

To (UTC)

dd/mm/yyyy --:--

Search

Showing 1 to 12 of 12 transactions.

Time (UTC)	Reference	Stage	Queue	Decision	Latency (ms)
2026-09-29 11:38:35Z	DEV-194ceb3f2346	RulesEvaluated	rules-engine	Scrutiny	2185.982
2026-09-29 11:38:35Z	DEV-c6e3b37b4ea5	RulesEvaluated	rules-engine	AutoRejected	2271.358
2026-09-29 11:38:35Z	DEV-6fe8646cb826	RulesEvaluated	rules-engine	Scrutiny	2363.68
2026-09-29 11:38:35Z	DEV-6c90ba6dfffb7	RulesEvaluated	rules-engine	AutoRejected	2473.786
2026-09-29 11:38:35Z	DEV-1aa00e3a3095	RulesEvaluated	rules-engine	AutoApproved	2571.204
2026-09-29 11:38:33Z	DEV-194ceb3f2346	Submitted	rules-engine	Scrutiny	0
2026-09-29 11:38:33Z	DEV-c6e3b37b4ea5	Submitted	rules-engine	AutoRejected	0
2026-09-29 11:38:33Z	DEV-6fe8646cb826	Submitted	rules-engine	Scrutiny	0
2026-09-29 11:38:33Z	DEV-6c90ba6dfffb7	Submitted	rules-engine	AutoRejected	0
2026-09-29 11:38:32Z	DEV-1aa00e3a3095	Submitted	rules-engine	AutoApproved	0
2026-09-29 11:38:10Z	DEV-f54ad9b06272	RulesEvaluated	rules-engine	AutoApproved	2895.823
2026-09-29 11:38:07Z	DEV-f54ad9b06272	Submitted	rules-engine	AutoApproved	0

All content is available under the [Open Government Licence v3.0](#), except where otherwise stated



© Crown copyright

The Transactions screen.

To find a request:

Check Performance Data: admin user guide

Page 25 of 73

1. Enter the start of its reference in **Search by reference**. The search matches the start of the reference and ignores capital letters.
2. If you want, enter **From (UTC)** and **To (UTC)** dates and times.
3. Select **Search**.

Each row shows the time, reference, stage, queue, decision and latency in milliseconds. Select a reference to see the journey that request took through the pipeline. The journey page shows the time of each stage and how long the request waited at it.

Replay

Replay lets you watch recent submissions move through the pipeline stages one step at a time. Use it to see how a request travelled, or to explain the process to someone.

1. Optionally, enter **From (UTC)** and **To (UTC)** and select **Filter**. Select **Reset to recent** to go back to the latest submissions.
2. Tick one or more submissions. Select **Select all on this page** to tick them all.
3. Select **Play selected**.

Replay only shows what the service has already recorded. It does not send anything again.

Share links and the wallboard

Share links let you show the pipeline to someone without them signing in. *Share links* has no entry in the menu. Open it by adding `/admin/share` to the address of the service. You need the *share-admin* section for your role (see Appendix B).

1. Enter a **Label** so you can recognise the link later.
2. Choose the **Surface**: *Share link* for a read-only overview of the pipeline, or *Wallboard* for a display for a wall screen.
3. Select **Generate link**.
4. Copy the link straight away. The service says *Copy this link now — it is shown once and cannot be retrieved again*.

The link shows totals only. It contains no pupil information. Anyone who has the link can open it without signing in. The *Issued links* list shows each link's label, surface, when it was created and whether it is live.

Warning Select **Revoke** to switch a link off. The service does not ask you to confirm. Anyone who then uses the link sees a *Page not found* screen. You cannot switch a revoked link back on. Generate a new one instead.

Queues

Use *Queues* to see how many messages are waiting to be processed.

GOV.UK

Check Performance Data: Administration Messages **169** Sign out (impersonating CMS administrator)

Administration

- Dashboard
- + CMS administration
- System administration
 - Rules Engine
 - + Pipeline dashboard
 - Queues
 - Rules Engine Queue
 - Zendesk Queue
 - Rules Engine configuration
 - System settings
 - View logs
 - Role settings
- + Test data
- + Messages
- + Window administration
- + Data egress
 - Audit log
- + Danger zone
 - Leave admin and go to the home page

Queues

Each queue shows how many messages are waiting, the age of the oldest message, and the five oldest messages. Open a message to inspect it, or view the full list. Figures are taken on each page load.

[Refresh](#)

Last refreshed 2026-09-29 11:39:13Z

Rules engine queue [View all messages](#)
0 messages waiting. Oldest message age: —
This queue is empty. No messages are currently waiting.

Zendesk queue [View all messages](#)
0 messages waiting. Oldest message age: —
This queue is empty. No messages are currently waiting.

Dead-letter queue [View dead-letter queue](#)
3 messages in the dead-letter queue.

All content is available under the [Open Government Licence v3.0](#), except where otherwise stated


© Crown copyright

The Queues screen.

The screen has a section for each queue: *Rules engine queue*, *Zendesk queue* and *Dead-letter queue*. For the first two it shows the number of messages waiting, the age of the oldest message and the 5 oldest messages. The figures are taken when the page loads. Select **Refresh** to update them.

Select **View all messages** to open the full list for a queue. The list shows the messages waiting, oldest first.

The screenshot displays the GOV.UK administration interface for the Rules Engine queue. The top navigation bar includes the GOV.UK logo, a breadcrumb 'Check Performance Data: Administration', a 'Messages 169' indicator, and a 'Sign out (impersonating CMS administrator)' link. The left sidebar shows a tree view under 'Administration' with categories like 'CMS administration', 'System administration', 'Rules Engine', 'Queues', and 'Rules Engine Queue'. The main content area is titled 'Rules engine queue' and contains the text: 'All messages currently waiting on this queue, oldest first. Open a message to inspect it.' and 'This queue is empty. No messages are currently waiting.' The footer contains the GOV.UK logo and copyright information.

The Rules engine queue screen when no messages are waiting.

Select a message to inspect it. The screen hides pupil identifiers. For the dead-letter queue, select **View dead-letter queue**. Chapter 6 explains it.

Rules Engine configuration

Use *Rules Engine configuration* to view and change the decision rules the engine follows, and the country language list it uses.

[View languages](#)

© Crown copyright

Decision outcomes and branches

An outcome is a reason a school gives for a change, such as *Deceased* or *Not on roll*. Each outcome has one or more branches. A branch is a rule with a decision.

Check Performance Data: Administration
Messages 169
Sign out (impersonating CMS administrator)

Administration

Dashboard
CMS administration
System administration
Rules Engine
Pipeline dashboard
Queues
Rules Engine configuration
System settings
View logs
Role settings
Test data
Messages
Window administration
Data egress
Audit log
Danger zone

Back to rules configuration

Add outcome

Outcome	Key	Branches
Inclusion	Inclusion	3
Admitted following permanent exclusion	AdmittedFollowingPermanentExclusion	2
Admitted from abroad with English not first language	AdmittedFromAbroadEal	7
Completed KS4 studies this academic year in year 11 at another school or college	CompletedKs4Elsewhere	1
Merge pupils	MergePupils	1
Social care involvement - including police/prison	SocialCareInvolvement	3
Terminal/Critical illness	TerminalCriticalIllness	4
Year group change	YearGroupChange	2
Deceased	Deceased	1
Elective home education	ElectiveHomeEducation	3
Moved school/Dual registration	MovedSchoolDualRegistration	1
Not on roll	NotOnRoll	3
Permanently excluded from current school	PermanentlyExcludedFromCurrentSchool	3
Permanently left England	PermanentlyLeftEngland	3
Pupil missing in Education	PupilMissingInEducation	2
One or more end-of-key stage assessments deferred by a year	AssessmentsDeferred	2
Pupil added to school roll after start of summer term	PupilAddedAfterSummerTerm	2
Pupil not on June list	PupilNotOnJuneList	1
Not at end of 16 to 18 study	NotAtEndOf16To18Study	3
Other	other	1

All content is available under the [Open Government Licence v3.0](#), except where otherwise stated

© Crown copyright

The Decision outcomes screen.

Select an outcome to see its branches.

- Otherwise (always matches)

Page 32 of 73

1. Select **Add outcome**.
2. Enter an **Outcome key**. Use letters and numbers only, and start with a letter. The key is used in the rules and on tickets.
3. Optionally, enter a **Label**. This is the name shown in admin. It defaults to the key.
4. Select **Create outcome**.

The service adds a catch-all Scrutiny branch for you. The request form does not use a new outcome until the development team connects its key to the form. Until then, the outcome exists in the rules, but no request can use it.

To add a branch to an outcome:

1. Open the outcome, then select **Add branch**.
2. Choose the **Decision**: AutoApproved, AutoRejected or Scrutiny.
3. Build the **Condition**. Under **Match**, choose how conditions combine: *All of these*, *Any of these* or *Not (one condition)*. Select **Add condition** to add a test. For each test, choose a **Field**, which is one of the answers the school gives, then an **Operator** and a **Value**. The operators are *equals*, *does not equal*, *is one of*, *is known and certain* and *official language is*. If you change the field, select **Update field** so the operators match it. Select **Remove condition** to take a test out. Select **Add group** to nest a group of conditions.
4. Select **Save branch**.

To change a branch, select its edit icon. To reorder branches, use the up and down icons. To remove a branch, select its remove icon. The service then asks *Remove branch?* Select **Remove branch** to confirm. It records a new version, and you can roll it back.

Deleting an outcome

1. Open the outcome, then select **Delete this outcome**.
2. Type the outcome key in the box to confirm.
3. Select **Delete outcome**.

Warning Deleting an outcome removes it and all its branches from the rules. The service records a new version, so you can roll the change back from the version history. You cannot delete an outcome while the request form still routes to it. The outcome screen tells you when that is the case.

Country languages

Country languages maps each country to its official languages. One of the rule conditions uses it to check a pupil's first language.

Check Performance Data: Administration
Messages 169
Sign out (impersonating CMS administrator)

Administration

Dashboard
CMS administration
System administration
Rules Engine
Pipeline dashboard
Queues
Rules Engine configuration
System settings
View logs
Role settings
Test data
Messages
Window administration
Data egress
Audit log
Danger zone

Back to rules configuration

Country languages

Maps a country code to its official languages. Used by the "official language" rule condition.

Add country

Country name	Country code	Official languages	Actions
Afghanistan	AF	Pashto, Dari	
Argentina	AR	Spanish	
Australia	AU	English	
Austria	AT	German	
Bahamas	BS	English	
Bangladesh	BD	Bengali	
Barbados	BB	English	

The top of the Country languages screen. The list continues below.

- To add a country, select **Add country**. Enter the **Country code** and one or more **Official languages**, using **Add language** for each extra one. Select **Save**.
- To change a country, select its edit icon. Change the languages, then select **Save**.
- To remove a country, select its remove icon.

Warning The remove icon removes the country straight away. The service does not ask you to confirm. To bring it back, roll back to an earlier version.

Version history and rollback

Every change to the decision rules is saved as a new version. Select **Version history** on the *Rules Engine configuration* screen to see them.

Check Performance Data: Administration
Messages 168
Sign out (impersonating CMS administrator)

Administration

Dashboard

+ CMS administration

- System administration

Rules Engine

+ Pipeline dashboard

+ Queues

Rules Engine configuration

System settings

View logs

Role settings

+ Test data

+ Messages

+ Window administration

+ Data egress

Audit log

+ Danger zone

Leave admin and go to the home page

< Back to rules configuration

Version history

Decision rules

Version	Saved	By	
4	29 Sep 2026 12:16 UTC	System	View JSON
3	29 Sep 2026 12:13 UTC	System	View JSON
2	29 Sep 2026 11:56 UTC	System	View JSON
1	29 Sep 2026 11:55 UTC	System	View JSON

All content is available under the [Open Government Licence v3.0](#), except where otherwise stated

© Crown copyright

The version history for the decision rules.

Each version shows when it was saved and by whom. Select **View JSON** to see exactly what was saved. To go back to a version:

1. Open the version.
2. Select **Roll back to this version**.
3. On the confirmation screen, read what will happen, then select **Roll back**.

A rollback does not erase anything. It saves a new version with the older content, so you can roll forward again.

If someone else changed the rules first

If someone else saved a change while you were editing, the service saves nothing. It shows a message such as *The rules were changed by someone else. Nothing was saved — reload and try again*. Reload the page, check what has changed, and make your change again.

System settings

Use *System settings* to change how the service behaves without a new release.

The screenshot shows the 'System settings' page in the GOV.UK administration interface. The top navigation bar includes the GOV.UK logo, 'Check Performance Data: Administration', 'Messages 169', and a 'Sign out (impersonating CMS administrator)' link. The left sidebar contains a menu with 'Administration' (selected), 'Dashboard', 'CMS administration', 'System administration' (expanded), 'Rules Engine', 'System settings' (selected), 'View logs', 'Role settings', 'Test data', 'Messages', 'Window administration', 'Data egress', 'Audit log', and 'Danger zone'. The main content area is titled 'System settings' and includes a back button. Below the title, there is a description: 'Configure service settings. Clear a value and save to restore its default.' and a 'Filter settings' section with a text input field and a 'Matches the setting key or its current value.' label. A table lists settings with columns 'Setting' and 'Value'. The table includes settings for 'CMS:PageLength' (value 20), 'CMS:SearchDebugOn' (checkbox 'Enabled'), and 'CMS:ShowDeleteAllButton' (checkbox 'Enabled'). Each setting has a 'Save' button.

Setting ▲	Value
CMS:PageLength Number of rows shown per page on paged lists. Default: 20 (in use)	20 Save
CMS:SearchDebugOn When true, per-hit rank breakdowns and per-exclusion filter breadcrumbs are logged at Info level and the /search page renders the internal rank as an HTML comment. Editors and ops use it to debug why a page didn't appear. Off by default. Default: false (in use)	☐ Enabled Save
CMS:ShowDeleteAllButton Whether the content-staging page offers the Clear all CMS content button, which deletes every page and content block in this environment. Off by default and unavailable in production and QA. Default: false (in use)	☐ Enabled Save

The top of the *System settings* screen. The list continues below.

The screen lists every setting with a description, its default and its current value. Enter words in **Filter settings** to find one by its name or value.

To change a setting:

1. Change its value. A tick box switches a setting on or off.
2. Select **Save** beside that setting.

Each setting saves on its own. To go back to the default, clear the value and select **Save**.

Appendix C explains every setting in plain English.

View logs

Use *View logs* to see what the service has recorded about its own activity, and to download it. This is mainly for the development team when something has gone wrong.

The top of the View logs screen. The list of log entries continues below.

The list shows the newest entries first, 20 to a page. Each entry has a timestamp, a level, a category, a message and the request that caused it.

To narrow the list, use the filters: **Level**, **Category**, **From (UTC)**, **To (UTC)** and **Search**. Search looks in the message and any error text, and ignores capital letters. Select **Apply filters**, or select **Reset** to clear them.

Select **Download CSV** to download the entries that match your filters.

Warning Select **Clear all logs** to delete every log entry. The service asks you to confirm with *Clear all application logs?* This cannot be undone. New entries are recorded as normal afterwards.

Site CSS and JavaScript

Use *Site CSS and JavaScript* to add your own CSS and JavaScript to every page of the service, including the admin area and shared pages. Only administrators can use this screen, even if another role is given the `site-assets` section.

The screen has a box for the CSS and a box for the JavaScript. Each has a tick box that switches it on or off, so you can stop using it without deleting it. Each box holds up to 200,000 characters.

To change the CSS or JavaScript:

1. Change the text in the box.
2. Tick or clear **Apply the custom CSS to the site** or **Apply the custom JavaScript to the site**.
3. Select **Save**. The service confirms with *Site CSS and JavaScript saved*.

The CSS is added after the service's own styles, so its rules can override them. The JavaScript runs once each page has loaded.

Warning JavaScript added here runs for every user, administrators included. Test it carefully before you switch it on.

A save takes effect straight away on the server you saved it on. On other servers it takes effect within about 30 seconds.

If a rule or script breaks a page, add `?siteAssets=off` to the end of that page's address to see it without them. The *Site CSS and JavaScript* screen itself never loads them, so you can always reach it to fix or switch off the problem.

Every save is recorded in the audit log.

Role settings

Use *Role settings* to choose which admin sections each role can see. Chapter 1 explains roles.

Check Performance Data: Administration
Messages 169
Sign out (impersonating CMS administrator)

Administration

Dashboard

+

CMS administration

-

System administration

+

Rules Engine

System settings

View logs

Role settings

+

Test data

+

Messages

+

Window administration

+

Data egress

Audit log

+

Danger zone

Leave admin and go to the home page

<

Back to administration

Role settings

Tick a box to grant that role access to a section of admin. The role columns come from the users active in this system; register a new role below to add another column.

Section	cypmd_admin	cypmd_content_access_user
dashboard	☒	☐
content-pages	☐	☒
content-blocks	☐	☒
deleted-pages	☐	☒
seed-sample-pages	☐	☒
content-staging	☐	☒
system-settings	☐	☐
role-settings	☐	☐
app-logs	☐	☐
rules-config	☐	☐
rules-engine	☐	☐
rules-engine-queue	☐	☐
zendesk-queue	☐	☐
dead-letter-queue	☐	☐
observability	☐	☐
storage-browser	☐	☐
transactions	☐	☐
replay-submissions	☐	☐
window-admin	☐	☐
new-window	☐	☐
manage-window	☐	☐
egress	☐	☐
egress-runs	☐	☐
audit-log	☐	☐
reset-seed-data	☐	☐
share-admin	☐	☐
search-analytics	☐	☐
messages-inbox	☐	☐
test-data-group	☐	☐
seed-sample-search-data	☐	☐

Register a new role

Type the exact role name that will appear on user identities. It will get its own column with no boxes ticked; edit it here to grant sections.

Save role access

Cancel

The Role settings screen.

The grid has one row for each admin section and one column for each role. The section names are short codes, such as `content-pages`. Appendix B explains what each one unlocks.

To change what a role can see:

1. Tick the box for each section the role should have. Clear the box for each section it should not have.
2. Select **Save role access**. The service confirms with *Role access saved*.

The `cypmd_admin` column is fixed. Administrators always have every section.

To add a role, type its name in **Register a new role**, exactly as it appears in DfE Sign-In. The role gets its own column with no boxes ticked. Tick the sections it needs, then select **Save role access**.

A change takes effect straight away on the server you saved it on. On other servers it takes effect within about a minute.

Test data

The *Test data* group has 2 tools for filling an environment with sample content. Use them to test or demonstrate the service.

- **Seed sample CMS pages** adds a set of published sample pages under Wiki, Help, Support and Guidance. It also restores the pages used for testing. It is available in every environment except production.
- **Seed sample search data** adds made-up search events and feedback messages, so that Search analytics has something to show. You choose how far back the data goes: the last 24 hours, week, month, quarter or year. It is available in development, review and QA environments only.

Warning Sample data looks like real data. Search events and feedback messages you seed appear in Search analytics and in the Search feedback inbox, and cannot be told apart from real ones. Do not seed sample data in an environment where you need to see real figures.

6. Messages

This group holds what the service sends to you: feedback from people who used the search, and requests that could not be processed.

Search feedback

Search feedback lists messages people sent from the search results page, using the link that asks whether the results were what they expected.

GOV.UK

Check Performance Data: AdministrationMessages169Sign out (impersonating CMS administrator)

Administration

Dashboard

CMS administration

System administration

Messages

Search feedback

Dead Letter Queue

Window administration

Data egress

Audit log

Danger zone

Leave admin and go to the home page

Search feedback

Feedback submitted from the site's search results. Mark a message read for the team once you have opened it, or drill in to see the session's search history.

Filter by first-line preview

Matches anywhere in the message body — case-insensitive.

Apply filterReset

Showing 1 to 20 of 166 messages.

Submitted	Session	Email	Read	Preview
2026-09-29 11:10	45b93253...		New	Where do I find the DSI role list? The search suggests it but nothing loads.
2026-09-29 10:54	5ac90817...		New	Where do I find the DSI role list? The search suggests it but nothing loads.
2026-09-29 10:11	f261bc28...		New	The search returned nothing for pupil premium — is there a page about it?
2026-09-29 10:02	9af23e3e...	Email	New	I can't find where to change the CMS page length setting from search.
2026-09-29 09:38	767e52e9...		New	I can't find the guidance about the amendment process for KS4 results.
2026-09-29 09:00	aa5fcab6...		New	Looking for the publish-schedule page — the search just returns unrelated wiki p
2026-09-29 08:51	6e3a0c0e...		New	The absence-code page is missing from the results — used to be under Help.
2026-09-29 08:29	6b66eff8...		New	Cannot find the school-census due-dates page from search.
2026-09-29 07:08	0af10c0d...		New	Zero results for 'DSI editor role' — is there a page describing what editors can
2026-09-29 06:46	4e95c171...		New	I can't find the guidance about the amendment process for KS4 results.
2026-09-28 23:41	0ba361c1...		New	The rules-engine documentation is not in search — is it published?
2026-09-28 23:32	173a0426...	Email	New	I was expecting to see the sixth-form checking window guidance here.
2026-09-28 21:13	6b66eff8...	Email	New	The search returned nothing for pupil premium — is there a page about it?
2026-09-28 19:56	789afca5...	Email	New	I need the exam-entry guidance for KS4 — search is not finding it.
2026-09-28 19:55	5ac90817...		New	Post-16 guidance page is missing from search results.
2026-09-28 19:28	e4bce13d...		New	The absence-code page is missing from the results — used to be under Help.
2026-09-28 18:39	fb0ee74c...		New	Where do I find the DSI role list? The search suggests it but nothing loads.
2026-09-28 17:42	0c7b7ed5...	Email	New	The search returned nothing for pupil premium — is there a page about it?
2026-09-28 17:28	b39e3f7c...		New	The rules-engine documentation is not in search — is it published?
2026-09-28 17:24	933c8375...	Email	New	Where do I find the DSI role list? The search suggests it but nothing loads.

123...789Next

All content is available under the [Open Government Licence v3.0](#), except where otherwise stated



© Crown copyright

The Search feedback screen.

Check Performance Data: admin user guide

Page 42 of 73

The list shows 20 messages a page. Each row shows when the message was sent, the session it came from, an *Email* tag if the person gave an email address, whether it is *New* or *Read*, and the start of the message.

- To find messages, enter words in **Filter by first-line preview** and select **Apply filter**. The filter matches anywhere in the message and ignores capital letters. Select **Reset** to clear it.
- To sort, select **Submitted** or **Read** in the column headings.

Select a message to open it. The message screen shows what the person was looking for and what they got. It also shows their last search on the site, how many results came back and what they were. Under *Message details* it shows when it was sent, the session, their email address (or that they did not want to be contacted) and the status.

- Select **Mark as read** when you have dealt with the message. The status changes to *Read*, and the screen shows who marked it. Opening a message does not mark it as read.
- Select **View this session's searches** to see everything else that person searched for.

The Messages badge in the header counts messages that are still *New*.

Dead Letter Queue

A dead-lettered message is a request that the pipeline could not process, even after several attempts. The service moves it to the dead-letter queue so that it is not lost. Someone then decides whether to try it again or to delete it.

Check Performance Data: Administration
Messages 169
Sign out (impersonating CMS administrator)

Administration

Dashboard
CMS administration
System administration
Messages
Search feedback
Dead Letter Queue
Window administration
Data egress
Audit log
Danger zone
Leave admin and go to the home page

Dead-letter queue

Messages that failed processing after the maximum number of attempts. Open a message to inspect its payload, requeue it for another attempt, or purge it permanently.

Dead-lettered messages

Message	Queue	Reference	Attempts	Reason	Dead-lettered	Actions
94108b24-b3ce-4066-9176-970d936d2605	rules-engine	—	0	Seeded for admin testing.	2026-09-29 11:33:22Z	Redrive Purge
a348a652-b34f-4c15-8863-7aefd786427a	rules-engine	—	0	Seeded for admin testing.	2026-09-29 11:33:22Z	Redrive Purge
46282a45-32f0-428c-bfda-4f990e0d656d	rules-engine	—	0	Seeded for admin testing.	2026-09-29 11:33:22Z	Redrive Purge

Redrive selected
Purge selected

All content is available under the [Open Government Licence v3.0](#), except where otherwise stated

© Crown copyright

The Dead-letter queue screen.

Each row shows the message ID, the queue it came from, its reference, how many attempts were made, the reason it failed and when it was dead-lettered.

To try a message again:

1. Select **Redrive** on its row. To try several, tick them and select **Redrive selected**.
2. Read the confirmation. The service asks *Requeue this message?* and warns that trying again may create a downstream effect, such as a support ticket.
3. Select **Yes, requeue**.

The message goes back to the queue it came from for another attempt.

To open a message, select its ID. The detail screen shows the reason, the number of attempts and the payload, with a **Redrive** button. The payload hides pupil identifiers. An administrator can allow the full payload to be shown by turning on the *DIQ:FullPayloadEnabled* setting in

System settings. Every time someone views a full payload, the service records it in the audit log.

Warning Select **Purge** to delete a message from the dead-letter queue for good. To delete several, tick them and select **Purge selected**. The service asks you to confirm with *Purge this message?* This cannot be undone. The service keeps a record in the audit log that you purged it. Do not purge a message until you know that the request it carries has been dealt with another way.

The dead-letter queue also sends an email alert when it holds too many messages, and deletes old messages after a set number of days. Both are system settings (see Appendix C).

7. Window administration

A checking window is a period when schools can check their data and ask for changes. Window administration is where you set windows up, load the data schools check, and close them when the period ends.

Windows, checking exercises and datasets

A **window** has:

- a **name**, such as *Key Stage 4 June*
- a **window type**: Key Stage 4 June, Key Stage 2, Post 16 or Key Stage 4 Autumn
- a **key stage**: Key stage 2, Key stage 4 or Post 16
- a **turnaround commitment**: a short sentence that tells schools when to expect changes, such as *updated in the Autumn*
- a **next opportunity**: an optional month and year. Once the window's pupil data checking has closed, schools see when they can next review their data. They see the month and year only, for example *October 2027*.

A window runs one or 2 **checking exercises**:

- **Pupil data checking**: schools check their pupil data and ask for changes.
- **Results enquiry**: schools ask about results.

Each exercise has its own opening and closing date and time. The window's overall dates are worked out from its exercises, so you do not enter them.

Each exercise also has one or more **datasets**: the data the school checks. Each dataset needs 2 files:

- an **ingress file**: the data itself. You choose it from the ingress storage area. You do not upload it from your own computer. The service copies it into the window's own storage and records a checksum, which lets it tell later if the file has changed.
- a **schema file**: a JSON file that describes what the data should look like. You do upload this from your computer.

Some datasets are marked (*optional*). The supplier may send those later, or not at all. You can validate without them.

When both files are in place, you **validate** the exercise. Validation reads every record and checks it against the schema. When the exercise ends, you **close** it. Closing sends the requests schools have submitted for processing.

Manage windows

Use *Manage windows* to see every window and open one.



[Check Performance Data](#) [Guidance](#) [Admin](#) [Sign out \(impersonating CMS administrator\)](#)

Beta

This is a new service - your [feedback \(opens in new tab\)](#) will help us to improve it.

[< Back](#)

Window Admin

Name	Status	Checking exercises	Published	Actions
KS4 June	Closed	Pupil data checking Closed	True	Edit Requests
16 to 19	Open	Pupil data checking Missing journeys Missing: Include, Add Results enquiry Open	True	Edit Requests
16 to 19 (pupil data closed)	Open	Pupil data checking Missing journeys Missing: Include, Add Results enquiry Open	True	Edit Requests
16 to 19 ingress	Open	Pupil data checking Missing journeys Missing: Include, Add Results enquiry Open	True	Edit Requests
Key Stage 4 June	Open	Pupil data checking Open	True	Edit Requests



Support and guidance

If you have a question, or you're having a problem using this service, you can [send us a message](#) or call us on 0300 131 2762

[Privacy](#) [Cookies](#) [Accessibility statement](#) [Guidance](#)



All content is available under the [Open Government Licence v3.0](#), except where otherwise stated



© Crown copyright

The *Manage windows* screen. The screen title is *Window Admin*.

The screen opens in the public layout of the service, without the admin side menu. Select **Back** to return.

The table has these columns:

Column	What it shows
Name	The window name.
Status	<i>Open</i> or <i>Closed</i> .
Checking exercises	Each exercise with its own status tag: <i>Upcoming</i> (not open yet), <i>Open</i> or <i>Closed</i> , worked out from the exercise's dates. A red <i>Missing journeys</i> tag replaces these when the service has no request form set up for this type of window. The line beneath it lists which types of request are affected, for example <i>Missing: Include, Add</i> . Tell the development team if you see it.
Published	<i>True</i> . At present this column says <i>True</i> for every window, so it does not tell you anything.
Actions	Edit opens the window summary. Requests opens the list of requests for the window.

Creating a new window

Use *Create new window* to start a new window. The service takes you through 6 pages, one question at a time. It only creates the window on the last page.

The screenshot shows the 'Edit title for New window' page. At the top is a blue header with the GOV.UK logo. Below it is a navigation bar with links: 'Check Performance Data', 'Guidance', 'Admin', and 'Sign out (impersonating CMS administrator)'. A 'Beta' banner states: 'This is a new service - your [feedback \(opens in new tab\)](#) will help us to improve it.' The main heading is 'Edit title for New window'. Below it, a text prompt says 'Enter the name for the window.' followed by a text input field containing 'New window'. At the bottom of the form are two buttons: 'Save and continue' (green) and 'Cancel' (blue). The footer section, separated by a blue line, contains the 'Support and guidance' heading, a paragraph about contacting support, and links for 'Privacy', 'Cookies', 'Accessibility statement', and 'Guidance'. It also includes the OGL logo, a statement about the Open Government Licence v3.0, and the Royal Coat of Arms with the text '© Crown copyright'.

The first page of Create new window.

1. **Edit title for New window.** Enter the name for the window. It starts as *New window*. Select **Save and continue**.

2. **Select the window type.** Choose Key Stage 4 June, Key Stage 2, Post 16 or Key Stage 4 Autumn. Select **Save and continue**.
3. **Select the key stage.** Choose Key stage 2, Key stage 4 or Post 16. Select **Save and continue**.
4. **Which checking exercises does this window run?** Tick *Pupil data checking*, *Results enquiry* or both. Select **Save and continue**.
5. **Dates.** For each exercise you ticked, the service asks for that exercise's dates. Enter **When does it open?** as a day, month and year. Enter **What time does it open?** as an hour and minute on the 24-hour clock, such as 09 30 or 17 00. Then do the same for **When does it close?** Select **Save and continue**.
6. **Check your answers.** The page lists every answer. Select **Change** beside an answer to correct it. When everything is right, select **Save and continue**.

Selecting **Save and continue** on the last page creates the window and its storage. The service then opens the window summary page.

The service does not ask for a turnaround commitment or a next opportunity in these pages. Add them afterwards from the window summary.

Leaving the wizard part-way

The service keeps your answers for the rest of your session. If you leave and come back, the first page shows the name you entered. The window is not created until you complete the last page, so leaving does not affect any existing window.

Warning The Cancel links in this wizard do not work as you would expect at present. On the first page, **Cancel** takes you to the Administration page if you have not saved any answers yet. If you have, it opens the *Do you want to delete this window?* page described below. On the later pages, **Cancel** shows a *Page not found* screen. On the *Check your answers* page, **Cancel** does nothing. That page is at `/admin/windows/cancel-creation`. It shows your answers, with **Continue** and **Delete** buttons. Both show *Page not found*, and **Delete** does not discard your answers. To leave, use the side menu or the header. To start again, change each answer.

The window summary page

Select **Edit** on a window in *Manage windows* to open its summary. This is where you manage the window from day to day.

Beta This is a new service - your [feedback \(opens in new tab\)](#) will help us to improve it.

[< Back](#)

Key Stage 4 June

Window details

Title	Key Stage 4 June	Change
Is Published	False	
Is Open	False	
Start Date	30/09/2026 10:46 (earliest exercise start)	
End Date	14/10/2026 17:00 (latest exercise end)	
Window Type	KS4June	Change
Checking exercises	Pupil data checking	Change
Turnaround commitment	Not set	Change
Next opportunity	October 2027	Change

Pupil data checking

Start Date	30/09/2026 10:46	Change
End Date	14/10/2026 17:00	Change
Status	Open	
Validated	No	
Pupils — ingress file	Not supplied	Change
Pupils — schema file	Not supplied	Change

[Validate Pupil data checking](#)

[Close Pupil data checking](#)



Support and guidance

If you have a question, or you're having a problem using this service, you can [send us a message](#) or call us on 0300 131 2762

[Privacy](#) [Cookies](#) [Accessibility statement](#) [Guidance \(opens in new tab\)](#)

OGL

All content is available under the [Open Government Licence v3.0](#), except where otherwise stated



© Crown copyright

The summary page for a window with one exercise, Pupil data checking.

The first section, *Window details*, lists the title, whether the window is published and open, its start and end dates, its window type, its checking exercises, its turnaround commitment and its next opportunity. Select **Change** beside a row to edit it. The start and end dates have no

Change link, because they come from the exercises. *Is Published* and *Is Open* have none either.

When you change an exercise's dates, the service checks them. It rejects an opening date in the past, with the message *Start date can not occur in the past*. It also rejects a closing date before the opening date, with *End date can not occur before the start date*. The first check applies even if you only want to change the closing date of an exercise that has already opened. The service cannot save changes to the dates of an exercise that has already opened. If you need to move the closing date of an open exercise, ask the development team.

Is Published and *Is Open* can differ from the *Published* and *Status* columns on *Manage windows*. For example, a window that *Manage windows* shows as open can show *False* here. If they disagree, ask the development team which is right.

Below that, each exercise has its own section. It shows:

- **Start Date** and **End Date**, with **Change** links.
- **Validated**: Yes with the date and time, *No*, or *Not since the files changed*. The last one means the exercise was validated once, but someone has since replaced a file. Validate again.
- One line for each dataset's **ingress file** and **schema file**, each with a **Change** link. A missing file shows *Not supplied*.
- **Status**: *Open*, *Closed* or *Upcoming*. An exercise is open between its start and end dates.
- Buttons named after the exercise. **Validate Pupil data checking** is always shown for an exercise that has files to load. **Close Pupil data checking** is shown only while the exercise is open. **Send Pupil data checking requests for processing** is shown only once the exercise has closed.

Choosing an ingress file

1. Select **Change** beside a dataset's ingress file.
2. On *Browse ingress files*, choose a storage container from the list.
3. Open folders until you find the file. Select **Back to Containers** to start again.
4. Under **Select a file**, choose the file.
5. Select **Use selected file**.

The service copies the file into the window's own storage and records its checksum. Then it returns you to the summary page. Nothing is uploaded from your computer.

The screen says *No ingress containers were found* if the ingress storage area is empty. The file has to be placed there by whoever supplies the data first.

Uploading a schema file

1. Select **Change** beside a dataset's schema file.
2. On *Upload a JSON schema file*, choose the file from your computer.
3. Select **Save and continue**.

Validating an exercise

Validation checks every record against the schema. The validate button is greyed out until the exercise has all the files it needs.

1. Select the validate button for the exercise, such as **Validate Pupil data checking**.
2. On the validation page, select **Run validation**.
3. Watch the progress. The page counts *Records read*, *Records processed*, *Files written* and *Errors* as it goes.
4. When it finishes, read the result. *Validation complete* means no errors. *Validation failed* means at least one error, and the page describes what was wrong.
5. The page lists *Records processed per LAESTAB*: one row for each school, with the number of records checked.

If validation fails, fix the data at source, put the corrected file in the ingress storage area, choose it again as the ingress file, and validate again.

Without JavaScript the page works differently. There is no live progress. The result appears once validation has finished.

Closing an exercise early

Use this to stop schools using an exercise before its scheduled end. You can only close an exercise that is open.

1. Select the close button for the exercise, such as **Close Pupil data checking**.
2. Read the confirmation page. It shows the window, the exercise and its scheduled end.
3. Under **To confirm, type the window name**, type the window's name exactly as the page shows it. Capital letters matter.
4. Select the close button again to confirm, or select **Cancel** to go back.

If the name you type does not match, the exercise stays open. The page shows *The window name you entered does not match*. Correct the name and try again.

Warning You cannot undo closing an exercise. From that moment schools cannot make new requests for it, and any school part-way through a request is stopped on its next page. The service also sends every request schools have submitted for processing, and cancels drafts that a school has not submitted. Submitted requests cannot be changed afterwards. Cancelled drafts cannot be resumed.

After it closes, the summary page shows a *Success* banner, for example *Pupil data checking was closed early on 03/09/2026, 10:39 by Sam Taylor. 1 request sent for processing and 10 drafts cancelled*. The exercise's **End Date** becomes the time you closed it, its **Status** becomes *Closed*, and the close button is no longer shown. The close is recorded in the audit log.

The banner and the end date show UK time.

If the service closes the exercise but cannot send its requests for processing, the summary page shows an *Important* banner instead. It says the exercise was closed and that its requests could not be sent. The exercise is closed. Select **Send Pupil data checking requests for processing** to try again.

Sending requests for processing after an exercise has closed

When an exercise reaches its end, the service sends its requests for processing by itself, two hours later. It also cancels drafts that schools have not submitted. You do not need to do anything.

Use the button if you want the requests sent before the two hours are up, or if you think some were missed.

1. Select **Send Pupil data checking requests for processing** in the exercise's section. The button appears once the exercise has closed.
2. Read the confirmation page. It says how many *Requests to send for processing* and how many *Drafts to cancel*.
3. Select **Send requests for processing** to confirm, or select **Cancel** to go back.

Warning You cannot undo this. Submitted requests are sent for processing and cannot be changed afterwards. Drafts that a school has not submitted are cancelled, and cannot be resumed.

A request a school submitted only moments before the close may still be waiting for the Rules Engine. The page and the message after sending say how many are waiting. They are not lost: select **Send ... requests for processing** again later to send them.

You do not need to do this after closing an exercise early, because closing it early also sends its requests. If there is nothing left to send, the confirmation page says so.

The two hours are counted from the end time shown on the page, which is UK time.

Requests for a window

Select **Requests** on a window in *Manage windows* to see every request made in that window. The page is read-only. Use it to check what schools have asked for, and what happened to each request.

[Check Performance Data](#)
[Guidance](#)
[Admin](#)
[Sign out \(impersonating CMS administrator\)](#)

Beta

This is a new service - your [feedback \(opens in new tab\)](#) will help us to improve it.

[< Back to windows](#)

Requests for Key Stage 4 June

Checking exercise

All exercises

Apply filter

Reference	Organisation URN	Pupil	Request type	Checking exercise	Status	Submitted by	Submitted
CYPMD_KS4June_SEED011	142313	Ian Smith	Remove - Dual registered or moved school	Pupil data checking	InProgress	Dev Seed	29 Sep 2026 11:43
CYPMD_KS4June_SEED010	142313	Hannah Smith	Remove - Dual registered or moved school	Pupil data checking	InProgress	Dev Seed	29 Sep 2026 11:43

The top of the Requests screen. The table continues below and is wider than the screen.

To show one exercise only, choose it under **Checking exercise** and select **Apply filter**. Results enquiries appear here under the Results enquiry exercise.

Each row shows:

- **Reference**, **Organisation URN**, **Pupil** and **Request type**
- **Checking exercise** (or *Not recorded* if the request has none)
- **Status**, such as InProgress, ReadyToSubmit, Submitted, Withdrawn or NotSubmitted
- **Processing**: where a submitted request is on its way to a ticket, or *Waiting for decision*
- **Submitted by** and **Submitted**
- **Outcome**: *Auto approved*, *Auto rejected* or *Scrutiny*, or *Not yet processed*
- **Matched Rule**: the rule that decided the outcome
- **Zendesk Id**: the ticket, once one exists

For a request the rules engine has decided, select **Decision trace** under the row to see how the engine reached its decision. The trace lists each condition the engine checked and whether it was true, ending with the rule that decided.

Who can do what

Two sections control window administration, and you give them to a role separately:

- **new-window** lets a role start the Create new window pages.

- **manage-window** lets a role use Manage windows, the window summary, the requests list, and the pages for changing a window.

The Create new window wizard uses pages from both sections. A role that has only one of them gets a *Page not found* screen part-way through. Give both sections together. Chapter 5 explains how to change what a role can see, under Role settings.

8. Data egress

What an egress run is

An egress run takes the decisions that caseworkers have made in Zendesk for one checking window, prepares them to the Learning Data Service (LDS) specification, checks the files, and sends them to LDS.

A run works with one or 2 **output types**:

- **New learners**: requests to add a pupil.
- **Remove learners**: requests to remove a pupil.

Only one run can be active for a checking window and an output type at any time. If a colleague already has one, the service tells you who and since when. Once an output type has been sent to LDS for a window, it cannot be sent again. A run that failed, or that someone abandoned, does not block a new one.

Starting a run

Use *Start a new egress* to begin.

Check Performance Data: Administration
Messages 169
Sign out (impersonating CMS administrator)

Administration

Dashboard
CMS administration
System administration
Messages
Window administration
Data egress
Start a new egress
Egress runs
Audit log
Danger zone
Leave admin and go to the home page

Back to administration

Data egress

1. Select a checking window

Choose the checking window you want to export data for.

Select a checking window

2. Select data to pull from Zendesk

Select one or more output types to retrieve.

☐ New learners
☐ Remove learners

Pull data from Zendesk

Saved runs

There are no saved runs.

Completed runs

Checking window	Output types	Status	Started by	Transferred	
Key Stage 4 June	New learners, Remove learners	Transferred	System	29 Sep 2026 11:35 UTC	View

All content is available under the [Open Government Licence v3.0](#), except where otherwise stated

© Crown copyright

The Data egress screen.

- Under **1. Select a checking window**, choose the window.
- Under **2. Select data to pull from Zendesk**, tick **New learners**, **Remove learners** or both.
- Select **Pull data from Zendesk**.

The service saves the run as soon as the pull finishes. The same screen lists *Saved runs* that are still in progress, each with a **Resume** button, and *Completed runs*, with a **View** link.

If the service refuses to start the run, it says why. There are 2 common reasons:

- {Output type} for this checking window is already being processed by {name}, started {date} at {time} UTC. Wait for that run to finish or be abandoned.*

- *{Output type}* for this checking window has already been transferred to LDS by *{name}* on *{date}* at *{time}* UTC. It cannot be sent again.

Reviewing the pulled data, preprocessing and transferring

A run has 5 screens. You move through them in order.

1. Data pulled from Zendesk. The screen lists every request for the output types you chose, whatever its decision, with one tab for each output type. Each row shows the ticket ID, reference, decision, reason and the pupil details. Only approved and auto-approved requests go forward.

The buttons are **Proceed to preprocessing**, **Save and exit** and **Abandon run**.

2. Preprocessing data. Select **Run preprocessing**. The service prepares the records in 8 steps and shows progress as it goes: Filter records, Derive correction codes, Split DfE establishment number, Standardise dates, Build LDS records, Trim values, Validate against LDS spec and Save to database. Do not leave the page while it runs. If you do, the run goes back to the pulled data and nothing is saved. When it finishes, the service takes you to the next screen.

3. Preprocessing failed. You only see this screen if a record has a problem. The service says how many problems it found. One failing record fails the whole batch, so nothing is saved and nothing is sent. The *Records that failed* list shows the **Ticket ID**, **Reference**, **Step**, **Field** and **Problem** for each one. Correct the source data in Zendesk, then select **Start a new egress**. Select **View the pulled data** to look at the records again. You cannot retry a failed run. You always start a new one.

4. Confirm transfer to LDS. The screen shows the checking window, when the data was preprocessed and the target container. Under *Files to be transferred* it lists each file with its record count. Select **preview** beside a file name to look at it, and **Download** to save a copy. When you are sure, select **Confirm and transfer**.

5. Transfer complete. The screen shows what was sent: the files, the number of records in each, and a checksum for each. It also shows who transferred them, when, and the status *Success*. Select **Start a new egress** to begin another run.

If the transfer fails, the service removes any file it had already written. The run shows as failed. You can try the transfer again from the *Confirm transfer to LDS* screen.

The *Data pulled from Zendesk*, *Preprocessing data* and *Confirm transfer to LDS* screens all have **Save and exit** and **Abandon run**. **Save and exit** only leaves the page. You do not need to save, because the service saved the run when the pull finished. Select **Resume** on the *Data egress* screen to go back to where you were.

Warning Abandon run does not ask you to confirm. It ends the run straight away. If the run was in the middle of a transfer, the service also removes any files it had already written to LDS storage. The run can never be resumed. You need to start a new one.

Egress runs

Use *Egress runs* to see the history of every run.

The screenshot shows the 'Egress runs' page in the GOV.UK administration interface. The top navigation bar includes the GOV.UK logo, 'Check Performance Data: Administration', 'Messages 169', and a 'Sign out (impersonating CMS administrator)' link. The left sidebar contains a menu with 'Administration' (selected), 'Dashboard', 'CMS administration', 'System administration', 'Messages', 'Window administration', 'Data egress' (expanded), 'Start a new egress', 'Egress runs' (active), 'Audit log', and 'Danger zone'. The main content area is titled 'Egress runs' and includes a subtitle 'A history of all data egress runs.' Below this are two filter dropdowns: 'Filter by checking window' (set to 'All windows') and 'Filter by status' (set to 'All statuses'). An 'Apply filters' button is located below the filters. A table displays the egress run history with columns: 'Checking window', 'Output types', 'Records', 'Run by', and 'Started'. The table shows one entry for 'Key Stage 4 June' with a status of 'Success', 5 records, run by 'System', and started on '29 Sep 2026 11:34 UTC'. A 'View' link is provided for this entry. The footer contains a copyright notice and the Royal Coat of Arms.

GOV.UK

Check Performance Data: Administration Messages 169 Sign out (impersonating CMS administrator)

Administration

Dashboard

+ CMS administration

+ System administration

+ Messages

+ Window administration

- Data egress

Start a new egress

Egress runs

Audit log

+ Danger zone

Leave admin and go to the home page

Egress runs

A history of all data egress runs.

Filter by checking window

All windows

Filter by status

All statuses

Apply filters

Checking window	Output types	Records	Run by	Started
Key Stage 4 June	New learners Remove learners	5	System	29 Sep 2026 11:34 UTC

View

All content is available under the [Open Government Licence v3.0](#), except where otherwise stated

© Crown copyright

The Egress runs screen.

You can filter by **checking window** and by **status**, then select **Apply filters**. The statuses are:

- **Success:** the files were sent to LDS.
- **Failed:** preprocessing or the transfer failed.
- **Draft:** the run is still in progress.

- **Abandoned:** someone abandoned it.

Each row shows the checking window, the output types, the number of records, who ran it and when it started. The **Records** figure is what LDS received. It is 0 for any run that was not sent. Select **View** to open a finished run. For a run in progress, the link is **Resume**.

9. Audit log

Use the *Audit log* to see a record of administrative activity in the service, including every data egress run.

GOV.UK

Check Performance Data: Administration Messages 169 Sign out (impersonating CMS administrator)

Administration

Dashboard

+ CMS administration

+ System administration

+ Messages

+ Window administration

+ Data egress

Audit log

+ Danger zone

Leave admin and go to the home page

< Back to administration

Audit log

A record of data egress runs and other administrative activity.

Filter by activity

Data egress

Filter by window

All windows

Filter by status

All statuses

Apply filters

User	Activity	Checking window	Time	Status
System	Data egress	Key Stage 4 June New learners, Remove learners	29 Sep 2026 11:35:35 UTC	Success
System	Data egress	Key Stage 4 June Run started	29 Sep 2026 11:34:57 UTC	

Export log as CSV

All content is available under the [Open Government Licence v3.0](#), except where otherwise stated


© Crown copyright

The Audit log, filtered to Data egress.

The list shows the newest entries first, 20 to a page. The columns are **User**, **Activity**, **Checking window**, **Time** and **Status**.

- For data egress, the Activity is a *Data egress* tag. A pull shows *Run started*. A transfer shows a *Success* or *Failed* status.
- When someone closes an exercise early, the Activity is a *Window admin* tag. The Checking window column names the window, with the exercise and *closed early, before scheduled end* beneath. The User column shows who closed it, and the Status is *Success*.
- When the service sends an exercise's requests for processing by itself, the Activity is also a *Window admin* tag. The Checking window column names the window, with the exercise and how many requests were sent and drafts cancelled beneath. The User column shows *System*, and the Status is *Success*.
- For everything else, the Activity is the type of item that changed, with the action beneath it: Insert, Update or Delete.
- Actions the service takes for itself show *System* as the user.

By default the log shows all activity. Most of it is routine application log entries, marked *App log*, which can hide the entries you want. To find something, use the filters:

- **Filter by activity:** choose the type of item, such as *Data egress*, *Dead letter* or *Role access*.
- **Filter by window:** choose a checking window.
- **Filter by status:** *Success* or *Failed*. Data egress transfers have either. An exercise closed early, or one whose requests the service sent by itself, is always *Success*.

Select **Apply filters**. The filters work together.

Select **Export log as CSV** to download every entry that matches your filters.


You cannot edit or delete audit log entries from the service.

10. Danger zone

This group holds actions that permanently delete or change data. Use them with care.

Reset seed data

Use *Reset seed data* to put a test environment back to its starting state.




The *Reset seed data* screen.

The screen is available in every environment except production. Testers use it on development, QA and preproduction.

Warning This permanently deletes all change requests and checking windows. It then puts the database, pupil data and question flows back to the default seeded state. Any data testers created is lost. This cannot be undone. The screen is the only confirmation. When you select **Reset seed data**, it happens straight away. Select **Cancel** to leave.

Blob storage browser

Use the *Blob storage browser* to look at files in the service's storage, and to upload, download and delete them.



The Blob storage screen.

There are 3 storage accounts:

- **App Storage:** the service's own files. It holds one container for each checking window, with the pupil data for that window.
- **Ingress Storage:** the files that suppliers send in, which you choose from when you set up a window.
- **egress:** the files prepared for LDS.

To find a file:

1. Select **Browse** beside an account.
2. Select **Browse** beside a container. The screen says how many containers the account holds.
3. Select **Open** on a folder to go into it. Select **Up to container root** to come back out. Files show **Preview**, **Download** and **Delete** buttons. The preview screen also has a **Download this blob** link. For a large text file, the preview shows only the first 256KB and says so; download the file to see all of it.

To upload files, use the *Upload files* section at the top of a container. Choose one or more files. To put them in a new sub-folder, type its name in **Folder (optional)**. Leave it blank to upload into the folder you are looking at. Then select **Upload**.

With JavaScript on, each file can be up to 2GB. The service sends it in parts and shows progress under the form; you can select **Cancel upload** to stop. When the upload finishes, the page opens the folder the files went into. Without JavaScript, the files you choose must add up to less than 50MB, because the platform refuses larger requests before they reach the service. If an upload does not complete, the page tells you what to do.

Storage can hold pupil data. Only open, download or preview files that you need to. Look after any file you download.

Warning Select **Delete** on a file to delete it from storage. The only check is a message from your browser that asks *Delete {file name}*? Once you confirm, the file is gone and cannot be recovered. Do not delete the files a window or an egress run depends on.

Appendix A: Actions that cannot be undone

This table lists the actions in the admin area that change or delete data. It says whether the service asks you to confirm first.

Screen	Action	What it does	Does it ask you to confirm?
Window summary	Close an exercise early	Ends the exercise for schools straight away, sends submitted requests for processing and cancels drafts. Cannot be undone.	Yes. You must type the window's name.
Window summary	Send requests for processing	For an exercise that has closed: sends submitted requests for processing and cancels drafts. Cannot be undone.	Yes. A confirmation page shows the counts.
Data egress	Confirm and transfer	Sends the files to LDS. The same output type cannot be sent again for that window.	No. The screen warns you that this cannot be undone.
Data egress	Abandon run	Ends the run for good. Removes any files a transfer had already written.	No.
Dead-letter queue	Purge	Deletes a message for good. The audit log keeps a record of the purge.	Yes. A dialog asks <i>Purge this message?</i>
Dead-letter queue	Redrive	Sends a message back to its queue. May create a ticket.	Yes. A dialog asks <i>Requeue this message?</i>
View logs	Clear all logs	Deletes every log entry.	Yes. A dialog asks <i>Clear all application logs?</i>
Search analytics	Delete this session's data	Deletes every search event and message from one session.	Yes. A dialog asks <i>Delete this session's data?</i>
Share links	Revoke	Switches a share link off for good.	No.
Rules Engine configuration	Delete an outcome	Removes an outcome and its branches. Can be rolled back.	Yes. You type the outcome key.
Rules Engine configuration	Remove a branch	Removes one branch. Can be rolled back.	Yes. A confirmation page.

Screen	Action	What it does	Does it ask you to confirm?
Rules Engine configuration	Remove a country	Removes a country from the language list. Can be rolled back.	No.
Rules Engine configuration	Roll back	Saves an earlier version as a new version.	Yes. A confirmation page.
Pages	Delete a page	Moves the page to Deleted pages, where it can be restored. The screen says it cannot be undone.	Yes. A confirmation page.
Content blocks	Revert to an earlier version	Replaces the published content with an earlier version.	Yes. A dialog.
Content staging import/export	Import with Overwrite	Replaces content that already exists.	Yes. The <i>Review import</i> screen.
Content staging import/export	Clear all CMS content	Deletes every page and content block. Development environments only.	Yes. A dialog asks <i>Clear all CMS content?</i>
Blob storage browser	Delete a file	Deletes the file from storage.	Only a browser message.
Danger zone	Reset seed data	Deletes all change requests and windows, then reseeds. Not in production.	The Reset seed data screen is the only confirmation.

Appendix B: Admin sections a role can be granted

Role settings lists 31 sections. This table shows what each one unlocks, grouped in the order of the Administration page.

Group	Section	What it unlocks
Dashboard	dashboard	Dashboard
CMS administration	content-pages	Pages
CMS administration	content-blocks	Content blocks
CMS administration	deleted-pages	Deleted pages
CMS administration	content-staging	Content staging import/export
CMS administration	search-analytics	Search analytics and its drill-down screens
System administration	observability	Pipeline dashboard
System administration	transactions	Transactions
System administration	replay-submissions	Replay
System administration	share-admin	Share links, which has no menu entry
System administration	rules-engine	Queues
System administration	rules-engine-queue	Rules Engine Queue
System administration	zendesk-queue	Zendesk Queue
System administration	rules-config	Rules Engine configuration
System administration	system-settings	System settings
System administration	app-logs	View logs

Group	Section	What it unlocks
System administration	site-assets	Site CSS and JavaScript (administrators only)
System administration	role-settings	Role settings
System administration	test-data-group	The Test data heading
System administration	seed-sample-pages	Seed sample CMS pages
System administration	seed-sample-search-data	Seed sample search data
Messages	messages-inbox	Search feedback
Messages	dead-letter-queue	Dead Letter Queue
Window administration	window-admin	The Window administration heading
Window administration	new-window	Create new window
Window administration	manage-window	Manage windows, the window summary and the requests list
Data egress	egress	Start a new egress and every screen of a run
Data egress	egress-runs	Egress runs
Audit log	audit-log	Audit log
Danger zone	reset-seed-data	Reset seed data
Danger zone	storage-browser	Blob storage browser

Appendix C: System settings reference

This appendix explains every setting on the *System settings* screen. The setting names are the ones the screen shows. Chapter 5 explains how to change them.

CMS

Setting	What it does	Default
<code>CMS:PageLength</code>	The number of rows shown on each page of a list.	20
<code>CMS:SearchDebugOn</code>	When on, the service records why each page did or did not appear in a search, for people fixing search problems.	Off
<code>CMS:ShowDeleteAllButton</code>	When on, the Content staging screen offers the Clear all CMS content button. It never appears in production, QA or preproduction, whatever this says.	Off

Dead-letter queue

Setting	What it does	Default
<code>Dlq:AlertRecipients</code>	The email addresses to tell when the dead-letter queue is too long. Separate addresses with commas.	Empty
<code>Dlq:AlertThreshold</code>	The number of messages in the dead-letter queue at which the service sends an email alert.	10
<code>Dlq:FullPayloadEnabled</code>	When on, administrators can see the full contents of a dead-lettered message, including pupil details. Every view is recorded in the audit log.	Off
<code>Dlq:RetentionDays</code>	How many days a dead-lettered message is kept before it is deleted. The audit log entries are kept separately.	90

Pipeline health thresholds

These settings decide when the health strip on the Pipeline dashboard changes colour.

Setting	What it does	Default
<code>Health:DepthAmber</code>	The number of messages waiting in a queue at which the strip turns amber.	25

Setting	What it does	Default
Health:DepthRed	The number of messages waiting in a queue at which the strip turns red.	100
Health:DlqRateRed	The number of messages in the dead-letter queue at which the strip turns red.	5
Health:OldestAgeAmberSeconds	How old, in seconds, the oldest waiting message must be for the strip to turn amber.	120
Health:OldestAgeRedSeconds	How old, in seconds, the oldest waiting message must be for the strip to turn red.	600

Queue metrics

Setting	What it does	Default
Metrics:RetentionDays	How many days the service keeps the queue figures behind the Pipeline dashboard charts.	30
Metrics:RetentionIntervalMinutes	How often, in minutes, the service deletes old queue figures.	60

Notifications

Setting	What it does	Default
Notify:UseFake	When on, the service does not send real emails. It writes them to a log instead. Turn this off in an environment where emails need to go out, such as the dead-letter queue alerts.	On

Search analytics

Setting	What it does	Default
SearchAnalytics:MessageRetentionDays	How many days a feedback message is kept. The most it can be set to is 730.	365
SearchAnalytics:RetentionDays	How many days search events are kept. The most it can be set to is 365.	90
SearchAnalytics:RetentionIntervalMinutes	How often, in minutes, the service deletes old search data.	60

Setting	What it does	Default
<code>SearchAnalytics:SeedSecondsPerEvent</code>	An estimate, in seconds, of how long each event takes when seeding sample search data. The service adjusts it as it learns. You should not need to change it.	0.1
<code>SearchAnalytics:SessionAbsoluteHours</code>	The longest a search session can last, however active the person is. The most it can be set to is 168, which is one week.	24
<code>SearchAnalytics:ShowSessionComment</code>	When on, every page includes a hidden comment with the session ID, so that support staff can trace a problem. Only turn this off where visible session IDs are not acceptable.	On

Appendix D: Getting help

If something in the admin area does not work as this guide describes, or you need an access change that you cannot make yourself, contact the development team through the service's usual support route.

The source of this guide is the file `docs/user-guides/admin-user-guide.md` in the `DFE-Digital/check-performance-data` repository. It is kept up to date with the service. Anyone who can change the repository can suggest a correction.