

### OneFootStanding\_R\_EO Patient6\_Healthy






Rectus\_A\_L Obliques\_L Ilicostalis\_L Multifidus\_L

Table 1 - Values of maximum of each muscle in percentage (%)

|  |             | Left Side     | Right Side    |
|--|-------------|---------------|---------------|
|  | Rectus_A    | 7.02273543826 | 8.22657594862 |
|  | Obliques    | 23.5157690152 | 21.0166681656 |
|  | Ilicostalis | 4.17826162637 | 10.6190417733 |
|  | Multifidus  | 18.0922735353 | 4.52566888462 |







Table 2 - Coherence of frequency signals between frequencys of 0 Hz to 40 Hz

|               | COP X           | COP Y           |
|---------------|-----------------|-----------------|
| Rectus_A_L    | 0.0838208290226 | 0.0652067059626 |
| Obliques_L    | 0.081729785097  | 0.0557047676723 |
| Ilicostalis_L | 0.0936827033967 | 0.0723502054353 |
| Multifidus_L  | 0.0723422798378 | 0.115173260674  |
| Rectus_A_R    | 0.13490529829   | 0.0893340347779 |
| Obliques_R    | 0.0912479228231 | 0.117566263716  |
| Ilicostalis_R | 0.233710827815  | 0.0626854171581 |
| Multifidus_R  | 0.219012118125  | 0.0812151464097 |




2043.78269149

Table 3 - Relevant COP values

|                 | COP X              | COP Y              |
|-----------------|--------------------|--------------------|
| Velocity (mm/s) | 1.5828849397       | 0.705312095508     |
| Mean Point(mm)  | -3.85019423751e-15 | -2.42531920473e-16 |

### Standing\_EO Patient6\_Healthy







Table 1 - Values of maximum of each muscle in percentage (%)

|             | Left Side     | Right Side    |
|-------------|---------------|---------------|
| Rectus_A    | 5.69150633809 | 6.74294156435 |
| Obliques    | 15.7304384906 | 18.2523497917 |
| Ilicostalis | 2.82615239548 | 6.94550277741 |
| Multifidus  | 5.71060241103 | 1.42681118019 |







Table 2 - Coherence of frequency signals between frequencys of 0 Hz to 40 Hz

|               | COP X           | COP Y           |
|---------------|-----------------|-----------------|
| Rectus_A_L    | 0.166820376176  | 0.12397646765   |
| Obliques_L    | 0.13391456548   | 0.130126898908  |
| Ilicostalis_L | 0.168754329346  | 0.125881035266  |
| Multifidus_L  | 0.159916285028  | 0.135279724096  |
| Rectus_A_R    | 0.0736407241761 | 0.103774478871  |
| Obliques_R    | 0.102609223836  | 0.106533178706  |
| Ilicostalis_R | 0.174639017152  | 0.141708783358  |
| Multifidus_R  | 0.0936547012067 | 0.0944594593346 |




167.283376264

Table 3 - Relevant COP values

|                 | COP X             | COP Y              |
|-----------------|-------------------|--------------------|
| Velocity (mm/s) | 0.55533117614     | -0.938064399778    |
| Mean Point(mm)  | 7.27595761418e-16 | -2.30405324449e-15 |

# Reach\_L Patient6\_Healthy








Table 1 - Values of maximum of each muscle in percentage (%)

|             | Left Side     | Right Side    |
|-------------|---------------|---------------|
| Rectus_A    | 5.59571089711 | 6.0352661776  |
| Obliques    | 19.708472076  | 21.3716840807 |
| Ilicostalis | 309.310618554 | 22.7123366318 |
| Multifidus  | 48.4349205532 | 20.7820055172 |





COP X COP Y

Rectus A R Obliques R Ilicostalis R Multifidus R

Table 2 - Coherence of frequency signals between frequencys of 0 Hz to 40 Hz

|               | COP X          | COP Y          |
|---------------|----------------|----------------|
| Rectus_A_L    | 0.20870673863  | 0.353125763078 |
| Obliques_L    | 0.146159441553 | 0.218185577706 |
| Ilicostalis_L | 0.527157037681 | 0.550456003117 |
| Multifidus_L  | 0.757509404977 | 0.808105697149 |
| Rectus_A_R    | 0.297113638998 | 0.299499670914 |
| Obliques_R    | 0.211199393254 | 0.256892644066 |
| Ilicostalis_R | 0.469850601147 | 0.33493207901  |
| Multifidus_R  | 0.710157866325 | 0.677363446453 |





Table 3 - Relevant COP values

|                 | COP X             | COP Y              |
|-----------------|-------------------|--------------------|
| Velocity (mm/s) | -0.379507192881   | -0.0860104207319   |
| Mean Point(mm)  | 6.36646291241e-16 | -3.81987774745e-15 |

#### Reach\_C Patient6\_Healthy







Table 1 - Values of maximum of each muscle in percentage (%)

|             | Left Side     | Right Side    |
|-------------|---------------|---------------|
| Rectus_A    | 8.1440451388  | 10.3074879531 |
| Obliques    | 16.4048491924 | 13.3212156036 |
| Ilicostalis | 5.89458046079 | 20.6845339044 |
| Multifidus  | 45.9326179106 | 9.89456783191 |







Table 2 - Coherence of frequency signals between frequencys of 0 Hz to 40 Hz

| ) A |
|-----|
| 24  |
| 12  |
| 93  |
| )2  |
| 21  |
| 14  |
| 94  |
| 27  |
|     |





2654.3685584


Table 3 - Relevant COP values

|                 | COP X             | COP Y              |
|-----------------|-------------------|--------------------|
| Velocity (mm/s) | -2.67031384817    | 8.8207277669       |
| Mean Point(mm)  | 3.63797880709e-16 | -9.45874489844e-15 |


### OneFootStanding\_R\_EC Patient6\_Healthy







|             | Left Side     | Right Side    |
|-------------|---------------|---------------|
| Rectus_A    | 13.5168163534 | 14.5469962706 |
| Obliques    | 38.2451658599 | 54.8040036482 |
| Ilicostalis | 10.2575703079 | 21.1575788542 |
| Multifidus  | 130.65616274  | 8.73844609257 |






Table 2 - Coherence of frequency signals between frequencys of 0 Hz to 40 Hz

| 22 |
|----|
|    |
| 17 |
| 11 |
| 31 |
| 92 |
| 74 |
| 14 |
| 67 |
|    |





Table 3 - Relevant COP values

|                 | COP X             | COP Y            |
|-----------------|-------------------|------------------|
| Velocity (mm/s) | 0.266046751173    | 0.999569365428   |
| Mean Point(mm)  | 2.07667956905e-15 | 2.6678511252e-15 |

## Standing\_EC Patient6\_Healthy







Table 1 - Values of maximum of each muscle in percentage (%)

|             | Left Side     | Right Side    |
|-------------|---------------|---------------|
| Rectus_A    | 5.39335215013 | 8.77644148234 |
| Obliques    | 16.1205871799 | 18.1016156907 |
| Ilicostalis | 2.71199704558 | 5.39524758834 |
| Multifidus  | 5.7334489973  | 1.66698423095 |







Table 2 - Coherence of frequency signals between frequencys of 0 Hz to 40 Hz

|               | COP X           | COP Y           |
|---------------|-----------------|-----------------|
| Rectus_A_L    | 0.0886265584182 | 0.094614109787  |
| Obliques_L    | 0.0949005651699 | 0.0912419081972 |
| Ilicostalis_L | 0.0812495491342 | 0.0869752076782 |
| Multifidus_L  | 0.119136394037  | 0.0854325552585 |
| Rectus_A_R    | 0.0973184328345 | 0.0947045346259 |
| Obliques_R    | 0.107205304615  | 0.108380702959  |
| Ilicostalis_R | 0.0775362958398 | 0.0834411643361 |
| Multifidus_R  | 0.0654360466892 | 0.0901273464805 |




88.4373091631

Table 3 - Relevant COP values

|                 | COP X             | COP Y             |
|-----------------|-------------------|-------------------|
| Velocity (mm/s) | 0.242281667227    | -0.31898502234    |
| Mean Point(mm)  | 1.21265960236e-16 | -1.3339255626e-15 |

#### OneFootStanding\_L\_EC Patient6 Healthy







Table 1 - Values of maximum of each muscle in percentage (%)

Left Side Right Side 19.587278894 Rectus A 35.9754383677 67.4834919135 45.836276239 Obliques 25.0667029298 34.7422774426 Ilicostalis Multifidus 44.1467797316 9.41596835265

Maximum for for each muscle on the right side 100 Percentage from MVC maximum.(%) 80 60 Rectus A R Ilicostalis R Multifundus R Obliques R



COP X COP Y

Table 2 - Coherence of frequency signals between frequencys of 0 Hz to 40 Hz

| COP X          | COP Y  |
|----------------|--|
| 0.169984640488 | 0.209529078026   |
| 0.258942289277 | 0.386772849789   |
| 0.561183138675 | 0.382588447698   |
| 0.503798202854 | 0.686326434057   |
| 0.256231444982 | 0.246225481979   |
| 0.267549275389 | 0.260555561653   |
| 0.260658034462 | 0.313436961599   |
| 0.333241209424 | 0.517584141702   |
|                | 0.169984640488<br>0.258942289277<br>0.561183138675<br>0.503798202854<br>0.256231444982<br>0.267549275389<br>0.260658034462 |





Table 3 - Relevant COP values

|                 | COP X             | COP Y              |
|-----------------|-------------------|--------------------|
| Velocity (mm/s) | 0.734058812375    | 1.34287000093      |
| Mean Point(mm)  | 2.50111042988e-15 | -1.63709046319e-15 |

## OneFootStanding\_L\_EO Patient6\_Healthy







Table 1 - Values of maximum of each muscle in percentage (%)

|             | Left Side     | Right Side    |
|-------------|---------------|---------------|
| Rectus_A    | 7.73803524271 | 11.951679675  |
| Obliques    | 23.5709896996 | 20.9186048036 |
| Ilicostalis | 3.35176743799 | 9.43616204847 |
| Multifidus  | 10.6045937141 | 12.0695327125 |







Table 2 - Coherence of frequency signals between frequencys of 0 Hz to 40 Hz

|               | COP X          | COP Y          |
|---------------|----------------|----------------|
| Rectus_A_L    | 0.226180786708 | 0.146846759301 |
| Obliques_L    | 0.216566773245 | 0.217631177742 |
| Ilicostalis_L | 0.191347185219 | 0.210090605225 |
| Multifidus_L  | 0.384176831577 | 0.341522692191 |
| Rectus_A_R    | 0.192867867017 | 0.19314158506  |
| Obliques_R    | 0.202606802049 | 0.13409411998  |
| Ilicostalis_R | 0.192876830163 | 0.206636942339 |
| Multifidus_R  | 0.124681092477 | 0.137595414178 |




251.759212003

Table 3 - Relevant COP values

|                 | COP X             | COP Y             |
|-----------------|-------------------|-------------------|
| Velocity (mm/s) | 0.143357520755    | 0.196871977677    |
| Mean Point(mm)  | 7.01610198511e-15 | 1.29927814539e-15 |

#### Reach\_R Patient6\_Healthy







Table 1 - Values of maximum of each muscle in percentage (%)

|             | Left Side     | Right Side    |
|-------------|---------------|---------------|
| Rectus_A    | 10.8788614957 | 8.30162289881 |
| Obliques    | 41.5594048065 | 22.2718690711 |
| Ilicostalis | 197.463171123 | 61.8202841365 |
| Multifidus  | 56.1061559134 | 203.118782045 |







Table 2 - Coherence of frequency signals between frequencys of 0 Hz to 40 Hz

|               | COP X          | COP Y          |
|---------------|----------------|----------------|
| Rectus_A_L    | 0.732811930879 | 0.481676269438 |
| Obliques_L    | 0.693032535092 | 0.755934454939 |
| Ilicostalis_L | 0.769921060669 | 0.598403968196 |
| Multifidus_L  | 0.872029399545 | 0.889299662526 |
| Rectus_A_R    | 0.809924369473 | 0.696030005665 |
| Obliques_R    | 0.770283770317 | 0.800430128803 |
| Ilicostalis_R | 0.952583838797 | 0.929147414167 |
| Multifidus R  | 0.68970208686  | 0.469833454146 |



1428.81263756

Table 3 - Relevant COP values

|   |                 | COP X             | COP Y             |
|---|-----------------|-------------------|-------------------|
|   | Velocity (mm/s) | 3.62157843491     | -1.35663900152    |
| ĺ | Mean Point(mm)  | 4.54747350886e-16 | 1.81898940355e-15 |