

```
2014-12-08 오후 6:25 - 화면 캡처
<!DOCTYPE html>
<html lang="ko">
<head>
<meta charset="UTF-8">
<title>Title.</title>
      <style>
           body {
                 background:url(Background.jpg) no-repeat right top;
                 background-size:cover;
           .logo {
                margin-top:1em;
                 text-decoration:none:
                 color:silver;
                 font-size:1.5em;
           .Fullsize {
                 clear both
                 border:1px dashed green;
      </style>
      <style>
           header {
                 border:1px dashed black;
                 text-align:left:
                 margin-bottom:1em;
                 height:5em;
           header h1 {
                 display:inline;
                 }
           header button {
                 float:right;
                 padding:1em;
                 border:7px solid skyblue;
                 background-color:blue;
                 border-radius:100%;
                 color:white:
```

주말에 폼을 짬 (사진참조)

오늘 '친구 이름, 로고'를 누르면 아이프레임 크기가 자동으로 변경되게함.

배경바꿈

```
font-size:2em;
          }
     header form {
          position:relative;
          left:300px;
          border:0px solid green;
          float:right;
          padding:0em 1em;
          color:rgba(0,0,0,0);
           margine:0em;
          font-size:0.68em;
     header form:hover {
          position:absolute;
           left:1030px;
          top:9px;
          border:1px solid green;
          clear:both;
          padding:0em 1em 0.5em;
           color:rgba(0,0,0,1);
          background-color:white;
</style>
<style>
     #leftMenu {
          border:1px dashed black;
          float:left;
     #leftMenu td {
          border:1px solid pink;
          line-height:0.5;
          text-align:center;
          font-size:0.75em;
     #leftMenu li {
          position:relative;
          left:-1em;
          margin-top:1em;
          padding:0.5em 1em;
          background-color:pink;
          color:orange;
          list-style-type:none;
     #leftMenu li a{
          text-decoration:none;
     #rightMenu {
          border:1px dashed black;
          float:right;
     #rightMenu ul {
          }
     #rightMenu li {
          position:relative;
          left:-1em;
           margin-top:1em;
          padding:0.5em 1em;
          background-color:skyblue;
           color:orange;
          list-style-type:none;
          font-size:0.75em;
     #rightMenu li a{
          text-decoration:none;
     #rightMenu textarea{
          width:8em;
          }
```

#rightMenu textarea,form{

```
margin:0em 1em 0em 2em;
     section {
           clear:both;
           display:inline;
     section iframe {
           border:1px solid black;
           margin:0em 0.1em;
           position:relative;
     .none {
           width:33.5%
     .leftlframe {
           width:67%;
           }
     .rightlframe {
           width:0%;
</style>
<style>
     footer {
           border:1px dashed black;
           clear:both:
</style>
<script>
     function login (url){
           window.open(url,'pop', "width=400, height=500, scrollbars=yes, status=no, location=no")
     function chat(url){
           window.open(url,'pop', "width=290, height=230, scrollbars=no, status=no, location=no")
</script>
<script>
     function change1(){
           window.story.location.href = "homr.html";
     function change2(){
           window.story.location.href = "\underline{https://mirror.enha.kr/wiki/\%EA\%B0\%95\%EC\%A7\%80\%EC\%98\%81"; \\
     function home(){
           document.getElementById('aaa').onclick=change1;
           document.getElementById('bbb').onclick=change2;\\
     window.onload=home;
</script>
<script>
     function change3(){
           document.getElementById('doom').className = "leftIframe";\\
           document.getElementById("duum").className = "rightIframe";\\
     function change(){
           var ddd=document.getElementByld('bbb');
           ddd. add {\it Event Listener ('click', change 3, false);}
     window. add Event Listener ('load', change, false);\\
</script>
```

```
<script>
        function review1(){
             document.getElementById('doom').className = "none";\\
             document.getElementById("duum").className = "none";
        function review(){
             var ddd=document.getElementByld('aaa');
             ddd.add Event Listener ('click', review 1, false);\\
        window.addEventListener('load',review,false);
    </script>
<body>
<div class="Fullsize">
    <header>
         <a class="logo" href="#" id="aaa"><h1>SilverFish</h1></a>
         <button type="button"></button>
         <form class="index" action="#">
             <|abel for="FF">FriendFishing</|abel>
             <input type="text" id="FF">
             <label for="GF">GroupFishing</label>
             <input type="text" id="GF">
         </form>
    </header>
    <aside id="leftMenu">
         <img width=150px alt="" src="BMY.jpg">
                  <h1>논산대건고</h1>재학중
                  <h1>박민영</h1>고2(17)♂
                  동아리 4개
                      친구 3마리
                      <img width=40px alt="" src="admin.jpg">∞pt
                  <fieldset>
             <legend>내친구</legend>
             <nav name="Page">
                  <UI>
                  <div>
                       id="bbb"><a href="#"><img width=100px alt="" src="KJY.jpg">강지영</a>
                       id="#"><a href="#"><img width=100px alt="" src="CIS.jpg">천이슬</a>
                      <|i id="#"><a href="#"><img width=100px alt="" src="EHN.jpg">하니</a>
                  </div>
                  </UI>
             </nav>
         </fieldset>
    </aside>
    <aside id="rightMenu">
             <a href="#">그많데</a>
             <a href="#">화르륵</a>
             <a href="#">별사탕</a>
             <a href="#">웃으면 복이와요.</a>
```