	Two-stage semantic segmentation results															Density	Sensitivity	Precision	
1	C1 -	6	2	.1						1	.3		.1			C1	0.1	0.62	0.87
	C2 -		9		20								C2	0.1	0.99	0.8			
	4a -	.3	.2	.7						.1	.3		.1			C4a	0.02	0.38	0.61
	C5 -			.1	2	0	2	1	1						15.0	C5	0.03	0.95	0.94
<u>8</u>	1a -					9	.2	.1	1						- 15 %	D1a	0.11	0.83	0.78
lab G	2d -					.3	6	.1	.6	.1	.3	1	.1		nce				
	D3 -	.1		.1		.6	.6	1	.2	.1	.1	.1	.1 .1		- 15 (%) Occurance	D2d	0.09	0.67	0.72
⊢ D	6c -					.8	.4	.1	3			.4	.4 .1	D3		0.04	0.48	0.75	
Е	2a -	.1 .1				.3	.1	.2		23	2		.1	L		D6c	0.05	0.63	0.47
Е	2b -	.3	.1	.1	1	.1	.5		2	2	6		.4		- 5	E2a	0.27	0.9	0.85
F	3a -					.4			1			4				E2b	0.11	0.62	0.67
F	3d -	1	ı	ı		- 1	.5 ı	1	1 1	1	ı	1	2		- 0	F3a	0.06	0.77	0.7
	C1 C2 C4a C5 D1a D2d D3 D6c E2a E2b F3a F3d Predicted labels													F3d	0.04	0.67	0.73		