msa

An R Package for Multiple Sequence Alignment

Enrico Bonatesta, Christoph Kainrath, and Ulrich Bodenhofer

Institute of Bioinformatics, Johannes Kepler University Linz
Altenberger Str. 69, 4040 Linz, Austria
msa@bioinf.jku.at

Version 1.31.7, March 28, 2023

Institute of Bioinformatics
Johannes Kepler University Linz
A-4040 Linz, Austria

JⱯU

Tel. +43 732 2468 4520
Fax +43 732 2468 4539
http://www.bioinf.jku.at

Scope and Purpose of this Document

This document provides a gentle introduction into the `R` package `msa`. Not all features of the `R` package are described in full detail. Such details can be obtained from the documentation enclosed in the `R` package. Further note the following: (1) this is not an introduction to multiple sequence alignment or algorithms for multiple sequence alignment; (2) this is not an introduction to `R` or any of the Bioconductor packages used in this document. If you lack the background for understanding this manual, you first have to read introductory literature on the subjects mentioned above.

Contents

1   Introduction

Multiple sequence alignment is one of the most fundamental tasks in bioinformatics. Algorithms like ClustalW [13], ClustalOmega [12], and MUSCLE [3, 4] are well known and widely used. However, all these algorithms are implemented as stand-alone commmand line programs without any integration into the R/Bioconductor ecosystem. Before the `msa` package, only the `muscle` package has been available in R, but no other multiple sequence alignment algorithm, although the `Biostrings` package has provided data types for representing multiple sequence alignments for quite some time. The `msa` package aims to close that gap by providing a unified R interface to the multiple sequence alignment algorithms ClustalW, ClustalOmega, and MUSCLE. The package requires no additional software packages and runs on all major platforms. Moreover, the `msa` package provides an R interface to the powerful LATEX package TEXshade [1] which allows for a highly customizable plots of multiple sequence alignments. Unless some very special features of TEXshade are required, users can pretty-print multiple sequence alignments without the need to know the details of LATEX or TEXshade.

2   Installation

The `msa` R package (current version: 1.31.7) is available via Bioconductor. The simplest way to install the package is the following:

```
if (!requireNamespace("BiocManager", quietly=TRUE))
    install.packages("BiocManager")
BiocManager::install("msa")
```

To test the installation of the `msa` package, enter

```
library(msa)
```

in your R session. If this command terminates without any error message or warning, you can be sure that the `msa` package has been installed successfully. If so, the `msa` package is ready for use now and you can start performing multiple sequence alignments.

To make use of all functionalities of `msaPrettyPrint()`, a TEX/LATEX system [5] must be installed. To make use of LATEX code created by `msaPrettyPrint()` or to use the output of `msaPrettyPrint()` in Sweave [6] or knitr [15] documents, the LATEX package TEXshade (file `texshade.sty`) [1] must be accessible to the LATEX system too. The file `texshade.sty` is shipped with the `msa` package. To determine where the file is located, enter the following command in your R session:

```
system.file("tex", "texshade.sty", package="msa")
```

Alternatively, TEXshade can be installed directly from the Comprehensive TEX Archive Network (CTAN).[1]

---

[1]`https://www.ctan.org/pkg/texshade`

3 `msa` **for the Impatient**

In order to illustrate the basic workflow, this section presents a simple example with default settings and without going into the details of each step. Let us first load amino acid sequences from one of the example files that are supplied with the `msa` package:

```r
mySequenceFile <- system.file("examples", "exampleAA.fasta", package="msa")
mySequences <- readAAStringSet(mySequenceFile)
mySequences


## AAStringSet object of length 9:
##     width seq                                      names
## [1]   452 MSTAVLENPGLGRKLS...NSEIGILCSALQKIK PH4H_Homo_sapiens
## [2]   453 MAAVVLENGVLSRKLS...SEVGILCNALQKIKS PH4H_Rattus_norve...
## [3]   453 MAAVVLENGVLSRKLS...SEVGILCHALQKIKS PH4H_Mus_musculus
## [4]   297 MNDRADFVVPDITTRK...LNAGDRQGWADTEDV PH4H_Chromobacter...
## [5]   262 MKTTQYVARQPDDNGF...RLGLHAPLFPPKQAA PH4H_Pseudomonas_...
## [6]   451 MSALVLESRALGRKLS...SSEVEILCSALQKLK PH4H_Bos_taurus
## [7]   313 MAIATPTSAAPTPAPA...LNAGTREGWADTADI PH4H_Ralstonia_so...
## [8]   294 MSGDGLSNGPPPGARP...AYATAGGRLAGAAAG PH4H_Caulobacter_...
## [9]   275 MSVAEYARDCAAQGLR...VARRKDQKALDPATV PH4H_Rhizobium_loti
```

Now that we have loaded the sequences, we can run the `msa()` function which, by default, runs ClustalW with default parameters:

```r
myFirstAlignment <- msa(mySequences)


## use default substitution matrix


myFirstAlignment


## CLUSTAL 2.1
##
## Call:
##    msa(mySequences)
##
## MsaAAMultipleAlignment with 9 rows and 456 columns
##     aln                                      names
## [1] MAAVVLENGVLSRKLSDF...SINSEVGILCNALQKIKS PH4H_Rattus_norve...
## [2] MAAVVLENGVLSRKLSDF...SINSEVGILCHALQKIKS PH4H_Mus_musculus
## [3] MSTAVLENPGLGRKLSDF...SINSEIGILCSALQKIK- PH4H_Homo_sapiens
## [4] MSALVLESRALGRKLSDF...SISSEVEILCSALQKLK- PH4H_Bos_taurus
## [5] ------------------...GWADTEDV---------- PH4H_Chromobacter...
## [6] ------------------...GWADTADI---------- PH4H_Ralstonia_so...
## [7] ------------------...AYATAGGRLAGAAAG--- PH4H_Caulobacter_...
```

```
## [8] ------------------...----------------- PH4H_Pseudomonas_...
## [9] ------------------...----------------- PH4H_Rhizobium_loti
## Con ------------------...???????IL??A???--- Consensus
```

Obviously, the default printing function shortens the alignment for the sake of compact output. The `print()` function provided by the `msa` package provides some ways for customizing the output, such as, showing the entire alignment split over multiple blocks of sub-sequences:

```
print(myFirstAlignment, show="complete")
```

```
##
## MsaAAMultipleAlignment with 9 rows and 456 columns
##     aln (1..39)                            names
## [1] MAAVVLENGVLSRKLSDFGQETSYIEDNSNQNGAISLIF PH4H_Rattus_norve...
## [2] MAAVVLENGVLSRKLSDFGQETSYIEDNSNQNGAVSLIF PH4H_Mus_musculus
## [3] MSTAVLENPGLGRKLSDFGQETSYIEDNCNQNGAISLIF PH4H_Homo_sapiens
## [4] MSALVLESRALGRKLSDFGQETSYIEGNSDQN-AVSLIF PH4H_Bos_taurus
## [5] --------------------------------------- PH4H_Chromobacter...
## [6] --------------------------------------- PH4H_Ralstonia_so...
## [7] --------------------------------------- PH4H_Caulobacter_...
## [8] --------------------------------------- PH4H_Pseudomonas_...
## [9] --------------------------------------- PH4H_Rhizobium_loti
## Con --------------------------------------- Consensus
##
##     aln (40..78)                           names
## [1] SLKEEVGALAKVLRLFEENDINLTHIESRPSRLNKDEYE PH4H_Rattus_norve...
## [2] SLKEEVGALAKVLRLFEENEINLTHIESRPSRLNKDEYE PH4H_Mus_musculus
## [3] SLKEEVGALAKVLRLFEENDVNLTHIESRPSRLKKDEYE PH4H_Homo_sapiens
## [4] SLKEEVGALARVLRLFEENDINLTHIESRPSRLRKDEYE PH4H_Bos_taurus
## [5] --------------------------------------- PH4H_Chromobacter...
## [6] --------------------------------------- PH4H_Ralstonia_so...
## [7] --------------------------------------- PH4H_Caulobacter_...
## [8] --------------------------------------- PH4H_Pseudomonas_...
## [9] --------------------------------------- PH4H_Rhizobium_loti
## Con --------------------------------------- Consensus
##
##     aln (79..117)                          names
## [1] FFTYLDKRTKPVLGSIIKSLRNDIGATVHELSRDKEKNT PH4H_Rattus_norve...
## [2] FFTYLDKRSKPVLGSIIKSLRNDIGATVHELSRDKEKNT PH4H_Mus_musculus
## [3] FFTHLDKRSLPALTNIIKILRHDIGATVHELSRDKKKDT PH4H_Homo_sapiens
## [4] FFTNLDQRSVPALANIIKILRHDIGATVHELSRDKKKDT PH4H_Bos_taurus
## [5] --------------------------------------- PH4H_Chromobacter...
## [6] --------------------------------------- PH4H_Ralstonia_so...
## [7] --------------------------------------- PH4H_Caulobacter_...
## [8] --------------------------------------- PH4H_Pseudomonas_...
## [9] --------------------------------------- PH4H_Rhizobium_loti
```

```
## Con ---------------------------------- Consensus
##
##     aln (118..156)                      names
## [1] VPWFPRTIQELDRFANQILSYGAELDADHPGFKDPVYRA PH4H_Rattus_norve...
## [2] VPWFPRTIQELDRFANQILSYGAELDADHPGFKDPVYRA PH4H_Mus_musculus
## [3] VPWFPRTIQELDRFANQILSYGAELDADHPGFKDPVYRA PH4H_Homo_sapiens
## [4] VPWFPRTIQELDNFANQVLSYGAELDADHPGFKDPVYRA PH4H_Bos_taurus
## [5] --------------MNDRADFVVPD-----ITTRKNVG PH4H_Chromobacter...
## [6] ----------MAIATPTSAAPTPAPAGFTGTLTDKLREQ PH4H_Ralstonia_so...
## [7] --------------MSG---------------DGLSNG PH4H_Caulobacter_...
## [8] -----------------------------MKTTQY PH4H_Pseudomonas_...
## [9] --------------MSVAEYAR---------DCAAQG PH4H_Rhizobium_loti
## Con ----------?????????Y????D???????D????? Consensus
##
##     aln (157..195)                      names
## [1] RRKQFADIAYNYRHGQPIPRVEYTEEEKQTWGTVFRTLK PH4H_Rattus_norve...
## [2] RRKQFADIAYNYRHGQPIPRVEYTEEERKTWGTVFRTLK PH4H_Mus_musculus
## [3] RRKQFADIAYNYRHGQPIPRVEYMEEEKKTWGTVFKTLK PH4H_Homo_sapiens
## [4] RRKQFADIAYNYRHGQPIPRVEYTEEEKKTWGTVFRTLK PH4H_Bos_taurus
## [5] LSHDAN------DFTLPQPLDRYSAEDHATWATLYQRQC PH4H_Chromobacter...
## [6] FAEGLDGQTLRPDFTMEQPVHRYTAADHATWRTLYDRQE PH4H_Ralstonia_so...
## [7] PPPGAR-----PDWTIDQGWETYTQAEHDVWITLYERQT PH4H_Caulobacter_...
## [8] VARQPD----------DNGFIHYPETEHQVWNTLITRQL PH4H_Pseudomonas_...
## [9] LRGDYS--VCRADFTVAQDYD-YSDEEQAVWRTLCDRQT PH4H_Rhizobium_loti
## Con ?R?Q????????????P?P???YTEEE??TW?TL??RQ? Consensus
##
##     aln (196..234)                      names
## [1] ALYKTHACYEHNHIFPLLEKYCGFREDNIPQLEDVSQFL PH4H_Rattus_norve...
## [2] ALYKTHACYEHNHIFPLLEKYCGFREDNIPQLEDVSQFL PH4H_Mus_musculus
## [3] SLYKTHACYEYNHIFPLLEKYCGFHEDNIPQLEDVSQFL PH4H_Homo_sapiens
## [4] SLYKTHACYEHNHIFPLLEKYCGFREDNIPQLEEVSQFL PH4H_Bos_taurus
## [5] KLLPGRACDEFMEGL----ERLEVDADRVPDFNKLNQKL PH4H_Chromobacter...
## [6] ALLPGRACDEFLQGL----STLGMSREGVPSFDRLNETL PH4H_Ralstonia_so...
## [7] DMLHGRACDEFMRGL----DALDLHRSGIPDFARINEEL PH4H_Caulobacter_...
## [8] KVIEGRACQEYLDGI----EQLGLPHERIPQLDEINRVL PH4H_Pseudomonas_...
## [9] KLTRKLAHHSYLDGV----EKLGL-LDRIPDFEDVSTKL PH4H_Rhizobium_loti
## Con ?L????AC?E???G?----??LG???D?IPQLE?VSQ?L Consensus
##
##     aln (235..273)                      names
## [1] QTCTGFRLRPVAGLLSSRDFLGGLAFRVFHCTQYIRHGS PH4H_Rattus_norve...
## [2] QTCTGFRLRPVAGLLSSRDFLGGLAFRVFHCTQYIRHGS PH4H_Mus_musculus
## [3] QTCTGFRLRPVAGLLSSRDFLGGLAFRVFHCTQYIRHGS PH4H_Homo_sapiens
## [4] QSCTGFRLRPVAGLLSSRDFLGGLAFRVFHCTQYIRHGS PH4H_Bos_taurus
## [5] MAATGWKIVAVPGLIPDDVFFEHLANRRFPVTWWLREPH PH4H_Chromobacter...
## [6] MRATGWQIVAVPGLVPDEVFFEHLANRRFPASWWMRRPD PH4H_Ralstonia_so...
## [7] KRLTGWTVVAVPGLVPDDVFFDHLANRRFPAGQFIRKPH PH4H_Caulobacter_...
```

```
## [8]  QATTGWRVARVPALIPFQTFFELLASQQFPVATFIRTPE  PH4H_Pseudomonas_...
## [9]  RKLTGWEIIAVPGLIPAAPFFDHLANRRFPVTNWLRTRQ  PH4H_Rhizobium_loti
## Con  Q??TGWR???VPGL?P???FF??LA?R?FP?TQ?IR???  Consensus
##
##      aln (274..312)                          names
## [1]  KPMYTPEPDICHELLGHVPLFSDRSFAQFSQEIG-LASL  PH4H_Rattus_norve...
## [2]  KPMYTPEPDICHELLGHVPLFSDRSFAQFSQEIG-LASL  PH4H_Mus_musculus
## [3]  KPMYTPEPDICHELLGHVPLFSDRSFAQFSQEIG-LASL  PH4H_Homo_sapiens
## [4]  KPMYTPEPDICHELLGHVPLFSDRSFAQFSQEIG-LASL  PH4H_Bos_taurus
## [5]  QLDYLQEPDVFHDLFGHVPLLINPVFADYLEAYGKGGVK  PH4H_Chromobacter...
## [6]  QLDYLQEPDGFHDIFGHVPLLINPVFADYMQAYGQGGLK  PH4H_Ralstonia_so...
## [7]  ELDYLQEPDIFHDVFGHVPMLTDPVFADYMQAYGEGGRR  PH4H_Caulobacter_...
## [8]  ELDYLQEPDIFHEIFGHCPLLTNPWFAEFTHTYGKLGLK  PH4H_Pseudomonas_...
## [9]  ELDYIVEPDMFHDFFGHVPVLSQPVFADFMQMYGKKAGD  PH4H_Rhizobium_loti
## Con  ?LDY??EPDIFHELFGHVPLLSDP?FA?F?Q?YG?LA??  Consensus
##
##      aln (313..351)                          names
## [1]  GAPDEYIEKLATIYWFTVEFGLCKEG-DSIKAYGAGLLS  PH4H_Rattus_norve...
## [2]  GAPDEYIEKLATIYWFTVEFGLCKEG-DSIKAYGAGLLS  PH4H_Mus_musculus
## [3]  GAPDEYIEKLATIYWFTVEFGLCKQG-DSIKAYGAGLLS  PH4H_Homo_sapiens
## [4]  GAPDEYIEKLATIYWFTVEFGLCKQG-DSIKAYGAGLLS  PH4H_Bos_taurus
## [5]  AKALGALPMLARLYWYTVEFGLINTP-AGMRIYGAGILS  PH4H_Chromobacter...
## [6]  AARLGALDMLARLYWYTVEFGLIRTP-AGLRIYGAGIVS  PH4H_Ralstonia_so...
## [7]  ALGLGRLANLARLYWYTVEFGLMNTP-AGLRIYGAGIVS  PH4H_Caulobacter_...
## [8]  ASKE-ERVFLARLYWMTIEFGLVETD-QGKRIYGGGILS  PH4H_Pseudomonas_...
## [9]  IIALGGDEMITRLYWYTAEYGLVQEAGQPLKAFGAGLMS  PH4H_Rhizobium_loti
## Con  ?A?????E?LARLYW?TVEFGL????-???KAYGAGLLS  Consensus
##
##      aln (352..390)                          names
## [1]  SFGELQYCLSD-KPKLLPLELEKTACQEYSVTEFQPLYY  PH4H_Rattus_norve...
## [2]  SFGELQYCLSD-KPKLLPLELEKTACQEYTVTEFQPLYY  PH4H_Mus_musculus
## [3]  SFGELQYCLSE-KPKLLPLELEKTAIQNYTVTEFQPLYY  PH4H_Homo_sapiens
## [4]  SFGELQYCLSD-KPKLLPLELEKTAVQEYTITEFQPLYY  PH4H_Bos_taurus
## [5]  SKSESIYCLDSASPNRVGFDLMRIMNTRYRIDTFQKTYF  PH4H_Chromobacter...
## [6]  SKSESVYALDSASPNRIGFDVHRIMRTRYRIDTFQKTYF  PH4H_Ralstonia_so...
## [7]  SRTESIFALDDPSPNRIGFDLERVMRTLYRIDDFQQVYF  PH4H_Caulobacter_...
## [8]  SPKETVYSLSD-EPLHQAFNPLEAMRTPYRIDILQPLYF  PH4H_Pseudomonas_...
## [9]  SFTELQFAVEGKDAHHVPFDLETVMRTGYEIDKFQRAYF  PH4H_Rhizobium_loti
## Con  SF?ELQYCLSD-?P???PF?LE??M?T?Y?ID?FQPLYF  Consensus
##
##      aln (391..429)                          names
## [1]  VAESFSDAKEKVRTFAATIPRPFSVRYDPYTQRVEVLDN  PH4H_Rattus_norve...
## [2]  VAESFNDAKEKVRTFAATIPRPFSVRYDPYTQRVEVLDN  PH4H_Mus_musculus
## [3]  VAESFNDAKEKVRNFAATIPRPFSVRYDPYTQRIEVLDN  PH4H_Homo_sapiens
## [4]  VAESFNDAKEKVRNFAATIPRPFSVHYDPYTQRIEVLDN  PH4H_Bos_taurus
## [5]  VIDSFKQLFDATA-PDFAPLYLQLADAQPWGAGDVAPDD  PH4H_Chromobacter...
```

```
## [6] VIDSFEQLFDATR-PDFTPLYEALGTLPTFGAGDVVDGD PH4H_Ralstonia_so...
## [7] VIDSIQTLQEVTL-RDFGAIYERLASVSDIGVAEIVPGD PH4H_Caulobacter_...
## [8] VLPDLKRLFQLAQ-EDIMALVHEAMRLG-LHAPLFPPKQ PH4H_Pseudomonas_...
## [9] VLPSFDALRDAFQTADFEAIVARRKDQKALDPATV---- PH4H_Rhizobium_loti
## Con V??SF??L?E??R??D?T??????????P??????V?D? Consensus
##
##      aln (430..456)                names
## [1] TQQLKILADSINSEVGILCNALQKIKS PH4H_Rattus_norve...
## [2] TQQLKILADSINSEVGILCHALQKIKS PH4H_Mus_musculus
## [3] TQQLKILADSINSEIGILCSALQKIK- PH4H_Homo_sapiens
## [4] TQQLKILADSISSEVEILCSALQKLK- PH4H_Bos_taurus
## [5] LVLNAGDRQGWADTEDV---------- PH4H_Chromobacter...
## [6] AVLNAGTREGWADTADI---------- PH4H_Ralstonia_so...
## [7] AVLTRGT-QAYATAGGRLAGAAAG--- PH4H_Caulobacter_...
## [8] AA--------------------- PH4H_Pseudomonas_...
## [9] ----------------------- PH4H_Rhizobium_loti
## Con ???????????????IL??A???--- Consensus
```

The `msa` package additionally offers the function `msaPrettyPrint()` which allows for pretty-printing multiple alignments using the LATEX package TEXshade. As an example, the following R code creates a PDF file `myfirstAlignment.pdf` which is shown in Figure 1:

```
msaPrettyPrint(myFirstAlignment, output="pdf", showNames="none",
               showLogo="none", askForOverwrite=FALSE, verbose=FALSE)
```

In the above call to `msaPrettyPrint()`, the printing of sequence names has been suppressed by `showNames="none"`. The settings `askForOverwrite=FALSE` and `verbose=FALSE` are necessary for building this vignette, but, in an interactive R session, they are not necessary.

Almost needless to say, the file names created by `msaPrettyPrint()` are customizable. By default, the name of the argument is taken as file name. More importantly, the actual output of `msaPrettyPrint()` is highly customizable, too. For more details, see the Section 7 and the help page of the function (`?msaPrettyPrint`).

The `msaPrettyPrint()` function is particularly useful for pretty-printing multiple sequence alignments in Sweave [6] or knitr [15] documents. More details are provided in Section 7. Here, we restrict to a teasing example:

```
msaPrettyPrint(myFirstAlignment, y=c(164, 213), output="asis",
               showNames="none", showLogo="none", askForOverwrite=FALSE)
```

```
MAAVVLENGVLSRKLSDFGQETSYIEDNSNQNGAISLIFSLKEEVGALAKVLRLFEENDINLTHIESRPSRLNKDEYEFFTYLDKRTKPVLGSIIKSLRNDIGATVHELSRDKEKNTVPW  120
MAAVVLENGVLSRKLSDFGQETSYIEDNSNQNGAVSLIFSLKEEVGALAKVLRLFEENEINLTHIESRPSRLNKDEYEFFTYLDKRSKPVLGSIIKSLRNDIGATVHELSRDKEKNTVPW  120
MSTAVLENPGLGRKLSDFGQETSYIEDNCNQNGAISLIFSLKEEVGALAKVLRLFEENDVNLTHIESRPSRLKKDEYEFFTHLDKRSLPALTNIIKILRHDIGATVHELSRDKKKDTVPW  120
MSALVLESRALGRKLSDFGQETSYIEGNSDQN.AVSLIFSLKEEVGALARVLRLFEENDINLTHIESRPSRLRKDEYEFFTNLDQRSVPALANIIKILRHDIGATVHELSRDKKKDTVPW  119
.......................................................................................................................    0
.......................................................................................................................    0
.......................................................................................................................    0
.......................................................................................................................    0


FPRTIQELDRFANQILSYGAELDADHPGFKDPVYRARRKQFADIAYNYRHGQPIPRVEYTEEEKQTWGTVFRTLKALYKTHAGYEHNHIFPLLEKYCGFREDNIPQLEDVSQFLQTCTGF  240
FPRTIQELDRFANQILSYGAELDADHPGFKDPVYRARRKQFADIAYNYRHGQPIPRVEYTEEERKTWGTVFRTLKALYKTHAGYEHNHIFPLLEKYCGFREDNIPQLEDVSQFLQTCTGF  240
FPRTIQELDRFANQILSYGAELDADHPGFKDPVYRARRKQFADIAYNYRHGQPIPRVEYMEEEKKTWGTVFKTLKSLYKTHAGYEHNHIFPLLEKYCGFREDNIPQLEDVSQFLQTCTGF  240
FPRTIQELDNFANQVLSYGAELDADHPGFKDPVYRARRKQFADIAYNYRHGQPIPRVEYTEEEKKTWGTVFRTLKSLYKTHAGYEHNHIFPLLEKYCGFREDNIPQLEEVSQFLQSCTGF  239
............MNDRADFVVPD.....ITTRKNVGLSHDAN......DFTLPQFLDRYSAEDHAIWATLYQRQCKLLPGRACDEFMEGL....ERLEVDADRVPDFNKLNQKLMAATGW   93
.......MAIATPTSAAPTPAPAGFTGTLTDKLREQFAEGLDGQTLRPDFTMEQFVHRYTAADHAIWRTLYDRGEALLPGRACDEFLQGL....STLGMSREGVPSFDRLNETMRATGW  109
............MSG..............DGLSNGPPPGAR.....PDWTIDQGWETYIQABHDVNNTLIYERAQTDMLHGRACDEFMRGL....DALDLHRSGIPDFARINEELKRLTGW   84
.........MKTTQYVARQPD.........DNGFIHYPETEHQVWNTLITRQLKVIEGRACQEYLDGI....EQLGLPHERIPQLDEINRVLQATTGW   76
............MSVAEYAR.........LDCAAQGLRGDYS..VCRADFTVAQDYD.YSDEEQAVWRTLCDRQTKLTRKLAHHSYLDGV....EKLGL.LDRIPDFEDVSTKLRKLTGW   90
             *   * **   ***!!!*** !! !*  ***  *!       **  !!!!!***!!*!*****  !! *  *! **      *   ****!! !*!*!*!   !!*

RLRPVAGLLSSRDFLGGLAFRVFHCTQYIRHGSKPMYTPEPDICHELLGHVPLFSDRSFAQESQEIG.LASLGAPDEYIEKLATIYWFTVEFGLCKEG.DSIKAYGAGLLSSFGELQYCL  358
RLRPVAGLLSSRDFLGGLAFRVFHCTQYIRHGSKPMYTPEPDICHELLGHVPLFSDRSFAQESQEIG.LASLGAPDEYIEKLATIIYWFTVEFGLCKEG.DSIKAYGAGLLSSFGELQYCL  358
RLRPVAGLLSSRDFLGGLAFRVFHCTQYIRHGSKPMYTPEPDICHELLGHVPLFSDRSFAQESQEIG.LASLGAPDEYIEKLATIYWFTVEFGLCKQG.DSIKAYGAGLLSSFGELQYCL  358
RLRPVAGLLSSRDFLGGLAFRVFHCTQYIRHGSKPMYTPEPDICHELLGHVPLFSDRSFAQESQEIG.LASLGAPDEYIEKLATIYWFTVEFGLCKQG.DSIKAYGAGLLSSFGELQYCL  357
KIVAVPGLIPDDVFFEHLANRRPPVIWWLREPHQLDYLQEPDVFHDLFGHVPLLINEVFADYLEAYGKGGVKAKALGALPMLARLYWYYIVEFGLINTP.AGMRIYGAGHLSSKSESIYCL  212
QIVAVPGLVPDEVFFEHLANRRPPASWWMRRPDQLDYLQEPDGFHDIFGHVPLLINEVFADYMQAYGQGGLKAARLGALDMLARLYWYYIVEFGLIRTP.AGLRIYGAGIVSSKSESVVAL  228
TVVAVPGLVPDDVFFEDHLANRRPPAGQFTRKPHELDYLQEPDIFHDVFGHVPMLTDEVFADYMQAYGEGGRRALGLGRLANLARLYWYYIVEFGLMNTP.AGLRIYGAGIVSSRTESIFAL  203
RVARVPALIPFQTFFELLASQQPPVATFIRTPEELDYLQEPDIFHEIFGHCPLITNWFAEFTHTYGKLGLKASKE.ERVFLARLYWMIIEFGLVETD.QGKRIYGCGILSSPKETVVSL  194
EIIAVPGLIPAAPFFDHLANRRPPVINWLRTRQELDYIVEPDMFHDFFGHVPVLSQFVFADFMQMYGKKAGDIIALGGDEMITRLYWYYIAEYGLVQEAGQPLKAFGAGLMSSFTELQFAV  210
 *  !*!* *    !! !!*  *!* ** **  *!     !!!*!!**!!*!***** !!  * * *!  **      *   ****!! !*!*!*!   ***!!*!!*!!* *****

SD.KFKLLPLELEKTACQEYSVTEFQPLYYVAESFSDAKEKVRTFAATIPRPFSVRYDPYTQRVEVLDNTQQLKILADSINSEVGILCNALQKIKS  453
SD.KFKLLPLELEKTACQEYTVTEFQPLYYVAESFNDAKEKVRTFAATIPRPFSVRYDPYTQRVEVLDNTQQLKILADSINSEVGILCHALQKIKS  453
SE.KFKLLPLELEKTAIQNYTVTEFQPLYYVAESFNDAKEKVRNFAATIPRPFSVRYDPYTQRIEVLDNTQQLKILADSINSEIGILCSALQKIK.  452
SD.KFKLLPLELEKTAVQEYTITEFQPLYYVAESFNDAKEKVRNFAATIPRPFSVHYDPYTQRIEVLDNTQQLKILADSISSEVEILCSALQKLK.  451
DSASPNRVGFDLMRIMNTRYRIDTFQKTYFVIDSFKQLFDATA.PDFAPLYLQLADAQPWGAGDVAPDDLVLNAGDRQGWADTEDV..........  297
DSASPNRIGFDVHRIMRHRYRIDTFQKTYFVIDSFEQLFDATR.PDFTPLYEALGTLPTFGAGDVVDGDAVLNAGTREGWADTADI..........  313
DDPSPNRIGFDLERVMRHLYRIDDFQQVYFVIDSIQTLQEVTL.RDFGAIYERLASVSDIGVAEIVPGDAVLTRGT.QAYATAGGRLAGAAAG...  294
SD.EPLHQAENPLEAWRYGMEIDILQPLYFVLPDLKRLFQLAQ.EDIMALVHEAMRLG.LHAPLFPPKQAA.........................  262
EGKDAHHVPFDLETVMRHGMEIDKFQRAYFVLPSFDALRDAFQTADFEAIVARRKDQKALDPATV............................  275
  **     *  **   * *  *  **!**!*!   * *** *   **  **       *               * *            **  *
```

X non conserved
X ≥ 50% conserved

Figure 1: The PDF file myfirstAlignment.pdf created with msaPrettyPrint().

```
IAYNYRHGQPIPRVEYTEEEKQTWGTVFRTLKALYKTHACYEHNHIFPLL    213
IAYNYRHGQPIPRVEYTEEERKTWGTVFRTLKALYKTHACYEHNHIFPLL    213
IAYNYRHGQPIPRVEYMEEEKKTWGTVFKTLKSLYKTHACYEYNHIFPLL    213
IAYNYRHGQPIPRVEYTEEEKKTWGTVFRTLKSLYKTHACYEHNHIFPLL    212
.....DFTLPQPLDRYSAEDHATWATLYQRQCKLLPGRACDEFMEGL...     67
QTLRPDFTMEQPVHRYTAADHATWRTLYDRQEALLPGRACDEFLQGL...     83
....PDWTIDQGWETYTQAEHDVWITLYERQTDMLHGRACDEFMRGL...     58
.........DNGFIHYPETEHQVWNTLITRQLKVIEGRACQEYLDGI...     50
.VCRADFTVAQDYD.YSDEEQAVWRTLCDRQTKLTRKLAHHSYLDGV...     65
***** * ** ****!***** *!*!** *** ***   !*** *******
```

X non-conserved
X ≥ 50% conserved

4   Functions for Multiple Sequence Alignment in More Detail

The example in Section 3 above simply called the function `msa()` without any additional arguments. We mentioned already that, in this case, ClustalW is called with default parameters. We can also explicitly request ClustalW or one of the two other algorithms ClustalOmega or MUSCLE:

```
myClustalWAlignment <- msa(mySequences, "ClustalW")


## use default substitution matrix


myClustalWAlignment


## CLUSTAL 2.1
##
## Call:
##    msa(mySequences, "ClustalW")
##
## MsaAAMultipleAlignment with 9 rows and 456 columns
##      aln                                names
## [1] MAAVVLENGVLSRKLSDF...SINSEVGILCNALQKIKS PH4H_Rattus_norve...
## [2] MAAVVLENGVLSRKLSDF...SINSEVGILCHALQKIKS PH4H_Mus_musculus
## [3] MSTAVLENPGLGRKLSDF...SINSEIGILCSALQKIK- PH4H_Homo_sapiens
## [4] MSALVLESRALGRKLSDF...SISSEVEILCSALQKLK- PH4H_Bos_taurus
## [5] ------------------...GWADTEDV---------- PH4H_Chromobacter...
## [6] ------------------...GWADTADI---------- PH4H_Ralstonia_so...
## [7] ------------------...AYATAGGRLAGAAAG--- PH4H_Caulobacter_...
## [8] ------------------..----------------- PH4H_Pseudomonas_...
## [9] ------------------..----------------- PH4H_Rhizobium_loti
## Con ------------------...???????IL??A???--- Consensus


myClustalOmegaAlignment <- msa(mySequences, "ClustalOmega")
```

```
## using Gonnet


myClustalOmegaAlignment


## ClustalOmega 1.2.0
##
## Call:
##    msa(mySequences, "ClustalOmega")
##
## MsaAAMultipleAlignment with 9 rows and 467 columns
##     aln                               names
## [1] MSALVLESRALGRKLSDF...SISSEVEILCSALQKLK- PH4H_Bos_taurus
## [2] MSTAVLENPGLGRKLSDF...SINSEIGILCSALQKIK- PH4H_Homo_sapiens
## [3] MAAVVLENGVLSRKLSDF...SINSEVGILCNALQKIKS PH4H_Rattus_norve...
## [4] MAAVVLENGVLSRKLSDF...SINSEVGILCHALQKIKS PH4H_Mus_musculus
## [5] -----------------...----------------- PH4H_Pseudomonas_...
## [6] -----------------...----------------- PH4H_Rhizobium_loti
## [7] -----------------...LAGAAAG----------- PH4H_Caulobacter_...
## [8] -----------------...V---------------- PH4H_Chromobacter...
## [9] -----------------...I---------------- PH4H_Ralstonia_so...
## Con -----------------...???????---------- Consensus


myMuscleAlignment <- msa(mySequences, "Muscle")
myMuscleAlignment


## MUSCLE 3.8.31
##
## Call:
##    msa(mySequences, "Muscle")
##
## MsaAAMultipleAlignment with 9 rows and 460 columns
##     aln                               names
## [1] MAAVVLENGVLSRKLSDF...SINSEVGILCNALQKIKS PH4H_Rattus_norve...
## [2] MAAVVLENGVLSRKLSDF...SINSEVGILCHALQKIKS PH4H_Mus_musculus
## [3] MSTAVLENPGLGRKLSDF...SINSEIGILCSALQKIK- PH4H_Homo_sapiens
## [4] MSALVLESRALGRKLSDF...SISSEVEILCSALQKLK- PH4H_Bos_taurus
## [5] -----------------...----------------- PH4H_Pseudomonas_...
## [6] -----------------...----------------- PH4H_Rhizobium_loti
## [7] -----------------...AYATAGGRLAGAAAG--- PH4H_Caulobacter_...
## [8] -----------MNDRADF...QGWADTEDV-------- PH4H_Chromobacter...
## [9] MAIATPTSAAPTPAPAGF...EGWADTADI-------- PH4H_Ralstonia_so...
## Con M??????????????DF...????????L??A???--- Consensus
```

Please note that the call msa(mySequences, "ClustalW", ...) is just a shortcut for the call
msaClustalW(mySequences, ...), analogously for msaClustalOmega() and msaMuscle().

In other words, `msa()` is nothing else but a wrapper function that provides a unified interface to the three functions `msaClustalW()`, `msaClustalOmega()`, and `msaMuscle()`.

All three functions `msaClustalW()`, `msaClustalOmega()`, and `msaMuscle()` have the same parameters: The input sequences are passed as argument `inputSeqs`, and all functions have the following arguments: `cluster`, `gapOpening`, `gapExtension`, `maxiters`, `substitutionMatrix`, `order`, `type`, and `verbose`. The ways these parameters are interpreted, are largely analogous, although there are some differences, also in terms of default values. See the subsections below and the man page of the three functions for more details. All of the three functions `msaClustalW()`, `msaClustalOmega()`, and `msaMuscle()`, however, are not restricted to the parameters mentioned above. All three have a '`...`' argument through which several other algorithm-specific parameters can be passed on to the underlying library. The following subsections provide an overview of which parameters are supported by each of the three algorithms.

4.1   ClustalW-Specific Parameters

The original implementation of ClustalW offers a lot of parameters for customizing the way a multiple sequence alignment is computed. Through the '`...`' argument, `msaClustalW()` provides an interface to make use of most these parameters (see the documentation of ClustalW[2] for a comprehensive overview). Currently, the following restrictions and caveats apply:

- The parameters `infile`, `clustering`, `gapOpen`, `gapExt`, `numiters`, `matrix`, and `outorder` have been renamed to the standardized argument names `inputSeqs`, `cluster`, `gapOpening`, `gapExtension`, `maxiters`, `substitutionMatrix`, and `order` in order to provide a consistent interface for all three multiple sequence alignment algorithms.

- Boolean flags must be passed as logical values, e.g. `verbose=TRUE`.

- The parameter `quiet` has been replaced by `verbose` (with the exact opposite meaning).

- The following parameters are (currently) not supported: `bootstrap`, `check`, `fullhelp`, `interactive`, `maxseqlen`, `options`, and `tree`.

- For the parameter `output`, only the choice `"clustal"` is available.

4.2   ClustalOmega-Specific Parameters

In the same way as ClustalW, the original implementation of ClustalOmega also offers a lot of parameters for customizing the way a multiple sequence alignment is computed. Through the '`...`' argument, `msaClustalOmega()` provides an interface to make use of most these parameters (see the documentation of ClustalOmega[3] for a comprehensive overview). Currently, the following restrictions and caveats apply:

- The parameters `infile`, `cluster-size`, `iterations`, and `output-order` have been renamed to the argument names `inputSeqs`, `cluster`, `maxiters`, and `order` in order to provide a consistent interface for all three multiple sequence alignment algorithms.

---

[2]`http://www.clustal.org/download/clustalw_help.txt`
[3]`http://www.clustal.org/omega/README`

- ClustalOmega does not allow for setting custom gap penalties. Therefore, setting the parameters `gapOpening` and `gapExtension` currently has no effect and will lead to a warning. These arguments are only defined for future extensions and consistency with the other algorithms available in `msa`.

- ClustalOmega only allows for choosing substitution matrices from a pre-defined set of names, namely `"BLOSUM30"`, `"BLOSUM40"`, `"BLOSUM50"`, `"BLOSUM65"`, `"BLOSUM80"`, and `"Gonnet"`. This is a new feature — the original ClustalOmega implementation does not allow for using any custom substitution matrix. However, since these are all amino acid substitution matrices, ClustalOmega is still hardly useful for multiple alignments of nucleotide sequences.

- Boolean flags must be passed as logical values, e.g. `verbose=TRUE`.

- The following parameters are (currently) not supported: `maxSeqLength` and `help`.

- For the parameter `outFmt`, only the choice `"clustal"` is available.

4.3   MUSCLE-Specific Parameters

Finally, also MUSCLE offers a lot of parameters for customizing the way a multiple sequence alignment is computed. Through the '...' argument, `msaMuscle()` provides an interface to make use of most these parameters (see the documentation of MUSCLE[4] for a comprehensive overview). Currently, the following restrictions and caveats apply:

- The parameters `in`, `gapOpen`, `gapExtend`, `matrix`, and `seqtype` have been renamed to `inputSeqs`, `gapOpening`, `gapExtension`, `substitutionMatrix` and `type` in order to provide a consistent interface for all three multiple sequence alignment algorithms.

- Boolean flags must be passed as logical values, e.g. `verbose=TRUE`.

- The parameter `quiet` has been replaced by `verbose` (with the exact opposite meaning).

- The following parameters are currently not supported: `clw`, `clwstrict`, `fastaout`, `group`, `html`, `in1`, `in2`, `log`, `loga`, `msaout`, `msf`, `out`, `phyi`, `phyiout`, `phys`, `physout`, `refine`, `refinew`, `scorefile`, `spscore`, `stable`, `termgaps4`, `termgapsfull`, `termgapshalf`, `termgapshalflonger`, `tree1`, `tree2`, `usetree`, `weight1`, and `weight2`.

5   Printing Multiple Sequence Alignments

As already shown above, multiple sequence alignments can be shown in plain text format on the R console using the `print()` function (which is implicitly called if just the object name is entered on the R console). This function allows for multiple customizations, such as, enabling/disabling to display a consensus sequence, printing the entire alignment or only a subset, enabling/disabling to display sequence names, and adjusting the width allocated for sequence names. For more information, the reader is referred to the help page of the print function:

---

[4]`http://www.drive5.com/muscle/muscle.html`

```r
help("print,MsaDNAMultipleAlignment-method")
```

We only provide some examples here:

```r
print(myFirstAlignment)
```

```
## CLUSTAL 2.1
##
## Call:
##    msa(mySequences)
##
## MsaAAMultipleAlignment with 9 rows and 456 columns
##     aln                                    names
## [1] MAAVVLENGVLSRKLSDF...SINSEVGILCNALQKIKS PH4H_Rattus_norve...
## [2] MAAVVLENGVLSRKLSDF...SINSEVGILCHALQKIKS PH4H_Mus_musculus
## [3] MSTAVLENPGLGRKLSDF...SINSEIGILCSALQKIK- PH4H_Homo_sapiens
## [4] MSALVLESRALGRKLSDF...SISSEVEILCSALQKLK- PH4H_Bos_taurus
## [5] ------------------...GWADTEDV---------- PH4H_Chromobacter...
## [6] ------------------...GWADTADI---------- PH4H_Ralstonia_so...
## [7] ------------------...AYATAGGRLAGAAAG--- PH4H_Caulobacter_...
## [8] ------------------...----------------- PH4H_Pseudomonas_...
## [9] ------------------...----------------- PH4H_Rhizobium_loti
## Con ------------------...???????IL??A???--- Consensus
```

```r
print(myFirstAlignment, show="complete")
```

```
##
## MsaAAMultipleAlignment with 9 rows and 456 columns
##     aln (1..39)                            names
## [1] MAAVVLENGVLSRKLSDFGQETSYIEDNSNQNGAISLIF PH4H_Rattus_norve...
## [2] MAAVVLENGVLSRKLSDFGQETSYIEDNSNQNGAVSLIF PH4H_Mus_musculus
## [3] MSTAVLENPGLGRKLSDFGQETSYIEDNCNQNGAISLIF PH4H_Homo_sapiens
## [4] MSALVLESRALGRKLSDFGQETSYIEGNSDQN-AVSLIF PH4H_Bos_taurus
## [5] --------------------------------------- PH4H_Chromobacter...
## [6] --------------------------------------- PH4H_Ralstonia_so...
## [7] --------------------------------------- PH4H_Caulobacter_...
## [8] --------------------------------------- PH4H_Pseudomonas_...
## [9] --------------------------------------- PH4H_Rhizobium_loti
## Con --------------------------------------- Consensus
##
##     aln (40..78)                           names
## [1] SLKEEVGALAKVLRLFEENDINLTHIESRPSRLNKDEYE PH4H_Rattus_norve...
## [2] SLKEEVGALAKVLRLFEENEINLTHIESRPSRLNKDEYE PH4H_Mus_musculus
## [3] SLKEEVGALAKVLRLFEENDVNLTHIESRPSRLKKDEYE PH4H_Homo_sapiens
## [4] SLKEEVGALARVLRLFEENDINLTHIESRPSRLRKDEYE PH4H_Bos_taurus
```

```
## [5] -------------------------------------- PH4H_Chromobacter...
## [6] -------------------------------------- PH4H_Ralstonia_so...
## [7] -------------------------------------- PH4H_Caulobacter_...
## [8] -------------------------------------- PH4H_Pseudomonas_...
## [9] -------------------------------------- PH4H_Rhizobium_loti
## Con -------------------------------------- Consensus
##
##     aln (79..117)                          names
## [1] FFTYLDKRTKPVLGSIIKSLRNDIGATVHELSRDKEKNT PH4H_Rattus_norve...
## [2] FFTYLDKRSKPVLGSIIKSLRNDIGATVHELSRDKEKNT PH4H_Mus_musculus
## [3] FFTHLDKRSLPALTNIIKILRHDIGATVHELSRDKKKDT PH4H_Homo_sapiens
## [4] FFTNLDQRSVPALANIIKILRHDIGATVHELSRDKKKDT PH4H_Bos_taurus
## [5] -------------------------------------- PH4H_Chromobacter...
## [6] -------------------------------------- PH4H_Ralstonia_so...
## [7] -------------------------------------- PH4H_Caulobacter_...
## [8] -------------------------------------- PH4H_Pseudomonas_...
## [9] -------------------------------------- PH4H_Rhizobium_loti
## Con -------------------------------------- Consensus
##
##     aln (118..156)                         names
## [1] VPWFPRTIQELDRFANQILSYGAELDADHPGFKDPVYRA PH4H_Rattus_norve...
## [2] VPWFPRTIQELDRFANQILSYGAELDADHPGFKDPVYRA PH4H_Mus_musculus
## [3] VPWFPRTIQELDRFANQILSYGAELDADHPGFKDPVYRA PH4H_Homo_sapiens
## [4] VPWFPRTIQELDNFANQVLSYGAELDADHPGFKDPVYRA PH4H_Bos_taurus
## [5] ---------------MNDRADFVVPD-----ITTRKNVG PH4H_Chromobacter...
## [6] ----------MAIATPTSAAPTPAPAGFTGTLTDKLREQ PH4H_Ralstonia_so...
## [7] ---------------MSG--------------DGLSNG PH4H_Caulobacter_...
## [8] ------------------------------MKTTQY PH4H_Pseudomonas_...
## [9] --------------MSVAEYAR---------DCAAQG PH4H_Rhizobium_loti
## Con ----------?????????Y????D???????D????? Consensus
##
##     aln (157..195)                         names
## [1] RRKQFADIAYNYRHGQPIPRVEYTEEEKQTWGTVFRTLK PH4H_Rattus_norve...
## [2] RRKQFADIAYNYRHGQPIPRVEYTEEERKTWGTVFRTLK PH4H_Mus_musculus
## [3] RRKQFADIAYNYRHGQPIPRVEYMEEEKKTWGTVFKTLK PH4H_Homo_sapiens
## [4] RRKQFADIAYNYRHGQPIPRVEYTEEEKKTWGTVFRTLK PH4H_Bos_taurus
## [5] LSHDAN------DFTLPQPLDRYSAEDHATWATLYQRQC PH4H_Chromobacter...
## [6] FAEGLDGQTLRPDFTMEQPVHRYTAADHATWRTLYDRQE PH4H_Ralstonia_so...
## [7] PPPGAR-----PDWTIDQGWETYTQAEHDVWITLYERQT PH4H_Caulobacter_...
## [8] VARQPD----------DNGFIHYPETEHQVWNTLITRQL PH4H_Pseudomonas_...
## [9] LRGDYS--VCRADFTVAQDYD-YSDEEQAVWRTLCDRQT PH4H_Rhizobium_loti
## Con ?R?Q???????????P?P???YTEEE??TW?TL??RQ? Consensus
##
##     aln (196..234)                         names
## [1] ALYKTHACYEHNHIFPLLEKYCGFREDNIPQLEDVSQFL PH4H_Rattus_norve...
## [2] ALYKTHACYEHNHIFPLLEKYCGFREDNIPQLEDVSQFL PH4H_Mus_musculus
```

```
## [3]  SLYKTHACYEYNHIFPLLEKYCGFHEDNIPQLEDVSQFL  PH4H_Homo_sapiens
## [4]  SLYKTHACYEHNHIFPLLEKYCGFREDNIPQLEEVSQFL  PH4H_Bos_taurus
## [5]  KLLPGRACDEFMEGL----ERLEVDADRVPDFNKLNQKL  PH4H_Chromobacter...
## [6]  ALLPGRACDEFLQGL----STLGMSREGVPSFDRLNETL  PH4H_Ralstonia_so...
## [7]  DMLHGRACDEFMRGL----DALDLHRSGIPDFARINEEL  PH4H_Caulobacter_...
## [8]  KVIEGRACQEYLDGI----EQLGLPHERIPQLDEINRVL  PH4H_Pseudomonas_...
## [9]  KLTRKLAHHSYLDGV----EKLGL-LDRIPDFEDVSTKL  PH4H_Rhizobium_loti
## Con  ?L????AC?E???G?----??LG???D?IPQLE?VSQ?L  Consensus
##
##      aln (235..273)                          names
## [1]  QTCTGFRLRPVAGLLSSRDFLGGLAFRVFHCTQYIRHGS  PH4H_Rattus_norve...
## [2]  QTCTGFRLRPVAGLLSSRDFLGGLAFRVFHCTQYIRHGS  PH4H_Mus_musculus
## [3]  QTCTGFRLRPVAGLLSSRDFLGGLAFRVFHCTQYIRHGS  PH4H_Homo_sapiens
## [4]  QSCTGFRLRPVAGLLSSRDFLGGLAFRVFHCTQYIRHGS  PH4H_Bos_taurus
## [5]  MAATGWKIVAVPGLIPDDVFFEHLANRRFPVTWWLREPH  PH4H_Chromobacter...
## [6]  MRATGWQIVAVPGLVPDEVFFEHLANRRFPASWWMRRPD  PH4H_Ralstonia_so...
## [7]  KRLTGWTVVAVPGLVPDDVFFDHLANRRFPAGQFIRKPH  PH4H_Caulobacter_...
## [8]  QATTGWRVARVPALIPFQTFFELLASQQFPVATFIRTPE  PH4H_Pseudomonas_...
## [9]  RKLTGWEIIAVPGLIPAAPFFDHLANRRFPVTNWLRTRQ  PH4H_Rhizobium_loti
## Con  Q??TGWR???VPGL?P???FF??LA?R?FP?TQ?IR???  Consensus
##
##      aln (274..312)                          names
## [1]  KPMYTPEPDICHELLGHVPLFSDRSFAQFSQEIG-LASL  PH4H_Rattus_norve...
## [2]  KPMYTPEPDICHELLGHVPLFSDRSFAQFSQEIG-LASL  PH4H_Mus_musculus
## [3]  KPMYTPEPDICHELLGHVPLFSDRSFAQFSQEIG-LASL  PH4H_Homo_sapiens
## [4]  KPMYTPEPDICHELLGHVPLFSDRSFAQFSQEIG-LASL  PH4H_Bos_taurus
## [5]  QLDYLQEPDVFHDLFGHVPLLINPVFADYLEAYGKGGVK  PH4H_Chromobacter...
## [6]  QLDYLQEPDGFHDIFGHVPLLINPVFADYMQAYGQGGLK  PH4H_Ralstonia_so...
## [7]  ELDYLQEPDIFHDVFGHVPMLTDPVFADYMQAYGEGGRR  PH4H_Caulobacter_...
## [8]  ELDYLQEPDIFHEIFGHCPLLTNPWFAEFTHTYGKLGLK  PH4H_Pseudomonas_...
## [9]  ELDYIVEPDMFHDFFGHVPVLSQPVFADFMQMYGKKAGD  PH4H_Rhizobium_loti
## Con  ?LDY??EPDIFHELFGHVPLLSDP?FA?F?Q?YG?LA??  Consensus
##
##      aln (313..351)                          names
## [1]  GAPDEYIEKLATIYWFTVEFGLCKEG-DSIKAYGAGLLS  PH4H_Rattus_norve...
## [2]  GAPDEYIEKLATIYWFTVEFGLCKEG-DSIKAYGAGLLS  PH4H_Mus_musculus
## [3]  GAPDEYIEKLATIYWFTVEFGLCKQG-DSIKAYGAGLLS  PH4H_Homo_sapiens
## [4]  GAPDEYIEKLATIYWFTVEFGLCKQG-DSIKAYGAGLLS  PH4H_Bos_taurus
## [5]  AKALGALPMLARLYWYTVEFGLINTP-AGMRIYGAGILS  PH4H_Chromobacter...
## [6]  AARLGALDMLARLYWYTVEFGLIRTP-AGLRIYGAGIVS  PH4H_Ralstonia_so...
## [7]  ALGLGRLANLARLYWYTVEFGLMNTP-AGLRIYGAGIVS  PH4H_Caulobacter_...
## [8]  ASKE-ERVFLARLYWMTIEFGLVETD-QGKRIYGGGILS  PH4H_Pseudomonas_...
## [9]  IIALGGDEMITRLYWYTAEYGLVQEAGQPLKAFGAGLMS  PH4H_Rhizobium_loti
## Con  ?A?????E?LARLYW?TVEFGL????-???KAYGAGLLS  Consensus
##
##      aln (352..390)                          names
```

```
## [1]  SFGELQYCLSD-KPKLLPLELEKTACQEYSVTEFQPLYY  PH4H_Rattus_norve...
## [2]  SFGELQYCLSD-KPKLLPLELEKTACQEYTVTEFQPLYY  PH4H_Mus_musculus
## [3]  SFGELQYCLSE-KPKLLPLELEKTAIQNYTVTEFQPLYY  PH4H_Homo_sapiens
## [4]  SFGELQYCLSD-KPKLLPLELEKTAVQEYTITEFQPLYY  PH4H_Bos_taurus
## [5]  SKSESIYCLDSASPNRVGFDLMRIMNTRYRIDTFQKTYF  PH4H_Chromobacter...
## [6]  SKSESVYALDSASPNRIGFDVHRIMRTRYRIDTFQKTYF  PH4H_Ralstonia_so...
## [7]  SRTESIFALDDPSPNRIGFDLERVMRTLYRIDDFQQVYF  PH4H_Caulobacter_...
## [8]  SPKETVYSLSD-EPLHQAFNPLEAMRTPYRIDILQPLYF  PH4H_Pseudomonas_...
## [9]  SFTELQFAVEGKDAHHVPFDLETVMRTGYEIDKFQRAYF  PH4H_Rhizobium_loti
## Con SF?ELQYCLSD-?P???PF?LE??M?T?Y?ID?FQPLYF  Consensus
##
##      aln (391..429)                          names
## [1]  VAESFSDAKEKVRTFAATIPRPFSVRYDPYTQRVEVLDN  PH4H_Rattus_norve...
## [2]  VAESFNDAKEKVRTFAATIPRPFSVRYDPYTQRVEVLDN  PH4H_Mus_musculus
## [3]  VAESFNDAKEKVRNFAATIPRPFSVRYDPYTQRIEVLDN  PH4H_Homo_sapiens
## [4]  VAESFNDAKEKVRNFAATIPRPFSVHYDPYTQRIEVLDN  PH4H_Bos_taurus
## [5]  VIDSFKQLFDATA-PDFAPLYLQLADAQPWGAGDVAPDD  PH4H_Chromobacter...
## [6]  VIDSFEQLFDATR-PDFTPLYEALGTLPTFGAGDVVDGD  PH4H_Ralstonia_so...
## [7]  VIDSIQTLQEVTL-RDFGAIYERLASVSDIGVAEIVPGD  PH4H_Caulobacter_...
## [8]  VLPDLKRLFQLAQ-EDIMALVHEAMRLG-LHAPLFPPKQ  PH4H_Pseudomonas_...
## [9]  VLPSFDALRDAFQTADFEAIVARRKDQKALDPATV----  PH4H_Rhizobium_loti
## Con V??SF??L?E??R??D?T??????????P??????V?D?  Consensus
##
##      aln (430..456)            names
## [1]  TQQLKILADSINSEVGILCNALQKIKS  PH4H_Rattus_norve...
## [2]  TQQLKILADSINSEVGILCHALQKIKS  PH4H_Mus_musculus
## [3]  TQQLKILADSINSEIGILCSALQKIK-  PH4H_Homo_sapiens
## [4]  TQQLKILADSISSEVEILCSALQKLK-  PH4H_Bos_taurus
## [5]  LVLNAGDRQGWADTEDV----------  PH4H_Chromobacter...
## [6]  AVLNAGTREGWADTADI----------  PH4H_Ralstonia_so...
## [7]  AVLTRGT-QAYATAGGRLAGAAAG---  PH4H_Caulobacter_...
## [8]  AA-------------------------  PH4H_Pseudomonas_...
## [9]  ---------------------------  PH4H_Rhizobium_loti
## Con ??????????????IL??A???---  Consensus
```

```r
print(myFirstAlignment, showConsensus=FALSE, halfNrow=3)
```

```
## CLUSTAL 2.1
##
## Call:
##    msa(mySequences)
##
## MsaAAMultipleAlignment with 9 rows and 456 columns
##      aln                                     names
## [1]  MAAVVLENGVLSRKLSDF...SINSEVGILCNALQKIKS  PH4H_Rattus_norve...
## [2]  MAAVVLENGVLSRKLSDF...SINSEVGILCHALQKIKS  PH4H_Mus_musculus
```

```
## [3] MSTAVLENPGLGRKLSDF...SINSEIGILCSALQKIK- PH4H_Homo_sapiens
## ... ...
## [7] ------------------...AYATAGGRLAGAAAG--- PH4H_Caulobacter_...
## [8] ------------------...----------------- PH4H_Pseudomonas_...
## [9] ------------------...----------------- PH4H_Rhizobium_loti
```

```
print(myFirstAlignment, showNames=FALSE, show="complete")
```

```
##
## MsaAAMultipleAlignment with 9 rows and 456 columns
##     aln (1..60)
## [1] MAAVVLENGVLSRKLSDFGQETSYIEDNSNQNGAISLIFSLKEEVGALAKVLRLFEENDI
## [2] MAAVVLENGVLSRKLSDFGQETSYIEDNSNQNGAVSLIFSLKEEVGALAKVLRLFEENEI
## [3] MSTAVLENPGLGRKLSDFGQETSYIEDNCNQNGAISLIFSLKEEVGALAKVLRLFEENDV
## [4] MSALVLESRALGRKLSDFGQETSYIEGNSDQN-AVSLIFSLKEEVGALARVLRLFEENDI
## [5] ------------------------------------------------------------
## [6] ------------------------------------------------------------
## [7] ------------------------------------------------------------
## [8] ------------------------------------------------------------
## [9] ------------------------------------------------------------
## Con ------------------------------------------------------------
##
##     aln (61..120)
## [1] NLTHIESRPSRLNKDEYEFFTYLDKRTKPVLGSIIKSLRNDIGATVHELSRDKEKNTVPW
## [2] NLTHIESRPSRLNKDEYEFFTYLDKRSKPVLGSIIKSLRNDIGATVHELSRDKEKNTVPW
## [3] NLTHIESRPSRLKKDEYEFFTHLDKRSLPALTNIIKILRHDIGATVHELSRDKKKDTVPW
## [4] NLTHIESRPSRLRKDEYEFFTNLDQRSVPALANIIKILRHDIGATVHELSRDKKKDTVPW
## [5] ------------------------------------------------------------
## [6] ------------------------------------------------------------
## [7] ------------------------------------------------------------
## [8] ------------------------------------------------------------
## [9] ------------------------------------------------------------
## Con ------------------------------------------------------------
##
##     aln (121..180)
## [1] FPRTIQELDRFANQILSYGAELDADHPGFKDPVYRARRKQFADIAYNYRHGQPIPRVEYT
## [2] FPRTIQELDRFANQILSYGAELDADHPGFKDPVYRARRKQFADIAYNYRHGQPIPRVEYT
## [3] FPRTIQELDRFANQILSYGAELDADHPGFKDPVYRARRKQFADIAYNYRHGQPIPRVEYM
## [4] FPRTIQELDNFANQVLSYGAELDADHPGFKDPVYRARRKQFADIAYNYRHGQPIPRVEYT
## [5] ------------MNDRADFVVPD-----ITTRKNVGLSHDAN------DFTLPQPLDRYS
## [6] -------MAIATPTSAAPTPAPAGFTGTLTDKLREQFAEGLDGQTLRPDFTMEQPVHRYT
## [7] ------------MSG--------------DGLSNGPPPGAR-----PDWTIDQGWETYT
## [8] --------------------------MKTTQYVARQPD----------DNGFIHYP
## [9] ------------MSVAEYAR---------DCAAQGLRGDYS--VCRADFTVAQDYD-YS
## Con -------??????????Y????D???????D??????R?Q????????????P?P???YT
##
```

```
##      aln (181..240)
## [1] EEEKQTWGTVFRTLKALYKTHACYEHNHIFPLLEKYCGFREDNIPQLEDVSQFLQTCTGF
## [2] EEERKTWGTVFRTLKALYKTHACYEHNHIFPLLEKYCGFREDNIPQLEDVSQFLQTCTGF
## [3] EEEKKTWGTVFKTLKSLYKTHACYEYNHIFPLLEKYCGFHEDNIPQLEDVSQFLQTCTGF
## [4] EEEKKTWGTVFRTLKSLYKTHACYEHNHIFPLLEKYCGFREDNIPQLEEVSQFLQSCTGF
## [5] AEDHATWATLYQRQCKLLPGRACDEFMEGL----ERLEVDADRVPDFNKLNQKLMAATGW
## [6] AADHATWRTLYDRQEALLPGRACDEFLQGL----STLGMSREGVPSFDRLNETLMRATGW
## [7] QAEHDVWITLYERQTDMLHGRACDEFMRGL----DALDLHRSGIPDFARINEELKRLTGW
## [8] ETEHQVWNTLITRQLKVIEGRACQEYLDGI----EQLGLPHERIPQLDEINRVLQATTGW
## [9] DEEQAVWRTLCDRQTKLTRKLAHHSYLDGV----EKLGL-LDRIPDFEDVSTKLRKLTGW
## Con EEE??TW?TL??RQ??L????AC?E???G?----??LG???D?IPQLE?VSQ?LQ??TGW
##
##      aln (241..300)
## [1] RLRPVAGLLSSRDFLGGLAFRVFHCTQYIRHGSKPMYTPEPDICHELLGHVPLFSDRSFA
## [2] RLRPVAGLLSSRDFLGGLAFRVFHCTQYIRHGSKPMYTPEPDICHELLGHVPLFSDRSFA
## [3] RLRPVAGLLSSRDFLGGLAFRVFHCTQYIRHGSKPMYTPEPDICHELLGHVPLFSDRSFA
## [4] RLRPVAGLLSSRDFLGGLAFRVFHCTQYIRHGSKPMYTPEPDICHELLGHVPLFSDRSFA
## [5] KIVAVPGLIPDDVFFEHLANRRFPVTWWLREPHQLDYLQEPDVFHDLFGHVPLLINPVFA
## [6] QIVAVPGLVPDEVFFEHLANRRFPASWWMRRPDQLDYLQEPDGFHDIFGHVPLLINPVFA
## [7] TVVAVPGLVPDDVFFDHLANRRFPAGQFIRKPHELDYLQEPDIFHDVFGHVPMLTDPVFA
## [8] RVARVPALIPFQTFFELLASQQFPVATFIRTPEELDYLQEPDIFHEIFGHCPLLTNPWFA
## [9] EIIAVPGLIPAAPFFDHLANRRFPVTNWLRTRQELDYIVEPDMFHDFFGHVPVLSQPVFA
## Con R???VPGL?P???FF??LA?R?FP?TQ?IR????LDY??EPDIFHELFGHVPLLSDP?FA
##
##      aln (301..360)
## [1] QFSQEIG-LASLGAPDEYIEKLATIYWFTVEFGLCKEG-DSIKAYGAGLLSSFGELQYCL
## [2] QFSQEIG-LASLGAPDEYIEKLATIYWFTVEFGLCKEG-DSIKAYGAGLLSSFGELQYCL
## [3] QFSQEIG-LASLGAPDEYIEKLATIYWFTVEFGLCKQG-DSIKAYGAGLLSSFGELQYCL
## [4] QFSQEIG-LASLGAPDEYIEKLATIYWFTVEFGLCKQG-DSIKAYGAGLLSSFGELQYCL
## [5] DYLEAYGKGGVKAKALGALPMLARLYWYTVEFGLINTP-AGMRIYGAGILSSKSESIYCL
## [6] DYMQAYGQGGLKAARLGALDMLARLYWYTVEFGLIRTP-AGLRIYGAGIVSSKSESVYAL
## [7] DYMQAYGEGGRRALGLGRLANLARLYWYTVEFGLMNTP-AGLRIYGAGIVSSRTESIFAL
## [8] EFTHTYGKLGLKASKE-ERVFLARLYWMTIEFGLVETD-QGKRIYGGGILSSPKETVYSL
## [9] DFMQMYGKKAGDIIALGGDEMITRLYWYTAEYGLVQEAGQPLKAFGAGLMSSFTELQFAV
## Con ?F?Q?YG?LA???A?????E?LARLYW?TVEFGL????-???KAYGAGLLSSF?ELQYCL
##
##      aln (361..420)
## [1] SD-KPKLLPLELEKTACQEYSVTEFQPLYYVAESFSDAKEKVRTFAATIPRPFSVRYDPY
## [2] SD-KPKLLPLELEKTACQEYTVTEFQPLYYVAESFNDAKEKVRTFAATIPRPFSVRYDPY
## [3] SE-KPKLLPLELEKTAIQNYTVTEFQPLYYVAESFNDAKEKVRNFAATIPRPFSVRYDPY
## [4] SD-KPKLLPLELEKTAVQEYTITEFQPLYYVAESFNDAKEKVRNFAATIPRPFSVHYDPY
## [5] DSASPNRVGFDLMRIMNTRYRIDTFQKTYFVIDSFKQLFDATA-PDFAPLYLQLADAQPW
## [6] DSASPNRIGFDVHRIMRTRYRIDTFQKTYFVIDSFEQLFDATR-PDFTPLYEALGTLPTF
## [7] DDPSPNRIGFDLERVMRTLYRIDDFQQVYFVIDSIQTLQEVTL-RDFGAIYERLASVSDI
## [8] SD-EPLHQAFNPLEAMRTPYRIDILQPLYFVLPDLKRLFQLAQ-EDIMALVHEAMRLG-L
## [9] EGKDAHHVPFDLETVMRTGYEIDKFQRAYFVLPSFDALRDAFQTADFEAIVARRKDQKAL
```

```
## Con SD-?P???PF?LE??M?T?Y?ID?FQPLYFV??SF??L?E??R??D?T??????????P?
##
##      aln (421..456)
## [1] TQRVEVLDNTQQLKILADSINSEVGILCNALQKIKS
## [2] TQRVEVLDNTQQLKILADSINSEVGILCHALQKIKS
## [3] TQRIEVLDNTQQLKILADSINSEIGILCSALQKIK-
## [4] TQRIEVLDNTQQLKILADSISSEVEILCSALQKLK-
## [5] GAGDVAPDDLVLNAGDRQGWADTEDV----------
## [6] GAGDVVDGDAVLNAGTREGWADTADI----------
## [7] GVAEIVPGDAVLTRGT-QAYATAGGRLAGAAAG---
## [8] HAPLFPPKQAA------------------------
## [9] DPATV------------------------------
## Con ?????V?D?????????????????IL??A???---
```

6 Processing Multiple Alignments

6.1 Methods Inherited From `Biostrings`

The classes defined by the `msa` package for storing multiple alignment results have been derived from the corresponding classes defined by the `Biostrings` package. Therefore, all methods for processing multiple alignments are available and work without any practical limitation. In this section, we highlight some of these.

The classes used for storing multiple alignments allow for defining masks on sequences and sequence positions via their row and column mask slots. They can be set by `rowmask()` and `colmask()` functions which serve both as setter and getter functions. To set row or column masks, an `IRanges` object must be supplied:

```
myMaskedAlignment <- myFirstAlignment
colM <- IRanges(start=1, end=100)
colmask(myMaskedAlignment) <- colM
myMaskedAlignment

## CLUSTAL 2.1
##
## Call:
##    msa(mySequences)
##
## MsaAAMultipleAlignment with 9 rows and 456 columns
##     aln                              names
## [1] #################...SINSEVGILCNALQKIKS PH4H_Rattus_norve...
## [2] #################...SINSEVGILCHALQKIKS PH4H_Mus_musculus
## [3] #################...SINSEIGILCSALQKIK- PH4H_Homo_sapiens
## [4] #################...SISSEVEILCSALQKLK- PH4H_Bos_taurus
## [5] #################...GWADTEDV---------- PH4H_Chromobacter...
```

```
## [6] #################...GWADTADI---------- PH4H_Ralstonia_so...
## [7] #################...AYATAGGRLAGAAAG--- PH4H_Caulobacter_...
## [8] #################...----------------- PH4H_Pseudomonas_...
## [9] #################...----------------- PH4H_Rhizobium_loti
## Con #################...???????IL??A???--- Consensus
```

The unmasked() allows for removing these masks, thereby casting the multiple alignment to a set of aligned Biostrings sequences (class AAStringSet, DNAStringSet, or RNAStringSet):

```
unmasked(myMaskedAlignment)

## AAStringSet object of length 9:
##     width seq                                 names
## [1]   456 MAAVVLENGVLSRKLS...SEVGILCNALQKIKS PH4H_Rattus_norve...
## [2]   456 MAAVVLENGVLSRKLS...SEVGILCHALQKIKS PH4H_Mus_musculus
## [3]   456 MSTAVLENPGLGRKLS...SEIGILCSALQKIK- PH4H_Homo_sapiens
## [4]   456 MSALVLESRALGRKLS...SEVEILCSALQKLK- PH4H_Bos_taurus
## [5]   456 ----------------...DTEDV---------- PH4H_Chromobacter...
## [6]   456 ----------------...DTADI---------- PH4H_Ralstonia_so...
## [7]   456 ----------------...TAGGRLAGAAAG--- PH4H_Caulobacter_...
## [8]   456 ----------------...-------------- PH4H_Pseudomonas_...
## [9]   456 ----------------...-------------- PH4H_Rhizobium_loti
```

Consensus matrices can be computed conveniently as follows:

```
conMat <- consensusMatrix(myFirstAlignment)
dim(conMat)

## [1]  21 456

conMat[, 101:110]

##    [,1] [,2] [,3] [,4] [,5] [,6] [,7] [,8] [,9] [,10]
## -     5    5    5    5    5    5    5    5    5    5
## A     0    0    0    4    0    0    0    0    0    0
## C     0    0    0    0    0    0    0    0    0    0
## D     4    0    0    0    0    0    0    0    0    0
## E     0    0    0    0    0    0    0    4    0    0
## F     0    0    0    0    0    0    0    0    0    0
## G     0    0    4    0    0    0    0    0    0    0
## H     0    0    0    0    0    0    4    0    0    0
## I     0    4    0    0    0    0    0    0    0    0
## K     0    0    0    0    0    0    0    0    0    0
## L     0    0    0    0    0    0    0    0    4    0
```

```
## M     0     0     0     0     0     0     0     0     0     0
## N     0     0     0     0     0     0     0     0     0     0
## P     0     0     0     0     0     0     0     0     0     0
## Q     0     0     0     0     0     0     0     0     0     0
## R     0     0     0     0     0     0     0     0     0     0
## S     0     0     0     0     0     0     0     0     0     4
## T     0     0     0     0     4     0     0     0     0     0
## V     0     0     0     0     0     4     0     0     0     0
## W     0     0     0     0     0     0     0     0     0     0
## Y     0     0     0     0     0     0     0     0     0     0
```

If called on a masked alignment, `consensusMatrix()` only uses those sequences/rows that are not masked. If there are masked columns, the matrix contains `NA`'s in those columns:

```
conMat <- consensusMatrix(myMaskedAlignment)
conMat[, 95:104]
```

```
##   [,1] [,2] [,3] [,4] [,5] [,6] [,7] [,8] [,9] [,10]
## -   NA   NA   NA   NA   NA   NA    5    5    5     5
## A   NA   NA   NA   NA   NA   NA    0    0    0     4
## C   NA   NA   NA   NA   NA   NA    0    0    0     0
## D   NA   NA   NA   NA   NA   NA    4    0    0     0
## E   NA   NA   NA   NA   NA   NA    0    0    0     0
## F   NA   NA   NA   NA   NA   NA    0    0    0     0
## G   NA   NA   NA   NA   NA   NA    0    0    4     0
## H   NA   NA   NA   NA   NA   NA    0    0    0     0
## I   NA   NA   NA   NA   NA   NA    0    4    0     0
## K   NA   NA   NA   NA   NA   NA    0    0    0     0
## L   NA   NA   NA   NA   NA   NA    0    0    0     0
## M   NA   NA   NA   NA   NA   NA    0    0    0     0
## N   NA   NA   NA   NA   NA   NA    0    0    0     0
## P   NA   NA   NA   NA   NA   NA    0    0    0     0
## Q   NA   NA   NA   NA   NA   NA    0    0    0     0
## R   NA   NA   NA   NA   NA   NA    0    0    0     0
## S   NA   NA   NA   NA   NA   NA    0    0    0     0
## T   NA   NA   NA   NA   NA   NA    0    0    0     0
## V   NA   NA   NA   NA   NA   NA    0    0    0     0
## W   NA   NA   NA   NA   NA   NA    0    0    0     0
## Y   NA   NA   NA   NA   NA   NA    0    0    0     0
```

Multiple alignments also inherit the `consensusString()` method from the `Biostrings` package. However, for more flexibility and consistency, we rather advise users to use the method `msaConsensusSequence()` method (see below).

6.2 Consensus Sequences and Conservation Scores

With version 1.7.1 of `msa`, new methods have been provided that allow for the computation of consensus sequences and conservation scores. By default, the `msaConsensusSequence()` method is a wrapper around the `consensusString()` method from the `Biostrings`:

```
printSplitString <- function(x, width=getOption("width") - 1)
{
    starts <- seq(from=1, to=nchar(x), by=width)

    for (i in 1:length(starts))
        cat(substr(x, starts[i], starts[i] + width - 1), "\n")
}

printSplitString(msaConsensusSequence(myFirstAlignment))


## ----------------------------------------------------------------
## -----------------------------------------------------------------?
## ?????????Y????D???????D??????R?Q????????????P?P???YTEEE??TW?TL??
## RQ??L????AC?E???G?----??LG???D?IPQLE?VSQ?LQ??TGWR???VPGL?P???FF?
## ?LA?R?FP?TQ?IR????LDY??EPDIFHELFGHVPLLSDP?FA?F?Q?YG?LA???A?????E
## ?LARLYW?TVEFGL????-???KAYGAGLLSSF?ELQYCLSD-?P???PF?LE??M?T?Y?ID?
## FQPLYFV??SF??L?E??R??D?T??????????P??????V?D????????????????IL?
## ?A???---
```

However, there is also a second method for computing consensus sequence that has been implemented in line with a consensus sequence method implemented in T_EXshade that allows for specify an upper and a lower conservation threshold (see example below). This method can be accessed via the argument `type="upperlower"`. Additional customizations are available, too:

```
printSplitString(msaConsensusSequence(myFirstAlignment, type="upperlower",
                                      thresh=c(40, 20)))


## ---------------------------------------------------------------
## ----------------------------------------------------------------.
## .........y....d.......d......r.q............p.p...Yteee..tW.Tl..
## rq..l....Ac.e...g.----..lg...d.iPqle.vsq.Lq..TGwr...VpgL.p...Ff.
## .LA.r.Fp.tq.iR....ldY..EPDifHelfGHvPllsdp.FA.f.q.yG.la...a.....e
## .larlYW.TvEfGL....-...kayGaGllSSf.Elqyclsd-.p...pf.le..m.t.Y.id.
## fQplYfV..sf..l.e..r..d.t.........p......v.d................il.
## .a...---
```

Regardless of which method is used, masks are taken into account: masked rows/sequences are neglected and masked columns are shown as "#" in the consensus sequence:

```
printSplitString(msaConsensusSequence(myMaskedAlignment, type="upperlower",
                                       thresh=c(40, 20)))
```

```
## ####################################################################
## ####################################---------------------------.
## .........y....d.......d......r.q............p.p...Yteee..tW.Tl..
## rq..l....Ac.e...g.----..lg...d.iPqle.vsq.Lq..TGwr...VpgL.p...Ff.
## .LA.r.Fp.tq.iR....ldY..EPDifHelfGHvPllsdp.FA.f.q.yG.la...a.....e
## .larlYW.TvEfGL....-...kayGaGllSSf.Elqyclsd-.p...pf.le..m.t.Y.id.
## fQplYfV..sf..l.e..r..d.t.........p......v.d...............il.
## .a...---
```

The main purpose of consensus sequences is to get an impression of conservation at individual positions/columns of a multiple alignment. The msa package also provides another means of analyzing conservation: the method msaConservationScore() computes sums of pairwise scores for a given substitution/scoring matrix. Thereby, conservation can also be analyzed in a more sensible way than by only taking relative frequencies of letters into account as msaConsensusSequence() does.

```
data(BLOSUM62)
msaConservationScore(myFirstAlignment, BLOSUM62)
```

```
##      -    -    -    -    -    -    -    -    -    -    -    -    -
##    -55  -95  -94 -109  -71  -71  -55  -71 -119 -121  -71  -95  -55
##      -    -    -    -    -    -    -    -    -    -    -    -    -
##    -55  -71  -71  -39  -39  -39  -55  -55  -55  -71  -23  -71  -55
##      -    -    -    -    -    -    -    -    -    -    -    -    -
##    -81  -39  -96  -69  -55  -39  -54  -71  -79  -71  -71  -71  -39
##      -    -    -    -    -    -    -    -    -    -    -    -    -
##    -71  -71  -55  -55  -55  -71  -39  -71  -71  -71  -73  -71  -71
##      -    -    -    -    -    -    -    -    -    -    -    -    -
##    -55  -71  -39  -55  -55  -39  -64  -77  -39  -71  -55   -7  -71
##      -    -    -    -    -    -    -    -    -    -    -    -    -
##    -55  -71  -55  -23  -71  -55  -71  -97  -55  -39  -55  -23  -55
##      -    -    -    -    -    -    -    -    -    -    -    -    -
##    -39  -39  -55  -91  -71  -39  -79  -55  -88 -121  -23 -103  -71
##      -    -    -    -    -    -    -    -    -    -    -    -    -
## -110  -87  -71  -71  -55 -119  -71  -55  -71  -39  -71  -39  -71
##      -    -    -    -    -    -    -    -    -    -    -    -    -
##    -55  -71   -7  -55  -71  -71  -55  -39  -55  -87  -55  -79  -55
##      -    -    -    -    -    -    -    -    -    -    ?    ?    ?
##    -71  -23   41  -39  -23  -55  -55  -71  -55  -55  -59  -60 -113
##      ?    ?    ?    ?    ?    ?    ?    Y    ?    ?    ?    ?    D
##    -60  -75    9   44  -47  -59  -11   18  -45  -58  -71  -91   -1
##      ?    ?    ?    ?    ?    ?    ?    D    ?    ?    ?    ?    ?
```

```
## -74  -66  -27  -42  -59  -27  -51  246   52   74   52   97   74
##   ?    R    ?    Q    ?    ?    ?    ?    ?    ?    ?    ?    ?
##  -5  100   77  125   60   51  -50  -99  -62  -36  -19  -32   49
##   ?    ?    ?    P    ?    P    ?    ?    ?    Y    T    E    E
##  96   49   -2  166   30  218    6   21   34  567  141  160  165
##   E    ?    ?    T    W    ?    T    L    ?    ?    R    Q    ?
## 325  179   71  216  891   38  405  204  208   79  165  109   42
##   ?    L    ?    ?    ?    ?    A    C    ?    E    ?    ?    ?
##  79  249  113  106   93  172  324  536  109  324  261   72  157
##   G    ?    -    -    -    -    ?    ?    L    G    ?    ?    ?
##  54  156  -23  -71  -71  -55  163   60  204  267  153  -19   60
##   D    ?    I    P    Q    L    E    ?    V    S    Q    ?    L
## 288  141  296  567  183  196  181  145  228  236  189   20  324
##   Q    ?    ?    T    G    W    R    ?    ?    ?    V    P    G
## 171   74  145  405  486  411  167  216   36  125  324  199  388
##   L    ?    P    ?    ?    ?    F    F    ?    ?    L    A    ?
## 324  216  199   86   86   42  486  214  125  108  324  324   92
##   R    ?    F    P    ?    T    Q    ?    I    R    ?    ?    ?
## 341   45  486  223  172  184  106  343  233  405  117  117  100
##   ?    L    D    Y    ?    ?    E    P    D    I    F    H    E
## 209   92  110  567  124  132  405  567  486  149  214  648  301
##   L    F    G    H    V    P    L    L    S    D    P    ?    F
## 186  214  486  648  249  567  249  196  108  239  175   27  486
##   A    ?    F    ?    Q    ?    Y    G    ?    L    A    ?    ?
## 324  213  387   90  286   70  199  486  -73    7  196    3   26
##   ?    A    ?    ?    ?    ?    ?    E    ?    L    A    R    L
## 124   83   76   29   49   40   71  108   71  292  261  165  244
##   Y    W    ?    T    V    E    F    G    L    ?    ?    ?    ?
## 567  891  301  405  244  405  439  486  324  173  157  129   97
##   -    ?    ?    ?    K    A    Y    G    A    G    L    L    S
##   6   92  143  140  285  124  502  486  262  486  244  217  324
##   S    F    ?    E    L    Q    Y    C    L    S    D    -    ?
## 324   52   93  405   77   81  451  261  276  171  183 -117  131
##   P    ?    ?    ?    P    F    ?    L    E    ?    ?    M    ?
## 436  104   45  137  163  214  254  175  131  175  120  149    8
##   T    ?    Y    ?    I    D    ?    F    Q    P    L    Y    F
## 165    0  567  102  288  190   73  388  405  169  108  567  382
##   V    ?    ?    S    F    ?    ?    L    ?    E    ?    ?    R
## 324  100  182  262  306  118   82  124   62  264   64   95  129
##   ?    ?    D    ?    T    ?    ?    ?    ?    ?    ?    ?    ?
## -75  -10  134   92   87   44   68   51   56   18   41   44   61
##   ?    ?    P    ?    ?    ?    ?    ?    ?    V    ?    D    ?
##  79   83   91  161   56   69   51   12   42   66  -40   78  116
##   ?    ?    ?    ?    ?    ?    ?    ?    ?    ?    ?    ?    ?
##  43    1  -40  -71  -11  -86  -70  -67   37   -8  -41  -38  -11
##   ?    ?    ?    I    L    ?    ?    A    ?    ?    ?    -    -
```

```
##  -28  -87   -7   -5  -44    4 -110  -44  -84  -68  -74  -83  -55
##    -
##  -47
```

As the above example shows, a substitution matrix must be provided. The result is obviously a vector as long as the alignment has columns. The entries of the vector are labeled by the consensus sequence. The way the consensus sequence is computed can be customized:

```
msaConservationScore(myFirstAlignment, BLOSUM62, gapVsGap=0,
                     type="upperlower", thresh=c(40, 20))


##    -    -    -    -    -    -    -    -    -    -    -    -    -
##  -80 -120 -119 -134  -96  -96  -80  -96 -144 -146  -96 -120  -80
##    -    -    -    -    -    -    -    -    -    -    -    -    -
##  -80  -96  -96  -64  -64  -64  -80  -80  -80  -96  -48  -96  -80
##    -    -    -    -    -    -    -    -    -    -    -    -    -
## -106  -64 -121  -94  -80  -64  -90  -96 -104  -96  -96  -96  -64
##    -    -    -    -    -    -    -    -    -    -    -    -    -
##  -96  -96  -80  -80  -80  -96  -64  -96  -96  -96  -98  -96  -96
##    -    -    -    -    -    -    -    -    -    -    -    -    -
##  -80  -96  -64  -80  -80  -64  -89 -102  -64  -96  -80  -32  -96
##    -    -    -    -    -    -    -    -    -    -    -    -    -
##  -80  -96  -80  -48  -96  -80  -96 -122  -80  -64  -80  -48  -80
##    -    -    -    -    -    -    -    -    -    -    -    -    -
##  -64  -64  -80 -116  -96  -64 -104  -80 -113 -146  -48 -128  -96
##    -    -    -    -    -    -    -    -    -    -    -    -    -
## -135 -112  -96  -96  -80 -144  -96  -80  -96  -64  -96  -64  -96
##    -    -    -    -    -    -    -    -    -    -    -    -    -
##  -80  -96  -32  -80  -96  -96  -80  -64  -80 -112  -80 -104  -80
##    -    -    -    -    -    -    -    -    -    -    .    .    .
##  -96  -48   16  -64  -48  -80  -80  -96  -80  -80  -75  -76 -129
##    .    .    .    .    .    .    .    y    .    .    .    .    d
##  -76  -91    8   43  -48  -63  -15   14  -49  -62  -80 -100  -10
##    .    .    .    .    .    .    .    d    .    .    .    .    .
##  -90  -82  -43  -58  -75  -36  -60  246   52   74   52   97   74
##    .    r    .    q    .    .    .    .    .    .    .    .    .
##   -5  100   77  125   60   51  -66 -115  -71  -45  -28  -36   48
##    .    .    .    p    .    p    .    .    .    Y    t    e    e
##   95   48   -3  166   30  218    6   21   33  567  141  160  165
##    e    .    .    t    W    .    T    l    .    .    r    q    .
##  325  179   71  216  891   38  405  204  208   79  165  109   42
##    .    l    .    .    .    .    A    c    .    e    .    .    .
##   79  249  113  106   93  172  324  536  109  324  261   72  157
##    g    .    -    -    -    -    .    .    l    g    .    .    .
##   54  156  -48  -96  -96  -80  163   60  204  267  153  -20   60
##    d    .    i    P    q    l    e    .    v    s    q    .    L
```

```
##   288   141   296   567   183   196   181   145   228   236   189    20   324
##     q     .     .     T     G     w     r     .     .     .     V     p     g
##   171    74   145   405   486   411   167   216    36   125   324   199   388
##     L     .     p     .     .     .     F     f     .     .     L     A     .
##   324   216   199    86    86    42   486   214   125   108   324   324    92
##     r     .     F     p     .     t     q     .     i     R     .     .     .
##   341    45   486   223   172   184   106   343   233   405   117   117   100
##     .     l     d     Y     .     .     E     P     D     i     f     H     e
##   209    92   110   567   124   132   405   567   486   149   214   648   301
##     l     f     G     H     v     P     l     l     s     d     p     .     F
##   186   214   486   648   249   567   249   196   108   239   175    27   486
##     A     .     f     .     q     .     y     G     .     l     a     .     .
##   324   213   387    90   286    70   199   486   -89     7   196     3    26
##     .     a     .     .     .     .     .     e     .     l     a     r     l
##   124    83    76    29    48    40    71   108    71   292   261   165   244
##     Y     W     .     T     v     E     f     G     L     .     .     .     .
##   567   891   301   405   244   405   439   486   324   173   157   129    97
##     -     .     .     .     k     a     y     G     a     G     l     l     S
##   -58    92   143   140   285   124   502   486   262   486   244   217   324
##     S     f     .     E     l     q     y     c     l     s     d     -     .
##   324    52    93   405    77    81   451   261   276   171   183  -142   131
##     p     .     .     .     p     f     .     l     e     .     .     m     .
##   436   104    45   137   163   214   254   175   131   175   120   149     8
##     t     .     Y     .     i     d     .     f     Q     p     l     Y     f
##   165     0   567   102   288   190    73   388   405   169   108   567   382
##     V     .     .     s     f     .     .     l     .     e     .     .     r
##   324   100   182   262   306   118    82   124    62   264    64    95   129
##     .     .     d     .     t     .     .     .     .     .     .     .     .
##   -91   -10   134    92    87    44    68    51    56    18    41    44    61
##     .     .     p     .     .     .     .     .     .     v     .     d     .
##    79    83    90   161    56    69    51    12    42    65   -41    77   115
##     .     .     .     .     .     .     .     .     .     .     .     .     .
##    42     0   -44   -75   -15   -90   -74   -76    33   -12   -45   -42   -15
##     .     .     .     i     l     .     .     a     .     .     .     -     -
##   -32   -91   -11    -9   -60   -12  -126   -60  -100   -84   -90  -108   -80
##     -
##   -96
```

The additional argument `gapVsGap` allows for controlling how pairs of gap are taken into account when computing pairwise scores (see `?msaConservationScore` for more details).

Conservation scores can also be computed from masked alignments. For masked columns, `NA`'s are returned:

```
msaConservationScore(myMaskedAlignment, BLOSUM62, gapVsGap=0,
                     type="upperlower", thresh=c(40, 20))
```

```
##    #    #    #    #    #    #    #    #    #    #    #    #    #
##   NA   NA   NA   NA   NA   NA   NA   NA   NA   NA   NA   NA   NA
##    #    #    #    #    #    #    #    #    #    #    #    #    #
##   NA   NA   NA   NA   NA   NA   NA   NA   NA   NA   NA   NA   NA
##    #    #    #    #    #    #    #    #    #    #    #    #    #
##   NA   NA   NA   NA   NA   NA   NA   NA   NA   NA   NA   NA   NA
##    #    #    #    #    #    #    #    #    #    #    #    #    #
##   NA   NA   NA   NA   NA   NA   NA   NA   NA   NA   NA   NA   NA
##    #    #    #    #    #    #    #    #    #    #    #    #    #
##   NA   NA   NA   NA   NA   NA   NA   NA   NA   NA   NA   NA   NA
##    #    #    #    #    #    #    #    #    #    #    #    #    #
##   NA   NA   NA   NA   NA   NA   NA   NA   NA   NA   NA   NA   NA
##    #    #    #    #    #    #    #    #    #    -    -    -    -
##   NA   NA   NA   NA   NA   NA   NA   NA   NA  -64  -96  -64  -96
##    -    -    -    -    -    -    -    -    -    -    -    -    -
##  -80  -96  -32  -80  -96  -96  -80  -64  -80 -112  -80 -104  -80
##    -    -    -    -    -    -    -    -    -    -    .    .    .
##  -96  -48   16  -64  -48  -80  -80  -96  -80  -80  -75  -76 -129
##    .    .    .    .    .    .    .    y    .    .    .    .    d
##  -76  -91    8   43  -48  -63  -15   14  -49  -62  -80 -100  -10
##    .    .    .    .    .    .    .    d    .    .    .    .    .
##  -90  -82  -43  -58  -75  -36  -60  246   52   74   52   97   74
##    .    r    .    q    .    .    .    .    .    .    .    .    .
##   -5  100   77  125   60   51  -66 -115  -71  -45  -28  -36   48
##    .    .    .    p    .    p    .    .    .    Y    t    e    e
##   95   48   -3  166   30  218    6   21   33  567  141  160  165
##    e    .    .    t    W    .    T    l    .    .    r    q    .
##  325  179   71  216  891   38  405  204  208   79  165  109   42
##    .    l    .    .    .    .    A    c    .    e    .    .    .
##   79  249  113  106   93  172  324  536  109  324  261   72  157
##    g    .    -    -    -    -    .    .    l    g    .    .    .
##   54  156  -48  -96  -96  -80  163   60  204  267  153  -20   60
##    d    .    i    P    q    l    e    .    v    s    q    .    L
##  288  141  296  567  183  196  181  145  228  236  189   20  324
##    q    .    .    T    G    w    r    .    .    .    V    p    g
##  171   74  145  405  486  411  167  216   36  125  324  199  388
##    L    .    p    .    .    .    F    f    .    .    L    A    .
##  324  216  199   86   86   42  486  214  125  108  324  324   92
##    r    .    F    p    .    t    q    .    i    R    .    .    .
##  341   45  486  223  172  184  106  343  233  405  117  117  100
##    .    l    d    Y    .    .    E    P    D    i    f    H    e
##  209   92  110  567  124  132  405  567  486  149  214  648  301
##    l    f    G    H    v    P    l    l    s    d    p    .    F
##  186  214  486  648  249  567  249  196  108  239  175   27  486
```

```
##      A      .      f      .      q      .      y      G      .      l      a      .      .
##    324    213    387     90    286     70    199    486    -89      7    196      3     26
##      .      a      .      .      .      .      .      e      .      l      a      r      l
##    124     83     76     29     48     40     71    108     71    292    261    165    244
##      Y      W      .      T      v      E      f      G      L      .      .      .      .
##    567    891    301    405    244    405    439    486    324    173    157    129     97
##      -      .      .      .      k      a      y      G      a      G      l      l      S
##    -58     92    143    140    285    124    502    486    262    486    244    217    324
##      S      f      .      E      l      q      y      c      l      s      d      -      .
##    324     52     93    405     77     81    451    261    276    171    183   -142    131
##      p      .      .      .      p      f      .      l      e      .      .      m      .
##    436    104     45    137    163    214    254    175    131    175    120    149      8
##      t      .      Y      .      i      d      .      f      Q      p      l      Y      f
##    165      0    567    102    288    190     73    388    405    169    108    567    382
##      V      .      .      s      f      .      .      l      .      e      .      .      r
##    324    100    182    262    306    118     82    124     62    264     64     95    129
##      .      .      d      .      t      .      .      .      .      .      .      .      .
##    -91    -10    134     92     87     44     68     51     56     18     41     44     61
##      .      .      p      .      .      .      .      .      .      v      .      d      .
##     79     83     90    161     56     69     51     12     42     65    -41     77    115
##      .      .      .      .      .      .      .      .      .      .      .      .      .
##     42      0    -44    -75    -15    -90    -74    -76     33    -12    -45    -42    -15
##      .      .      .      i      l      .      .      a      .      .      .      -      -
##    -32    -91    -11     -9    -60    -12   -126    -60   -100    -84    -90   -108    -80
##      -
##    -96
```

6.3   Interfacing to Other Packages

There are also other sequence analysis packages that use or make use of multiple sequence alignments. The `msa` package does not directly interface to these packages in order to avoid dependencies and possible incompatibilities. However, `msa` provides a function `msaConvert()` that allows for converting multiple sequence alignment objects to other types/classes. Currently, five such conversions are available, namely to the classes `alignment` (seqinr package [2]), `align` (bios2mds package [14]), `AAbin/DNAbin` (ape package [10]), and `phyDat` (phangorn package [11]). Except for the conversion to the class `phyDat`, these conversion are performed without loading or depending on the respective packages.

In the following example, we perform a multiple alignment of Hemoglobin alpha example sequences and convert the result for later processing with the `seqinr` package:

```
hemoSeq <- readAAStringSet(system.file("examples/HemoglobinAA.fasta",
                                       package="msa"))
hemoAln <- msa(hemoSeq)
```

```
## use default substitution matrix
```

```
hemoAln

## CLUSTAL 2.1
##
## Call:
##     msa(hemoSeq)
##
## MsaAAMultipleAlignment with 17 rows and 143 columns
##       aln                                      names
##   [1] -VLSPADKTNVKAAWGKV...LDKFLASVSTVLTSKYR HBA1_Homo_sapiens
##   [2] MVLSPADKTNVKAAWGKV...LDKFLASVSTVLTSKYR HBA1_Pan_troglodytes
##   [3] -VLSPADKSNVKAAWGKV...LDKFLASVSTVLTSKYR HBA1_Macaca_mulatta
##   [4] -VLSAADKGNVKAAWGKV...LDKFLANVSTVLTSKYR HBA1_Bos_taurus
##   [5] -VLSPADKTNVKGTWSKI...LDKFLASVSTVLTSKYR HBA1_Tursiops_tru...
##   [6] -VLSGEDKSNIKAAWGKI...LDKFLASVSTVLTSKYR HBA1_Mus_musculus
##   [7] MVLSADDKTNIKNCWGKI...LDKFLASVSTVLTSKYR HBA1_Rattus_norve...
##   [8] -VLSATDKANVKTFWGKL...LDKFLATVATVLTSKYR HBA1_Erinaceus_eu...
##   [9] -VLSAADKSNVKACWGKI...LDKFFSAVSTVLTSKYR HBA1_Felis_silves...
## [10] -VLSPADKTNIKSTWDKI...LDKFFTAVSTVLTSKYR HBA1_Chrysocyon_b...
## [11] -VLSDNDKTNVKATWSKV...LDKFLSNVSTVLTSKYR HBA1_Loxodonta_af...
## [12] -VLSAADKTNVKAAWSKV...LDKFLALLSTVLTSKYR HBA1_Monodelphis_...
## [13] -MLTDAEKKEVTALWGKA...MDKFLSKVATVLTSKYR HBA1_Ornithorhync...
## [14] -VLSAADKNNVKGIFTKI...LDKFLCAVGTVLTAKYR HBA1_Gallus_gallus
## [15] -HLTADDKKHIKAIWPSV...LDKFLVSVSNVLTSKYR HBA1_Xenopus_trop...
## [16] -VLTEEDKARVRVAWVPV...VDKFLGQISKVLASRYR HBA1_Microcephalo...
## [17] -SLSDTDKAVVKAIWAKI...VDKFFNNLALALSEKYR HBA1_Danio_rerio
##  Con -VLS?ADK?NVKA?WGK?...LDKFLA?VSTVLTSKYR Consensus

hemoAln2 <- msaConvert(hemoAln, type="seqinr::alignment")
```

Now we compute a distance matrix using the `dist.alignment()` function from the `seqinr` package:

```
library(seqinr)

d <- dist.alignment(hemoAln2, "identity")
as.matrix(d)[2:5, "HBA1_Homo_sapiens", drop=FALSE]

##                         HBA1_Homo_sapiens
## HBA1_Pan_troglodytes            0.0000000
## HBA1_Macaca_mulatta             0.1684304
## HBA1_Bos_taurus                 0.3472281
## HBA1_Tursiops_truncatus         0.4038819
```

Now we can construct a phylogenetic tree with the neighbor joining algorithm using the `nj()` function from the `ape` package:

```
library(ape)

hemoTree <- nj(d)
plot(hemoTree, main="Phylogenetic Tree of Hemoglobin Alpha Sequences")
```

Phylogenetic Tree of Hemoglobin Alpha Sequences

The following example shows how to convert a multiple alignment object in an object of class
`align` as defined by the `bios2mds` package:

```
hemoAln3 <- msaConvert(hemoAln, type="bios2mds::align")
str(hemoAln3)


## List of 17
##  $ HBA1_Homo_sapiens           : chr [1:143] "-" "V" "L" "S" ...
```

```
##  $ HBA1_Pan_troglodytes        : chr [1:143] "M" "V" "L" "S" ...
##  $ HBA1_Macaca_mulatta         : chr [1:143] "-" "V" "L" "S" ...
##  $ HBA1_Bos_taurus             : chr [1:143] "-" "V" "L" "S" ...
##  $ HBA1_Tursiops_truncatus     : chr [1:143] "-" "V" "L" "S" ...
##  $ HBA1_Mus_musculus           : chr [1:143] "-" "V" "L" "S" ...
##  $ HBA1_Rattus_norvegicus      : chr [1:143] "M" "V" "L" "S" ...
##  $ HBA1_Erinaceus_europaeus    : chr [1:143] "-" "V" "L" "S" ...
##  $ HBA1_Felis_silvestris_catus : chr [1:143] "-" "V" "L" "S" ...
##  $ HBA1_Chrysocyon_brachyurus  : chr [1:143] "-" "V" "L" "S" ...
##  $ HBA1_Loxodonta_africana     : chr [1:143] "-" "V" "L" "S" ...
##  $ HBA1_Monodelphis_domestica  : chr [1:143] "-" "V" "L" "S" ...
##  $ HBA1_Ornithorhynchus_anatinus : chr [1:143] "-" "M" "L" "T" ...
##  $ HBA1_Gallus_gallus          : chr [1:143] "-" "V" "L" "S" ...
##  $ HBA1_Xenopus_tropicalis     : chr [1:143] "-" "H" "L" "T" ...
##  $ HBA1_Microcephalophis_gracilis: chr [1:143] "-" "V" "L" "T" ...
##  $ HBA1_Danio_rerio            : chr [1:143] "-" "S" "L" "S" ...
##  - attr(*, "class")= chr "align"
```

The conversions to the standard `Biostrings` classes are straightforward using standard `as()` methods and not provided by the `msaConvert()` function. The following example converts a multiple alignment object to class `BStringSet` (e.g. the `msaplot()` function from the `ggtree` package [16] accepts `BStringSet` objects):

```
hemoAln4 <- as(hemoAln, "BStringSet")
hemoAln4

## BStringSet object of length 17:
##      width seq                               names
##  [1]   143 -VLSPADKTNVKAAW...KFLASVSTVLTSKYR HBA1_Homo_sapiens
##  [2]   143 MVLSPADKTNVKAAW...KFLASVSTVLTSKYR HBA1_Pan_troglodytes
##  [3]   143 -VLSPADKSNVKAAW...KFLASVSTVLTSKYR HBA1_Macaca_mulatta
##  [4]   143 -VLSAADKGNVKAAW...KFLANVSTVLTSKYR HBA1_Bos_taurus
##  [5]   143 -VLSPADKTNVKGTW...KFLASVSTVLTSKYR HBA1_Tursiops_tru...
##  ...   ... ...
## [13]   143 -MLTDAEKKEVTALW...KFLSKVATVLTSKYR HBA1_Ornithorhync...
## [14]   143 -VLSAADKNNVKGIF...KFLCAVGTVLTAKYR HBA1_Gallus_gallus
## [15]   143 -HLTADDKKHIKAIW...KFLVSVSNVLTSKYR HBA1_Xenopus_trop...
## [16]   143 -VLTEEDKARVRVAW...KFLGQISKVLASRYR HBA1_Microcephalo...
## [17]   143 -SLSDTDKAVVKAIW...KFFNNLALALSEKYR HBA1_Danio_rerio
```

Note: The `msaConvert()` function has been introduced in version 1.3.3 of the `msa` package. So, to have this function available, at least Bioconductor 3.3 is required, which requires at least R 3.3.0.

7   Pretty-Printing Multiple Sequence Alignments

As already mentioned above, the `msa` package offers the function `msaPrettyPrint()` which allows for pretty-printing multiple sequence alignments using the LaTeX package TEXshade [1]. Which prerequisites are necessary to take full advantage of the `msaPrettyPrint()` function is described in Section 2.

The `msaPrettyPrint()` function writes a multiple sequence alignment to an alignment (`.aln`) file and then creates LaTeX code for pretty-printing the multiple sequence alignment on the basis of the LaTeX package TEXshade. Depending on the choice of the `output` argument, the function `msaPrettyPrint()` either prints a LaTeX fragment to the R session (choice `output="asis"`) or writes a LaTeX source file (choice `output="tex"`) that it processes to a DVI file (choice `output="dvi"`) or PDF file (choice `output="pdf"`). Note that no extra software is needed for choices `output="asis"` and `output="tex"`. For `output="dvi"` and `output="pdf"`, however, a TEX/LaTeX distribution must be installed in order to translate the LaTeX source file into the desired target format (DVI or PDF).

The function `msaPrettyPrint()` allows for making the most common settings directly and conveniently via an R interface without the need to know the details of LaTeX or TEXshade. In the following, we will describe some of these customizations. For all possibilities, the user is referred to the documentation of TEXshade.[5]

7.1   Consensus Sequence and Sequence Logo

The consensus sequence of the alignment is one of the most important results of a multiple sequence alignment. `msaPrettyPrint()` has a standard possibility to show this consensus sequence with the parameter `showConsensus`. The default value is `"bottom"`, which results in the following:

```
msaPrettyPrint(myFirstAlignment, output="asis", y=c(164, 213),
               subset=c(1:6), showNames="none", showLogo="none",
               consensusColor="ColdHot", showLegend=FALSE,
               askForOverwrite=FALSE)
```

```
IAYNYRHGQPIPRVEYTEEEKQTWGTVFRTLKALYKTHACYEHNHIFPLL      213
IAYNYRHGQPIPRVEYTEEERKTWGTVFRTLKALYKTHACYEHNHIFPLL      213
IAYNYRHGQPIPRVEYMEEEKKTWGTVFKTLKSLYKTHACYEYNHIFPLL      213
IAYNYRHGQPIPRVEYTEEEKKTWGTVFRTLKSLYKTHACYEHNHIFPLL      212
.....DFTLPQPLDRYSAEDHATWATLYQRQCKLLPGRACDEFMEGL...       67
QTLRPDFTMEQPVHRYTAADHATWRTLYDRQEALLPGRACDEFLQGL...       83
***********!****!********!!*!********!****!!*!********
```

Consensus sequences can also be displayed on top of a multiple sequence alignment or omitted completely.

---
[5]`https://www.ctan.org/pkg/texshade`

In the above example, an exclamation mark '!' in the consensus sequence stands for a conserved letter, i.e. a sequence positions in which all sequences agree, whereas an asterisk '*' stands for positions in which there is a majority of sequences agreeing. Positions in which the sequences disagree are left blank in the consensus sequence. For a more advanced example how to customize the consensus sequence, see the example in Subsection 7.4 below.

The color scheme of the consensus sequence can be configured with the `consensusColors` parameter. Possible values are `"ColdHot"`, `"HotCold"`, `"BlueRed"`, `"RedBlue"`, `"GreenRed"`, `"RedGreen"`, or `"Gray"`. The above example uses the color scheme `"RedGreen"`.

Additionally, `msaPrettyPrint()` also offers a more sophisticated visual representation of the consensus sequence — sequence logos. Sequence logos can be displayed either on top of the multiple sequence alignment (`showLogo="top"`), below the multiple sequence alignment (`showLogo="bottom"`), or omitted at all (`showLogo="none"`):

```
msaPrettyPrint(myFirstAlignment, output="asis", y=c(164, 213),
               subset=c(1:6), showNames="none", showLogo="top",
               logoColors="rasmol", shadingMode="similar",
               showLegend=FALSE, askForOverwrite=FALSE)
```


The color scheme of the sequence logo can be configured with the `logoColors` parameter. Possible values are `"chemical"`, `"rasmol"`, `"hydropathy"`, `"structure"`, `"standard area"`, and `"accessible area"`. The above example uses the color scheme `"rasmol"`.

Note that a consensus sequence and a sequence logo can be displayed together, but only on opposite sides.

Finally, a caveat: for computing consensus sequences, `msaPrettyPrint()` uses the functionality provided by TEXshade, therefore, the results need not match to the results of the methods described in Section 6 above.

7.2   Color Shading Modes

TEXshade offers different shading schemes for displaying the multiple sequence alignment itself. The following schemes are available: `"similar"`, `"identical"`, and `"functional"`. Moreover, there are five different color schemes available for shading: `"blues"`, `"reds"`, `"greens"`, `"grays"`, or `"black"`. The following example uses the shading mode `"similar"` along with the color scheme `"blues"`:

```
msaPrettyPrint(myFirstAlignment, output="asis", y=c(164, 213),
               showNames="none", shadingMode="similar",
               shadingColors="blues", showLogo="none",
               showLegend=FALSE, askForOverwrite=FALSE)
```

```
IAYNYRHGQPIPRVEYTEEEKQTWGTVFRTLKALYKTHACYEHNHIFPLL    213
IAYNYRHGQPIPRVEYTEEERKTWGTVFRTLKALYKTHACYEHNHIFPLL    213
IAYNYRHGQPIPRVEYMEEEKKTWGTVFKTLKSLYKTHACYEYNHIFPLL    213
IAYNYRHGQPIPRVEYTEEEKKTWGTVFRTLKSLYKTHACYEHNHIFPLL    212
.....DFTLPQPLDRYSAEDHATWATLYQRQCKLLPGRACDEFMEGL...    67
QTLRPDFTMEQPVHRYTAADHATWRTLYDRQEALLPGRACDEFLQGL...    83
....PDWTIDQGWETYTQAEHDVWITLYERQTDMLHGRACDEFMRGL...    58
.........DNGFIHYPETEHQVWNTLITRQLKVIEGRACQEYLDGI...    50
.VCRADFTVAQDYD.YSDEEQAVWRTLCDRQTKLTRKLAHHSYLDGV...    65
***** * *******!***** *!*!****** *** *!***********
```

If the shading modes `"similar"` or `"identical"` are used, the `shadingModeArg` argument allows for setting a similarity threshold (a numerical value between 0 and 100). For shading mode `"functional"`, the following settings of the `shadingModeArg` argument are possible: `"charge"`, `"hydropathy"`, `"structure"`, `"hemical"`, `"rasmol"`, `"standard area"`, and `"accessible area"`. The following example uses shading mode `"functional"` along with `shadingModeArg` set to `"structure"`:

```
msaPrettyPrint(myFirstAlignment, output="asis", y=c(164, 213),
               showNames="none", shadingMode="functional",
               shadingModeArg="structure",
               askForOverwrite=FALSE)
```



```
IAYNYRHGQPIPRVEYTEEEKQTWGTVFRTLKALYKTHACYEHNHIFPLL    213
IAYNYRHGQPIPRVEYTEEERKTWGTVFRTLKALYKTHACYEHNHIFPLL    213
IAYNYRHGQPIPRVEYMEEEKKTWGTVFKTLKSLYKTHACYEYNHIFPLL    213
IAYNYRHGQPIPRVEYTEEEKKTWGTVFRTLKSLYKTHACYEHNHIFPLL    212
.....DFTLPQPLDRYSAEDHATWATLYQRQCKLLPGRACDEFMEGL...    67
QTLRPDFTMEQPVHRYTAADHATWRTLYDRQEALLPGRACDEFLQGL...    83
....PDWTIDQGWETYTQAEHDVWITLYERQTDMLHGRACDEFMRGL...    58
.........DNGFIHYPETEHQVWNTLITRQLKVIEGRACQEYLDGI...    50
.VCRADFTVAQDYD.YSDEEQAVWRTLCDRQTKLTRKLAHHSYLDGV...    65
```

```
X  external
X  ambivalent
X  internal
```

In the above example, a legend is shown that specifies the meaning of the color codes with which the letters are shaded. In some of the other examples above, we have suppressed this legend with the option `showLegend=FALSE`. The default, however, is that a legend is printed underneath the multiple sequence alignment like in the previous example.

7.3 Subsetting

In case that not the complete multiple sequence alignment should be printed, `msaPrettyPrint()` offers two ways of sub-setting. On the one hand, the `subset` argument allows for selecting only a subset of sequences. Not surprisingly, `subset` must be a numeric vector with indices of sequences to be selected. On the other hand, it is also possible to slice out certain positions of the multiple sequence alignment using the `y` argument. In the simplest case, `y` can be a numeric vector with two elements in ascending order which correspond to the left and right bounds between which the multiple sequence alignment should be displayed. However, it is also possible to slice out multiple windows. For this purpose, the argument `y` must be an `IRanges` object containing the starts and ends of the windows to be selected.

7.4 Additional Customizations

The `msaPrettyPrint()` function provides an interface to the most common functionality of TEXshade in a way that the user does not need to know the specific commands of TEXshade. TEXshade, however, provides a host of additional customizations many of which are not covered by the interface of the `msaPrettyPrint()` function. In order to allow users to make use of all functionality of TEXshade, `msaPrettyPrint()` offers the `furtherCode` argument through which users can add LATEX code to the `texshade` environment that is created by `msaPrettyPrint()`. Moreover, the `code` argument can be used to bypass all of `msaPrettyPrint()`'s generation of TEXshade code.

Here is an example how to use the `furtherCode` argument in order to customize the consensus sequence and to show a ruler on top:

```
msaPrettyPrint(myFirstAlignment, output="asis", y=c(164, 213),
               subset=c(1:6), showNames="none", showLogo="none",
               consensusColor="ColdHot", showLegend=FALSE,
               shadingMode="similar", askForOverwrite=FALSE,
               furtherCode=c("\\defconsensus{.}{lower}{upper}",
                             "\\showruler{1}{top}"))
```


7.5 Sweave or knitr Integration

The function `msaPrettyPrint()` is particularly well-suited for pretty-printing multiple alignments in Sweave [6] or knitr [15] documents. The key is to set `output` to `"asis"` when calling

`msaPrettyPrint()` and, at the same time, to let the R code chunk produce output that is directly included in the resulting LaTeX document as it is. This can be accomplished with the code chunk option `results="tex"` in Sweave and with the code chunk option `results="asis"` in knitr. Here is an example of a Sweave code chunk that displays a pretty-printed multiple sequence alignment inline:

```
<<AnyChunkName,results="tex">>=
msaPrettyPrint(myFirstAlignment, output="asis")
@
```

The same example in knitr:

```
<<AnyChunkName,results="asis">>=
msaPrettyPrint(myFirstAlignment, output="asis")
@
```

Note that, for processing the resulting LaTeX source document, the TeXshade package must be installed (see Section 2) and the TeXshade package must be loaded in the preamble:

```
\usepackage{texshade}
```

7.6 Sequence Names

The `Biostrings` package does not impose any restrictions on the names of sequences. Consequently, `msa` also allows all possible ASCII strings as sequence (row) names in multiple alignments. As soon as `msaPrettyPrint()` is used for pretty-printing multiple sequence alignments, however, the sequence names are interpreted as plain LaTeX source code. Consequently, LaTeX errors may arise because of characters or words in the sequence names that LaTeX does not or cannot interpret as plain text correctly. This particularly includes appearances of special characters and backslash characters in the sequence names.

The `msa` package offers a function `msaCheckNames()` which allows for finding and replacing potentially problematic characters in the sequence names of multiple alignment objects (see `?msaCheckNames`). However, the best solution is to check sequence names carefully and to avoid problematic sequence names from the beginning. Note, moreover, that too long sequence names will lead to less appealing outputs, so users are generally advised to consider sequence names carefully.

7.7 Pretty-Printing Wide Alignments

If the alignment to be printed with `msaPrettyPrint()` is wide (thousands of columns or wider), LaTeX may terminate prematurely because of exceeded TeX capacity. Unfortunately, this problem remains opaque to the user, since `texi2dvi()` and `texi2pdf()` do not convey much details about LaTeX problems when typesetting a document. We recommend the following if a user encounters problems with running `msaPrettyPrint()`'s output with `texi2dvi()` and `texi2pdf()`:

1. Run `pdflatex` on the generated `.tex` file to see whether it is actually a problem with TEX capacity.

2. If so, split the alignment into multiple chunks and run `msaPrettyPrint()` on each chunk separately.

The following example demonstrates this approach for a multiple aligment object 'aln':

```
chunkSize <- 300 ## how much fits on one page depends on the length of
                 ## names and the number of sequences;
                 ## change to what suits your needs

for (start in seq(1, ncol(aln), by=chunkSize))
{
    end <- min(start + chunkSize - 1, ncol(aln))
    alnPart <- DNAMultipleAlignment(subseq(unmasked(aln), start, end))

    msaPrettyPrint(x=alnPart, output="pdf", subset=NULL,
                   file=paste0("aln_", start, "-", end, ".pdf"))
}
```

This creates multiple PDF files all of which show one part of the alignment. Please note, however, that the numbering of columns is restarted for each chunk.

7.8   Further Caveats

- Note that `texi2dvi()` and `texi2pdf()` always save the resulting DVI/PDF files to the current working directory, even if the LATEX source file is in a different directory. That is also the reason why the temporary file is created in the current working directory in the example below.

- TEXshade has a wide array of functionalities. Only the most common ones have been tested for interoperability with R. So the use of the arguments `furtherCode` and `code` is the user's own risk!

8   Known Issues

Memory Leaks

The original implementations of ClustalW, ClustalOmega, and MUSCLE are stand-alone command line programs which are only run once each time a multiple sequence alignment is performed. During the development of the `msa` package, we performed memory management checks using Valgrind [8] and discovered multiple memory leaks in ClustalW and MUSCLE. These memory leaks have no effect for the command line tools, since the program is closed each time the alignment is finished. In the implementation of the `msa` package, however, these memory leaks may have an effect if the same algorithm is run multiple times.

For MUSCLE, we managed to eliminate all memory leaks by deactivating the two parameters `weight1` and `weight2`. ClustalOmega did not show any memory leaks. ClustalW indeed has several memory leaks which are benign if the algorithm is run only a few times, but which may have more severe effects if the algorithm is run many times. ClustalOmega also has a minor memory leak, but the loss of data is so small that no major problems are to be expected except for thousands of executions of ClustalOmega.

ClustalOmega vs. Older GCC Versions on Linux/Unix

We have encountered peculiar behavior of ClustalOmega if the package was built using an older GCC version: if we built the package on an `x86_64` Linux system with GCC 4.4.7, ClustalOmega built smoothly and could be executed without any errors. However, the resulting multiple sequence alignment was more than sub-optimal. We could neither determine the source of this problem nor which GCC versions show this behavior. We therefore recommend Linux/Unix users to use an up-to-date GCC version (we used 4.8.2 during package development, which worked nicely) or, in case they encounter dubious results, to update to a newer GCC version and re-install the package.

ClustalOmega: OpenMP Support on Mac OS

ClustalOmega is implemented to make use of OpenMP (if available on the target platform). Due to issues on one of the Bioconductor build servers running Mac OS, we had to deactivate OpenMP generally for Mac OS platforms. If a Mac OS user wants to re-activate OpenMP, he/she should download the source package tarball, untar it, comment/uncomment the corresponding line in `msa/src/ClustalOmega/msaMakefile` (see first six lines), and build/install the package from source.

Build/installation issues

Some users have reported compiler and linker errors when building `msa` from source on Linux systems. In almost all cases, these could have been tracked down to issues with the `R` setup on those systems (e.g. a `Rprofile.site` file that makes changes to the `R` environment that are not compatible with `msa`'s Makefiles).[6] In most cases, these issues can be avoided by installing `msa` in a "vanilla R session", i.e. starting `R` with option `--vanilla` when installing `msa`.

9   Future Extensions

We envision the following changes/extensions in future versions of the package:

- Integration of more multiple sequence alignment algorithms, such as, T-Coffee [9] or DI-ALIGN [7]

- Support for retrieving guide trees from the multiple sequence alignment algorithms

---

[6]See, e.g., `https://support.bioconductor.org/p/90735/`

- Interface to methods computing phylogenetic trees (e.g. as contained in the original implementation of ClustalW)

- Elimination of memory leaks described in Section 8 and re-activation of parameters that have been deactivated in order to avoid memory leaks

- More tolerant handling of custom substitution matrices (MUSCLE interface)

10 How to Cite This Package

If you use this package for research that is published later, you are kindly asked to cite it as follows:

U. Bodenhofer, E. Bonatesta, C. Horejš-Kainrath, and S. Hochreiter (2015). msa: an R package for multiple sequence alignment. *Bioinformatics* **31**(24):3997–3999. DOI: bioinformatics/btv494.

To obtain a BibTEX entries of the reference, enter the following into your R session:

```
toBibtex(citation("msa"))
```

Moreover, we insist that, any time you cite the package, you also cite the original paper in which the original algorithm has been introduced (see bibliography below).

References

[1] E. Beitz. TEXshade: shading and labeling of multiple sequence alignments using LATEX2e. *Bioinformatics*, 16(2):135–139, 2000.

[2] D. Charif and J. R. Lobry. SeqinR 1.0-2: a contributed package to the R project for statistical computing devoted to biological sequences retrieval and analysis. In U. Bastolla, M. Porto, H. E. Roman, and M. Vendruscolo, editors, *Structural approaches to sequence evolution: Molecules, networks, populations*, Biological and Medical Physics, Biomedical Engineering, pages 207–232. Springer, New York, 2007.

[3] R. C. Edgar. MUSCLE: a multiple sequence alignment method with reduced time and space complexity. *BMC Bioinformatics*, 5(5):113, 2004.

[4] R. C. Edgar. MUSCLE: multiple sequence alignment with high accuracy and high throughput. *Nucleic Acids Res.*, 32(5):1792–1797, 2004.

[5] L. Lamport. *LATEX — A Document Preparation System. User's Guide and Reference Manual*. Addison-Wesley Longman, Amsterdam, 1999.

[6] F. Leisch. Sweave: dynamic generation of statistical reports using literate data analysis. In W. Härdle and B. Rönz, editors, *Compstat 2002 — Proceedings in Computational Statistics*, pages 575–580, Heidelberg, 2002. Physica-Verlag.

[7] B. Morgenstern. DIALIGN 2: improvement of the segment-to-segment approach to multiple sequence alignment. *Bioinformatics*, 15(3):211–218, 1999.

[8] N. Nethercote and J. Seward. Valgrind: A framework for heavyweight dynamic binary instrumentation. In *Proc. of the ACM SIGPLAN 2007 Conf. on Programming Language Design and Implementation*, San Diego, CA, 2007.

[9] C. Notredame, D. G. Higgins, and J. Heringa. T-Coffee: A novel method for fast and accurate multiple sequence alignment. *J. Mol. Biol.*, 302(1):205–217, 2000.

[10] E. Paradis, J. Claude, and K. Strimmer. APE: analyses of phylogenetics and evolution in R language. *Bioinformatics*, 20:289–290, 2004.

[11] K. P. Schliep. phangorn: phylogenetic analysis in R. *Bioinformatics*, 27(4):592–593, 2011.

[12] F. Sievers, A. Wilm, D. Dineen, T. J. Gibson, K. Karplus, W. Li, R. Lopez, H. McWilliam, M. Remmert, J. Söding, J. D. Thompson, and D. G. Higgins. Fast, scalable generation of high-quality protein multiple sequence alignments using Clustal Omega. *Mol. Syst. Biol.*, 7:539, 2011.

[13] J. D. Thompson, D. G. Higgins, and T. J. Gibson. CLUSTAL W: improving the sensitivity of progressive multiple sequence alignment through sequence weighting, position-specific gap penalties and weight matrix choice. *Nucleic Acids Res.*, 22(22):4673–4680, 2004.

[14] J. Pele with J.-M. Becu, H. Abdi, and M. Chabbert. *bios2mds: From BIOlogical Sequences to MultiDimensional Scaling*, 2012. R package version 1.2.2.

[15] Y. Xie. *Dynamic Documents with R and knitr*. Chapman & Hall/CRC, 2014.

[16] G. Yu, D. Smith, H. Zhu, Y. Guan, and T. T. Y. Lam. ggtree: an R package for visualization and annotation of phylogenetic tree with different types of meta-data. submitted.